

Charles Reay Mackay

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5429305/charles-reay-mackay-publications-by-citations.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

171
papers

37,038
citations

87
h-index

186
g-index

186
ext. papers

41,394
ext. citations

13.3
avg, IF

7.2
L-index

#	Paper	IF	Citations
171	The beta-chemokine receptors CCR3 and CCR5 facilitate infection by primary HIV-1 isolates. <i>Cell</i> , 1996 , 85, 1135-48	56.2	2099
170	Regulation of inflammatory responses by gut microbiota and chemoattractant receptor GPR43. <i>Nature</i> , 2009 , 461, 1282-6	50.4	2011
169	Flexible programs of chemokine receptor expression on human polarized T helper 1 and 2 lymphocytes. <i>Journal of Experimental Medicine</i> , 1998 , 187, 875-83	16.6	1360
168	T-cell function and migration. Two sides of the same coin. <i>New England Journal of Medicine</i> , 2000 , 343, 1020-34	59.2	1224
167	The chemokine receptors CXCR3 and CCR5 mark subsets of T cells associated with certain inflammatory reactions. <i>Journal of Clinical Investigation</i> , 1998 , 101, 746-54	15.9	1073
166	The role of short-chain fatty acids in health and disease. <i>Advances in Immunology</i> , 2014 , 121, 91-119	5.6	953
165	Rapid and coordinated switch in chemokine receptor expression during dendritic cell maturation. <i>European Journal of Immunology</i> , 1998 , 28, 2760-9	6.1	949
164	The HIV coreceptors CXCR4 and CCR5 are differentially expressed and regulated on human T lymphocytes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1997 , 94, 1925-30	11.5	929
163	Selective expression of the eotaxin receptor CCR3 by human T helper 2 cells. <i>Science</i> , 1997 , 277, 2005-7	33.3	916
162	The role of chemokine receptors in primary, effector, and memory immune responses. <i>Annual Review of Immunology</i> , 2000 , 18, 593-620	34.7	891
161	The transcriptional repressor Bcl-6 directs T follicular helper cell lineage commitment. <i>Immunity</i> , 2009 , 31, 457-68	32.3	861
160	Diet, gut microbiota and immune responses. <i>Nature Immunology</i> , 2011 , 12, 5-9	19.1	844
159	CCR3 and CCR5 are co-receptors for HIV-1 infection of microglia. <i>Nature</i> , 1997 , 385, 645-9	50.4	821
158	Chemokines and chemokine receptors in T-cell priming and Th1/Th2-mediated responses. <i>Trends in Immunology</i> , 1998 , 19, 568-74		806
157	Chemokines: immunology's high impact factors. <i>Nature Immunology</i> , 2001 , 2, 95-101	19.1	694
156	Metabolite-sensing receptors GPR43 and GPR109A facilitate dietary fibre-induced gut homeostasis through regulation of the inflammasome. <i>Nature Communications</i> , 2015 , 6, 6734	17.4	658
155	CCR5 levels and expression pattern correlate with infectability by macrophage-tropic HIV-1, in vitro. <i>Journal of Experimental Medicine</i> , 1997 , 185, 1681-91	16.6	641

154	Association of BAFF/BlyS overexpression and altered B cell differentiation with Sjögren syndrome. <i>Journal of Clinical Investigation</i> , 2002 , 109, 59-68	15.9	581
153	T follicular helper cells express a distinctive transcriptional profile, reflecting their role as non-Th1/Th2 effector cells that provide help for B cells. <i>Journal of Immunology</i> , 2004 , 173, 68-78	5.3	577
152	A fundamental role for interleukin-21 in the generation of T follicular helper cells. <i>Immunity</i> , 2008 , 29, 127-37	32.3	567
151	Diet, metabolites, and "western-lifestyle" inflammatory diseases. <i>Immunity</i> , 2014 , 40, 833-42	32.3	546
150	T follicular helper (TFH) cells in normal and dysregulated immune responses. <i>Annual Review of Immunology</i> , 2008 , 26, 741-66	34.7	504
149	Follicular B helper T cells in antibody responses and autoimmunity. <i>Nature Reviews Immunology</i> , 2005 , 5, 853-65	36.5	477
148	Evidence that asthma is a developmental origin disease influenced by maternal diet and bacterial metabolites. <i>Nature Communications</i> , 2015 , 6, 7320	17.4	474
147	Disrupted cardiac development but normal hematopoiesis in mice deficient in the second CXCL12/SDF-1 receptor, CXCR7. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 14759-64	11.5	466
146	Circulating precursor CCR7(lo)PD-1(hi) CXCR5+ CD4+ T cells indicate Tfh cell activity and promote antibody responses upon antigen reexposure. <i>Immunity</i> , 2013 , 39, 770-81	32.3	449
145	High-Fiber Diet and Acetate Supplementation Change the Gut Microbiota and Prevent the Development of Hypertension and Heart Failure in Hypertensive Mice. <i>Circulation</i> , 2017 , 135, 964-977	16.7	415
144	Prominence of gamma delta T cells in the ruminant immune system. <i>Trends in Immunology</i> , 1991 , 12, 30-4		400
143	B cell-activating factor belonging to the TNF family (BAFF)-R is the principal BAFF receptor facilitating BAFF costimulation of circulating T and B cells. <i>Journal of Immunology</i> , 2004 , 173, 807-17	5.3	388
142	Enhanced expression of eotaxin and CCR3 mRNA and protein in atopic asthma. Association with airway hyperresponsiveness and predominant co-localization of eotaxin mRNA to bronchial epithelial and endothelial cells. <i>European Journal of Immunology</i> , 1997 , 27, 3507-16	6.1	383
141	MEDI-563, a humanized anti-IL-5 receptor alpha mAb with enhanced antibody-dependent cell-mediated cytotoxicity function. <i>Journal of Allergy and Clinical Immunology</i> , 2010 , 125, 1344-1353.e2	11.5	375
140	Gut microbial metabolites limit the frequency of autoimmune T cells and protect against type 1 diabetes. <i>Nature Immunology</i> , 2017 , 18, 552-562	19.1	367
139	Targeting dual-specificity phosphatases: manipulating MAP kinase signalling and immune responses. <i>Nature Reviews Drug Discovery</i> , 2007 , 6, 391-403	64.1	340
138	Interaction of chemokine receptor CCR5 with its ligands: multiple domains for HIV-1 gp120 binding and a single domain for chemokine binding. <i>Journal of Experimental Medicine</i> , 1997 , 186, 1373-81	16.6	337
137	Dietary Fiber and Bacterial SCFA Enhance Oral Tolerance and Protect against Food Allergy through Diverse Cellular Pathways. <i>Cell Reports</i> , 2016 , 15, 2809-24	10.6	323

136	Functional roles for C5a receptors in sepsis. <i>Nature Medicine</i> , 2008 , 14, 551-7	50.5	312
135	BAFF and MyD88 signals promote a lupuslike disease independent of T cells. <i>Journal of Experimental Medicine</i> , 2007 , 204, 1959-71	16.6	303
134	Association of BAFF/BLyS overexpression and altered B cell differentiation with Sjögren's syndrome. <i>Journal of Clinical Investigation</i> , 2002 , 109, 59-68	15.9	263
133	Homing of naive, memory and effector lymphocytes. <i>Current Opinion in Immunology</i> , 1993 , 5, 423-7	7.8	256
132	T-cell memory: the connection between function, phenotype and migration pathways. <i>Trends in Immunology</i> , 1991 , 12, 189-92		251
131	Somatic generation of diversity in a mammalian primary lymphoid organ: the sheep ileal Peyer's patches. <i>Cell</i> , 1991 , 64, 995-1005	56.2	251
130	CXCR5 expressing human central memory CD4 T cells and their relevance for humoral immune responses. <i>Journal of Immunology</i> , 2011 , 186, 5556-68	5.3	246
129	Immunohistochemical study of the beta-chemokine receptors CCR3 and CCR5 and their ligands in normal and Alzheimer's disease brains. <i>American Journal of Pathology</i> , 1998 , 153, 31-7	5.8	238
128	Tissue-specific migration pathways by phenotypically distinct subpopulations of memory T cells. <i>European Journal of Immunology</i> , 1992 , 22, 887-95	6.1	222
127	Guidance of B cells by the orphan G protein-coupled receptor EB12 shapes humoral immune responses. <i>Immunity</i> , 2009 , 31, 259-69	32.3	205
126	The chemokine receptor CXCR3 mediates rapid and shear-resistant adhesion-induction of effector T lymphocytes by the chemokines IP10 and Mig. <i>European Journal of Immunology</i> , 1998 , 28, 961-72	6.1	202
125	The functional plasticity of T cell subsets. <i>Nature Reviews Immunology</i> , 2009 , 9, 811-6	36.5	201
124	Positive regulation of immune cell function and inflammatory responses by phosphatase PAC-1. <i>Nature Immunology</i> , 2006 , 7, 274-83	19.1	193
123	Gamma/delta T cells express a unique surface molecule appearing late during thymic development. <i>European Journal of Immunology</i> , 1989 , 19, 1477-83	6.1	192
122	Amino-terminal substitutions in the CCR5 coreceptor impair gp120 binding and human immunodeficiency virus type 1 entry. <i>Journal of Virology</i> , 1998 , 72, 279-85	6.6	188
121	Moving targets: cell migration inhibitors as new anti-inflammatory therapies. <i>Nature Immunology</i> , 2008 , 9, 988-98	19.1	178
120	Beyond gut feelings: how the gut microbiota regulates blood pressure. <i>Nature Reviews Cardiology</i> , 2018 , 15, 20-32	14.8	177
119	The C5a receptor (C5aR) C5L2 is a modulator of C5aR-mediated signal transduction. <i>Journal of Biological Chemistry</i> , 2010 , 285, 7633-44	5.4	176

118	Three distinct subpopulations of sheep T lymphocytes. <i>European Journal of Immunology</i> , 1986 , 16, 19-256.1	168
117	HIV-1 entry and macrophage inflammatory protein-1beta-mediated signaling are independent functions of the chemokine receptor CCR5. <i>Journal of Biological Chemistry</i> , 1997 , 272, 6854-7	5.4 164
116	A large proportion of bovine T cells express the gamma delta T cell receptor and show a distinct tissue distribution and surface phenotype. <i>International Immunology</i> , 1989 , 1, 540-5	4.9 163
115	A fundamental bimodal role for neuropeptide Y1 receptor in the immune system. <i>Journal of Experimental Medicine</i> , 2005 , 202, 1527-38	16.6 160
114	Immunological memory. <i>Advances in Immunology</i> , 1993 , 53, 217-65	5.6 157
113	Complement C5a, TGF-beta 1, and MCP-1, in sequence, induce migration of monocytes into ischemic canine myocardium within the first one to five hours after reperfusion. <i>Circulation</i> , 1997 , 95, 684-92	16.7 155
112	Expression of monocyte chemoattractant protein-1 and interleukin-8 receptors on subsets of T cells: correlation with transendothelial chemotactic potential. <i>European Journal of Immunology</i> , 1996 , 26, 640-7	6.1 153
111	Microbial influences on epithelial integrity and immune function as a basis for inflammatory diseases. <i>Immunological Reviews</i> , 2012 , 245, 164-76	11.3 152
110	The nutrition-gut microbiome-physiology axis and allergic diseases. <i>Immunological Reviews</i> , 2017 , 278, 277-295	11.3 145
109	TNF deficiency fails to protect BAFF transgenic mice against autoimmunity and reveals a predisposition to B cell lymphoma. <i>Journal of Immunology</i> , 2004 , 172, 812-22	5.3 145
108	Metabolite-Sensing G Protein-Coupled Receptors-Facilitators of Diet-Related Immune Regulation. <i>Annual Review of Immunology</i> , 2017 , 35, 371-402	34.7 141
107	Reduced HIV-1 infectability of CD4+ lymphocytes from exposed-uninfected individuals: association with low expression of CCR5 and high production of beta-chemokines. <i>Virology</i> , 1998 , 244, 66-73	3.6 138
106	A Role for Gut Microbiota and the Metabolite-Sensing Receptor GPR43 in a Murine Model of Gout. <i>Arthritis and Rheumatology</i> , 2015 , 67, 1646-56	9.5 137
105	Altered patterns of T cell migration through lymph nodes and skin following antigen challenge. <i>European Journal of Immunology</i> , 1992 , 22, 2205-10	6.1 137
104	Enhanced levels of functional HIV-1 co-receptors on human mucosal T cells demonstrated using intestinal biopsy tissue. <i>Aids</i> , 2000 , 14, 1761-5	3.5 133
103	Induction of monocyte chemoattractant protein-1 in the small veins of the ischemic and reperfused canine myocardium. <i>Circulation</i> , 1997 , 95, 693-700	16.7 129
102	Fermentable carbohydrate stimulates FFAR2-dependent colonic PYY cell expansion to increase satiety. <i>Molecular Metabolism</i> , 2017 , 6, 48-60	8.8 127
101	Dietary metabolites and the gut microbiota: an alternative approach to control inflammatory and autoimmune diseases. <i>Clinical and Translational Immunology</i> , 2016 , 5, e82	6.8 125

100	Identification of circulating antigen-specific CD4+ T lymphocytes with a CCR5+, cytotoxic phenotype in an HIV-1 long-term nonprogressor and in CMV infection. <i>Blood</i> , 2004 , 103, 2238-47	2.2	124
99	Role of the beta-chemokine receptors CCR3 and CCR5 in human immunodeficiency virus type 1 infection of monocytes and microglia. <i>Journal of Virology</i> , 1998 , 72, 3351-61	6.6	120
98	Microbiota-derived acetate protects against respiratory syncytial virus infection through a GPR43-type 1 interferon response. <i>Nature Communications</i> , 2019 , 10, 3273	17.4	118
97	The BAFF/APRIL system: life beyond B lymphocytes. <i>Molecular Immunology</i> , 2005 , 42, 763-72	4.3	118
96	Gene microarrays reveal extensive differential gene expression in both CD4(+) and CD8(+) type 1 and type 2 T cells. <i>Journal of Immunology</i> , 2001 , 167, 3057-63	5.3	117
95	BAFF augments certain Th1-associated inflammatory responses. <i>Journal of Immunology</i> , 2005 , 174, 5537-44	5.4	114
94	Diet-Derived Short Chain Fatty Acids Stimulate Intestinal Epithelial Cells To Induce Mucosal Tolerogenic Dendritic Cells. <i>Journal of Immunology</i> , 2017 , 198, 2172-2181	5.3	112
93	The adipocyte fatty acid-binding protein aP2 is required in allergic airway inflammation. <i>Journal of Clinical Investigation</i> , 2006 , 116, 2183-2192	15.9	111
92	An Acetate-Specific GPCR, FFAR2, Regulates Insulin Secretion. <i>Molecular Endocrinology</i> , 2015 , 29, 1055-66		105
91	Receptors for complement C5a. The importance of C5aR and the enigmatic role of C5L2. <i>Immunology and Cell Biology</i> , 2008 , 86, 153-60	5	104
90	Genetic subtype-independent inhibition of human immunodeficiency virus type 1 replication by CC and CXC chemokines. <i>Journal of Virology</i> , 1998 , 72, 396-404	6.6	104
89	Unusual expression of CD2 in sheep: implications for T cell interactions. <i>European Journal of Immunology</i> , 1988 , 18, 1681-8	6.1	102
88	Identification of T cell-restricted genes, and signatures for different T cell responses, using a comprehensive collection of microarray datasets. <i>Journal of Immunology</i> , 2005 , 175, 7837-47	5.3	95
87	Chemoattractants and their receptors in homeostasis and inflammation. <i>Current Opinion in Immunology</i> , 2004 , 16, 724-31	7.8	93
86	Gene profiling in atherosclerosis reveals a key role for small inducible cytokines: validation using a novel monocyte chemoattractant protein monoclonal antibody. <i>Circulation</i> , 2005 , 111, 3443-52	16.7	89
85	Monocyte chemotactic protein-1, -2, and -3 are distinctively expressed in portal tracts and granulomata in primary biliary cirrhosis: implications for pathogenesis. <i>Journal of Pathology</i> , 2001 , 193, 102-9	9.4	82
84	Discrete steps in binding and signaling of interleukin-8 with its receptor. <i>Journal of Biological Chemistry</i> , 1996 , 271, 31202-9	5.4	80
83	Phenotype, and migration properties of three major subsets of tissue homing T cells in sheep. <i>European Journal of Immunology</i> , 1996 , 26, 2433-9	6.1	76

82	IL-21 enhances the potential of human T cells to provide B-cell help. <i>European Journal of Immunology</i> , 2012 , 42, 110-9	6.1	74
81	Mature dendritic cells respond to SDF-1, but not to several beta-chemokines. <i>Immunobiology</i> , 1998 , 198, 490-500	3.4	74
80	Dietary fiber and the short-chain fatty acid acetate promote resolution of neutrophilic inflammation in a model of gout in mice. <i>Journal of Leukocyte Biology</i> , 2017 , 101, 275-284	6.5	71
79	Commensal flora and the regulation of inflammatory and autoimmune responses. <i>Seminars in Immunology</i> , 2011 , 23, 139-45	10.7	70
78	Macrophage migration inhibitory factor regulates neutrophil chemotactic responses in inflammatory arthritis in mice. <i>Arthritis and Rheumatism</i> , 2011 , 63, 960-70		70
77	Chemokines: what chemokine is that?. <i>Current Biology</i> , 1997 , 7, R384-6	6.3	69
76	Genetic Coding Variant in GPR65 Alters Lysosomal pH and Links Lysosomal Dysfunction with Colitis Risk. <i>Immunity</i> , 2016 , 44, 1392-405	32.3	68
75	B-cell cross-presentation of autologous antigen precipitates diabetes. <i>Diabetes</i> , 2012 , 61, 2893-905	0.9	65
74	Regulation of dendritic cell function and T cell priming by the fatty acid-binding protein AP2. <i>Journal of Immunology</i> , 2006 , 177, 7794-801	5.3	63
73	Acetate coordinates neutrophil and ILC3 responses against <i>C. difficile</i> through FFAR2. <i>Journal of Experimental Medicine</i> , 2020 , 217,	16.6	63
72	BAFF-R, the major B cell-activating factor receptor, is expressed on most mature B cells and B-cell lymphoproliferative disorders. <i>Human Pathology</i> , 2005 , 36, 1113-9	3.7	62
71	Specific expression of GPR56 by human cytotoxic lymphocytes. <i>Journal of Leukocyte Biology</i> , 2011 , 90, 735-40	6.5	60
70	Deficiency of Prebiotic Fiber and Insufficient Signaling Through Gut Metabolite-Sensing Receptors Leads to Cardiovascular Disease. <i>Circulation</i> , 2020 , 141, 1393-1403	16.7	58
69	Follicular homing T helper (Th) cells and the Th1/Th2 paradigm. <i>Journal of Experimental Medicine</i> , 2000 , 192, F31-4	16.6	58
68	Polymorphism in the 5' regulatory region of the B-lymphocyte activating factor gene is associated with the Ro/La autoantibody response and serum BAFF levels in primary Sjogren's syndrome. <i>Rheumatology</i> , 2008 , 47, 1311-6	3.9	57
67	Contribution of stromal cells to the migration, function and retention of plasma cells in human spleen: potential roles of CXCL12, IL-6 and CD54. <i>European Journal of Immunology</i> , 2005 , 35, 699-708	6.1	57
66	Dietary Fiber Protects against Diabetic Nephropathy through Short-Chain Fatty Acid-Mediated Activation of G Protein-Coupled Receptors GPR43 and GPR109A. <i>Journal of the American Society of Nephrology: JASN</i> , 2020 , 31, 1267-1281	12.7	53
65	Targeting BAFF: immunomodulation for autoimmune diseases and lymphomas 2006 , 112, 774-86		53

64	Lineage specification and heterogeneity of T follicular helper cells. <i>Current Opinion in Immunology</i> , 2009 , 21, 619-25	7.8	51
63	Expression of human CD4 in transgenic mice does not confer sensitivity to human immunodeficiency virus infection. <i>AIDS Research and Human Retroviruses</i> , 1992 , 8, 2063-71	1.6	50
62	Human C5aR knock-in mice facilitate the production and assessment of anti-inflammatory monoclonal antibodies. <i>Nature Biotechnology</i> , 2006 , 24, 1279-84	44.5	49
61	Gut microbial metabolites facilitate anticancer therapy efficacy by modulating cytotoxic CD8 T cell immunity. <i>Cell Metabolism</i> , 2021 , 33, 988-1000.e7	24.6	49
60	The Metabolic Sensor GPR43 Receptor Plays a Role in the Control of Infection in the Lung. <i>Frontiers in Immunology</i> , 2018 , 9, 142	8.4	45
59	Decreased maternal serum acetate and impaired fetal thymic and regulatory T cell development in preeclampsia. <i>Nature Communications</i> , 2019 , 10, 3031	17.4	42
58	Immune cell transcriptome datasets reveal novel leukocyte subset-specific genes and genes associated with allergic processes. <i>Journal of Allergy and Clinical Immunology</i> , 2006 , 118, 496-503	11.5	42
57	T cell effector subsets: extending the Th1/Th2 paradigm. <i>Advances in Immunology</i> , 2001 , 78, 233-66	5.6	41
56	Gut microbial metabolite butyrate protects against proteinuric kidney disease through epigenetic- and GPR109a-mediated mechanisms. <i>FASEB Journal</i> , 2019 , 33, 11894-11908	0.9	40
55	Real-time interactive two-photon photoconversion of recirculating lymphocytes for discontinuous cell tracking in live adult mice. <i>Journal of Biophotonics</i> , 2014 , 7, 425-33	3.1	40
54	C5a receptor 1 promotes autoimmunity, neutrophil dysfunction and injury in experimental anti-myeloperoxidase glomerulonephritis. <i>Kidney International</i> , 2018 , 93, 615-625	9.9	38
53	Granulocyte-macrophage colony-stimulating factor is required for bronchial eosinophilia in a murine model of allergic airway inflammation. <i>Journal of Immunology</i> , 2008 , 180, 2600-7	5.3	36
52	Immunology. Memory T cells--local heroes in the struggle for immunity. <i>Science</i> , 2001 , 291, 2323-4	33.3	36
51	Maternal carriage of <i>Prevotella</i> during pregnancy associates with protection against food allergy in the offspring. <i>Nature Communications</i> , 2020 , 11, 1452	17.4	35
50	G Protein-Coupled Receptor 43 Modulates Neutrophil Recruitment during Acute Inflammation. <i>PLoS ONE</i> , 2016 , 11, e0163750	3.7	35
49	c-Myb Regulates the T-Bet-Dependent Differentiation Program in B Cells to Coordinate Antibody Responses. <i>Cell Reports</i> , 2017 , 19, 461-470	10.6	34
48	Clues to asthma pathogenesis from microarray expression studies 2006 , 109, 284-94		33
47	Expression of CD44 molecules and CD44 ligands during human thymic fetal development: expression of CD44 isoforms is developmentally regulated. <i>International Immunology</i> , 1995 , 7, 277-86	4.9	33

46	HIV-1 infectability of CD4+ lymphocytes with relation to beta-chemokines and the CCR5 coreceptor. <i>Immunology Letters</i> , 1999 , 66, 71-5	4.1	26
45	Levels of BAFF in serum in primary biliary cirrhosis and autoimmune diabetes. <i>Autoimmunity</i> , 2002 , 35, 551-3	3	25
44	Guidelines for Transparency on Gut Microbiome Studies in Essential and Experimental Hypertension. <i>Hypertension</i> , 2019 , 74, 1279-1293	8.5	24
43	Chlamydia muridarum lung infection in infants alters hematopoietic cells to promote allergic airway disease in mice. <i>PLoS ONE</i> , 2012 , 7, e42588	3.7	24
42	Monoclonal antibody screening of a phage-displayed random peptide library reveals mimotopes of chemokine receptor CCR5: implications for the tertiary structure of the receptor and for an N-terminal binding site for HIV-1 gp120. <i>European Journal of Immunology</i> , 2000 , 30, 1162-71	6.1	24
41	Overlapping gene expression profiles in rheumatoid fibroblast-like synoviocytes induced by the proinflammatory cytokines interleukin-1 beta and tumor necrosis factor. <i>Inflammation Research</i> , 2005 , 54, 10-6	7.2	22
40	The Role of Follicular Helper T Cell Molecules and Environmental Influences in Autoantibody Production and Progression to Inflammatory Arthritis in Mice. <i>Arthritis and Rheumatology</i> , 2016 , 68, 1028-38	9.5	22
39	GPR43 - A Prototypic Metabolite Sensor Linking Metabolic and Inflammatory Diseases. <i>Trends in Endocrinology and Metabolism</i> , 2015 , 26, 511-512	8.8	21
38	CD200R1 supports HSV-1 viral replication and licenses pro-inflammatory signaling functions of TLR2. <i>PLoS ONE</i> , 2012 , 7, e47740	3.7	21
37	CXCR3+CCR5+ T cells and autoimmune diseases: guilty as charged?. <i>Journal of Clinical Investigation</i> , 2014 , 124, 3682-4	15.9	20
36	The L3T4 antigen in mouse and the sheep equivalent are immunoglobulin-like. <i>Immunogenetics</i> , 1986 , 23, 129-32	3.2	17
35	Essential role for CCR6 in certain inflammatory diseases demonstrated using specific antagonist and knockin mice. <i>JCI Insight</i> , 2017 , 2,	9.9	17
34	A fully humanized IgG-like bispecific antibody for effective dual targeting of CXCR3 and CCR6. <i>PLoS ONE</i> , 2017 , 12, e0184278	3.7	16
33	Complexity in human immunodeficiency virus type 1 (HIV-1) co-receptor usage: roles of CCR3 and CCR5 in HIV-1 infection of monocyte-derived macrophages and brain microglia. <i>Journal of General Virology</i> , 2009 , 90, 710-722	4.9	16
32	BAFF regulates activation of self-reactive T cells through B-cell dependent mechanisms and mediates protection in NOD mice. <i>European Journal of Immunology</i> , 2014 , 44, 983-93	6.1	15
31	Inflammation and lymphopenia trigger autoimmunity by suppression of IL-2-controlled regulatory T cell and increase of IL-21-mediated effector T cell expansion. <i>Journal of Immunology</i> , 2014 , 193, 4845-58	5.3	14
30	Expression of the "T19" and "null cell" markers on gamma delta T cells of the sheep. <i>Veterinary Immunology and Immunopathology</i> , 1991 , 27, 183-8	2	13
29	Fiber Derived Microbial Metabolites Prevent Acute Kidney Injury Through G-Protein Coupled Receptors and HDAC Inhibition. <i>Frontiers in Cell and Developmental Biology</i> , 2021 , 9, 648639	5.7	12

28	CCL3L1 dose and HIV-1 susceptibility. <i>Trends in Molecular Medicine</i> , 2005 , 11, 203-6	11.5	11
27	Epitopes of the T19 lymphocyte surface antigen are extensively conserved in ruminants. <i>Veterinary Immunology and Immunopathology</i> , 1991 , 27, 173-81	2	11
26	Mice deficient in GEM GTPase show abnormal glucose homeostasis due to defects in beta-cell calcium handling. <i>PLoS ONE</i> , 2012 , 7, e39462	3.7	11
25	Treatment with anti-C5aR mAb leads to early-onset clinical and mechanistic effects in the murine delayed-type hypersensitivity arthritis model. <i>Autoimmunity</i> , 2015 , 48, 460-70	3	10
24	An acetate-yielding diet imprints an immune and anti-microbial programme against enteric infection. <i>Clinical and Translational Immunology</i> , 2021 , 10, e1233	6.8	10
23	Homeostatic IL-13 in healthy skin directs dendritic cell differentiation to promote T2 and inhibit T17 cell polarization. <i>Nature Immunology</i> , 2021 , 22, 1538-1550	19.1	9
22	Protection against <i>Nippostrongylus brasiliensis</i> infection in mice is independent of GM-CSF. <i>Immunology and Cell Biology</i> , 2012 , 90, 553-8	5	8
21	Targeting NLRP3 and Staphylococcal pore-forming toxin receptors in human-induced pluripotent stem cell-derived macrophages. <i>Journal of Leukocyte Biology</i> , 2020 , 108, 967-981	6.5	7
20	Gβ-coupled GPCRs GPR65 and GPR174. Downers for immune responses. <i>Immunology and Cell Biology</i> , 2018 , 96, 341-343	5	6
19	Cyclophosphamide treatment induces rejection of established P815 mastocytoma by enhancing CD4 priming and intratumoral infiltration of P1E/H-2K(d) -specific CD8+ T cells. <i>International Journal of Cancer</i> , 2014 , 134, 2841-52	7.5	6
18	A new role for CCR5 in innate immunity--binding to bacterial heat shock protein 70. <i>European Journal of Immunology</i> , 2006 , 36, 2293-5	6.1	6
17	Immunology and veterinary science. <i>British Veterinary Journal</i> , 1989 , 145, 185-90		6
16	Metabolite-based dietary supplementation in human type 1 diabetes is associated with microbiota and immune modulation.. <i>Microbiome</i> , 2022 , 10, 9	16.6	6
15	Therapeutic blockade of CXCR2 rapidly clears inflammation in arthritis and atopic dermatitis models: demonstration with surrogate and humanized antibodies. <i>MAbs</i> , 2020 , 12, 1856460	6.6	6
14	GPR43 regulates sodium butyrate-induced angiogenesis and matrix remodeling. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2021 , 320, H1066-H1079	5.2	5
13	pH and Proton Sensor GPR65 Determine Susceptibility to Atopic Dermatitis. <i>Journal of Immunology</i> , 2021 ,	5.3	4
12	Avenues to autoimmune arthritis triggered by diverse remote inflammatory challenges. <i>Journal of Autoimmunity</i> , 2016 , 73, 120-9	15.5	3
11	Manipulation of the gut microbiota by the use of prebiotic fibre does not override a genetic predisposition to heart failure. <i>Scientific Reports</i> , 2020 , 10, 17919	4.9	3

10	Renal ACE2 (Angiotensin-Converting Enzyme 2) Expression Is Modulated by Dietary Fiber Intake, Gut Microbiota, and Their Metabolites. <i>Hypertension</i> , 2021 , 77, e53-e55	8.5	3
9	The Concept of Memory T Cells 1994 , 159-177		2
8	Diet, the Gut Microbiome, and Autoimmune Diseases 2020 , 331-342		2
7	The skin environment controls local dendritic cell differentiation and function through innate IL-13		1
6	Neutrophils in cancer-unresolved questions. <i>Science China Life Sciences</i> , 2021 , 64, 1829-1841	8.5	1
5	Adhesion Molecules and Chemoattractants in Autoimmunity 2014 , 297-308		0
4	Development and Uses for Monoclonal Antibodies to Chemoattractant Receptors. <i>Current Immunology Reviews</i> , 2012 , 8, 149-153	1.3	
3	Traffic of T lymphocytes 2006 , 19-33		
2	Adhesion Molecules and Chemoattractants in the Pathogenesis and Treatment of Autoimmune Diseases 2006 , 237-248		
1	Dietary Fiber Drives IL-1 β -Dependent Peritonitis Induced by via Activation of the NLRP3 Inflammasome. <i>Journal of Immunology</i> , 2021 , 206, 2441-2452	5.3	