

Tomas Scholz

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5430092/publications.pdf>

Version: 2024-02-01

358
papers

6,567
citations

81743

39
h-index

149479

56
g-index

361
all docs

361
docs citations

361
times ranked

2418
citing authors

#	ARTICLE	IF	CITATIONS
1	The first new species of European <i>Ascocotyle</i> Looss, 1899 (Digenea: Heterophyidae) described in more than half a century. <i>International Journal for Parasitology: Parasites and Wildlife</i> , 2022, 17, 327-334.	0.6	1
2	A new tapeworm from <i>Compsophis infralineatus</i> (Pseudoxyrhophiidae), an endemic snake of Madagascar: Scratching the surface of undiscovered reptilian parasite diversity. <i>Parasitology International</i> , 2022, 88, 102538.	0.6	2
3	<i>Archigetes</i> Leuckart, 1878 (Cestoda, Caryophyllidea): diversity of enigmatic fish tapeworms with monoxenic life cycles. <i>Parasite</i> , 2022, 29, 6.	0.8	1
4	Somatic Dimorphism in Cercariae of a Bird Schistosome. <i>Pathogens</i> , 2022, 11, 290.	1.2	3
5	A new genus of caryophyllidean tapeworms (Cestoda) from <i>Mystus</i> catfishes (Bagridae) in India: cleaning up taxonomic chaos. <i>Journal of Helminthology</i> , 2022, 96, e25.	0.4	1
6	A young parasite in an old fish host: A new genus for proteocephalid tapeworms (Cestoda) of bowfin (<i>Amia calva</i>) (Holostei: Amiiformes), and a revised list of its cestodes. <i>International Journal for Parasitology: Parasites and Wildlife</i> , 2022, 18, 101-111.	0.6	1
7	Cercariae of a Bird Schistosome Follow a Similar Emergence Pattern under Different Subarctic Conditions: First Experimental Study. <i>Pathogens</i> , 2022, 11, 647.	1.2	3
8	Sparganosis (<i>Spirometra</i>) in Europe in the Molecular Era. <i>Clinical Infectious Diseases</i> , 2021, 72, 882-890.	2.9	51
9	Integrative taxonomy reveals hidden cestode diversity in <i>Pimelodus</i> catfishes in the Neotropics. <i>Zoologica Scripta</i> , 2021, 50, 210-224.	0.7	10
10	Phylogenetic reconstruction of early diverging tapeworms (Cestoda: Caryophyllidea) reveals ancient radiations in vertebrate hosts and biogeographic regions. <i>International Journal for Parasitology</i> , 2021, 51, 263-277.	1.3	13
11	Hidden diversity of the most basal tapeworms (Cestoda, Gyrocotylidea), the enigmatic parasites of holocephalans (Chimaeriformes). <i>Scientific Reports</i> , 2021, 11, 5492.	1.6	4
12	The <i>Proteocephalus</i> species-aggregate (Cestoda) in cyprinoids, pike, eel, smelt and cavefish of the Nearctic region (North America): diversity, host associations and distribution. <i>Systematic Parasitology</i> , 2021, 98, 255-275.	0.5	1
13	<i>Ophiotaenia echidis</i> n. sp. (Cestoda: Proteocephalidae) from the saw-scaled viper, <i>Echis carinatus sochureki</i> Stemmler (Ophidia: Viperidae), one of the world's deadliest snakes, from the United Arab Emirates. <i>International Journal for Parasitology: Parasites and Wildlife</i> , 2021, 14, 341-354.	0.6	5
14	New arrangement of three genera of fish tapeworms (Cestoda: Proteocephalidae) in catfishes (Siluriformes) from the Neotropical Region: taxonomic implications of molecular phylogenetic analyses. <i>Parasitology Research</i> , 2021, 120, 1593-1603.	0.6	5
15	Molecular and morphological evidence of a new species of <i>Crassicutis</i> Manter 1936 (Digenea), a parasite of cichlids in South America. <i>Parasitology Research</i> , 2021, 120, 2429-2443.	0.6	3
16	Marine fish imported from Argentina as source of human diphyllbothriosis in Europe? Ecological evidence from dolphins. <i>Zoonoses and Public Health</i> , 2021, 68, 691-695.	0.9	2
17	Disentangling taxonomy of <i>Biacetabulum</i> (Cestoda, Caryophyllidea), parasites of catostomid fishes in North America: proposal of <i>Megancestus</i> gen. n. to accommodate <i>B. carpiodi</i> . <i>Parasitology Research</i> , 2021, 120, 1993-2001.	0.6	2
18	High species diversity of fish tapeworms in congeneric hosts in Africa: revision of <i>Monobothrioides</i> (Cestoda: Caryophyllidea), including description of two new species and molecular phylogeny. <i>Organisms Diversity and Evolution</i> , 2021, 21, 447-466.	0.7	1

#	ARTICLE	IF	CITATIONS
19	Molecular evidence of three closely related species of <i>Biacetabulum</i> Hunter, 1927 (Cestoda: Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 22) 148, 1040-1056.	0.7	5
20	Parasites of Western Creek Chubsucker <i>Erimyzon claviformis</i> (Cypriniformes: Catostomidae) from Arkansas and Oklahoma, U.S.A.. <i>Comparative Parasitology</i> , 2021, 88, .	0.0	3
21	Description of the first species of <i>Pseudoendorchis</i> (Cestoda: Proteocephalidae) with uniloculate suckers from the pimelodid catfish <i>Megalonema platycephalum</i> , with comments on the taxonomic importance of the terminal vagina. <i>Systematic Parasitology</i> , 2021, 98, 535-545.	0.5	0
22	Invasive <i>Amirthingamia macracantha</i> (Cestoda: Cyclophyllidea) larvae infecting tilapia hybrids in Israel: a potential threat for aquaculture. <i>Diseases of Aquatic Organisms</i> , 2021, 145, 185-190.	0.5	5
23	Caryophyllidean tapeworms (Cestoda), Nearctic parasites of fish in Mexico, including description of a new species of <i>Isoglaridacris</i> and the first report of <i>Khawia japonensis</i> , an invasive parasite of common carp (<i>Cyprinus carpio</i>). <i>International Journal for Parasitology: Parasites and Wildlife</i> , 2021, 15, 70-78.	0.6	3
24	Crossing barriers of zoogeographical regions: Molecular evidence of vicariance of the only cestode parasite of loaches (Cobitidae) in the Indomalayan region, <i>Paracaryophyllaeus lepidoccephali</i> (Cestoda: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 22)	0.0	0
25	Tapeworms as pathogens of fish: A review. <i>Journal of Fish Diseases</i> , 2021, 44, 1883-1900.	0.9	10
26	Importance of Museum Specimens: Resolving the Taxonomic Puzzle of Human-Infecting Broad Tapeworms Described by O. Nybelin in 1931, and Redescription of the Types of <i>Adenocephalus pacificus</i> . <i>Journal of Parasitology</i> , 2021, 107, 838-840.	0.3	0
27	In Memoriam. <i>Journal of Parasitology</i> , 2021, 107, 853-854.	0.3	0
28	Redescription of <i>Acanthogyrus</i> (<i>Acanthosentis</i>) <i>maroccanus</i> (Dollfus, 1951) (<i>Acanthocephala</i> : Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 38) Algeria, and first molecular data. <i>Journal of Helminthology</i> , 2020, 94, e82.	0.4	4
29	Diversity of monogeneans and tapeworms in cypriniform fishes across two continents. <i>International Journal for Parasitology</i> , 2020, 50, 771-786.	1.3	33
30	Ultrastructural patterns of the excretory ducts of basal neodermatan groups (Platyhelminthes) and new protonephridial characters of basal cestodes. <i>Parasites and Vectors</i> , 2020, 13, 442.	1.0	2
31	High diversity of metazoan parasites in carp gudgeons (<i>Eleotridae</i> : <i>Hypseleotris</i> spp.) from Eastern Australia. <i>Journal of Helminthology</i> , 2020, 94, e146.	0.4	10
32	A new species of <i>Ameloblastella</i> Kritsky, Mendoza-Franco & Scholz, 2000 (<i>Monogenoidea</i> : Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 22) <i>Parasitology</i> , 2020, 97, 357-367.	0.5	7
33	Molecular data reveal unexpected species diversity of tapeworms of Australasian reptiles: revision of <i>Kapsulotaenia</i> (Cestoda: Proteocephalidae). <i>Zootaxa</i> , 2020, 4869, zootaxa.4869.4.4.	0.2	3
34	Scolex morphology of monozoic tapeworms (Caryophyllidea) from the Nearctic Region: taxonomic and evolutionary implications. <i>Folia Parasitologica</i> , 2020, 67, .	0.7	7
35	The <i>Proteocephalus</i> species-aggregate (Cestoda) in sticklebacks (<i>Gasterosteidae</i>) of the Nearctic Region, including description of a new species from brook stickleback, <i>Culaea inconstans</i> . <i>Folia Parasitologica</i> , 2020, 67, .	0.7	3
36	<i>Wenyonia gracilis</i> sp. n. (Cestoda: Caryophyllidea) from <i>Synodontis zambezensis</i> (Siluriformes: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 67) 2020, 67, .	0.7	1

#	ARTICLE	IF	CITATIONS
37	Ex Uno Plures? Morphotype and Lineage Diversity of Bothriocephalus (Cestoda: Bothriocephalidea) in North American Freshwater Fishes. Journal of Parasitology, 2020, 106, 589.	0.3	8
38	Tapeworms (Cestoda) of Ictalurid Catfishes (Siluriformes) in North America: Redescription of Type Species of Two Genera and Proposal of Essexiellinae N. Subfam.. Journal of Parasitology, 2020, 106, 444.	0.3	6
39	First adult cyclophyllidean tapeworm (Cestoda) from teleost fishes: host switching beyond tetrapods in Africa. International Journal for Parasitology, 2020, 50, 561-568.	1.3	2
40	Host Switching of Zoonotic Broad Fish Tapeworm (<i>Dibothriocephalus latus</i>) to Salmonids, Patagonia. Emerging Infectious Diseases, 2019, 25, 2156-2158.	2.0	15
41	Amendment of Rostellotaenia Freze, 1963 (Cestoda: Proteocephalidae) from African monitors (<i>Varanus</i>) Tj ETQq1 1 0.784314 rgBT /Ov	0.5	0
42	Redescription of Porrocaecum semiteres (Zeder, 1800) (Nematoda: Ascaridida) from the Song Thrush <i>Turdus philomelos</i> (Passeriformes: Turdidae). Acta Parasitologica, 2019, 64, 1-6.	0.4	6
43	Walteriella n. g. (Monogeneoidea: Dactylogyridae) from the gills of pimelodid catfishes (Siluriformes:) Tj ETQq1 1 0.784314 rgBT /Overl	0.5	19
44	Revision of Acanthotaenia von Linstow, 1903 (Cestoda: Proteocephalidae), parasites of monitors (<i>Varanus</i> spp.), based on morphological and molecular data. Parasitology Research, 2019, 118, 1761-1783.	0.6	10
45	Broad tapeworms (Diphyllobothriidae), parasites of wildlife and humans: Recent progress and future challenges. International Journal for Parasitology: Parasites and Wildlife, 2019, 9, 359-369.	0.6	55
46	Molecular data support monophyly of the recently erected <i>Riggenbachiella</i> (Cestoda: Proteocephalidae), parasites of Neotropical catfishes. Zootaxa, 2019, 4706, 594-597.	0.2	2
47	Heterophyid trematodes (Digenea) from penguins: A new species of <i>Ascocotyle</i> Looss, 1899, first description of metacercaria of <i>Ascocotyle</i> (A.) <i>patagoniensis</i> Hernández-Orts, Montero, Crespo, García, Raga and Aznar, 2012, and first molecular data. International Journal for Parasitology: Parasites and Wildlife, 2019, 8, 94-105.	0.6	13
48	Transmission of parasites from introduced tilapias: a new threat to endemic Malagasy ichthyofauna. Biological Invasions, 2019, 21, 803-819.	1.2	26
49	A new genus and four new species of dactylogyrids (Monogenea), gill parasites of pimelodid catfishes (Siluriformes: Pimelodidae) in South America and the reassignment of <i>Urocleidoides megorchis</i> Mizelle et Kritsky, 1969. Folia Parasitologica, 2019, 66, .	0.7	22
50	First molecular assessment of the interrelationships of cladorchiid digeneans (Digenea:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 227 Td (P new host and geographical records. Folia Parasitologica, 2019, 66, .	0.7	10
51	A New Species of <i>Synbranchiella</i> (Cestoda: Proteocephalidae) from the Mountain Mullet (<i>Dajaus</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 1	0.3	3
52	The <i>Proteocephalus</i> Species-Aggregate in Freshwater Centrarchid and Percid Fishes of the Nearctic Region (North America). Journal of Parasitology, 2019, 105, 798.	0.3	11
53	The Species-Aggregate in Freshwater Centrarchid and Percid Fishes of the Nearctic Region (North) Tj ETQq1 1 0.784314 rgBT /Overlock 1	0.3	2
54	Development of polymorphic microsatellites for the invasive Asian fish tapeworm <i>Schyzocotyle acheilognathi</i> . Parasitology International, 2018, 67, 341-343.	0.6	4

#	ARTICLE	IF	CITATIONS
55	The first record of the invasive Asian fish tapeworm (<i>Schyzocotyle acheilognathi</i>) from an endemic cichlid fish in Madagascar. <i>Helminthologia</i> , 2018, 55, 84-87.	0.3	5
56	Asian Fish Tapeworm: The Most Successful Invasive Parasite in Freshwaters. <i>Trends in Parasitology</i> , 2018, 34, 511-523.	1.5	39
57	A new genus and two new species of dactylogyrid monogeneans from gills of Neotropical catfishes (Siluriformes: Doradidae and Loricariidae). <i>Parasitology International</i> , 2018, 67, 4-12.	0.6	30
58	Does the number of genital organs matter? Case of the seal tapeworm <i>Diphyllobothrium</i> (syn.) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 62</i> 193-204.	0.4	6
59	Comparative morphology of surface ultrastructure of diphyllobothriidean tapeworms (Cestoda: <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 547 Td</i>)	0.3	11
60	A new species of <i>Aphanoblastella</i> Kritsky, Mendoza-Franco and Scholz, 2000 (Monogenea,) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 547 Td</i> <i>Parasitologica</i> , 2018, 63, 772-780.	0.4	11
61	Redescription of <i>Sciadocephalus megalodiscus</i> Diesing, 1850, An Unusual Neotropical Fish Tapeworm (Cestoda: Proteocephalidae). <i>Journal of Parasitology</i> , 2018, 104, 523-529.	0.3	2
62	An annotated list and molecular data on larvae of gryporhynchid tapeworms (Cestoda: <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 462 Td</i> (C)	0.5	11
63	New genera and species of paramphistomes (Digenea: Paramphistomoidea: Cladorchiidae) parasitic in fishes from the Amazon basin in Peru. <i>Systematic Parasitology</i> , 2018, 95, 611-624.	0.5	6
64	Towards a robust systematic baseline of Neotropical fish tapeworms (Cestoda: Proteocephalidae): amended diagnoses of two genera from the redbtail catfish, <i>Phractocephalus hemioliopterus</i> . <i>Zootaxa</i> , 2018, 4370, 363.	0.2	1
65	A New Classification of <i>Glaridacris</i> Cooper, 1920 (Cestoda: Caryophyllidea), Parasites of Suckers (Catostomidae) in North America, Including Erection of <i>Pseudoglaridacris</i> N. Gen.. <i>Journal of Parasitology</i> , 2018, 104, 60-69.	0.3	7
66	Tapeworms (Cestoda: Proteocephalidae) of Australian reptiles: hidden diversity of strictly host-specific parasites. <i>Zootaxa</i> , 2018, 4461, 477.	0.2	2
67	The occurrence of the non-native tapeworm <i>Khawia japonensis</i> (Yamaguti, 1934) (Cestoda) in cultured common carp in the Czech Republic confirms its recent expansion in Europe. <i>BioInvasions Records</i> , 2018, 7, 303-308.	0.4	3
68	Molecular analyses reveal high species diversity of trematodes in a sub-Arctic lake. <i>International Journal for Parasitology</i> , 2017, 47, 327-345.	1.3	72
69	Untangling convoluted taxonomy of <i>Chambriella</i> Rego, Chubb & Pavanelli, 1999 (Cestoda: <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 462 Td</i>) pimelodid catfishes in the Neotropical Region. <i>Systematic Parasitology</i> , 2017, 94, 367-389.	0.5	7
70	A Common Eurasian Fish Tapeworm, <i>Caryophyllaeides fennica</i> (Cestoda), in Western North America: Further Evidence of an 'Amphi-Pacific' Vicariance in Freshwater Fish Parasites. <i>Journal of Parasitology</i> , 2017, 103, 486-496.	0.3	5
71	The catholic taste of broad tapeworms – multiple routes to human infection. <i>International Journal for Parasitology</i> , 2017, 47, 831-843.	1.3	99
72	A New Genus and Two New Species of Proteocephalidean Tapeworms (Cestoda) from Cichlid Fish (Perciformes: Cichlidae) in the Neotropics. <i>Journal of Parasitology</i> , 2017, 103, 83-94.	0.3	5

#	ARTICLE	IF	CITATIONS
73	Proteocephalid tapeworms (Cestoda: Onchoproteocephalidea) of loaches (Cobitoidea): Evidence for monophyly and high endemism of parasites in the Far East. <i>Parasitology International</i> , 2017, 66, 871-883.	0.6	8
74	First Freshwater Bothriocephalidean (Cestoda) from Tropical South America, Closely Related to African Taxa. <i>Journal of Parasitology</i> , 2017, 103, 747-755.	0.3	2
75	Six new species of <i>Heteropriapus</i> (Monogenea: Dactylogyridae) from South American fishes with an amended diagnosis to the genus. <i>Zootaxa</i> , 2017, 4290, .	0.2	25
76	<i>Diphyllobothrium nihonkaiense</i> Tapeworm Larvae in Salmon from North America. <i>Emerging Infectious Diseases</i> , 2017, 23, 351-353.	2.0	17
77	Annotated checklist of fish cestodes from South America. <i>ZooKeys</i> , 2017, 650, 1-205.	0.5	31
78	Some nematodes, including two new species, from freshwater fishes in the Sudan and Ethiopia. <i>Folia Parasitologica</i> , 2017, 64, .	0.7	6
79	A synoptic review of <i>Caryophyllaeus</i> Gmelin, 1790 (Cestoda: Caryophyllidea), parasites of cyprinid fishes. <i>Folia Parasitologica</i> , 2017, 64, .	0.7	8
80	Ultrastructure of embryonated eggs of the cestode <i>Gyrocotyle urna</i> (Gyrocotylidea) using cryo-methods. <i>Zoomorphology</i> , 2016, 135, 279-289.	0.4	7
81	Fish-borne, zoonotic cestodes (<i>Diphyllobothrium</i> and relatives) in cold climates: A never-ending story of neglected and (re)-emergent parasites. <i>Food and Waterborne Parasitology</i> , 2016, 4, 23-38.	1.1	50
82	New species of <i>Ameloblastella</i> Kritsky, Mendoza-Franco & Scholz, 2000 and <i>Cosmetocleithrum</i> Kritsky, Thatcher & Boeger, 1986 (Monogenea: Dactylogyridae) infecting the gills of catfishes (Siluriformes) from the Peruvian Amazonia. <i>Systematic Parasitology</i> , 2016, 93, 847-862.	0.5	22
83	Acanthocephalans of the genus <i>Megistacantha</i> Golvan, 1960 (Palaeacanthocephala: Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 347 <i>Parasitology</i> , 2016, 93, 927-933.	0.5	0
84	Paralogues of nuclear ribosomal genes conceal phylogenetic signals within the invasive Asian fish tapeworm lineage: evidence from next generation sequencing data. <i>International Journal for Parasitology</i> , 2016, 46, 555-562.	1.3	28
85	A molecular phylogeny of Asian species of the genus <i>Metagonimus</i> (Digenea) "small intestinal flukes" based on representative Japanese populations. <i>Parasitology Research</i> , 2016, 115, 1123-1130.	0.6	28
86	Dactylogyrids (Monogenea) parasitic on cichlids from northern Brazil, with description of two new species of <i>Sciadicleithrum</i> and new host and geographical records. <i>Acta Parasitologica</i> , 2016, 61, 158-64.	0.4	10
87	Trematode diversity in freshwater fishes of the Globe I: "Old World". <i>Systematic Parasitology</i> , 2016, 93, 257-269.	0.5	17
88	Eggs as a Suitable Tool for Species Diagnosis of Causative Agents of Human <i>Diphyllobothriosis</i> (Cestoda). <i>PLoS Neglected Tropical Diseases</i> , 2016, 10, e0004721.	1.3	22
89	A synoptic review of <i>Promonobothrium</i> Mackiewicz, 1968 (Cestoda: Caryophyllidea), parasites of suckers (Catostomidae) in North America, with description of two new species. <i>Folia Parasitologica</i> , 2016, 63, .	0.7	12
90	Helminth parasites of the lesser great cormorant <i>Phalacrocorax carbo sinensis</i> from two nesting regions in the Czech Republic. <i>Folia Parasitologica</i> , 2016, 63, .	0.7	10

#	ARTICLE	IF	CITATIONS
91	Molecular phylogeny of anoplocephalid tapeworms (Cestoda: Anoplocephalidae) infecting humans and non-human primates. <i>Parasitology</i> , 2015, 142, 1278-1289.	0.7	12
92	Ultrastructural study of vitellogenesis of <i>Ligula intestinalis</i> (Diphyllobothriidea) reveals the presence of cytoplasmic-like cell death in cestodes. <i>Frontiers in Zoology</i> , 2015, 12, 35.	0.9	12
93	Pacific Broad Tapeworm <i>Adenocephalus pacificus</i> as a Causative Agent of Globally Reemerging Diphyllobothriosis. <i>Emerging Infectious Diseases</i> , 2015, 21, 1697-1703.	2.0	45
94	A survey of nematodes of the genus <i>Cucullanus</i> (Nematoda, Seuratoidea) parasitic in marine fishes off Brazil, including description of three new species. <i>Zootaxa</i> , 2015, 4039, 289.	0.2	13
95	A Checklist of the Aspidogastrea (Platyhelminthes: Trematoda) of the World. <i>Zootaxa</i> , 2015, 3918, 339.	0.2	24
96	High morphological plasticity and global geographical distribution of the Pacific broad tapeworm <i>Adenocephalus pacificus</i> (syn. <i>Diphyllobothrium pacificum</i>): Molecular and morphological survey. <i>Acta Tropica</i> , 2015, 149, 168-178.	0.9	47
97	New Circumscription Of Freshwater Fish Parasites <i>Monobothrium</i> Diesing, 1863 and <i>Promonobothrium</i> Mackiewicz, 1968 (Cestoda: Caryophyllidea) Using Morphological and Molecular Evidence. <i>Journal of Parasitology</i> , 2015, 101, 29-36.	0.3	14
98	First data on the parasites of <i>Hoplias aimara</i> (Characiformes): description of two new species of gill monogeneans (Dactylogyridae). <i>Acta Parasitologica</i> , 2015, 60, 254-60.	0.4	13
99	Morphological polymorphism in tapeworms: redescription of <i>Caryophyllaeus laticeps</i> (Pallas, 1781) (Cestoda: Caryophyllidea) and characterisation of its morphotypes from different fish hosts. <i>Systematic Parasitology</i> , 2015, 90, 177-190.	0.5	18
100	A Morphological and Molecular Study of <i>Spectatus spectatus</i> (Kathlaniidae), Including Redescription of the Species and Amendment of Genus Diagnosis. <i>Journal of Parasitology</i> , 2015, 101, 468-475.	0.3	6
101	Molecular phylogeny of the Bothriocephalidea (Cestoda): molecular data challenge morphological classification. <i>International Journal for Parasitology</i> , 2015, 45, 761-771.	1.3	40
102	Complete mitochondrial genomes and nuclear ribosomal RNA operons of two species of <i>Diplostomum</i> (Platyhelminthes: Trematoda): a molecular resource for taxonomy and molecular epidemiology of important fish pathogens. <i>Parasites and Vectors</i> , 2015, 8, 336.	1.0	56
103	A large 28S rDNA-based phylogeny confirms the limitations of established morphological characters for classification of proteocephalidean tapeworms (Platyhelminthes, Cestoda). <i>ZooKeys</i> , 2015, 500, 25-59.	0.5	47
104	Vitellogenesis of diphyllobothriidean cestodes (Platyhelminthes). <i>Comptes Rendus - Biologies</i> , 2015, 338, 169-179.	0.1	10
105	A morphological and molecular study of two species of <i>Raphidascaroides</i> Yamaguti, 1941 (Nematoda: Tj ETQq1 1 0.784314 rgBT /Over moravecii n. sp.. <i>Systematic Parasitology</i> , 2015, 91, 49-61.	0.5	16
106	Molecular phylogeny of Neotropical monogeneans (Platyhelminthes: Monogenea) from catfishes (Siluriformes). <i>Parasites and Vectors</i> , 2015, 8, 164.	1.0	70
107	<i>Sharpilosentis peruviensis</i> n. g., n. sp. (Acanthocephala: Diplosentidae) from freshwater catfishes (Siluriformes) in the Amazonia. <i>Systematic Parasitology</i> , 2015, 91, 147-155.	0.5	4
108	An annotated list of the species of <i>Gangesia</i> Woodland, 1924 (Cestoda: Proteocephalidea), parasites of catfishes in Asia, with new synonyms and a key to their identification. <i>Systematic Parasitology</i> , 2015, 91, 13-33.	0.5	8

#	ARTICLE	IF	CITATIONS
109	The invasive fish tapeworm <i>Atractolytocestus huronensis</i> (Cestoda), a parasite of carp, colonises Africa. <i>Parasitology Research</i> , 2015, 114, 3521-3524.	0.6	10
110	A new genus and species of proteocephalidean tapeworm (Cestoda), first parasite found in the driftwood catfish <i>Tocantinsia piresi</i> (Siluriformes: Auchenipteridae) from Brazil. <i>Folia Parasitologica</i> , 2015, 62, .	0.7	8
111	Ultrastructure of the anterior organ and posterior funnel-shaped canal of <i>Gyrocotyle urna</i> Wagener, 1852 (Cestoda: Gyrocotylidea). <i>Folia Parasitologica</i> , 2015, 62, .	0.7	1
112	Macroparasites and their communities of the European eel <i>Anguilla anguilla</i> (Linnaeus) in the Czech Republic. <i>Folia Parasitologica</i> , 2015, 62, .	0.7	3
113	Misidentification of <i>Diphyllobothrium</i> Species Related to Global Fish Trade, Europe. <i>Emerging Infectious Diseases</i> , 2014, 20, 1955-1957.	2.0	19
114	Parasites of Freshwater Fishes In North America: Why So Neglected?. <i>Journal of Parasitology</i> , 2014, 100, 26-45.	0.3	51
115	<i>Echinostoma 'revolutum'</i> (Digenea: Echinostomatidae) species complex revisited: species delimitation based on novel molecular and morphological data gathered in Europe. <i>Parasites and Vectors</i> , 2014, 7, 520.	1.0	37
116	Conflict between morphology and molecular data: a case of the genus <i>Caryophyllaeus</i> (Cestoda: Caryophyllidae). <i>Systematic Parasitology</i> , 2014, 88, 153-166.	0.7	19
117	Taxonomic status of Woodland's enigmatic tapeworms (Cestoda: Proteocephalidea) from Amazonian catfishes: back to museum collections. <i>Systematic Parasitology</i> , 2014, 87, 1-19.	0.5	14
118	Phenotypic plasticity in <i>Caryophyllaeus brachycollis</i> Janiszewska, 1953 (Cestoda: Caryophyllidae): does fish host play a role?. <i>Systematic Parasitology</i> , 2014, 88, 153-166.	0.5	22
119	Molecular evidence of cryptic diversity in <i>Paracaryophyllaeus</i> (Cestoda: Caryophyllidae), parasites of loaches (Cobitidae) in Eurasia, including description of <i>P. vladkai</i> n. sp.. <i>Parasitology International</i> , 2014, 63, 841-850.	0.6	19
120	(Self-) infections with parasites: re-interpretations for the present. <i>Trends in Parasitology</i> , 2014, 30, 377-385.	1.5	29
121	Fish pathogens near the Arctic Circle: molecular, morphological and ecological evidence for unexpected diversity of <i>Diplostomum</i> (Digenea: diplostomidae) in Iceland. <i>International Journal for Parasitology</i> , 2014, 44, 703-715.	1.3	72
122	First study of vitellogenesis of the broad fish tapeworm <i>Diphyllobothrium latum</i> (Cestoda). <i>Parasitology</i> , 2014, 144, 747-753.	0.6	12
123	<i>Diplostomum</i> von Nordmann, 1832 (Digenea: Diplostomidae) in the sub-Arctic: descriptions of the larval stages of six species discovered recently in Iceland. <i>Systematic Parasitology</i> , 2014, 89, 195-213.	0.5	26
124	Spathebothriidea: survey of species, scolex and egg morphology, and interrelationships of a non-segmented, relictual tapeworm group (Platyhelminthes: Cestoda). <i>Folia Parasitologica</i> , 2014, 61, 331-346.	0.7	9
125	Fauna Europaea: Helminths (Animal Parasitic). <i>Biodiversity Data Journal</i> , 2014, 2, e1060.	0.4	24
126	Spathebothriidea: survey of species, scolex and egg morphology, and interrelationships of a non-segmented, relictual tapeworm group (Platyhelminthes: Cestoda). <i>Folia Parasitologica</i> , 2014, 61, 331-46.	0.7	2

#	ARTICLE	IF	CITATIONS
127	Conflict between morphology and molecular data: a case of the genus <i>Caryophyllaeus</i> (Cestoda: Tj ETQq1 1 0.784314 rgBT /Overloc	0.7	5
128	Spermiogenesis and sperm ultrastructure of two species of <i>Duthiersia</i> , parasites of monitors, with a review of spermatological characters in the Diphyllbothriidea (Cestoda). <i>Zoologischer Anzeiger</i> , 2013, 252, 486-494.	0.4	7
129	Pathways of cryptic invasion in a fish parasite traced using coalescent analysis and epidemiological survey. <i>Biological Invasions</i> , 2013, 15, 1907-1923.	1.2	9
130	New records and descriptions of digeneans from the Magellanic penguin <i>Spheniscus magellanicus</i> (Forster) (Aves: Sphenisciformes) on the coast of Brazil. <i>Systematic Parasitology</i> , 2013, 85, 79-98.	0.5	14
131	A first insight into the barcodes for African diplostomids (Digenea: Diplostomidae): Brain parasites in <i>Clarias gariepinus</i> (Siluriformes: Clariidae). <i>Infection, Genetics and Evolution</i> , 2013, 17, 62-70.	1.0	53
132	Tapeworm <i>Diphyllbothrium dendriticum</i> (Cestoda) – Neglected or Emerging Human Parasite?. <i>PLoS Neglected Tropical Diseases</i> , 2013, 7, e2535.	1.3	57
133	<i>Macrobthriotaenia ficta</i> (Cestoda: Proteocephalidea), a parasite of sunbeam snake (<i>Xenopeltis unicolor</i>): example of convergent evolution. <i>Zootaxa</i> , 2013, 3640, 485-99.	0.2	51
134	<i>Khawia abbottinae</i> sp. n. (Cestoda: Caryophyllidea) from the Chinese false gudgeon <i>Abbottina rivularis</i> (Cyprinidae: Gobioninae) in China: morphological and molecular data. <i>Folia Parasitologica</i> , 2013, 60, 141-148.	0.7	5
135	Larval gryporhynchid tapeworms (Cestoda: Cyclophyllidea) of British freshwater fish, with a description of the pathology caused by <i>Paradilepis scolecina</i> . <i>Journal of Helminthology</i> , 2012, 86, 1-9.	0.4	4
136	A new monozoic tapeworm, <i>Lobulovarium longiovatum</i> n. g., n. sp. (Cestoda: Caryophyllidea), from barbs <i>Puntius</i> spp. (Teleostei: Cyprinidae) in the Indomalayan region. <i>Systematic Parasitology</i> , 2012, 83, 1-13.	0.5	3
137	Sequence structure and intragenomic variability of ribosomal ITS2 in monozoic tapeworms of the genus <i>Khawia</i> (Cestoda: Caryophyllidea), parasites of cyprinid fish. <i>Parasitology Research</i> , 2012, 111, 1621-1627.	0.6	18
138	A New Genus and Species of Proteocephalidean Tapeworm (Cestoda) From <i>Pangasius larnaudii</i> (Siluriformes: Pangasiidae) In Southeast Asia. <i>Journal of Parasitology</i> , 2012, 98, 648-653.	0.3	5
139	The Role of Spatial and Temporal Heterogeneity and Competition In Structuring Trematode Communities In the Great Pond Snail, <i>Lymnaea stagnalis</i> (L.). <i>Journal of Parasitology</i> , 2012, 98, 460-471.	0.3	29
140	New Species and Geographical Records of Dactylogyrids (Monogenea) of Catfish (Siluriformes) from the Peruvian Amazonia. <i>Journal of Parasitology</i> , 2012, 98, 484-497.	0.3	29
141	Revision of <i>Gangesia</i> (Cestoda: Proteocephalidea) in the Indomalayan Region: Morphology, Molecules and Surface Ultrastructure. <i>PLoS ONE</i> , 2012, 7, e46421.	1.1	15
142	Bothriocephalidean tapeworms (Cestoda) of freshwater fish in Africa, including erection of <i>Kirstenella</i> n. gen. and description of <i>Tetracampos martinae</i> n. sp.. <i>Zootaxa</i> , 2012, 3309, 1.	0.2	31
143	Spermatological Characters of Monozoic Tapeworms (Cestoda: Caryophyllidea), Including First Data on a Species from the Indomalayan Catfish. <i>Journal of Parasitology</i> , 2012, 98, 423-430.	0.3	13
144	Molecular characterization of <i>Atractolytocestus sagittatus</i> (Cestoda: Caryophyllidea), monozoic parasite of common carp, and its differentiation from the invasive species <i>Atractolytocestus huronensis</i> . <i>Parasitology Research</i> , 2012, 110, 1621-1629.	0.6	14

#	ARTICLE	IF	CITATIONS
145	Substitution saturation and nuclear paralogs of commonly employed phylogenetic markers in the Caryophyllidea, an unusual group of non-segmented tapeworms (Platyhelminthes). <i>International Journal for Parasitology</i> , 2012, 42, 259-267.	1.3	53
146	<i>Ophiotaenia bungari</i> n. sp. (Cestoda), a parasite of <i>Bungarus fasciatus</i> (Schneider) (Ophidia: Elapidae) from Vietnam, with comments on relative ovarian size as a new and potentially useful diagnostic character for proteocephalidean tapeworms. <i>Systematic Parasitology</i> , 2012, 81, 39-50.	0.5	30
147	<i>Bothriocephalus acheilognathi</i> .. , 2012, , 282-297.		26
148	Spermiogenesis and spermatozoon ultrastructure of <i>Hunterella nodulosa</i> (Cestoda: Caryophyllidea), a monozoic parasite of suckers (Catostomidae) in North America. <i>Folia Parasitologica</i> , 2012, 59, 179-186.	0.7	12
149	New data on the morphology of some Far-Eastern species of <i>Rhabdochona</i> (Nematoda:) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50	0.7	6
150	A new species of <i>Australotaenia</i> (Cestoda: Proteocephalidea) from a snake in Cambodia: host switching or postcyclic parasitism in a distant region?. <i>Folia Parasitologica</i> , 2012, 59, 279-286.	0.7	2
151	Redescription of <i>Corallobothrium solidum</i> (Cestoda: Proteocephalidea) and Erection of A New Genus, <i>Essexiella</i> , For Tapeworms from Channel Catfishes (Ictaluridae). <i>Journal of Parasitology</i> , 2011, 97, 1142-1151.	0.3	10
152	Tapeworms (Cestoda: Caryophyllidea), Parasites of <i>Clarias batrachus</i> (Pisces: Siluriformes) in the Indomalayan Region. <i>Journal of Parasitology</i> , 2011, 97, 435-459.	0.3	23
153	New Species of <i>Demidospermus</i> (Monogenea: Dactylogyridae) of Pimelodid Catfish (Siluriformes) From Peruvian Amazonia and the Reassignment of <i>Urocleidooides lebedevi</i> Kritsky and Thatcher, 1976. <i>Journal of Parasitology</i> , 2011, 97, 586-592.	0.3	12
154	Parasites in a man-made landscape: contrasting patterns of trematode flow in a fishpond area in Central Europe. <i>Parasitology</i> , 2011, 138, 789-807.	0.7	17
155	Tapeworms (Cestoda: Proteocephalidea) of <i>Synodontis</i> spp. (Siluriformes) in Africa: survey of species and their redescrptions. <i>Zootaxa</i> , 2011, 2976, 1.	0.2	7
156	<i>Khawia japonensis</i> (Cestoda: Caryophyllidea): another invasive parasite of carp, <i>Cyprinus carpio</i> L., imported to Europe. <i>Journal of Fish Diseases</i> , 2011, 34, 943-949.	0.9	8
157	Cestodes (Caryophyllidea) of the Stinging Catfish <i>Heteropneustes fossilis</i> (Siluriformes:) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50	0.3	15
158	Revision of <i>Wenyonia</i> Woodland, 1923 (Cestoda: Caryophyllidea) from catfishes (Siluriformes) in Africa. <i>Systematic Parasitology</i> , 2011, 79, 83-107.	0.5	21
159	Ultrastructure of spermiogenesis and mature spermatozoon of <i>Breviscolex orientalis</i> (Cestoda:) Tj ETQq1 1 0.784314 rgBT /Overlock 10	0.6	23
160	Population study of <i>Atractolytocestus huronensis</i> (Cestoda: Caryophyllidea), an invasive parasite of common carp introduced to Europe: mitochondrial <i>cox1</i> haplotypes and intragenomic ribosomal ITS2 variants. <i>Parasitology Research</i> , 2011, 109, 125-131.	0.6	25
161	Histopathological and ultrastructural studies of the tapeworm <i>Monobothrium wageneri</i> (Caryophyllidea) in the intestinal tract of tench <i>Tinca tinca</i> . <i>Diseases of Aquatic Organisms</i> , 2011, 97, 143-154.	0.5	9
162	Revision of <i>Khawia</i> spp. (Cestoda: Caryophyllidea), parasites of cyprinid fish, including a key to their identification and molecular phylogeny. <i>Folia Parasitologica</i> , 2011, 58, 197-223.	0.7	43

#	ARTICLE	IF	CITATIONS
163	Ritacestus gen. n. (Cestoda: Proteocephalidea) and redescription of <i>R. ritaii</i> comb. n., a parasite of <i>Rita rita</i> (Siluriformes) in India. <i>Folia Parasitologica</i> , 2011, 58, 279-288.	0.7	5
164	Revision of <i>Khawia</i> spp. (Cestoda: Caryophyllidea), parasites of cyprinid fish, including a key to their identification and molecular phylogeny. <i>Folia Parasitologica</i> , 2011, 58, 197-223.	0.7	16
165	Spermatozoa of tapeworms (Platyhelminthes, Eucestoda): advances in ultrastructural and phylogenetic studies. <i>Biological Reviews</i> , 2010, 85, 523-543.	4.7	94
166	Spermiogenesis and spermatozoon of the tapeworm <i>Parabothriocephalus gracilis</i> (Bothriocephalidea): Ultrastructural and cytochemical studies. <i>Acta Parasitologica</i> , 2010, 55, .	0.4	19
167	A chromosome study and localization of 18S rDNA in <i>Khawia saurogobii</i> (Cestoda: Caryophyllidea). <i>Parasitology Research</i> , 2010, 106, 587-593.	0.6	17
168	Intra-individual internal transcribed spacer 1 (ITS1) and ITS2 ribosomal sequence variation linked with multiple rDNA loci: A case of triploid <i>Atractolytocestus huronensis</i> , the monozoic cestode of common carp. <i>International Journal for Parasitology</i> , 2010, 40, 175-181.	1.3	43
169	Multiplex PCR for Differential Identification of Broad Tapeworms (<i>Cestoda</i> : <i>Diphyllobothrium</i>) Infecting Humans. <i>Journal of Clinical Microbiology</i> , 2010, 48, 3111-3116.	1.8	76
170	Vitellogenesis of basal trematode <i>Aspidogaster limacoides</i> (Aspidogastrea: Aspidogastridae). <i>Parasitology International</i> , 2010, 59, 532-538.	0.6	17
171	<i>Tucunarella</i> n. gen. and Other Dactylogyrids (Monogenoidea) From Cichlid Fish (Perciformes) From Peruvian Amazonia. <i>Journal of Parasitology</i> , 2010, 96, 491-498.	0.3	17
172	Scolex morphology of monozoic cestodes (Caryophyllidea) from the Palaearctic Region: a useful tool for species identification. <i>Folia Parasitologica</i> , 2010, 57, 37-46.	0.7	64
173	Ultrastructure of the ovarian follicles, oviducts and oocytes of <i>Gyrocotyle urna</i> (Neodermata: Tj ETQq1 1 0.784314 rgBT /Overlock 10 T	0.7	9
174	First species of <i>Ophiotaenia</i> (Cestoda: Proteocephalidea) from Madagascar: <i>O. georgievi</i> sp. n., a parasite of the endemic snake <i>Leioheterodon geayi</i> (Colubridae). <i>Folia Parasitologica</i> , 2010, 57, 197-205.	0.7	11
175	New data on the morphology and taxonomy of three species of <i>Rhabdochona</i> (Nematoda: Tj ETQq1 1 0.784314 rgBT /Overlock 10 T	0.7	14
176	Endoparasites of European perch <i>Perca fluviatilis</i> fry: role of spatial segregation. <i>Diseases of Aquatic Organisms</i> , 2009, 86, 87-91.	0.5	12
177	Spermatological characters of the aspidogastrean <i>Aspidogaster limacoides</i> Diesing, 1835. <i>Parasitology Research</i> , 2009, 105, 77-85.	0.6	13
178	Two new species of <i>Bothriocephalus</i> Rudolphi, 1808 (Cestoda: Bothriocephalidea) from marine fish off Australia and New Caledonia. <i>Systematic Parasitology</i> , 2009, 73, 229-238.	0.5	7
179	The unique ultrastructure of the uterus of the <i>Gyrocotylidea</i> Poche, 1926 (Cestoda) and its phylogenetic implications. <i>Systematic Parasitology</i> , 2009, 74, 81-93.	0.5	10
180	Interplay of host specificity and biogeography in the population structure of a cosmopolitan endoparasite: microsatellite study of <i>Ligula intestinalis</i> (Cestoda). <i>Molecular Ecology</i> , 2009, 18, 1187-1206.	2.0	51

#	ARTICLE	IF	CITATIONS
181	Tapeworm <i>Khawia sinensis</i> : Review of the introduction and subsequent decline of a pathogen of carp, <i>Cyprinus carpio</i> . <i>Veterinary Parasitology</i> , 2009, 164, 217-222.	0.7	29
182	Update on the Human Broad Tapeworm (Genus <i>Diphyllobothrium</i>), Including Clinical Relevance. <i>Clinical Microbiology Reviews</i> , 2009, 22, 146-160.	5.7	242
183	A New Genus and Species of Proteocephalidean (Cestoda) From Clarias Catfishes (Siluriformes): <i>Tj ETQq1 1 0.784314 rgBT /Overlock 0.3 21</i>	0.3	15
184	Redescription of <i>Proteocephalus glanduligerus</i> (Cestoda: Proteocephalidea), a Parasite of Clariid Catfishes in Africa with a Unique Glandular Apical Organ. <i>Journal of Parasitology</i> , 2009, 95, 443-449.	0.3	15
185	New Dactylogyrids (Monogenea) Parasitizing the Gills of Catfishes (Siluriformes) from the Amazon River Basin in Peru. <i>Journal of Parasitology</i> , 2009, 95, 865-870.	0.3	19
186	Spermiogenesis and Spermatozoon of the Tapeworm <i>Ligula intestinalis</i> (Diphyllobothriidea): Phylogenetic Implications. <i>Journal of Parasitology</i> , 2009, 95, 1-9.	0.3	29
187	Revision of tapeworms (Cestoda: Bothriocephalidea) from lizardfish (Saurida: Synodontidae) from the Indo-Pacific region. <i>Zootaxa</i> , 2009, 1977, 55-67.	0.2	16
188	Phylogenetic relationships of the monozoic tapeworms (Eucestoda: Caryophyllidea) inferred from morphological characters. <i>Systematic Parasitology</i> , 2008, 70, 1-14.	0.5	25
189	Revision of the order Bothriocephalidea Kuchta, Scholz, Brabec & Bray, 2008 (Eucestoda) with amended generic diagnoses and keys to families and genera. <i>Systematic Parasitology</i> , 2008, 71, 81-136.	0.5	61
190	Redescription of the tapeworm <i>Monticellia amazonica</i> de Chambrier et Vaucher, 1997 (Cestoda,) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 3 0.4 6</i> River. <i>Acta Parasitologica</i> , 2008, 53, .	0.4	6
191	Female morphology of <i>Philometra parasiluri</i> (Nematoda, Philometridae), an ocular parasite of the Amur catfish <i>Silurus asotus</i> in Japan. <i>Acta Parasitologica</i> , 2008, 53, .	0.4	4
192	Ultrastructure of the tegument of the cestode <i>Paraechinophallus japonicus</i> (Bothriocephalidea): <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 3 0.3 8</i> 153-161.	0.3	8
193	Suppression of the tapeworm order Pseudophyllidea (Platyhelminthes: Eucestoda) and the proposal of two new orders, Bothriocephalidea and Diphyllobothriidea. <i>International Journal for Parasitology</i> , 2008, 38, 49-55.	1.3	112
194	Geography and host specificity: Two forces behind the genetic structure of the freshwater fish parasite <i>Ligula intestinalis</i> (Cestoda: Diphyllobothriidae). <i>International Journal for Parasitology</i> , 2008, 38, 1465-1479.	1.3	61
195	Tapeworms (Cestoda: Gryporhynchidae) of Fish-Eating Birds (Ciconiiformes) from Mexico: New Host and Geographical Records. <i>Comparative Parasitology</i> , 2008, 75, 182-195.	0.0	12
196	Sem and Tem Study of the Armed Male Terminal Genitalia of the Tapeworm <i>Paraechinophallus japonicus</i> (Cestoda: Bothriocephalidea). <i>Journal of Parasitology</i> , 2008, 94, 803-810.	0.3	9
197	On the Position of <i>Archigetes</i> and Its Bearing on the Early Evolution of the Tapeworms. <i>Journal of Parasitology</i> , 2008, 94, 898-904.	0.3	60
198	New Metacestodes of Gryporhynchid Tapeworms (Cestoda: Cyclophyllidea) from Carp (<i>Cyprinus carpio</i>) <i>Tj ETQq0 0,0,rgBT /Overlock 10 Tf 50 3 0,0,0 6</i>	0.0	6

#	ARTICLE	IF	CITATIONS
199	Sandonella sandoni (Lynsdale, 1960), an Enigmatic and Morphologically Unique Cestode Parasitic in the Osteoglossiform Fish <i>Heterotis niloticus</i> in Africa. <i>Journal of Parasitology</i> , 2008, 94, 202-211.	0.3	20
200	A New Triaenophorid Tapeworm from Blackfish <i>Centrolophus niger</i> . <i>Journal of Parasitology</i> , 2008, 94, 500-504.	0.3	5
201	Tapeworms (Cestoda: Proteocephalidea) of firewood catfish <i>Sorubimichthys planiceps</i> (Siluriformes: Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 62	0.7	18
202	Bothriocephalidean tapeworms (Cestoda) from the blackfish, <i>Centrolophus niger</i> (Perciformes: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 62	0.7	3
203	Ultrastructure of the surface structures and secretory glands of the rosette attachment organ of <i>Gyrocotyle urna</i> (Cestoda: Gyrocotylidea). <i>Folia Parasitologica</i> , 2008, 55, 207-218.	0.7	7
204	Ultrastructure of microtriches on the scolex of <i>Cyathocephalus truncatus</i> (Cestoda: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 542 Td (Spat	0.7	4
205	First Record of Human Infection with the Tapeworm <i>Diphyllobothrium nihonkaiense</i> in North America. <i>American Journal of Tropical Medicine and Hygiene</i> , 2008, 78, 235-238.	0.6	28
206	First record of human infection with the tapeworm <i>Diphyllobothrium nihonkaiense</i> in North America. <i>American Journal of Tropical Medicine and Hygiene</i> , 2008, 78, 235-8.	0.6	16
207	First Record of <i>Bothriocephalus acheilognathi</i> in the Rio Grande with Comparative Analysis of ITS2 and V4-18S rRNA Gene Sequences. <i>Journal of Aquatic Animal Health</i> , 2007, 19, 71-76.	0.6	18
208	REDESCRIPTION OF ASCOCOTYLE (ASCOCOTYLE) FELIPPEI TRAVASSOS, 1928 (DIGENEA: HETEROPHYIDAE) WITH NEW SYNONYMIES. <i>Journal of Parasitology</i> , 2007, 93, 1468-1475.	0.3	8
209	Frontal glands in the pseudoscolex of <i>Paraechinophallus japonicus</i> (Yamaguti, 1934) (Cestoda, Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 62	0.4	5
210	An annotated list of species of the <i>Proteocephalus</i> Weinland, 1858 aggregate sensu de Chambrier et Åal. (2004) (Cestoda: Proteocephalidea), parasites of fishes in the Palaearctic Region, their phylogenetic relationships and a key to their identification. <i>Systematic Parasitology</i> , 2007, 67, 139-156.	0.5	25
211	Ultrastructure of the proglottid tegument (neodermis) of the cestode <i>Echinophallus wagneri</i> (Pseudophyllidea: Echinophallidae), a parasite of the bathypelagic fish <i>Centrolophus niger</i> . <i>Parasitology Research</i> , 2007, 101, 373-383.	0.6	8
212	Invalidity of three Palaearctic species of Triaenophorus tapeworms (Cestoda: Pseudophyllidea): evidence from morphometric analysis of scolex hooks. <i>Folia Parasitologica</i> , 2007, 54, 34-42.	0.7	16
213	Vitellogenesis and vitelline system in the pseudophyllidean tapeworm <i>Paraechinophallus japonicus</i> : ultrastructural and cytochemical studies. <i>Folia Parasitologica</i> , 2007, 54, 43-50.	0.7	18
214	Redescription of <i>Proteocephalus sulcatus</i> (Klaptocz, 1906) (Cestoda: Proteocephalidea), a poorly known parasite of <i>Clarotes laticeps</i> (Pisces: Siluriformes) in the Sudan. <i>Revue Suisse De Zoologie</i> , 2007, 114, 693-702.	0.1	10
215	Diversity and distribution of fish tapeworms of the "Bothriocephalidea" (Eucestoda). <i>Parassitologia</i> , 2007, 49, 129-46.	0.5	15
216	First Report of Metacestodes of <i>Cyclastera ralli</i> (Underwood and Dronen, 1986) (Cestoda: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 67 Td (Cyprinodontiformes: Fundulidae) from Virginia, U.S.A. <i>Comparative Parasitology</i> , 2006, 73, 130-133.	0.0	1

#	ARTICLE	IF	CITATIONS
217	AUSTRALICOLA PECTINATUS N. GEN. AND N. SP. (CESTODA: PSEUDOPHYLLIDEA) FROM THE DEEP-SEA FISH BERYX SPLENDENS FROM TASMANIA. Journal of Parasitology, 2006, 92, 126-129.	0.3	8
218	TAXONOMIC STATUS, REDESCRIPTION, AND SURFACE ULTRASTRUCTURE OF ASCOCOTYLE (PHAGICOLA) PINDORAMENSIS N. COMB. (DIGENEA: HETEROPHYIDAE). Journal of Parasitology, 2006, 92, 501-508.	0.3	16
219	SPERMIOGENESIS AND SPERM ULTRASTRUCTURE OF CYATHOCEPHALUS TRUNCATUS (PALLAS, 1781) KESSLER, 1868 (CESTODA: SPATHEBOTHRIIDEA). Journal of Parasitology, 2006, 92, 884-892.	0.3	36
220	Tapeworms (Cestoda: Proteocephalidea) of Fishes from the Amazon River in Peru. Comparative Parasitology, 2006, 73, 111-120.	0.0	22
221	<i>Keys to the Trematoda. Volume II</i> (ed. Jones, A., Bray, R. A. and Gibson, D. I.), pp. 768. Commonwealth Agricultural Bureau International (CABI Publishing), UK and The Natural History Museum, London, UK, 2005. ISBN 0 85199 587 X. £150.00.. Parasitology, 2006, 132, 153-154.	0.7	0
222	A comparative study of the egg morphology in four species of Eubothrium (Cestoda: Pseudophyllidea) with comments on their early development. Invertebrate Biology, 2006, 125, 1-8.	0.3	3
223	FIRST EVIDENCE OF THE PRESENCE OF MICROTRICHES IN THE GYROCOTYLIDEA. Journal of Parasitology, 2006, 92, 703-707.	0.3	13
224	Is Radix peregra a new intermediate host of Fascioloides magna (Trematoda) in Europe? Field and experimental evidence. Acta Parasitologica, 2006, 51, .	0.4	20
225	New data on the morphology of Nilonema senticosum (Nematoda, Philometridae), a parasite of Arapaima gigas (Pisces), with notes on another philometrid, Alinema amazonicum, in Peru. Acta Parasitologica, 2006, 51, .	0.4	5
226	Spermatozoon ultrastructure of the pseudophyllidean cestode Paraechinophallus japonicus, a parasite of deep-sea fish Psenopsis anomala (Perciformes, Centrolophidae). Parasitology Research, 2006, 100, 115-121.	0.6	25
227	Paraphyly of the Pseudophyllidea (Platyhelminthes: Cestoda): Circumscription of monophyletic clades based on phylogenetic analysis of ribosomal RNA. International Journal for Parasitology, 2006, 36, 1535-1541.	1.3	66
228	REDESCRIPTION OF ALINEMA AMAZONICUM (TRAVASSOS, 1960) N. COMB., A PHILOMETRID NEMATODE WITH UNUSUAL MORPHOLOGY. Journal of Parasitology, 2006, 92, 138-144.	0.3	10
229	IS THE HUMAN-INFECTING DIPHYLLOBOTHRILIUM PACIFICUM A VALID SPECIES OR JUST A SOUTH AMERICAN POPULATION OF THE HOLARCTIC FISH BROAD TAPEWORM, D. LATUM?. American Journal of Tropical Medicine and Hygiene, 2006, 75, 307-310.	0.6	28
230	Taxonomic status of Ascocotyle (Phagicola) rara Arruda, Muniz-Pereira et Pinto, 2002 (Digenea: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 2	0.7	1
231	Is the human-infecting Diphylobothrium pacificum a valid species or just a South American population of the holarctic fish broad tapeworm, D. latum?. American Journal of Tropical Medicine and Hygiene, 2006, 75, 307-10.	0.6	7
232	Phylogeny, evolution and host-parasite relationships of the order Proteocephalidea (Eucestoda) as revealed by combined analysis and secondary structure characters. Parasitology, 2005, 130, 359-371.	0.7	38
233	Spermiogenesis in the cestode Corallobothrium solidum Fritsch, 1886 (Proteocephalidea: Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50	0.6	16
234	Helminth genome projects: all or nothing. Trends in Parasitology, 2005, 21, 265-266.	1.5	12

#	ARTICLE	IF	CITATIONS
235	Redescription of <i>Houssayela sudobim</i> (Woodland, 1935) (Cestoda: Proteocephalidea), a Parasite of <i>Pseudoplatystoma Fasciatum</i> (Pisces: Siluriformes) from the River Amazon. <i>Systematic Parasitology</i> , 2005, 62, 161-169.	0.5	15
236	CULUWIYA CICHLIDORUM N. SP. (DIGENEA: HAPLOPORIDAE) FROM THE BLACK-BELT CICHLID VIEJA MACULICAUDA (PISCES: CICHLIDAE) FROM NICARAGUA. <i>Journal of Parasitology</i> , 2005, 91, 1379-1384.	0.3	13
237	Morphometric analysis of four species of <i>Eubothrium</i> (Cestoda: Pseudophyllidea) parasites of salmonid fish: An interspecific and intraspecific comparison. <i>Parasitology International</i> , 2005, 54, 207-214.	0.6	10
238	Redescription of <i>Eubothrium fragile</i> (Rudolphi, 1802) and <i>E. rugosum</i> (Batsch, 1786) (Cestoda: Tj ETQq0 0 0 rgBT /Overlock_10 Tf 50 62)	0.7	5
239	Fine structure of the female reproductive ducts of <i>Cyathocephalus truncatus</i> (Cestoda: Tj ETQq1 1 0.784314 rgBT /Overlock_10 Tf 50 62)	0.7	19
240	A PARAPHYLY OF THE GENUS <i>BOTHRIOCEPHALUS</i> RUDOLPHI, 1808 (CESTODA: PSEUDOPHYLLIDEA) INFERRED FROM INTERNAL TRANSCRIBED SPACERâ€² AND 18S RIBOSOMAL DNA SEQUENCES. <i>Journal of Parasitology</i> , 2004, 90, 612-617.	0.3	14
241	The cestode <i>Atractolytocestus huronensis</i> (Caryophyllidea) continues to spread in Europe: new data on the helminth parasite of the common carp. <i>Diseases of Aquatic Organisms</i> , 2004, 62, 115-119.	0.5	32
242	BATHYCESTUS BRAYI N. GEN. AND N. SP. (CESTODA: PSEUDOPHYLLIDEA) FROM THE DEEP-SEA FISH NOTACANTHUS BONAPARTE IN THE NORTHEASTERN ATLANTIC. <i>Journal of Parasitology</i> , 2004, 90, 316-321.	0.3	9
243	A taxonomic Study of Species of <i>Bothriocephalus</i> Rudolphi, 1808 (Cestoda: Pseudophyllidea) from Eels in Japan: Morphological and Molecular Evidence for the Occurrence of <i>B.Âclaviceps</i> (Goeze, 1782) and Confirmation of the Validity of <i>B.Âjaponicus</i> Yamaguti, 1934. <i>Systematic Parasitology</i> , 2004, 57, 87-96.	0.5	18
244	Redescription of <i>Electrotaenia Malopteruri</i> (Fritsch, 1886) (Cestoda: Proteocephalidae), a Parasite of <i>Malapterurus Electricus</i> (Siluriformes: Malapteruridae) from Egypt. <i>Systematic Parasitology</i> , 2004, 57, 97-109.	0.5	9
245	Ultrastructural particularities of the spermatozoon of the cestode <i>Electrotaenia malopteruri</i> (Fritsch, 1886) (Proteocephalidae: Gangesiinae), a parasite of <i>Malapterurus electricus</i> (Siluriformes: Tj ETQq1 1 0.784314 rgBT /Overlock_10 Tf 50 62)	0.7	19
246	Allozyme analysis of genetic variation and polymorphism in <i>Eubothrium salvelini</i> and <i>E. crassum</i> (Cestoda: Pseudophyllidea) from alpine lakes. <i>Parasitology Research</i> , 2004, 93, 290-295.	0.6	5
247	The phylogeny of diphyllbothriid tapeworms (Cestoda: Pseudophyllidea) based on ITS-2 rDNA sequences. <i>Parasitology Research</i> , 2004, 94, 10-15.	0.6	32
248	Ultrastructural characters of the spermatozoon of the cestode <i>Corallobothrium solidum</i> Fritsch, 1886 (Cestoda: Proteocephalidea), a parasite of the electric catfish <i>Malapterurus electricus</i> . <i>Parasitology Research</i> , 2004, 94, 421-426.	0.6	22
249	REINVESTIGATION OF SPERMIOGENESIS IN THE PROTEOCEPHALIDEAN CESTODE <i>PROTEOCEPHALUS LONGICOLLIS</i> (ZEDER, 1800). <i>Journal of Parasitology</i> , 2004, 90, 23-29.	0.3	25
250	HELMINTH PARASITES OF THE TROPICAL GAR, <i>ATRACTOSTEUS TROPICUS</i> GILL, FROM TABASCO, MEXICO. <i>Journal of Parasitology</i> , 2004, 90, 260-265.	0.3	9
251	Occurrence of <i>Proteocephalus tetrastomus</i> (Rudolphi, 1810) (Cestoda: Proteocephalidea) in Larval Rainbow Smelt (<i>Osmerus mordax</i>) in North America: Identification of a Potential Pathogen Confirmed. <i>Journal of Parasitology</i> , 2004, 90, 425-427.	0.3	8
252	Neotropical Monogenoidea. 45. Revision of <i>Diplectanocotyla</i> Yamaguti, 1953 (Diplectanidae) with Redescription of <i>Diplectanocotyla megalopis</i> Rakotofiringa and Oliver, 1987 on Atlantic Tarpon, <i>Megalops atlanticus</i> Cuvier and Valenciennes, from Nicaragua and Mexico. <i>Comparative Parasitology</i> , 2004, 71, 158-165.	0.0	14

#	ARTICLE	IF	CITATIONS
253	AURICULOSTOMA ASTYANACE N. GEN., N. SP. (DIGENEA: ALLOCREADIIDAE), FROM THE BANDED ASTYANAX, ASTYANAX FASCIATUS (CHARACIFORMES: CHARACIDAE), FROM NICARAGUA, WITH A REEVALUATION OF NEOTROPICAL CREPIDOSTOMUM SPP. <i>Journal of Parasitology</i> , 2004, 90, 1128-1132.	0.3	18
254	Seasonal dynamics of <i>Proteocephalus sagittus</i> in the stone loach <i>Barbatula barbatula</i> from the HanÅ; River, Czech Republic. <i>Journal of Helminthology</i> , 2004, 78, 225-229.	0.4	5
255	Larvae of gryporhynchid cestodes (Cyclophyllidea) from fish: a review. <i>Folia Parasitologica</i> , 2004, 51, 131-152.	0.7	38
256	Ultrastructure of the apical glandular region of the scolex of <i>Proteocephalus torulosus</i> (Cestoda: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	0.7	10
257	Resurrection of <i>Proteocephalus sagittus</i> (Grimm, 1872) (Cestoda: Proteocephalidea) based on morphological and molecular data. <i>Systematic Parasitology</i> , 2003, 56, 173-181.	0.5	13
258	Ultrastructure of the spermatozoon of the proteocephalidean cestode <i>Proteocephalus torulosus</i> (Batsch, 1786). <i>Parasitology Research</i> , 2003, 89, 345-351.	0.6	24
259	A molecular study of <i>Eubothrium rugosum</i> (Batsch, 1786) (Cestoda: Pseudophyllidea) using ITS rDNA sequences, with notes on the distribution and intraspecific sequence variation of <i>Eubothrium crassum</i> (Bloch, 1779). <i>Parasitology Research</i> , 2003, 89, 473-479.	0.6	16
260	Spermiogenesis in the proteocephalidean cestode <i>Proteocephalus torulosus</i> (Batsch, 1786). <i>Parasitology Research</i> , 2003, 90, 318-324.	0.6	24
261	Reinvestigation of the spermatozoon ultrastructure of the cestode <i>Proteocephalus longicollis</i> (Zeder, 1800), a parasite of salmonid fish. <i>Parasitology Research</i> , 2003, 91, 357-362.	0.6	25
262	TAXONOMIC STATUS OF CHOANOSCOLEX LAMOTHEI GARCÍA-PRIETO, 1990 (CESTODA: PROTEOCEPHALIDEA) USING MORPHOLOGICAL AND MOLECULAR EVIDENCE. <i>Journal of Parasitology</i> , 2003, 89, 1212-1219.	0.3	14
263	<i>Guavinella tropica</i> n. gen., n. sp. (Monogenea: Dactylogyridae) from the Gills of the Bigmouth Sleeper, <i>Gobiomorus dormitor</i> (Perciformes: Eleotridae), from Mexico. <i>Comparative Parasitology</i> , 2003, 70, 26-31.	0.0	4
264	Host specificity and geographical distribution of <i>Eubothrium</i> in European salmonid fish. <i>Journal of Helminthology</i> , 2003, 77, 255-262.	0.4	17
265	Helminth parasites of cats from the Vientiane Province, Laos, as indicators of the occurrence of causative agents of human parasitoses. <i>Parasite</i> , 2003, 10, 343-350.	0.8	35
266	Larval Tapeworms (Cestoda: Dilepididae) from the Mummichog <i>Fundulus heteroclitus</i> (Linnaeus, 1766) and Striped Killifish <i>Fundulus majalis</i> (Walbaum, 1792) from South Carolina, U.S.A.. <i>Comparative Parasitology</i> , 2002, 69, 104-108.	0.0	9
267	Ultrastructure of the spermatozoon of the pseudophyllidean cestode <i>Eubothrium crassum</i> (Bloch,) Tj ETQq1 1 0.784314 rgBT /Overlock 30	0.6	30
268	Cestodes of the family Dilepididae (Cestoda: Cyclophyllidea) from fish-eating birds in Mexico: a survey of species. <i>Systematic Parasitology</i> , 2002, 52, 171-182.	0.5	20
269	A Comparative Study of <i>Eubothrium Salvelini</i> and <i>E. crassum</i> (Cestoda: Pseudophyllidea) Parasites of Arctic Charr and Brown Trout in Alpine Lakes. <i>Environmental Biology of Fishes</i> , 2002, 64, 245-256.	0.4	21
270	A comparative study of <i>Eubothrium salvelini</i> and <i>E. crassum</i> (Cestoda: Pseudophyllidea) parasites of Arctic charr and brown trout in alpine lakes. <i>Developments in Environmental Biology of Fishes</i> , 2002, , 245-256.	0.2	3

#	ARTICLE	IF	CITATIONS
271	Family Gymnophallidae Odhner, 1905.. , 2002, , 245-251.		14
272	Trematodes of the family Heterophyidae (Digenea) in Mexico: a review of species and new host and geographical records. Journal of Natural History, 2001, 35, 1733-1772.	0.2	70
273	Thaumasioscolex didelphidis N. Gen., N. Sp. (Eucestoda: Proteocephalidae) from the Black-Eared Opossum Didelphis marsupialis from Mexico, the First Proteocephalidean Tapeworm from a Mammal. Journal of Parasitology, 2001, 87, 639-646.	0.3	20
274	Trematodes of the family Opisthorchiidae: a minireview. Korean Journal of Parasitology, 2001, 39, 209.	0.5	55
275	Monticellia ophisterni n. sp. (Cestoda: Monticelliidae) from the Swamp-Eel Ophisternon aenigmaticum (Synbranchiformes) from Mexico. Journal of Parasitology, 2001, 87, 1328.	0.3	0
276	Spermiogenesis in the pseudophyllid cestode Eubothrium crassum (Bloch, 1779). Parasitology Research, 2001, 87, 579-588.	0.6	42
277	Metacestodes of the family Dilepididae (Cestoda: Cyclophyllidea) parasitising fishes in Mexico. Systematic Parasitology, 2001, 49, 23-39.	0.5	37
278	Probothriocephalus alaini n. sp. (Cestoda: Triaenophoridae) from the deep-sea fish Xenodermichthys copei in the North Atlantic Ocean. Systematic Parasitology, 2001, 50, 231-235.	0.5	5
279	A comparison of the internal transcribed spacer of the ribosomal DNA for Eubothrium crassum and Eubothrium salvelini (Cestoda: Pseudophyllidea), parasites of salmonid fish. International Journal for Parasitology, 2001, 31, 93-96.	1.3	23
280	Phylogenetic analysis of European species of Proteocephalus (Cestoda: Proteocephalidea): compatibility of molecular and morphological data, and parasite-host coevolution. International Journal for Parasitology, 2001, 31, 1121-1128.	1.3	36
281	MONTICELLIA OPHISTERININ. SP. (CESTODA: MONTICELLIIDAE) FROM THE SWAMP-EELOPHISTERINON AENIGMATICUM (SYNBRANCHIFORMES) FROM MEXICO. Journal of Parasitology, 2001, 87, 1328-1333.	0.3	8
282	Thaumasioscolex didelphidis n. gen., n. sp. (Eucestoda: Proteocephalidae) from the Black-Eared Opossum Didelphis marsupialis from Mexico, the First Proteocephalidean Tapeworm from a Mammal. Journal of Parasitology, 2001, 87, 639.	0.3	7
283	Identity of Cysticercoides menidiae Chandler, 1935 (Cestoda: Dilepididae). Journal of Parasitology, 2001, 87, 927-928.	0.3	12
284	Caryophyllidean tapeworms (Platyhelminthes: Eucestoda) from freshwater fishes in Japan. Folia Parasitologica, 2001, 48, 275-288.	0.7	27
285	On the phylogenetic positions of the Caryophyllidea, Pseudophyllidea and Proteocephalidea (Eucestoda) inferred from 18S rRNA. International Journal for Parasitology, 2000, 30, 1109-1113.	1.3	72
286	The Introduction and Dispersal of Centrocestus formosanus (Nishigori, 1924) (Digenea: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 142 Td (H	0.2	88
287	Morphometrics and seasonal occurrence of metacestodes of Neogryporhynchus cheilancristrotus (Cyclophyllidea: Dilepididae) in the blue bream (Abramis ballerus) from the Oder River (Germany/Poland). Folia Parasitologica, 2000, 47, 181-185.	0.7	5
288	Redescription of Phagicola pithecophagicola Faust, 1920 (Digenea: Heterophyidae), the Type Species of Phagicola Faust, 1920. Journal of Parasitology, 1999, 85, 111.	0.3	2

#	ARTICLE	IF	CITATIONS
289	Species of <i>Proteocephalus</i> Weinland, 1858 (Cestoda: Proteocephalidae) from Cyprinid Fishes in North America. <i>Journal of Parasitology</i> , 1999, 85, 150.	0.3	35
290	Species of <i>Proteocephalus</i> Weinland, 1858 (Cestoda: Proteocephalidae), Parasites of Coregonid and Salmonid Fishes from North America: Taxonomic Reappraisal. <i>Journal of Parasitology</i> , 1999, 85, 94.	0.3	13
291	Parasites in cultured and feral fish. <i>Veterinary Parasitology</i> , 1999, 84, 317-335.	0.7	128
292	Recent visitations by eels to Sable Island, Canada, confirmed by parasites. <i>Journal of Fish Biology</i> , 1999, 54, 685-687.	0.7	7
293	Taxonomic study of <i>Ascocotyle (Phagicola) longa</i> Ransom, 1920 (Digenea: Heterophyidae) and related taxa. <i>Systematic Parasitology</i> , 1999, 43, 147-158.	0.5	31
294	Scolex morphology of the cestode <i>Silurotaenia siluri</i> (Batsch, 1786) (Proteocephalidae: Gangesiinae), a parasite of European wels (<i>Silurus glanis</i>). <i>Parasitology Research</i> , 1999, 85, 1-6.	0.6	19
295	A chromosome study of the tapeworm <i>Bathybothrium rectangulum</i> (Bloch, 1782) (Cestoda: Tj ETQq1 1 0.784314 rgBT /Overlock 10	0.6	6
296	Life cycles of species of <i>Proteocephalus</i> , parasites of fishes in the Palearctic Region: a review. <i>Journal of Helminthology</i> , 1999, 73, 1-19.	0.4	68
297	Endoparasitic helminths of fishes in three Alpine lakes in France and Switzerland. <i>Revue Suisse De Zoologie</i> , 1999, 106, 581-590.	0.1	8
298	Genetic and morphological variability in cestodes of the genus <i>Proteocephalus</i> : geographical variation in <i>Proteocephalus percae</i> populations. <i>Canadian Journal of Zoology</i> , 1999, 77, 1450-1458.	0.4	4
299	Species of <i>Proteocephalus</i> Weinland, 1858 (Cestoda: Proteocephalidae), parasites of coregonid and salmonid fishes from North America: taxonomic reappraisal. <i>Journal of Parasitology</i> , 1999, 85, 94-101.	0.3	2
300	Redescription of <i>Phagicola pithecophagicola</i> Faust, 1920 (Digenea: Heterophyidae), the type species of <i>Phagicola</i> Faust, 1920. <i>Journal of Parasitology</i> , 1999, 85, 111-4.	0.3	1
301	Species of <i>Proteocephalus</i> Weinland, 1858 (Cestoda: Proteocephalidae) from cyprinid fishes in North America. <i>Journal of Parasitology</i> , 1999, 85, 150-4.	0.3	3
302	Life cycles of species of <i>Proteocephalus</i> , parasites of fishes in the Palearctic region: a review. <i>Journal of Helminthology</i> , 1999, 73, 1-19.	0.4	12
303	Preliminary phylogenetic analysis of subfamilies of the Proteocephalidea (Eucestoda). <i>Systematic Parasitology</i> , 1998, 40, 1-19.	0.5	43
304	Synonymy of shape <i>Proteocephalus pollanicola</i> Gresson, 1952 (Cestoda: Proteocephalidae), a parasite of pollan, shape <i>Coregonus autumnalis</i> pollan, with shape <i>P. exiguus</i> La Rue, 1911. <i>Systematic Parasitology</i> , 1998, 40, 35-41.	0.5	8
305	Taxonomic status of <i>Pelichnibothrium speciosum</i> Monticelli, 1889 (Cestoda: Tetraphyllidea), a mysterious parasite of <i>Alepisaurus ferox</i> Lowe (Teleostei: Alepisauridae) and <i>Prionace glauca</i> (L.) (Euselachii: Carcharinidae). <i>Systematic Parasitology</i> , 1998, 41, 1-8.	0.5	14
306	Scolex morphology of <i>Proteocephalus</i> tapeworms (Cestoda: Proteocephalidae), parasites of freshwater fish in the Palaeartic Region. <i>Folia Parasitologica</i> , 1998, 45, 27-43.	0.7	34

#	ARTICLE	IF	CITATIONS
307	Life-cycle of <i>Bothriocephalus claviceps</i> , a specific parasite of eels. <i>Journal of Helminthology</i> , 1997, 71, 241-248.	0.4	20
308	<i>Ascocotyle (A.) nunezae</i> n. sp. (Digenea: Heterophyidae) from Yucatan, Mexico. <i>Journal of Parasitology</i> , 1997, 83, 141.	0.3	9
309	Phylogenetic analysis of a fish tapeworm, <i>Proteocephalus exiguus</i> , based on the small subunit rRNA gene. Note: Nucleotide sequence data reported in this paper will appear in the EMBL, GenBank, and DDBJ Nucleotide Sequence Databases under the accession number X99976.1. <i>Molecular and Biochemical Parasitology</i> , 1997, 84, 263-266.	0.5	11
310	A multidisciplinary approach to the systematics of <i>Proteocephalus macrocephalus</i> (Creplin, 1825) (Cestoda: Proteocephalidae). <i>Systematic Parasitology</i> , 1997, 37, 1-12.	0.5	15
311	A revision of the species of <i>Bothriocephalus Rudolphi</i> , 1808 (Cestoda: Pseudophyllidea) parasitic in American freshwater fishes. <i>Systematic Parasitology</i> , 1997, 36, 85-107.	0.5	50
312	Species of <i>Ascocotyle</i> Looss, 1899 (Digenea: Heterophyidae) of the Yucatan Peninsula, Mexico, and notes on their life-cycles. <i>Systematic Parasitology</i> , 1997, 36, 161-181.	0.5	30
313	<i>Ascocotyle (A.) nunezae</i> n. sp. (Digenea: Heterophyidae) from Yucatan, Mexico. <i>Journal of Parasitology</i> , 1997, 83, 141-7.	0.3	2
314	Seasonal occurrence and maturation of <i>Bathybothrium rectangulum</i> (Cestoda: Amphicotyliidae) in barbel <i>Barbus barbus</i> (Pisces) of the Jihlava River, Czech Republic. <i>Parasite</i> , 1996, 3, 39-44.	0.8	6
315	<i>Echinochasmus leopoldinae</i> n. sp. (Trematoda: Echinostomatidae) and data on its life-cycle. <i>Systematic Parasitology</i> , 1996, 33, 157-165.	0.5	11
316	Life-cycle of <i>Echinochasmus macrocaudatus</i> n. sp. (Trematoda: Echinostomatidae). <i>Systematic Parasitology</i> , 1996, 33, 225-235.	0.5	10
317	Systematic status and first description of male of <i>Dujardinia cenotae</i> Pearse, 1936 [= <i>Hysterothylacium cenotae</i> (Pearse, 1936) Moravec et al., 1995] (Nematoda: Anisakidae). <i>Systematic Parasitology</i> , 1996, 33, 143-148.	0.5	8
318	<i>Bothriocephalus pearsei</i> n. sp. (Cestoda: Pseudophyllidea) from Cenote Fishes of the Yucatan Peninsula, Mexico. <i>Journal of Parasitology</i> , 1996, 82, 801.	0.3	9
319	Spreading of introduced monogeneans <i>Pseudodactylogyrus anguillae</i> and <i>P. bini</i> among eel populations in the Czech Republic. <i>Folia Parasitologica</i> , 1996, 43, 155-6.	0.7	5
320	Life history of the nematode <i>Rhabdochona hellichi</i> , a parasite of the barbel in the Jihlava River, Czech Republic. <i>Journal of Helminthology</i> , 1995, 69, 59-64.	0.4	12
321	Biology of <i>Crassicutis cichlasomae</i> , a parasite of cichlid fishes in Mexico and Central America. <i>Journal of Helminthology</i> , 1995, 69, 69-75.	0.4	17
322	The taxonomic status of <i>Proteocephalus dubius</i> La Rue, 1911 (Cestoda: Proteocephalidae), a puzzling parasite of perch (<i>Perca fluviatilis</i>). <i>Parasite</i> , 1995, 2, 231-234.	0.8	8
323	The synonymy of <i>Proteocephalus neglectus</i> La Rue, 1911 with <i>P. exiguus</i> La Rue, 1911, two fish cestodes from the Holarctic Region. <i>Systematic Parasitology</i> , 1995, 30, 173-185.	0.5	24
324	Occurrence of <i>Sciadicleithrum mexicanum</i> Kritsky, Vidal-Martinez et Rodr�guez-Canul, 1994 (Monogenea: Dactylogyridae) in the Cichlid <i>Cichlasoma urophthalmus</i> from a flooded quarry in Yucatan, Mexico. <i>Memorias Do Instituto Oswaldo Cruz</i> , 1995, 90, 319-324.	0.8	6

#	ARTICLE	IF	CITATIONS
325	Revision of <i>Genarchella</i> species (Digenea: Derogenidae) parasitizing freshwater fishes in Mexico and Central America. <i>Journal of Natural History</i> , 1995, 29, 1403-1417.	0.2	12
326	Nematodes parasitic in fishes of cenotes (= sinkholes) of the Peninsula of Yucatan, Mexico. Part 1. Adults. <i>Folia Parasitologica</i> , 1995, 42, 115-29.	0.7	14
327	Nematodes parasitic in fishes of cenotes (= sinkholes) of the Peninsula of Yucatan, Mexico. Part 2. Larvae. <i>Folia Parasitologica</i> , 1995, 42, 199-210.	0.7	11
328	Cenotes (sinkholes) of the Yucatan Peninsula, Mexico, as a habitat of adult trematodes of fish. <i>Folia Parasitologica</i> , 1995, 42, 37-47.	0.7	21
329	Seasonal occurrence and maturation of <i>Neoechinorhynchus rutili</i> (Acanthocephala) in barbel, <i>Barbus barbus</i> (Pisces), of the Jihlava River, Czech Republic. <i>Parasite</i> , 1994, 1, 271-278.	0.8	8
330	Taxonomic study of two <i>Proteocephalus</i> species (Cestoda: Proteocephalidae) parasitising coregonid fishes: the synonymy of <i>P. fallax</i> La Rue, 1911 with <i>P. exiguus</i> La Rue, 1911. <i>Systematic Parasitology</i> , 1994, 27, 1-12.	0.5	15
331	The systematic status of <i>Trichosoma carbonis</i> Rudolphi, 1819 and a description of <i>Baruscapillaria rudolphii</i> n. sp. (Nematoda: Capillariidae), an intestinal parasite of cormorants. <i>Systematic Parasitology</i> , 1994, 28, 153-158.	0.5	11
332	Redescription of <i>Petasiger exaeretus</i> Dietz, 1909 and <i>P. phalacrocoracis</i> (Yamaguti, 1939) (Trematoda: Tj ETQq0 0,0,rgBT /Overlock 10	0.5	5
333	The life cycle of <i>Asymphylodora tincae</i> (Modeer 1790) (Trematoda: Monorchidae): A unique development in monorchid trematodes. <i>Zeitschrift für Parasitenkunde</i> (Berlin, Germany), 1994, 80, 192-197.	0.8	17
334	Histopathology of the intestine of <i>Cichlasoma urophthalmus</i> (Gunther) infected with metacercariae of <i>Oligogonotylus manteri</i> Watson, 1976 (Digenea: Cryptogonimidae). <i>Journal of Fish Diseases</i> , 1994, 17, 523-526.	0.9	4
335	On <i>Genarchella isabellae</i> (Digenea: Derogenidae) from Cichlid and Pimelodid Fishes in Mexico. <i>Journal of Parasitology</i> , 1994, 80, 1013.	0.3	5
336	On <i>Genarchella isabellae</i> (Digenea: Derogenidae) from cichlid and pimelodid fishes in Mexico. <i>Journal of Parasitology</i> , 1994, 80, 1013-7.	0.3	1
337	Observations on the development of <i>Syncuaria squamata</i> (Nematoda: Acuariidae), a parasite of cormorants, in the intermediate and paratenic hosts. <i>Folia Parasitologica</i> , 1994, 41, 183-92.	0.7	3
338	Development of <i>Proteocephalus torulosus</i> in the intermediate host under experimental conditions. <i>Journal of Helminthology</i> , 1993, 67, 316-324.	0.4	12
339	Study on the surface morphology of the developmental stages of the liver fluke, <i>Opisthorchis viverrini</i> (Trematoda: Opisthorchiidae). <i>Annales De Parasitologie Humaine Et Comparée</i> , 1992, 67, 82-90.	0.4	14
340	Larval stages of medically important flukes (Trematoda) from Vientiane province, Laos. Part II. cercariae. <i>Annales De Parasitologie Humaine Et Comparée</i> , 1992, 67, 75-81.	0.4	41
341	The prevalence of helminth infection in Ban Nanin, Laos: additional data. <i>Southeast Asian Journal of Tropical Medicine and Public Health</i> , 1992, 23, 802.	1.0	0
342	<i>Bothriocephalus acheilognathi</i> (Cestoda: Pseudophyllidea) parasite of freshwater fish in Italy. <i>Parassitologia</i> , 1992, 34, 155-8.	0.5	5

#	ARTICLE	IF	CITATIONS
343	On some cestodes parasitizing freshwater fish in Italy. <i>Parassitologia</i> , 1992, 34, 167-78.	0.5	3
344	Human <i>Opisthorchis</i> and <i>Haplorchis</i> infections in Laos. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 1991, 85, 538-540.	0.7	42
345	Development of <i>Khawia sinensis</i> Hs ¹ / ₄ , 1935 (Cestoda: Caryophyllidea) in the fish host. <i>Folia Parasitologica</i> , 1991, 38, 225-34.	0.7	7
346	Study of the body surface of <i>Haplorchis yokogawai</i> (Katsuta, 1932) and <i>H. taichui</i> (Nishigori, 1924) (Trematoda:Heterophyidae). <i>Southeast Asian Journal of Tropical Medicine and Public Health</i> , 1991, 22, 443-8.	1.0	7
347	Differential diagnosis of opisthorchiid and heterophyid metacercariae (Trematoda) infecting flesh of cyprinid fish from Nam Ngum Dam Lake in Laos. <i>Southeast Asian Journal of Tropical Medicine and Public Health</i> , 1991, 22 Suppl, 171-3.	1.0	11
348	Studies on the development of the cestode <i>Proteocephalus neglectus</i> La Rue, 1911 (Cestoda: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 542	0.7	13
349	Early development of <i>Khawia sinensis</i> Hs ¹ / ₄ , 1935 (Cestoda: Caryophyllidea), a carp parasite. <i>Folia Parasitologica</i> , 1991, 38, 133-42.	0.7	11
350	Larval stages of medically important flukes (Trematoda) from Vientiane province, Laos.. <i>Annales De Parasitologie Humaine Et Compar^oe</i> , 1990, 65, 238-243.	0.4	25
351	Scanning electron microscopy of the cuticular armature of the nematode <i>Gnathostoma spinigerum</i> Owen, 1836 from cats in Laos. <i>Journal of Helminthology</i> , 1990, 64, 255-262.	0.4	7
352	Life Cycle of the Tapeworm <i>Khawia sinensis</i> Hs ¹ / ₄ , 1935, a Carp Parasite, in the Pond Dra ³ / ₄ sk ¹ / ₂ Skali ^{any} near Blatn ^{ij} , Czechoslovakia. <i>Acta Veterinaria Brno</i> , 1990, 59, 51-63.	0.2	6
353	Occurrence of some medically important flukes (Trematoda: Opisthorchiidae and Heterophyidae) in Nam Ngum water reservoir, Laos. <i>Southeast Asian Journal of Tropical Medicine and Public Health</i> , 1990, 21, 482-8.	1.0	29
354	<i>Caryophyllaeides ergensi</i> sp. n. (Cestoda: Caryophyllidea) from <i>Leuciscus leuciscus baicalensis</i> from Mongolia. <i>Folia Parasitologica</i> , 1990, 37, 231-5.	0.7	2
355	A record of gravid cestodes <i>Bothriocephalus claviceps</i> (Goeze, 1782) from the newts <i>Triturus vulgaris</i> (L.) (Amphibia). <i>Folia Parasitologica</i> , 1990, 37, 283-4.	0.7	4
356	The first finding of the tapeworm <i>Proteocephalus macrocephalus</i> (Creplin, 1825) (Cestoda: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 222 T	0.7	5
357	Redescription of <i>Biacetabulum giganteum</i> Hunter, 1929 (Cestoda: Caryophyllidea), description of two new, closely related species from suckers (Catostomidae) in North America, and a critical review of host specificity of species of <i>Biacetabulum</i> Hunter, 1927. <i>Systematics and Biodiversity</i> , 0, , 1-18.	0.5	2
358	Parasites of the Spotted Sucker, <i>Minytrema melanops</i> (Cypriniformes: Catostomidae) from Arkansas and Oklahoma. <i>Journal of the Arkansas Academy of Science</i> , 0, 72, .	0.0	4