Christina Chrysohoou

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5430103/publications.pdf

Version: 2024-02-01

257 papers

8,963 citations

45 h-index 83 g-index

265 all docs

265 docs citations

times ranked

265

11976 citing authors

#	Article	IF	CITATIONS
1	Adherence to the Mediterranean diet attenuates inflammation and coagulation process in healthy adults. Journal of the American College of Cardiology, 2004, 44, 152-158.	1.2	669
2	SCORE2 risk prediction algorithms: new models to estimate 10-year risk of cardiovascular disease in Europe. European Heart Journal, 2021, 42, 2439-2454.	1.0	491
3	The implication of obesity and central fat on markers of chronic inflammation: The ATTICA study. Atherosclerosis, 2005, 183, 308-315.	0.4	299
4	Epidemiology of cardiovascular risk factors in Greece: aims, design and baseline characteristics of the ATTICA study. BMC Public Health, 2003, 3, 32.	1.2	252
5	Air Pollution and Inflammation (Interleukin-6, C-Reactive Protein, Fibrinogen) in Myocardial Infarction Survivors. Environmental Health Perspectives, 2007, 115, 1072-1080.	2.8	252
6	Adherence to the Mediterranean diet is associated with total antioxidant capacity in healthy adults: the ATTICA study. American Journal of Clinical Nutrition, 2005, 82, 694-699.	2.2	211
7	Association between prehypertension status and inflammatory markers related to atherosclerotic disease*1The ATTICA Study. American Journal of Hypertension, 2004, 17, 568-573.	1.0	197
8	Association between the prevalence of obesity and adherence to the Mediterranean diet: the ATTICA study. Nutrition, 2006, 22, 449-456.	1.1	187
9	Inflammation, coagulation, and depressive symptomatology in cardiovascular disease-free people; the ATTICA study. European Heart Journal, 2004, 25, 492-499.	1.0	169
10	The implication of obesity on total antioxidant capacity in apparently healthy men and women: The ATTICA study. Nutrition, Metabolism and Cardiovascular Diseases, 2007, 17, 590-597.	1.1	164
11	Effect of exposure to secondhand smoke on markers of inflammation: the ATTICA study. American Journal of Medicine, 2004, 116, 145-150.	0.6	162
12	Associations between coffee consumption and inflammatory markers in healthy persons: the ATTICA study. American Journal of Clinical Nutrition, 2004, 80, 862-867.	2.2	157
13	Fish Consumption Among Healthy Adults Is Associated With Decreased Levels of Inflammatory Markers Related to Cardiovascular Disease. Journal of the American College of Cardiology, 2005, 46, 120-124.	1.2	156
14	The associations between leisure-time physical activity and inflammatory and coagulation markers related to cardiovascular disease: the ATTICA Study. Preventive Medicine, 2005, 40, 432-437.	1.6	137
15	Unsaturated fatty acids are inversely associated and n-6/n-3 ratios are positively related to inflammation and coagulation markers in plasma of apparently healthy adults. Clinica Chimica Acta, 2010, 411, 584-591.	0.5	132
16	Climatological variations in daily hospital admissions for acute coronary syndromes. International Journal of Cardiology, 2004, 94, 229-233.	0.8	125
17	Association Between Low-Grade Systemic Inflammation and Type 2 Diabetes Mellitus Among Men and Women from the ATTICA Study. Review of Diabetic Studies, 2007, 4, 98-104.	0.5	124
18	Ten-year (2002–2012) cardiovascular disease incidence and all-cause mortality, in urban Greek population: The ATTICA Study. International Journal of Cardiology, 2015, 180, 178-184.	0.8	114

#	Article	IF	CITATIONS
19	Epidemiology of Overweight and Obesity in a Greek Adult Population: the ATTICA Study. Obesity, 2004, 12, 1914-1920.	4.0	110
20	The Association between Adherence to the Mediterranean Diet and Fasting Indices of Glucose Homoeostasis: The ATTICA Study. Journal of the American College of Nutrition, 2007, 26, 32-38.	1.1	98
21	Efficacy and safety of high dose versus low dose furosemide with or without dopamine infusion: The Dopamine in Acute Decompensated Heart Failure II (DAD-HF II) Trial. International Journal of Cardiology, 2014, 172, 115-121.	0.8	96
22	The J-Shaped Effect of Coffee Consumption on the Risk of Developing Acute Coronary Syndromes: The CARDIO2000 Case-Control Study. Journal of Nutrition, 2003, 133, 3228-3232.	1.3	95
23	Transition from metabolically benign to metabolically unhealthy obesity and 10-year cardiovascular disease incidence: The ATTICA cohort study. Metabolism: Clinical and Experimental, 2019, 93, 18-24.	1.5	92
24	Cardiac and renal complications of carfilzomib in patients with multiple myeloma. Blood Advances, 2017, 1, 449-454.	2.5	89
25	Association of leisure-time physical activity on inflammation markers (C-reactive protein, white cell) Tj ETQq1 1 0 Journal of Cardiology, 2003, 91, 368-370.	0.784314 i 0.7	gBT Overloo 76
26	Sociodemographic and Lifestyle Statistics of Oldest Old People (>80 Years) Living in Ikaria Island: The Ikaria Study. Cardiology Research and Practice, 2011, 2011, 1-7.	0.5	70
27	Cardiovascular effects of high-intensity interval aerobic training combined with strength exercise in patients with chronic heart failure. A randomized phase III clinical trial. International Journal of Cardiology, 2015, 179, 269-274.	0.8	70
28	Physical Activity, Obesity Status, and Glycemic Control. Medicine and Science in Sports and Exercise, 2007, 39, 606-611.	0.2	68
29	Skeletal muscle mass in relation to 10 year cardiovascular disease incidence among middle aged and older adults: the ATTICA study. Journal of Epidemiology and Community Health, 2020, 74, 26-31.	2.0	68
30	Cardio-oncology: A Focus on Cardiotoxicity. European Cardiology Review, 2018, 13, 64.	0.7	65
31	Five-year incidence of cardiovascular disease and its predictors in Greece: the ATTICA study. Vascular Medicine, 2008, 13, 113-121.	0.8	64
32	The Relationship between Dietary Habits, Blood Glucose and Insulin Levels among People without Cardiovascular Disease and Type 2 Diabetes; The ATTICA Study. Review of Diabetic Studies, 2005, 2, 208-208.	0.5	62
33	The association between pre-hypertension status and oxidative stress markers related to atherosclerotic disease: The ATTICA study. Atherosclerosis, 2007, 192, 169-176.	0.4	62
34	The role of levosimendan in acute heart failure complicating acute coronary syndrome: A review and expert consensus opinion. International Journal of Cardiology, 2016, 218, 150-157.	0.8	60
35	Long-term fish consumption is associated with protection against arrhythmia in healthy persons in a Mediterranean region—the ATTICA study. American Journal of Clinical Nutrition, 2007, 85, 1385-1391.	2.2	58
36	The Mediterranean diet contributes to the preservation of left ventricular systolic function and to the long-term favorable prognosis of patients who have had an acute coronary event. American Journal of Clinical Nutrition, 2010, 92, 47-54.	2.2	58

#	Article	IF	CITATIONS
37	Long-term adherence to the Mediterranean diet reduces the prevalence of hyperuricaemia in elderly individuals, without known cardiovascular disease: The Ikaria study. Maturitas, 2011, 70, 58-64.	1.0	56
38	The link between depression and atherosclerosis through the pathways of inflammation and endothelium dysfunction. Maturitas, 2018, 109, 1-5.	1.0	56
39	The associations between smoking, physical activity, dietary habits and plasma homocysteine levels in cardiovascular disease-free people: the  ATTICA' study. Vascular Medicine, 2004, 9, 117-123.	0.8	55
40	Adherence to the Mediterranean Diet is Associated With Renal Function Among Healthy Adults: The ATTICA Study., 2010, 20, 176-184.		55
41	The effect of Mediterranean diet on the risk of the development of acute coronary syndromes in hypercholesterolemic people: a case–control study (CARDIO2000). Coronary Artery Disease, 2002, 13, 295-300.	0.3	53
42	Beta-Blockade Mitigates Exercise Blood Pressure in Hypertensive Male Patients. Journal of the American College of Cardiology, 2006, 47, 794-798.	1.2	53
43	Metabolic syndrome, adherence to the Mediterranean diet and 10-year cardiovascular disease incidence: The ATTICA study. Atherosclerosis, 2016, 246, 87-93.	0.4	53
44	Chronic systemic inflammation accompanies impaired ventricular diastolic function, detected by Doppler imaging, in patients with newly diagnosed systolic heart failure (Hellenic Heart Failure) Tj ETQq0 0 0 rgBT	/ ⊙ .ærlock	150 Tf 50 45
45	Abdominal obesity and inflammation predicts hypertension among prehypertensive men and women: the ATTICA Study. Heart and Vessels, 2008, 23, 96-103.	0.5	50
46	Association of depression and anxiety status with 10-year cardiovascular disease incidence among apparently healthy Greek adults: The ATTICA Study. European Journal of Preventive Cardiology, 2017, 24, 145-152.	0.8	47
47	Diet, Exercise, and C-Reactive Protein Levels in People With Abdominal Obesity: The ATTICA Epidemiological Study. Angiology, 2007, 58, 225-233.	0.8	45
48	The emerging anti-inflammatory role of HDL-cholesterol, illustrated in cardiovascular disease free population; the ATTICA study. International Journal of Cardiology, 2007, 122, 29-33.	0.8	45
49	Longevity and Diet. Myth or pragmatism?. Maturitas, 2013, 76, 303-307.	1.0	42
50	Validation of the MedDietScore via the determination of plasma fatty acids. International Journal of Food Sciences and Nutrition, 2009, 60, 168-180.	1.3	41
51	Effects of chronic alcohol consumption on lipid levels, inflammatory and haemostatic factors in the general population: the â€^ATTICA' Study. European Journal of Cardiovascular Prevention and Rehabilitation, 2003, 10, 355-361.	3.1	40
52	Effect of interaction between adherence to a Mediterranean diet and the methylenetetrahydrofolate reductase 677Câ†'T mutation on homocysteine concentrations in healthy adults: the ATTICA Study. American Journal of Clinical Nutrition, 2004, 80, 849-854.	2.2	39
53	Five-year incidence of obesity and its determinants: the ATTICA Study. Public Health Nutrition, 2009, 12, 36-43.	1.1	39
54	Understanding the role of depression and anxiety on cardiovascular disease risk, using structural equation modeling; the mediating effect of the Mediterranean diet and physical activity: the ATTICA study. Annals of Epidemiology, 2012, 22, 630-637.	0.9	38

#	Article	IF	Citations
55	Lipid accumulation product in relation to 10-year cardiovascular disease incidence in Caucasian adults: The ATTICA study. Atherosclerosis, 2018, 279, 10-16.	0.4	38
56	ESC Core Curriculum for the Cardiologist. European Heart Journal, 2020, 41, 3605-3692.	1.0	38
57	Effect of leisure time physical activity on blood lipid levels: the ATTICA study. Coronary Artery Disease, 2003, 14, 533-539.	0.3	37
58	The association between lifestyle-related factors and plasma homocysteine levels in healthy individuals from the "ATTICA―Study. International Journal of Cardiology, 2005, 98, 471-477.	0.8	37
59	Statin therapy and risk of diabetes in patients with heterozygous familial hypercholesterolemia or familial combined hyperlipidemia. Atherosclerosis, 2014, 237, 140-145.	0.4	37
60	Mediterranean Diet and 10-year (2002-2012) Incidence of Diabetes and Cardiovascular Disease in Participants with Prediabetes: The ATTICA study. Review of Diabetic Studies, 2016, 13, 226-235.	0.5	37
61	Distribution of serum lipids and lipoproteins in patients with beta thalassaemia major; an epidemiological study in young adults from Greece. Lipids in Health and Disease, 2004, 3, 3.	1.2	36
62	Low Energy Reporting Related to Lifestyle, Clinical, and Psychosocial Factors in a Randomly Selected Population Sample of Greek Adults: The ATTICA Study. Journal of the American College of Nutrition, 2007, 26, 327-333.	1.1	36
63	Hierarchical analysis of anthropometric indices in the prediction of 5-year incidence of hypertension in apparently healthy adults: The ATTICA study. Atherosclerosis, 2009, 206, 314-320.	0.4	36
64	Diastolic myocardial dysfunction does not affect survival in patients with cirrhosis. Transplant International, 2012, 25, 1174-1181.	0.8	36
65	Association of Creatinine Clearance and In-Hospital Mortality in Patients With Acute Coronary Syndromes. Circulation Journal, 2007, 71, 9-14.	0.7	35
66	Atherosclerosis of the Aorta in Patients With Acute Thoracic Aortic Dissection. Circulation Journal, 2008, 72, 1773-1776.	0.7	35
67	Platelet activating factor (PAF) and activity of its biosynthetic and catabolic enzymes in blood and leukocytes of male patients with newly diagnosed heart failure. Clinical Biochemistry, 2009, 42, 44-49.	0.8	35
68	Consumption of a boiled Greek type of coffee is associated with improved endothelial function: The Ikaria Study. Vascular Medicine, 2013, 18, 55-62.	0.8	35
69	Short term omega-3 polyunsaturated fatty acid supplementation induces favorable changes in right ventricle function and diastolic filling pressure in patients with chronic heart failure; A randomized clinical trial. Vascular Pharmacology, 2016, 79, 43-50.	1.0	35
70	Dietary habits mediate the relationship between socio-economic status and CVD factors among healthy adults: the ATTICA study. Public Health Nutrition, 2008, 11, 1342-1349.	1.1	34
71	Fibrinogen Genes Modify the Fibrinogen Response to Ambient Particulate Matter. American Journal of Respiratory and Critical Care Medicine, 2009, 179, 484-491.	2.5	34
72	Low Total Testosterone Levels are Associated With the Metabolic Syndrome in Elderly Men: The Role of Body Weight, Lipids, Insulin Resistance, and Inflammation; The Ikaria Study. Review of Diabetic Studies, 2013, 10, 27-38.	0.5	34

#	Article	IF	Citations
73	Effects of omega-3 polyunsaturated fatty acids on fibrosis, endothelial function and myocardial performance, in ischemic heart failure patients. Clinical Nutrition, 2019, 38, 1188-1197.	2.3	34
74	Role of Right Ventricular Systolic Function on Long-Term Outcome in Patients With Newly Diagnosed Systolic Heart Failure. Circulation Journal, 2011, 75, 2176-2181.	0.7	33
75	10-year Incidence of Diabetes and Associated Risk Factors in Greece: the ATTICA study (2002-2012). Review of Diabetic Studies, 2014, 11, 181-189.	0.5	33
76	Exercise capacity and haemodynamic response among 12,327 individuals with cardio-metabolic risk factors undergoing treadmill exercise. European Journal of Preventive Cardiology, 2017, 24, 1627-1636.	0.8	33
77	The presence of NAFLD influences the transition of metabolically healthy to metabolically unhealthy obesity and the ten-year cardiovascular disease risk: A population-based cohort study. Metabolism: Clinical and Experimental, 2022, 128, 154893.	1.5	33
78	Gender Differences on the Risk Evaluation of Acute Coronary Syndromes: The CARDIO2000 Study. Preventive Cardiology, 2003, 6, 71-77.	1.1	32
79	"Bail out―procedures for malpositioning of aortic valve prosthesis (CoreValve). International Journal of Cardiology, 2010, 145, 154-155.	0.8	32
80	Cross-sectional relationship of a Mediterranean type diet to diastolic heart function in chronic heart failure patients. Heart and Vessels, 2012, 27, 576-584.	0.5	32
81	An association between the methylenetetrahydrofolate reductase (MTHFR) C677T mutation and inflammation markers related to cardiovascular disease. International Journal of Cardiology, 2005, 100, 409-414.	0.8	30
82	The mystery of "missing―visits in an emergency cardiology department, in the era of COVID-19.; a time-series analysis in a tertiary Greek General Hospital. Clinical Research in Cardiology, 2020, 109, 1483-1489.	1.5	29
83	Anti-inflammatory diet and 10-year (2002–2012) cardiovascular disease incidence: The ATTICA study. International Journal of Cardiology, 2016, 222, 473-478.	0.8	28
84	Dietary Patterns and Their Association with Anxiety Symptoms among Older Adults: The ATTICA Study. Nutrients, 2019, 11, 1250.	1.7	28
85	Interaction between Mediterranean diet and methylenetetrahydrofolate reductase C677T mutation on oxidized low density lipoprotein concentrations: The ATTICA study. Nutrition, Metabolism and Cardiovascular Diseases, 2006, 16, 91-99.	1.1	27
86	Fish Consumption Moderates Depressive Symptomatology in Elderly Men and Women from the IKARIA Study. Cardiology Research and Practice, 2011, 2011, 1-7.	0.5	27
87	Hierarchical modelling of blood lipids' profile and 10-year (2002–2012) all cause mortality and incidence of cardiovascular disease: the ATTICA study. Lipids in Health and Disease, 2015, 14, 108.	1.2	27
88	Fish consumption and the risk of developing acute coronary syndromes: the CARDIO2000 study. International Journal of Cardiology, 2005, 102, 403-409.	0.8	26
89	Usefulness of Dobutamine Stress Echocardiography with Tissue Doppler Imaging for the Evaluation and Follow-Up of Patients with Repaired Tetralogy of Fallot. Journal of the American Society of Echocardiography, 2008, 21, 1093-1098.	1.2	26
90	Patients with mild hypertensive heart disease and left ventricular outflow tract obstruction: treatment with angiotensin II antagonists. Heart and Vessels, 2004, 19, 280-286.	0.5	25

#	Article	IF	CITATIONS
91	Diastolic Function in Young Patients with Beta-Thalassemia Major: An Echocardiographic Study. Echocardiography, 2006, 23, 38-44.	0.3	25
92	Platelet Activating Factor in Heart Failure: Potential Role in Disease Progression and Novel Target for Therapy. Current Heart Failure Reports, 2013, 10, 122-129.	1.3	24
93	Olive oil consumption and 10-year (2002–2012) cardiovascular disease incidence: the ATTICA study. European Journal of Nutrition, 2019, 58, 131-138.	1.8	24
94	Cholesteryl Ester-Transfer Protein (CETP) Polymorphism and the Association of Acute Coronary Syndromes by Obesity Status in Greek Subjects: The CARDIO2000-GENE Study. Human Heredity, 2007, 63, 155-161.	0.4	23
95	Determinants of All-Cause Mortality and Incidence of Cardiovascular Disease (2009 to 2013) in Older Adults. Angiology, 2016, 67, 541-548.	0.8	23
96	The Association between Green and Black Tea Consumption on Successful Aging: A Combined Analysis of the ATTICA and MEDiterranean ISlands (MEDIS) Epidemiological Studies. Molecules, 2019, 24, 1862.	1.7	23
97	The Effect of Exclusive Olive Oil Consumption on Successful Aging: A Combined Analysis of the ATTICA and MEDIS Epidemiological Studies. Foods, 2019, 8, 25.	1.9	23
98	The role of sandostatin LAR in treating patients with advanced hepatocellular cancer. Hepato-Gastroenterology, 2002, 49, 1245-50.	0.5	23
99	Association between TNF- $\hat{1}$ ± \hat{a} °308G>A polymorphism and the development of acute coronary syndromes in Greek subjects: The CARDIO2000-GENE Study. Genetics in Medicine, 2005, 7, 411-416.	1.1	22
100	Food Group Consumption and Glycemic Control in People With and Without Type 2 Diabetes: The ATTICA study. Diabetes Care, 2005, 28, 2539-2540.	4.3	22
101	J-shaped relationship between habitual coffee consumption and 10-year (2002–2012) cardiovascular disease incidence: the ATTICA study. European Journal of Nutrition, 2018, 57, 1677-1685.	1.8	22
102	Visceral adiposity index outperforms common anthropometric indices in predicting 10â€year diabetes risk: Results from the ATTICA study. Diabetes/Metabolism Research and Reviews, 2019, 35, e3161.	1.7	22
103	Next generation flow cytometry for MRD detection in patients with AL amyloidosis. Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis, 2021, 28, 19-23.	1.4	22
104	Evidence that non-lipid cardiovascular risk factors are associated with high prevalence of coronary artery disease in patients with heterozygous familial hypercholesterolemia or familial combined hyperlipidemia. International Journal of Cardiology, 2007, 121, 178-183.	0.8	21
105	Smoking induces lipoprotein-associated phospholipase A2 in cardiovascular disease free adults: The ATTICA Study. Atherosclerosis, 2009, 206, 303-308.	0.4	21
106	Exploring the association between low socioeconomic status and cardiovascular disease risk in healthy Greeks, in the years of financial crisis (2002–2012): The ATTICA study. International Journal of Cardiology, 2016, 223, 758-763.	0.8	21
107	The anti-inflammatory potential of diet and nonalcoholic fatty liver disease: the ATTICA study. Therapeutic Advances in Gastroenterology, 2019, 12, 175628481985803.	1.4	21
108	The association between the level of adherence to the Mediterranean diet and successful aging: An analysis of the ATTICA and MEDIS (MEDiterranean Islands Study) epidemiological studies. Archives of Gerontology and Geriatrics, 2020, 89, 104044.	1.4	20

#	Article	IF	Citations
109	Association between passive cigarette smoking and the risk of developing acute coronary syndromes: the CARDIO2000 study. Heart and Vessels, 2002, 16, 127-130.	0.5	19
110	C-Reactive protein levels are associated with adiposity and a high inflammatory foods index in mountainous Cypriot children. Clinical Nutrition, 2010, 29, 779-783.	2.3	19
111	Exploring the path between depression, anxiety and 10-year cardiovascular disease incidence, among apparently healthy Greek middle-aged adults: The ATTICA study. Maturitas, 2017, 106, 73-79.	1.0	19
112	Lipoprotein (a) and 10-year Cardiovascular Disease Incidence in Apparently Healthy Individuals: A Sex-based Sensitivity Analysis from ATTICA Cohort Study. Angiology, 2019, 70, 819-829.	0.8	19
113	Specific features of the oldest old from the Longevity Blue Zones in Ikaria and Sardinia. Mechanisms of Ageing and Development, 2021, 198, 111543.	2.2	19
114	Prevalence and determinants of coronary artery disease in males and females with familial combined hyperlipidaemia. Atherosclerosis, 2008, 199, 402-407.	0.4	18
115	Gender-specific, Lifestyle-related Factors and 10-year Cardiovascular Disease Risk; the ATTICA and GREECS Cohort Studies. Current Vascular Pharmacology, 2019, 17, 401-410.	0.8	18
116	Skeletal muscle mass and abdominal obesity are independent predictors of hepatic steatosis and interact to predict ten-year cardiovascular disease incidence: Data from the ATTICA cohort study. Clinical Nutrition, 2022, 41, 1281-1289.	2.3	18
117	Risk Factors of Stroke Mortality: A 40-Year Follow-Up of the Corfu Cohort from the Seven-Countries Study. Neuroepidemiology, 2003, 22, 332-338.	1.1	17
118	Aortic artery distensibility shows inverse correlation with heart rate variability in elderly non-hypertensive, cardiovascular disease-free individuals: the Ikaria Study. Heart and Vessels, 2013, 28, 467-472.	0.5	17
119	Long-Term Fish Intake Preserves Kidney Function in Elderly Individuals: The Ikaria Study. , 2013, 23, e75-e82.		17
120	Adiponectin circulating levels and 10-year (2002–2012) cardiovascular disease incidence: the ATTICA Study. Endocrine, 2017, 58, 542-552.	1.1	17
121	Fortyâ€Year Followâ€Up of Coronary Heart Disease Mortality and Its Predictors: The Corfu Cohort of the Seven Countries Study. Preventive Cardiology, 2003, 6, 155-160.	1.1	16
122	Forty-years (1961–2001) of all-cause and coronary heart disease mortality and its determinants: the Corfu cohort from the Seven Countries Study. International Journal of Cardiology, 2003, 90, 73-79.	0.8	16
123	Metabolic syndrome prevalence and characteristics in Greek adults with familial combined hyperlipidemia. Metabolism: Clinical and Experimental, 2007, 56, 135-141.	1.5	16
124	Overview of Chios Mastic Gum (Pistacia lentiscus) Effects on Human Health. Nutrients, 2022, 14, 590.	1.7	16
125	Serum Uric Acid Levels Correlate With Left Atrial Function and Systolic Right Ventricular Function in Patients With Newly Diagnosed Heart Failure: The Hellenic Heart Failure Study. Congestive Heart Failure, 2008, 14, 229-233.	2.0	15
126	Education status determines 10-year (2002-2012) survival from cardiovascular disease in Athens metropolitan area: the ATTICA study, Greece. Health and Social Care in the Community, 2016, 24, 334-344.	0.7	15

#	Article	IF	CITATIONS
127	Predictors of cadmium and lead concentrations in the blood of residents from the metropolitan area of Athens (Greece). Science of the Total Environment, 2016, 568, 263-270.	3.9	15
128	Beer, wine consumption, and 10-year CVD incidence: the ATTICA study. European Journal of Clinical Nutrition, 2019, 73, 1015-1023.	1.3	15
129	The management of atrial fibrillation in heart failure: an expert panel consensus. Heart Failure Reviews, 2020, 26, 1345-1358.	1.7	15
130	Echocardiographic and Electrocardiographic Prognostic Factors of Heart Failure in Young Patients with 3-Thalassemia Major: A 10-Year (1995-2004) Follow-up. International Journal of Hematology, 2004, 80, 336-340.	0.7	14
131	Aortic stenosis in the elderly: Challenges in diagnosis and therapy. Maturitas, 2011, 70, 349-353.	1.0	14
132	Longitudinal strain curves in the RV free wall differ in morphology in patients with pulmonary hypertension compared to controls. International Journal of Cardiology, 2013, 167, 2753-2756.	0.8	14
133	Single and combined effects of inflammatory markers on 10Âyear diabetes incidence: The mediating role of adiposityâ€"Results from the ATTICA cohort study. Diabetes/Metabolism Research and Reviews, 2018, 34, e2939.	1.7	14
134	The association of protein and carbohydrate intake with successful aging: a combined analysis of two epidemiological studies. European Journal of Nutrition, 2019, 58, 807-817.	1.8	14
135	Marital status, depressive episodes, and short-term prognosis of patients with acute coronary syndrome: Greek study of acute coronary syndrome (GREECS). Neuropsychiatric Disease and Treatment, 2008, 4, 425.	1.0	13
136	The impact of ezetimibe and high-dose of statin treatment on LDL levels in patients with heterozygous familial hypercholesterolemia. International Journal of Cardiology, 2009, 134, 280-281.	0.8	13
137	Quality, but not cost, of diet is associated with 5-year incidence of CVD: the ATTICA study. Public Health Nutrition, 2010, 13, 1890-1897.	1.1	13
138	Deceleration of Age-Related Aortic Stiffening in a Population With High Longevity Rates. Journal of the American College of Cardiology, 2015, 66, 1842-1843.	1.2	13
139	The mediating role of Mediterranean diet on the association between Lp(a) levels and cardiovascular disease risk: A 10-year follow-up of the ATTICA study. Clinical Biochemistry, 2018, 60, 33-37.	0.8	13
140	Comparison of the Mediterranean diet and the Dietary Approach Stop Hypertension in reducing the risk of 10-year fatal and non-fatal CVD events in healthy adults: the ATTICA Study (2002–2012). Public Health Nutrition, 2021, 24, 2746-2757.	1.1	13
141	The acute and long-term effects of a cardiac rehabilitation program on endothelial progenitor cells in chronic heart failure patients: Comparing two different exercise training protocols. IJC Heart and Vasculature, 2021, 32, 100702.	0.6	13
142	Thermal Heterogeneity Constitutes A Marker for the Detection of Malignant Gastric Lesions In Vivo. Journal of Clinical Gastroenterology, 2003, 36, 215-218.	1.1	12
143	Exclusive Olive Oil Consumption Is Associated with Lower Likelihood of Developing Left Ventricular Systolic Dysfunction in Acute Coronary Syndrome Patients: The Hellenic Heart Failure Study. Annals of Nutrition and Metabolism, 2010, 56, 9-15.	1.0	12
144	Impact of physical activity category on incidence of cardiovascular disease: Results from the 10-year follow-up of the ATTICA Study (2002–2012). Preventive Medicine, 2016, 93, 27-32.	1.6	12

#	Article	IF	CITATIONS
145	The "overweight paradox―in the prognosis of acute coronary syndrome for patients with heart failure—A truth for all? A 10-year follow-up study. Maturitas, 2017, 102, 6-12.	1.0	12
146	Vitamins in Heart Failure: Friend or Enemy?. Current Pharmaceutical Design, 2017, 23, 3731-3742.	0.9	12
147	Adherence to a DASH-style diet and cardiovascular disease risk: The 10-year follow-up of the ATTICA study. Nutrition and Health, 2019, 25, 225-230.	0.6	12
148	The association between homocysteine levels, Mediterranean diet and cardiovascular disease: a case-control study. International Journal of Food Sciences and Nutrition, 2019, 70, 603-611.	1.3	12
149	Serum Uric Acid is Independently Associated with Diastolic Dysfunction in Apparently Healthy Subjects with Essential Hypertension. Current Vascular Pharmacology, 2018, 17, 99-106.	0.8	12
150	Quality of plant-based diets in relation to 10-year cardiovascular disease risk: the ATTICA cohort study. European Journal of Nutrition, 2022, 61, 2639-2649.	1.8	12
151	Aortic elastic properties and cognitive function in elderly individuals: The Ikaria Study. Maturitas, 2013, 74, 241-245.	1.0	11
152	The Natural History of Multifocal Atrial Rhythms in Elderly Outpatients: Insights from the "lkaria Study― Annals of Noninvasive Electrocardiology, 2014, 19, 483-489.	0.5	11
153	Women leaders in Cardiology. Contemporary profile of the WHO European region. European Heart Journal Open, 2021, 1, .	0.9	11
154	The relationship between fish consumption and the risk of developing acute coronary syndromes among smokers: The CARDIO2000 case-control study. Nutrition, Metabolism and Cardiovascular Diseases, 2005, 15, 402-409.	1.1	10
155	The association among biomarkers of renal and heart function in patients with heart failure: the role of NGAL. Biomarkers in Medicine, 2018, 12, 1323-1330.	0.6	10
156	The Association between Whole Grain Products Consumption and Successful Aging: A Combined Analysis of MEDIS and ATTICA Epidemiological Studies. Nutrients, 2019, 11, 1221.	1.7	10
157	Stage 1 hypertension, but not elevated blood pressure, predicts 10-year fatal and non-fatal CVD events in healthy adults: the ATTICA Study. Journal of Human Hypertension, 2019, 33, 308-318.	1.0	10
158	Dairy products, surrogate markers, and cardiovascular disease; a sex-specific analysis from the ATTICA prospective study. Nutrition, Metabolism and Cardiovascular Diseases, 2020, 30, 2194-2206.	1,1	10
159	How to develop a national heart failure clinics network: a consensus document of the Hellenic Heart Failure Association. ESC Heart Failure, 2020, 7, 15-25.	1.4	10
160	The association between serum uric acid levels and 10-year cardiovascular disease incidence: results from the ATTICA prospective study. Reviews in Cardiovascular Medicine, 2021, 22, 991.	0.5	10
161	The Association of Healthy Aging with Multimorbidity: IKARIA Study. Nutrients, 2021, 13, 1386.	1.7	10
162	Adherence to Mediterranean Diet Offers an Additive Protection Over the Use of Statin Therapy: Results from the ATTICA Study (2002-2012). Current Vascular Pharmacology, 2015, 13, 778-787.	0.8	10

#	Article	IF	CITATIONS
163	Galectin-3 and Arterial Stiffness in Patients with Heart Failure: A Pilot Study. Current Vascular Pharmacology, 2019, 17, 396-400.	0.8	10
164	The Mediterranean Diet Benefit on Cardiovascular Hemodynamics and Erectile Function in Chronic Heart Failure Male Patients by Decoding Central and Peripheral Vessel Rheology. Nutrients, 2021, 13, 108.	1.7	10
165	Long-term fish consumption is associated with lower risk of 30-day cardiovascular disease events in survivors from an acute coronary syndrome. International Journal of Cardiology, 2009, 136, 344-346.	0.8	9
166	Beliefs and attitudes regarding cardiovascular disease risk factors: A health survey in 10,141 Greek men and women (2006–2012). International Journal of Cardiology, 2013, 168, 4847-4849.	0.8	9
167	Statin Therapy and Risk of Diabetes Mellitus in Aging Patients With Heterozygous Familial Hypercholesterolemia or Familial Combined Hyperlipidemia: A 10-Year Follow-Up. Angiology, 2018, 69, 242-248.	0.8	9
168	Brain Natriuretic Peptide mediates the prognostic role of renal function toward 10-year cardiovascular mortality in patients with Acute Coronary Syndrome: the HHF study (2006–2016). Hellenic Journal of Cardiology, 2018, 59, 110-118.	0.4	9
169	Moderate physical activity reduces 10-year diabetes incidence: the mediating role of oxidative stress biomarkers. International Journal of Public Health, 2018, 63, 297-305.	1.0	9
170	Exposure to second hand smoke and 10-year (2002–2012) incidence of cardiovascular disease in never smokers: The ATTICA cohort study. International Journal of Cardiology, 2019, 295, 29-35.	0.8	9
171	A sex-specific evaluation of predicted lean and fat mass composition and cardiovascular disease onset and progression: A combined analysis of the ATTICA and GREECS prospective epidemiological studies. Obesity Research and Clinical Practice, 2019, 13, 469-477.	0.8	9
172	Dietary anti-inflammatory index, metabolic syndrome and transition in metabolic status; a gender-specific analysis of ATTICA prospective study. Diabetes Research and Clinical Practice, 2020, 161, 108031.	1.1	9
173	Endothelial progenitor cells mobilization after maximal exercise in patients with chronic heart failure. Hellenic Journal of Cardiology, 2021, 62, 70-72.	0.4	9
174	Angiotensin receptor-neprilysin inhibition in patients with acute decompensated heart failure: an expert consensus position paper. Heart Failure Reviews, 2021, , 1.	1.7	9
175	Dietary Patterns and 10-year (2002-2012) Incidence of Type 2 Diabetes: Results from the ATTICA Cohort Study. Review of Diabetic Studies, 2016, 13, 246-256.	0.5	9
176	Exposure to low environmental radiation and longevity. Insights from the Ikaria Study. International Journal of Cardiology, 2013, 169, e97-e98.	0.8	8
177	Left Atrial Function Predicts Heart Failure Events in Patients With Newly Diagnosed Left Ventricular Systolic Heart Failure During Short-Term Follow-Up. Angiology, 2014, 65, 817-823.	0.8	8
178	Decomposition of Mediterranean Dietary Pattern on Successful Aging, Among Older Adults: A Combined Analysis of Two Epidemiological Studies. Journal of Aging and Health, 2019, 31, 1549-1567.	0.9	8
179	Management of iron deficiency in chronic heart failure: Practical considerations for clinical use and future directions. European Journal of Internal Medicine, 2019, 65, 17-25.	1.0	8
180	Irrational beliefs trigger depression and anxiety symptoms, and associated with increased inflammation and oxidative stress markers in the Â10-year diabetes mellitus risk: the ATTICA epidemiological study. Journal of Diabetes and Metabolic Disorders, 2021, 20, 727-739.	0.8	8

#	Article	IF	Citations
181	Effects of ventriculoarterial coupling changes on renal function, echocardiographic indices and energy efficiency in patients with acute decompensated systolic heart failure under furosemide and dopamine treatment: A comparison of three therapeutic protocols. International Journal of Cardiology, 2015, 199, 44-49.	0.8	7
182	Myocardial fibrosis detected with Gadolinium Delayed Enhancement in Cardiac Magnetic Resonance Imaging and Ventriculoarterial Coupling alterations in patients with Acute Myocarditis. Hellenic Journal of Cardiology, 2016, 57, 449-454.	0.4	7
183	Chronotropic response during treadmill exercise and subclinical carotid atherosclerosis after adjusting for the calibrated SCORE risk classification: a cross-sectional study. Heart and Vessels, 2016, 31, 129-136.	0.5	7
184	Sex-discrete role of depressive symptomatology on 10-year first and recurrent cardiovascular disease incidence: results from ATTICA and GREECS prospective studies. Hellenic Journal of Cardiology, 2020, 61, 321-328.	0.4	7
185	Cardiovascular disease in women: Executive summary of the expert panel statement of women in cardiology of the hellenic cardiological society. Hellenic Journal of Cardiology, 2020, 61, 362-377.	0.4	7
186	Predicted Skeletal Muscle Mass and 4-Year Cardiovascular Disease Incidence in Middle-Aged and Elderly Participants of IKARIA Prospective Epidemiological Study: The Mediating Effect of Sex and Cardiometabolic Factors. Nutrients, 2020, 12, 3293.	1.7	7
187	Cardiac amyloidosis: in search of the ideal diagnostic tool. Herz, 2021, 46, 9-14.	0.4	7
188	Physical activity level improves the predictive accuracy of cardiovascular disease risk score: The ATTICA study (2002-2012). International Journal of Preventive Medicine, 2016, 7, 52.	0.2	7
189	Real-world implementation of guidelines for heart failure management: A systematic review and meta-analysis. Hellenic Journal of Cardiology, 2022, 66, 72-79.	0.4	7
190	Serum glucose level at hospital admission correlates with left ventricular systolic dysfunction in nondiabetic, acute coronary patients: the Hellenic Heart Failure Study. Heart and Vessels, 2010, 25, 209-216.	0.5	6
191	N-Terminal ProBNP Distribution and Correlations With Biological Characteristics in Apparently Healthy Greek Population: ATTICA Study. Angiology, 2010, 61, 397-404.	0.8	6
192	Baseline and 6-Week Follow-Up Levels of PAF and Activity of Its Metabolic Enzymes in Patients With Heart Failure and Healthy Volunteersâ€"A Pilot Study. Angiology, 2013, 64, 522-528.	0.8	6
193	Distribution, infrastructure, and expertise of heart failure and cardioâ€oncology clinics in a developing network: temporal evolution and challenges during the coronavirus disease 2019 pandemic. ESC Heart Failure, 2020, 7, 3408-3413.	1.4	6
194	Association between lipids and apolipoproteins on type 2 diabetes risk; moderating effects of gender and polymorphisms; the ATTICA study. Nutrition, Metabolism and Cardiovascular Diseases, 2020, 30, 788-795.	1.1	6
195	Association of fatal myocardial infarction with past level of physical activity: a pooled analysis of cohort studies. European Journal of Preventive Cardiology, 2021, 28, 1590-1598.	0.8	6
196	A Mediterranean diet microsimulation modeling in relation to cardiovascular disease burden: the ATTICA and GREECS epidemiological studies. European Journal of Clinical Nutrition, 2022, 76, 434-441.	1.3	6
197	Determinants of healthy ageing and its relation to 10-year cardiovascular disease incidence: the ATTICA study. Central European Journal of Public Health, 2018, 26, 3-9.	0.4	6
198	Mediterranean Diet Mediates the Adverse Effect of Depressive Symptomatology on Short-Term Outcome in Elderly Survivors from an Acute Coronary Event. Cardiology Research and Practice, 2011, 2011, 1-8.	0.5	5

#	Article	IF	CITATIONS
199	Peripheral Arterial Disease and Cardiovascular Risk. Angiology, 2015, 66, 708-710.	0.8	5
200	Systematic vitamin D supplementation and monitoring: improving outcomes in heart failure?. European Journal of Heart Failure, 2017, 19, 686-687.	2.9	5
201	Heart failure study of multipoint pacing effects on ventriculoarterial coupling: Rationale and design of the HUMVEE trial. Annals of Noninvasive Electrocardiology, 2018, 23, e12510.	0.5	5
202	Sex-Related Differences of the Effect of Lipoproteins and Apolipoproteins on 10-Year Cardiovascular Disease Risk; Insights from the ATTICA Study (2002–2012). Molecules, 2020, 25, 1506.	1.7	5
203	The association of animal and plant protein with successful ageing: a combined analysis of MEDIS and ATTICA epidemiological studies. Public Health Nutrition, 2021, 24, 1-10.	1.1	5
204	Acute myocarditis from coxsackie infection, mimicking subendocardial ischaemia. Hellenic Journal of Cardiology, 2009, 50, 147-50.	0.4	5
205	Fluid and Salt Balance and the Role of Nutrition in Heart Failure. Nutrients, 2022, 14, 1386.	1.7	5
206	Exploring the Path of Mediterranean Diet, Non-Alcoholic Fatty Liver Disease (NAFLD) and Inflammation towards 10-Year Cardiovascular Disease (CVD) Risk: The ATTICA Study 10-Year Follow-Up (2002–2012). Nutrients, 2022, 14, 2367.	1.7	5
207	Moderate Coffee Consumption Lowers the Likelihood of Developing Left Ventricular Systolic Dysfunction in Post-Acute Coronary Syndrome Normotensive Patients. Journal of Medicinal Food, 2009, 12, 29-36.	0.8	4
208	The turtle still wins the rabbit?. International Journal of Cardiology, 2012, 161, 113-115.	0.8	4
209	Ventricular arrhythmogenic potential assessment in an asymptomatic ischemic cardiomyopathy patient with a normal ejection fraction. Hellenic Journal of Cardiology, 2017, 58, 443-445.	0.4	4
210	Modeling anthropometric indices in relation to 10-year (2002–2012) incidence of cardiovascular disease, among apparently healthy individuals: The ATTICA study. Diabetes and Metabolic Syndrome: Clinical Research and Reviews, 2017, 11, S789-S795.	1.8	4
211	Peritoneal dialysis as a therapeutic solution in elderly patients with cardiorenal syndrome and heart failure: A case-series report. Hellenic Journal of Cardiology, 2020, 61, 73-77.	0.4	4
212	Multipoint left ventricular pacing effects on hemodynamic parameters and functional status: HUMVEE single-arm clinical trial (NCT03189368). Hellenic Journal of Cardiology, 2022, 63, 8-14.	0.4	4
213	Cardiac Resynchronisation Therapy and Cellular Bioenergetics: Effects Beyond Chamber Mechanics. European Cardiology Review, 2019, 14, 33-44.	0.7	4
214	Non-invasive Methods in Differentiating Ischaemic from Non-ischaemic Cardiomyopathy. Acta Cardiologica, 2006, 61, 454-462.	0.3	3
215	Cardiovascular Disease-Related Lifestyle Factors and Longevity. Cardiology Research and Practice, 2011, 2011, 1-2.	0.5	3
216	Heart failure a cluster of comorbidities or a unique entity?. International Journal of Cardiology, 2019, 277, 196-197.	0.8	3

#	Article	IF	Citations
217	The Prognostic Significance of Serum Glucose Levels After the Onset of Ventricular Arrhythmia on In-Hospital Mortality of Patients with Acute Coronary Syndrome. Review of Diabetic Studies, 2008, 5, 47-51.	0.5	3
218	Irrational Beliefs, Dietary Habits and 10-Year Incidence of Type 2 Diabetes; the ATTICA Epidemiological Study (2002-2012). Review of Diabetic Studies, 2021, 17, 38-49.	0.5	3
219	Exercise promotes endothelial progenitor cell mobilization in patients with chronic heart failure. European Journal of Preventive Cardiology, 2022, 28, e24-e27.	0.8	3
220	Anxiety and socio-economic status among healthy adults: the ATTICA Study. Epidemiology and Psychiatric Sciences, 2007, 16, 356-362.	1.8	2
221	Age-dependent dichotomous effect of superoxide dismutase Ala16Val polymorphism on oxidized LDL levels. Experimental and Molecular Medicine, 2008, 40, 27.	3.2	2
222	Paraprosthetic Leak Unmasked by Combined Enoxaparin/Warfarin Therapy for Thrombosed Mitral Valve. Echocardiography, 2009, 26, 1105-1106.	0.3	2
223	Reply to D Trichopoulos. American Journal of Clinical Nutrition, 2011, 93, 665.	2.2	2
224	Reply to Letter to the Editor to J-shaped relationship between habitual coffee consumption and 10-year (2002â€"2012) cardiovascular disease incidence: the ATTICA study. European Journal of Nutrition, 2017, 56, 2213-2214.	1.8	2
225	The aetiology of death for marathon runner Phidippides?. European Heart Journal, 2019, 40, 2564-2565.	1.0	2
226	The association between protein consumption from animal and plant sources with psychological distress in older people in the Mediterranean region. Nutrition and Healthy Aging, 2020, 5, 273-285.	0.5	2
227	Meat consumption, depressive symptomatology and cardiovascular disease incidence in apparently healthy men and women: highlights from the ATTICA cohort study (2002–2012). Nutritional Neuroscience, 2022, 25, 266-275.	1.5	2
228	Comparative Trial of the Effects of Left Ventricular and Biventricular Pacing on Indices of Cardiac Function and Clinical Course of Patients With Heart Failure: Rationale and Design of the READAPT Randomized Trial. Angiology, 2021, 72, 961-970.	0.8	2
229	Utilization and tolerance of beta-blockers among patients with AL amyloidosis. Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis, 2022, 29, 31-37.	1.4	2
230	Irrational beliefs, depression and anxiety, in relation to 10-year cardiovascular disease risk: the ATTICA Epidemiological Study. Anxiety, Stress and Coping, 2023, 36, 199-213.	1.7	2
231	Exploring the Role of Irrational Beliefs, Lifestyle Behaviors, and Educational Status in 10-Year Cardiovascular Disease Risk: the ATTICA Epidemiological Study. International Journal of Behavioral Medicine, 2023, 30, 279-288.	0.8	2
232	Association between Hostility and Plasma Total Homocysteine Concentrations in a General Population Sample. Neuropsychobiology, 2006, 53, 26-32.	0.9	1
233	Pitfalls Leading to Misdiagnosis of a Normally Functioning Prosthetic Aortic Valve as Stenotic. Echocardiography, 2007, 24, 773-779.	0.3	1
234	Electrocardiographic findings at presentation, in relation to in-hospital mortality and 30-day outcome of patients with Acute Coronary Syndromes; The GREECS study. International Journal of Cardiology, 2008, 123, 263-270.	0.8	1

#	Article	IF	CITATIONS
235	Reduced Heart Rate Variability Correlates With Anaemia and Impaired Quality of Life in Patients With Chronic Compensated Heart Failure. Journal of Cardiac Failure, 2010, 16, S81.	0.7	1
236	Single and combined effects of inflammatory markers on diabetes development; the mediating role of obesity: 10-year follow up of the Attica study. Clinical Nutrition ESPEN, 2018, 24, 180.	0.5	1
237	Unveiling the mystery of "missing―emergencies in the era of COVID-19 pandemic: a generalized phenomenon with unclarified implications. Clinical Research in Cardiology, 2020, 109, 1580-1581.	1.5	1
238	Waist-to-Height Ratio Outperforms Classic Anthropometric Indices in Predicting Successful Aging in Older Adults; an Analysis of the ATTICA and MEDIS Epidemiological Studies. Experimental Aging Research, 2020, 46, 154-165.	0.6	1
239	Left ventricular mass versus pulse wave velocity as predictors of coronary artery disease in hypertensive patients: data from a 6-year-follow-up study. Journal of Human Hypertension, 2021, , .	1.0	1
240	An integrated assessment of family history on the risk of developing acute coronary syndroms (CARDIO2000 Study). Acta Cardiologica, 2004, 59, 383-390.	0.3	1
241	The Role of Antithrombotic Therapy in Heart Failure. Current Pharmaceutical Design, 2020, 26, 2735-2761.	0.9	1
242	Clinical Impact of an Early Response and of Early Initiation of Salvage Therapy in Patients with Systemic Light Chain (AL) Amyloidosis. Blood, 2019, 134, 1894-1894.	0.6	1
243	Acute Cardiorespiratory Responses to Different Exercise Modalities in Chronic Heart Failure Patientsâ€"A Pilot Study. Journal of Cardiovascular Development and Disease, 2021, 8, 164.	0.8	1
244	Novel anti-platelet agents for the treatment of stable angina pectoris. Current Pharmaceutical Design, 2013, 19, 1581-6.	0.9	1
245	Are Cardiac Risk Scores Useful in Daily Clinical Practice?. Hellenic Journal of Cardiology, 2015, 56, 309-10.	0.4	1
246	A Rare Case of Angiosarcoma of the Left Ventricle Detected by Cardiac Magnetic Resonance Imaging. Hellenic Journal of Cardiology, 2015, 56, 444-5.	0.4	1
247	Greater Adherence to the Mediterranean Diet Contributes to the Preservation of Left Ventricular Systolic Function and to the Long Term Favorable Prognosis of Patients After an Acute Coronary Event. Journal of Cardiac Failure, 2010, 16, S77.	0.7	0
248	Dietary Habits in Relation to Biventricular Systolic Function, among Chronic Heart Failure Patients. Journal of Cardiac Failure, 2010, 16, S78-S79.	0.7	0
249	Postpartum cardiomyopathy complicated with upper-extremity deep vein thrombosis and pulmonary embolism. International Journal of Cardiology, 2011, 152, e58-e60.	0.8	0
250	Comparison of two biventricular infarct patterns with respect to the infarct burden required to induce cardiogenic shock: An experimental study. Hellenic Journal of Cardiology, 2017, 58, 306-309.	0.4	0
251	Should we merely consider ejection fraction for the evaluation of left ventricular function in patients with aortic valve stenosis?. Hellenic Journal of Cardiology, 2018, 59, 272-273.	0.4	0
252	L-carnitine: to fuel or not to fuel the failing heart?. Hellenic Journal of Cardiology, 2020, 61, 103-105.	0.4	0

#	Article	IF	CITATIONS
253	Cardiopulmonary exercise test: more than a simple exercise test, but cautious how to interpret. Hellenic Journal of Cardiology, 2021, 62, 127-128.	0.4	O
254	Association of arterial stiffness with functional parameters of patients with systolic heart failure. Data from the Corinthia study. Hellenic Journal of Cardiology, 2021, 63, 86-86.	0.4	0
255	The association of sodium intake with successful aging, in 3,349 middle-aged and older adults: Results from the ATTICA and MEDIS cross-sectional epidemiological studies. Nutrition and Healthy Aging, 2020, 5, 287-296.	0.5	0
256	Multipoint left ventricular pacing as an addition to cardiac resynchronization therapy: a bridge to the holy grail?. American Journal of Cardiovascular Disease, 2021, 11, 429-440.	0.5	0
257	Brain natriuretic peptide mediates the effect of creatinine clearance on development of left ventricular systolic dysfunction in patients with acute coronary syndrome. Hellenic Journal of Cardiology, 2010, 51, 413-20.	0.4	0