

# Christina Chrysohoou

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/5430103/christina-chrysohoou-publications-by-citations.pdf>

**Version:** 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

240  
papers

6,478  
citations

41  
h-index

71  
g-index

265  
ext. papers

7,622  
ext. citations

3.6  
avg, IF

5.45  
L-index

#	Paper	IF	Citations
240	Adherence to the Mediterranean diet attenuates inflammation and coagulation process in healthy adults: The ATTICA Study. <i>Journal of the American College of Cardiology</i> , <b>2004</b> , 44, 152-8	15.1	545
239	The implication of obesity and central fat on markers of chronic inflammation: The ATTICA study. <i>Atherosclerosis</i> , <b>2005</b> , 183, 308-15	3.1	251
238	Air pollution and inflammation (interleukin-6, C-reactive protein, fibrinogen) in myocardial infarction survivors. <i>Environmental Health Perspectives</i> , <b>2007</b> , 115, 1072-80	8.4	210
237	Epidemiology of cardiovascular risk factors in Greece: aims, design and baseline characteristics of the ATTICA study. <i>BMC Public Health</i> , <b>2003</b> , 3, 32	4.1	194
236	Adherence to the Mediterranean diet is associated with total antioxidant capacity in healthy adults: the ATTICA study. <i>American Journal of Clinical Nutrition</i> , <b>2005</b> , 82, 694-9	7	176
235	Association between prehypertension status and inflammatory markers related to atherosclerotic disease: The ATTICA Study. <i>American Journal of Hypertension</i> , <b>2004</b> , 17, 568-73	2.3	162
234	Association between the prevalence of obesity and adherence to the Mediterranean diet: the ATTICA study. <i>Nutrition</i> , <b>2006</b> , 22, 449-56	4.8	151
233	Inflammation, coagulation, and depressive symptomatology in cardiovascular disease-free people; the ATTICA study. <i>European Heart Journal</i> , <b>2004</b> , 25, 492-9	9.5	146
232	Effect of exposure to secondhand smoke on markers of inflammation: the ATTICA study. <i>American Journal of Medicine</i> , <b>2004</b> , 116, 145-50	2.4	136
231	Associations between coffee consumption and inflammatory markers in healthy persons: the ATTICA study. <i>American Journal of Clinical Nutrition</i> , <b>2004</b> , 80, 862-7	7	135
230	Fish consumption among healthy adults is associated with decreased levels of inflammatory markers related to cardiovascular disease: the ATTICA study. <i>Journal of the American College of Cardiology</i> , <b>2005</b> , 46, 120-4	15.1	133
229	The implication of obesity on total antioxidant capacity in apparently healthy men and women: the ATTICA study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , <b>2007</b> , 17, 590-7	4.5	126
228	The associations between leisure-time physical activity and inflammatory and coagulation markers related to cardiovascular disease: the ATTICA Study. <i>Preventive Medicine</i> , <b>2005</b> , 40, 432-7	4.3	112
227	Unsaturated fatty acids are inversely associated and n-6/n-3 ratios are positively related to inflammation and coagulation markers in plasma of apparently healthy adults. <i>Clinica Chimica Acta</i> , <b>2010</b> , 411, 584-91	6.2	109
226	Climatological variations in daily hospital admissions for acute coronary syndromes. <i>International Journal of Cardiology</i> , <b>2004</b> , 94, 229-33	3.2	106
225	Association Between Low-Grade Systemic Inflammation and Type 2 Diabetes Mellitus Among Men and Women from the ATTICA Study. <i>Review of Diabetic Studies</i> , <b>2007</b> , 4, 98-104	3.6	92
224	Ten-year (2002-2012) cardiovascular disease incidence and all-cause mortality, in urban Greek population: the ATTICA Study. <i>International Journal of Cardiology</i> , <b>2015</b> , 180, 178-84	3.2	88

223	Epidemiology of overweight and obesity in a Greek adult population: the ATTICA Study. <i>Obesity</i> , <b>2004</b> , 12, 1914-20		88
222	The association between adherence to the Mediterranean diet and fasting indices of glucose homoeostasis: the ATTICA Study. <i>Journal of the American College of Nutrition</i> , <b>2007</b> , 26, 32-8	3.5	79
221	Efficacy and safety of high dose versus low dose furosemide with or without dopamine infusion: the Dopamine in Acute Decompensated Heart Failure II (DAD-HF II) trial. <i>International Journal of Cardiology</i> , <b>2014</b> , 172, 115-21	3.2	77
220	The J-shaped effect of coffee consumption on the risk of developing acute coronary syndromes: the CARDIO2000 case-control study. <i>Journal of Nutrition</i> , <b>2003</b> , 133, 3228-32	4.1	74
219	Cardiac and renal complications of carfilzomib in patients with multiple myeloma. <i>Blood Advances</i> , <b>2017</b> , 1, 449-454	7.8	67
218	Association of leisure-time physical activity on inflammation markers (C-reactive protein, white cell blood count, serum amyloid A, and fibrinogen) in healthy subjects (from the ATTICA study). <i>American Journal of Cardiology</i> , <b>2003</b> , 91, 368-70	3	61
217	The association between pre-hypertension status and oxidative stress markers related to atherosclerotic disease: the ATTICA study. <i>Atherosclerosis</i> , <b>2007</b> , 192, 169-76	3.1	58
216	SCORE2 risk prediction algorithms: new models to estimate 10-year risk of cardiovascular disease in Europe. <i>European Heart Journal</i> , <b>2021</b> , 42, 2439-2454	9.5	58
215	Cardiovascular effects of high-intensity interval aerobic training combined with strength exercise in patients with chronic heart failure. A randomized phase III clinical trial. <i>International Journal of Cardiology</i> , <b>2015</b> , 179, 269-74	3.2	54
214	Physical activity, obesity status, and glycemic control: The ATTICA study. <i>Medicine and Science in Sports and Exercise</i> , <b>2007</b> , 39, 606-11	1.2	54
213	Transition from metabolically benign to metabolically unhealthy obesity and 10-year cardiovascular disease incidence: The ATTICA cohort study. <i>Metabolism: Clinical and Experimental</i> , <b>2019</b> , 93, 18-24	12.7	51
212	Adherence to the Mediterranean diet is associated with renal function among healthy adults: the ATTICA study. <i>Journal of Renal Nutrition</i> , <b>2010</b> , 20, 176-84	3	50
211	Chronic systemic inflammation accompanies impaired ventricular diastolic function, detected by Doppler imaging, in patients with newly diagnosed systolic heart failure (Hellenic Heart Failure Study). <i>Heart and Vessels</i> , <b>2009</b> , 24, 22-6	2.1	49
210	Long-term fish consumption is associated with protection against arrhythmia in healthy persons in a Mediterranean region--the ATTICA study. <i>American Journal of Clinical Nutrition</i> , <b>2007</b> , 85, 1385-91	7	49
209	The Mediterranean diet contributes to the preservation of left ventricular systolic function and to the long-term favorable prognosis of patients who have had an acute coronary event. <i>American Journal of Clinical Nutrition</i> , <b>2010</b> , 92, 47-54	7	48
208	The relationship between dietary habits, blood glucose and insulin levels among people without cardiovascular disease and type 2 diabetes; the ATTICA study. <i>Review of Diabetic Studies</i> , <b>2005</b> , 2, 208-15 <sup>3.6</sup>	3.6	48
207	The associations between smoking, physical activity, dietary habits and plasma homocysteine levels in cardiovascular disease-free people: the ATTICAP study. <i>Vascular Medicine</i> , <b>2004</b> , 9, 117-23	3.3	47
206	The role of levosimendan in acute heart failure complicating acute coronary syndrome: A review and expert consensus opinion. <i>International Journal of Cardiology</i> , <b>2016</b> , 218, 150-157	3.2	47

205	Five-year incidence of cardiovascular disease and its predictors in Greece: the ATTICA study. <i>Vascular Medicine</i> , <b>2008</b> , 13, 113-21	3.3	45
204	Beta-blockade mitigates exercise blood pressure in hypertensive male patients. <i>Journal of the American College of Cardiology</i> , <b>2006</b> , 47, 794-8	15.1	45
203	The effect of Mediterranean diet on the risk of the development of acute coronary syndromes in hypercholesterolemic people: a case-control study (CARDIO2000). <i>Coronary Artery Disease</i> , <b>2002</b> , 13, 295-300	1.4	44
202	Sociodemographic and lifestyle statistics of oldest old people (>80 years) living in ikaria island: the ikaria study. <i>Cardiology Research and Practice</i> , <b>2011</b> , 2011, 679187	1.9	43
201	Abdominal obesity and inflammation predicts hypertension among prehypertensive men and women: the ATTICA Study. <i>Heart and Vessels</i> , <b>2008</b> , 23, 96-103	2.1	43
200	The emerging anti-inflammatory role of HDL-cholesterol, illustrated in cardiovascular disease free population; the ATTICA study. <i>International Journal of Cardiology</i> , <b>2007</b> , 122, 29-33	3.2	41
199	Metabolic syndrome, adherence to the Mediterranean diet and 10-year cardiovascular disease incidence: The ATTICA study. <i>Atherosclerosis</i> , <b>2016</b> , 246, 87-93	3.1	39
198	Effects of chronic alcohol consumption on lipid levels, inflammatory and haemostatic factors in the general population: the PATTICAP Study. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , <b>2003</b> , 10, 355-61		39
197	Validation of the MedDietScore via the determination of plasma fatty acids. <i>International Journal of Food Sciences and Nutrition</i> , <b>2009</b> , 60 Suppl 5, 168-80	3.7	36
196	Diet, exercise, and C-reactive protein levels in people with abdominal obesity: the ATTICA epidemiological study. <i>Angiology</i> , <b>2007</b> , 58, 225-33	2.1	36
195	Longevity and diet. Myth or pragmatism?. <i>Maturitas</i> , <b>2013</b> , 76, 303-7	5	35
194	Effect of interaction between adherence to a Mediterranean diet and the methylenetetrahydrofolate reductase 677C->T mutation on homocysteine concentrations in healthy adults: the ATTICA Study. <i>American Journal of Clinical Nutrition</i> , <b>2004</b> , 80, 849-54	7	35
193	Understanding the role of depression and anxiety on cardiovascular disease risk, using structural equation modeling; the mediating effect of the Mediterranean diet and physical activity: the ATTICA study. <i>Annals of Epidemiology</i> , <b>2012</b> , 22, 630-7	6.4	34
192	Five-year incidence of obesity and its determinants: the ATTICA study. <i>Public Health Nutrition</i> , <b>2009</b> , 12, 36-43	3.3	34
191	Low energy reporting related to lifestyle, clinical, and psychosocial factors in a randomly selected population sample of Greek adults: the ATTICA Study. <i>Journal of the American College of Nutrition</i> , <b>2007</b> , 26, 327-33	3.5	34
190	Skeletal muscle mass in relation to 10 year cardiovascular disease incidence among middle aged and older adults: the ATTICA study. <i>Journal of Epidemiology and Community Health</i> , <b>2020</b> , 74, 26-31	5.1	34
189	10-year incidence of diabetes and associated risk factors in Greece: the ATTICA study (2002-2012). <i>Review of Diabetic Studies</i> , <b>2014</b> , 11, 181-9	3.6	31
188	Hierarchical analysis of anthropometric indices in the prediction of 5-year incidence of hypertension in apparently healthy adults: the ATTICA study. <i>Atherosclerosis</i> , <b>2009</b> , 206, 314-20	3.1	31

187	Dietary habits mediate the relationship between socio-economic status and CVD factors among healthy adults: the ATTICA study. <i>Public Health Nutrition</i> , <b>2008</b> , 11, 1342-9	3.3	31
186	The association between lifestyle-related factors and plasma homocysteine levels in healthy individuals from the "ATTICA" Study. <i>International Journal of Cardiology</i> , <b>2005</b> , 98, 471-7	3.2	31
185	Cardio-oncology: A Focus on Cardiotoxicity. <i>European Cardiology Review</i> , <b>2018</b> , 13, 64-69	3.9	31
184	Statin therapy and risk of diabetes in patients with heterozygous familial hypercholesterolemia or familial combined hyperlipidemia. <i>Atherosclerosis</i> , <b>2014</b> , 237, 140-5	3.1	30
183	Association of depression and anxiety status with 10-year cardiovascular disease incidence among apparently healthy Greek adults: The ATTICA Study. <i>European Journal of Preventive Cardiology</i> , <b>2017</b> , 24, 145-152	3.9	30
182	Long-term adherence to the Mediterranean diet reduces the prevalence of hyperuricaemia in elderly individuals, without known cardiovascular disease: the Ikaria study. <i>Maturitas</i> , <b>2011</b> , 70, 58-64	5	30
181	Short term omega-3 polyunsaturated fatty acid supplementation induces favorable changes in right ventricle function and diastolic filling pressure in patients with chronic heart failure; A randomized clinical trial. <i>Vascular Pharmacology</i> , <b>2016</b> , 79, 43-50	5.9	29
180	Fibrinogen genes modify the fibrinogen response to ambient particulate matter. <i>American Journal of Respiratory and Critical Care Medicine</i> , <b>2009</b> , 179, 484-91	10.2	29
179	Gender differences on the risk evaluation of acute coronary syndromes: the CARDIO2000 study. <i>Preventive Cardiology</i> , <b>2003</b> , 6, 71-7		29
178	The link between depression and atherosclerosis through the pathways of inflammation and endothelium dysfunction. <i>Maturitas</i> , <b>2018</b> , 109, 1-5	5	28
177	Diastolic myocardial dysfunction does not affect survival in patients with cirrhosis. <i>Transplant International</i> , <b>2012</b> , 25, 1174-81	3	28
176	"Bail out" procedures for malpositioning of aortic valve prosthesis (CoreValve). <i>International Journal of Cardiology</i> , <b>2010</b> , 145, 154-5	3.2	28
175	Consumption of a boiled Greek type of coffee is associated with improved endothelial function: the Ikaria study. <i>Vascular Medicine</i> , <b>2013</b> , 18, 55-62	3.3	27
174	Platelet activating factor (PAF) and activity of its biosynthetic and catabolic enzymes in blood and leukocytes of male patients with newly diagnosed heart failure. <i>Clinical Biochemistry</i> , <b>2009</b> , 42, 44-9	3.5	27
173	Association of creatinine clearance and in-hospital mortality in patients with acute coronary syndromes: the GREECS study. <i>Circulation Journal</i> , <b>2007</b> , 71, 9-14	2.9	27
172	Effect of leisure time physical activity on blood lipid levels: the ATTICA study. <i>Coronary Artery Disease</i> , <b>2003</b> , 14, 533-9	1.4	27
171	Mediterranean Diet and 10-year (2002-2012) Incidence of Diabetes and Cardiovascular Disease in Participants with Prediabetes: The ATTICA study. <i>Review of Diabetic Studies</i> , <b>2016</b> , 13, 226-235	3.6	26
170	Role of right ventricular systolic function on long-term outcome in patients with newly diagnosed systolic heart failure. <i>Circulation Journal</i> , <b>2011</b> , 75, 2176-81	2.9	25

169	An association between the methylenetetrahydrofolate reductase (MTHFR) C677T mutation and inflammation markers related to cardiovascular disease. <i>International Journal of Cardiology</i> , <b>2005</b> , 100, 409-14	3.2	25
168	Distribution of serum lipids and lipoproteins in patients with beta thalassaemia major; an epidemiological study in young adults from Greece. <i>Lipids in Health and Disease</i> , <b>2004</b> , 3, 3	4.4	25
167	Cross-sectional relationship of a Mediterranean type diet to diastolic heart function in chronic heart failure patients. <i>Heart and Vessels</i> , <b>2012</b> , 27, 576-84	2.1	24
166	Fish consumption and the risk of developing acute coronary syndromes: the CARDIO2000 study. <i>International Journal of Cardiology</i> , <b>2005</b> , 102, 403-9	3.2	24
165	The association between coffee consumption and plasma total homocysteine levels: the "ATTICA" study. <i>Heart and Vessels</i> , <b>2004</b> , 19, 280-6	2.1	24
164	Effects of omega-3 polyunsaturated fatty acids on fibrosis, endothelial function and myocardial performance, in ischemic heart failure patients. <i>Clinical Nutrition</i> , <b>2019</b> , 38, 1188-1197	5.9	23
163	Exercise capacity and haemodynamic response among 12,327 individuals with cardio-metabolic risk factors undergoing treadmill exercise. <i>European Journal of Preventive Cardiology</i> , <b>2017</b> , 24, 1627-1636	3.9	23
162	Atherosclerosis of the aorta in patients with acute thoracic aortic dissection. <i>Circulation Journal</i> , <b>2008</b> , 72, 1773-6	2.9	23
161	The role of sandostatin LAR in treating patients with advanced hepatocellular cancer. <i>Hepato-Gastroenterology</i> , <b>2002</b> , 49, 1245-50		23
160	Association between TNF-alpha -308G>A polymorphism and the development of acute coronary syndromes in Greek subjects: the CARDIO2000-GENE Study. <i>Genetics in Medicine</i> , <b>2005</b> , 7, 411-6	8.1	22
159	Low total testosterone levels are associated with the metabolic syndrome in elderly men: the role of body weight, lipids, insulin resistance, and inflammation; the Ikarria study. <i>Review of Diabetic Studies</i> , <b>2013</b> , 10, 27-38	3.6	21
158	Diastolic function in young patients with beta-thalassemia major: an echocardiographic study. <i>Echocardiography</i> , <b>2006</b> , 23, 38-44	1.5	21
157	Lipid accumulation product in relation to 10-year cardiovascular disease incidence in Caucasian adults: The ATTICA study. <i>Atherosclerosis</i> , <b>2018</b> , 279, 10-16	3.1	21
156	Interaction between Mediterranean diet and methylenetetrahydrofolate reductase C677T mutation on oxidized low density lipoprotein concentrations: the ATTICA study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , <b>2006</b> , 16, 91-9	4.5	20
155	Anti-inflammatory diet and 10-year (2002-2012) cardiovascular disease incidence: The ATTICA study. <i>International Journal of Cardiology</i> , <b>2016</b> , 222, 473-478	3.2	20
154	Platelet activating factor in heart failure: potential role in disease progression and novel target for therapy. <i>Current Heart Failure Reports</i> , <b>2013</b> , 10, 122-9	2.8	19
153	Smoking induces lipoprotein-associated phospholipase A2 in cardiovascular disease free adults: the ATTICA Study. <i>Atherosclerosis</i> , <b>2009</b> , 206, 303-8	3.1	19
152	Usefulness of dobutamine stress echocardiography with Tissue Doppler imaging for the evaluation and follow-up of patients with repaired tetralogy of Fallot. <i>Journal of the American Society of Echocardiography</i> , <b>2008</b> , 21, 1093-8	5.8	19



151	Cholesteryl ester-transfer protein (CETP) polymorphism and the association of acute coronary syndromes by obesity status in Greek subjects: the CARDIO2000-GENE study. <i>Human Heredity</i> , <b>2007</b> , 63, 155-61	1.1	19
150	The mystery of "missing" visits in an emergency cardiology department, in the era of COVID-19.; a time-series analysis in a tertiary Greek General Hospital. <i>Clinical Research in Cardiology</i> , <b>2020</b> , 109, 1483-1489	6.1	18
149	J-shaped relationship between habitual coffee consumption and 10-year (2002-2012) cardiovascular disease incidence: the ATTICA study. <i>European Journal of Nutrition</i> , <b>2018</b> , 57, 1677-1685	5.2	18
148	Fish Consumption Moderates Depressive Symptomatology in Elderly Men and Women from the IKARIA Study. <i>Cardiology Research and Practice</i> , <b>2010</b> , 2011, 219578	1.9	18
147	Evidence that non-lipid cardiovascular risk factors are associated with high prevalence of coronary artery disease in patients with heterozygous familial hypercholesterolemia or familial combined hyperlipidemia. <i>International Journal of Cardiology</i> , <b>2007</b> , 121, 178-83	3.2	18
146	Dietary Patterns and Their Association with Anxiety Symptoms among Older Adults: The ATTICA Study. <i>Nutrients</i> , <b>2019</b> , 11,	6.7	17
145	Exploring the association between low socioeconomic status and cardiovascular disease risk in healthy Greeks, in the years of financial crisis (2002-2012): The ATTICA study. <i>International Journal of Cardiology</i> , <b>2016</b> , 223, 758-763	3.2	17
144	Food group consumption and glycemic control in people with and without type 2 diabetes: the ATTICA study. <i>Diabetes Care</i> , <b>2005</b> , 28, 2539-40	14.6	17
143	The Effect of Exclusive Olive Oil Consumption on Successful Aging: A Combined Analysis of the ATTICA and MEDIS Epidemiological Studies. <i>Foods</i> , <b>2019</b> , 8,	4.9	16
142	Hierarchical modelling of blood lipids profile and 10-year (2002-2012) all cause mortality and incidence of cardiovascular disease: the ATTICA study. <i>Lipids in Health and Disease</i> , <b>2015</b> , 14, 108	4.4	16
141	Exploring the path between depression, anxiety and 10-year cardiovascular disease incidence, among apparently healthy Greek middle-aged adults: The ATTICA study. <i>Maturitas</i> , <b>2017</b> , 106, 73-79	5	15
140	The Association between Green and Black Tea Consumption on Successful Aging: A Combined Analysis of the ATTICA and MEDiterranean Islands (MEDIS) Epidemiological Studies. <i>Molecules</i> , <b>2019</b> , 24,	4.8	15
139	C-reactive protein levels are associated with adiposity and a high inflammatory foods index in mountainous Cypriot children. <i>Clinical Nutrition</i> , <b>2010</b> , 29, 779-83	5.9	15
138	Association between passive cigarette smoking and the risk of developing acute coronary syndromes: the CARDIO2000 study. <i>Heart and Vessels</i> , <b>2002</b> , 16, 127-30	2.1	15
137	Next generation flow cytometry for MRD detection in patients with AL amyloidosis. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , <b>2021</b> , 28, 19-23	2.7	15
136	Determinants of All-Cause Mortality and Incidence of Cardiovascular Disease (2009 to 2013) in Older Adults: The Ikaria Study of the Blue Zones. <i>Angiology</i> , <b>2016</b> , 67, 541-8	2.1	14
135	The association between the level of adherence to the Mediterranean diet and successful aging: An analysis of the ATTICA and MEDIS (MEDiterranean Islands Study) epidemiological studies. <i>Archives of Gerontology and Geriatrics</i> , <b>2020</b> , 89, 104044	4	14
134	Risk factors of stroke mortality: a 40-year follow-up of the Corfu cohort from the Seven-Countries Study. <i>Neuroepidemiology</i> , <b>2003</b> , 22, 332-8	5.4	14

133	Olive oil consumption and 10-year (2002-2012) cardiovascular disease incidence: the ATTICA study. <i>European Journal of Nutrition</i> , <b>2019</b> , 58, 131-138	5.2	14
132	Longitudinal strain curves in the RV free wall differ in morphology in patients with pulmonary hypertension compared to controls. <i>International Journal of Cardiology</i> , <b>2013</b> , 167, 2753-6	3.2	13
131	Serum uric acid levels correlate with left atrial function and systolic right ventricular function in patients with newly diagnosed heart failure: the hellenic heart failure study. <i>Congestive Heart Failure</i> , <b>2008</b> , 14, 229-33		13
130	Prevalence and determinants of coronary artery disease in males and females with familial combined hyperlipidaemia. <i>Atherosclerosis</i> , <b>2008</b> , 199, 402-7	3.1	13
129	Forty-year follow-up of coronary heart disease mortality and its predictors: the Corfu cohort of the seven countries study. <i>Preventive Cardiology</i> , <b>2003</b> , 6, 155-60		13
128	Forty-years (1961-2001) of all-cause and coronary heart disease mortality and its determinants: the Corfu cohort from the Seven Countries Study. <i>International Journal of Cardiology</i> , <b>2003</b> , 90, 73-9	3.2	13
127	Adiponectin circulating levels and 10-year (2002-2012) cardiovascular disease incidence: the ATTICA Study. <i>Endocrine</i> , <b>2017</b> , 58, 542-552	4	12
126	Visceral adiposity index outperforms common anthropometric indices in predicting 10-year diabetes risk: Results from the ATTICA study. <i>Diabetes/Metabolism Research and Reviews</i> , <b>2019</b> , 35, e3161-5	7.5	12
125	Predictors of cadmium and lead concentrations in the blood of residents from the metropolitan area of Athens (Greece). <i>Science of the Total Environment</i> , <b>2016</b> , 568, 263-270	10.2	12
124	Metabolic syndrome prevalence and characteristics in Greek adults with familial combined hyperlipidemia. <i>Metabolism: Clinical and Experimental</i> , <b>2007</b> , 56, 135-41	12.7	12
123	Echocardiographic and electrocardiographic prognostic factors of heart failure in young patients with beta-thalassemia major: a 10-year (1995--2004) follow-up. <i>International Journal of Hematology</i> , <b>2004</b> , 80, 336-40	2.3	12
122	ESC Core Curriculum for the Cardiologist. <i>European Heart Journal</i> , <b>2020</b> , 41, 3605-3692	9.5	12
121	Aortic artery distensibility shows inverse correlation with heart rate variability in elderly non-hypertensive, cardiovascular disease-free individuals: the Ikaria Study. <i>Heart and Vessels</i> , <b>2013</b> , 28, 467-72	2.1	11
120	The impact of ezetimibe and high-dose of statin treatment on LDL levels in patients with heterozygous familial hypercholesterolemia. <i>International Journal of Cardiology</i> , <b>2009</b> , 134, 280-1	3.2	11
119	Single and combined effects of inflammatory markers on 10-year diabetes incidence: The mediating role of adiposity-Results from the ATTICA cohort study. <i>Diabetes/Metabolism Research and Reviews</i> , <b>2018</b> , 34, e2939	7.5	10
118	Long-term fish intake preserves kidney function in elderly individuals: the Ikaria study. <i>Journal of Renal Nutrition</i> , <b>2013</b> , 23, e75-82	3	10
117	Deceleration of Age-Related Aortic Stiffening in a Population With High Longevity Rates: The IKARIA Study. <i>Journal of the American College of Cardiology</i> , <b>2015</b> , 66, 1842-1843	15.1	10
116	Quality, but not cost, of diet is associated with 5-year incidence of CVD: the ATTICA study. <i>Public Health Nutrition</i> , <b>2010</b> , 13, 1890-7	3.3	10



115	Marital status, depressive episodes, and short-term prognosis of patients with acute coronary syndrome: Greek study of acute coronary syndrome (GREECS). <i>Neuropsychiatric Disease and Treatment</i> , <b>2008</b> , 4, 425-32	3.1	10
114	Adherence to Mediterranean Diet Offers an Additive Protection Over the Use of Statin Therapy: Results from the ATTICA Study (2002-2012). <i>Current Vascular Pharmacology</i> , <b>2015</b> , 13, 778-87	3.3	10
113	Gender-specific, Lifestyle-related Factors and 10-year Cardiovascular Disease Risk; the ATTICA and GREECS Cohort Studies. <i>Current Vascular Pharmacology</i> , <b>2019</b> , 17, 401-410	3.3	10
112	The "overweight paradox" in the prognosis of acute coronary syndrome for patients with heart failure-A truth for all? A 10-year follow-up study. <i>Maturitas</i> , <b>2017</b> , 102, 6-12	5	9
111	The Association between Whole Grain Products Consumption and Successful Aging: A Combined Analysis of MEDIS and ATTICA Epidemiological Studies. <i>Nutrients</i> , <b>2019</b> , 11,	6.7	9
110	The anti-inflammatory potential of diet and nonalcoholic fatty liver disease: the ATTICA study. <i>Therapeutic Advances in Gastroenterology</i> , <b>2019</b> , 12, 1756284819858039	4.7	9
109	Long-term fish consumption is associated with lower risk of 30-day cardiovascular disease events in survivors from an acute coronary syndrome. <i>International Journal of Cardiology</i> , <b>2009</b> , 136, 344-6	3.2	9
108	The relationship between fish consumption and the risk of developing acute coronary syndromes among smokers: the CARDIO2000 case-control study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , <b>2005</b> , 15, 402-9	4.5	9
107	The association of protein and carbohydrate intake with successful aging: a combined analysis of two epidemiological studies. <i>European Journal of Nutrition</i> , <b>2019</b> , 58, 807-817	5.2	9
106	Lipoprotein (a) and 10-year Cardiovascular Disease Incidence in Apparently Healthy Individuals: A Sex-based Sensitivity Analysis from ATTICA Cohort Study. <i>Angiology</i> , <b>2019</b> , 70, 819-829	2.1	8
105	Vitamins in Heart Failure: Friend or Enemy?. <i>Current Pharmaceutical Design</i> , <b>2017</b> , 23, 3731-3742	3.3	8
104	The mediating role of Mediterranean diet on the association between Lp(a) levels and cardiovascular disease risk: A 10-year follow-up of the ATTICA study. <i>Clinical Biochemistry</i> , <b>2018</b> , 60, 33-37 <sup>5</sup>	3.7	8
103	Aortic stenosis in the elderly: challenges in diagnosis and therapy. <i>Maturitas</i> , <b>2011</b> , 70, 349-53	5	8
102	Exclusive olive oil consumption is associated with lower likelihood of developing left ventricular systolic dysfunction in acute coronary syndrome patients: the hellenic heart failure study. <i>Annals of Nutrition and Metabolism</i> , <b>2010</b> , 56, 9-15	4.5	8
101	Thermal heterogeneity constitutes a marker for the detection of malignant gastric lesions in vivo. <i>Journal of Clinical Gastroenterology</i> , <b>2003</b> , 36, 215-8	3	8
100	Serum Uric Acid is Independently Associated with Diastolic Dysfunction in Apparently Healthy Subjects with Essential Hypertension. <i>Current Vascular Pharmacology</i> , <b>2019</b> , 17, 99-106	3.3	8
99	Education status determines 10-year (2002-2012) survival from cardiovascular disease in Athens metropolitan area: the ATTICA study, Greece. <i>Health and Social Care in the Community</i> , <b>2016</b> , 24, 334-44	2.6	8
98	Impact of physical activity category on incidence of cardiovascular disease: Results from the 10-year follow-up of the ATTICA Study (2002-2012). <i>Preventive Medicine</i> , <b>2016</b> , 93, 27-32	4.3	8

97	The association between homocysteine levels, Mediterranean diet and cardiovascular disease: a case-control study. <i>International Journal of Food Sciences and Nutrition</i> , <b>2019</b> , 70, 603-611	3.7	8
96	Decomposition of Mediterranean Dietary Pattern on Successful Aging, Among Older Adults: A Combined Analysis of Two Epidemiological Studies. <i>Journal of Aging and Health</i> , <b>2019</b> , 31, 1549-1567	2.6	7
95	Dietary Patterns and 10-year (2002-2012) Incidence of Type 2 Diabetes: Results from the ATTICA Cohort Study. <i>Review of Diabetic Studies</i> , <b>2016</b> , 13, 246-256	3.6	7
94	Stage 1 hypertension, but not elevated blood pressure, predicts 10-year fatal and non-fatal CVD events in healthy adults: the ATTICA Study. <i>Journal of Human Hypertension</i> , <b>2019</b> , 33, 308-318	2.6	6
93	Effects of ventriculoarterial coupling changes on renal function, echocardiographic indices and energy efficiency in patients with acute decompensated systolic heart failure under furosemide and dopamine treatment: a comparison of three therapeutic protocols. <i>International Journal of Cardiology</i> , <b>2015</b> , 199, 44-9	3.2	6
92	The management of atrial fibrillation in heart failure: an expert panel consensus. <i>Heart Failure Reviews</i> , <b>2021</b> , 26, 1345-1358	5	6
91	How to develop a national heart failure clinics network: a consensus document of the Hellenic Heart Failure Association. <i>ESC Heart Failure</i> , <b>2020</b> , 7, 15-25	3.7	6
90	Dietary anti-inflammatory index, metabolic syndrome and transition in metabolic status; a gender-specific analysis of ATTICA prospective study. <i>Diabetes Research and Clinical Practice</i> , <b>2020</b> , 161, 108031	7.4	6
89	Chronotropic response during treadmill exercise and subclinical carotid atherosclerosis after adjusting for the calibrated SCORE risk classification: a cross-sectional study. <i>Heart and Vessels</i> , <b>2016</b> , 31, 129-36	2.1	6
88	Adherence to a DASH-style diet and cardiovascular disease risk: The 10-year follow-up of the ATTICA study. <i>Nutrition and Health</i> , <b>2019</b> , 25, 225-230	2.1	6
87	Aortic elastic properties and cognitive function in elderly individuals: the Icaria Study. <i>Maturitas</i> , <b>2013</b> , 74, 241-5	5	6
86	Beliefs and attitudes regarding cardiovascular disease risk factors: a health survey in 10,141 Greek men and women (2006-2012). <i>International Journal of Cardiology</i> , <b>2013</b> , 168, 4847-9	3.2	6
85	The natural history of multifocal atrial rhythms in elderly outpatients: insights from the "Icaria study". <i>Annals of Noninvasive Electrocardiology</i> , <b>2014</b> , 19, 483-9	1.5	6
84	Galectin-3 and Arterial Stiffness in Patients with Heart Failure: A Pilot Study. <i>Current Vascular Pharmacology</i> , <b>2019</b> , 17, 396-400	3.3	6
83	Myocardial fibrosis detected with Gadolinium Delayed Enhancement in Cardiac Magnetic Resonance Imaging and Ventriculoarterial Coupling alterations in patients with Acute Myocarditis. <i>Hellenic Journal of Cardiology</i> , <b>2016</b> , 57, 449-454	2.1	6
82	Endothelial progenitor cells mobilization after maximal exercise in patients with chronic heart failure. <i>Hellenic Journal of Cardiology</i> , <b>2021</b> , 62, 70-72	2.1	6
81	Moderate physical activity reduces 10-year diabetes incidence: the mediating role of oxidative stress biomarkers. <i>International Journal of Public Health</i> , <b>2018</b> , 63, 297-305	4	6
80	The association among biomarkers of renal and heart function in patients with heart failure: the role of NGAL. <i>Biomarkers in Medicine</i> , <b>2018</b> , 12, 1323-1330	2.3	6

79	Statin Therapy and Risk of Diabetes Mellitus in Aging Patients With Heterozygous Familial Hypercholesterolemia or Familial Combined Hyperlipidemia: A 10-Year Follow-Up. <i>Angiology</i> , <b>2018</b> , 69, 242-248	2.1	5
78	Heart failure study of multipoint pacing effects on ventriculoarterial coupling: Rationale and design of the HUMVEE trial. <i>Annals of Noninvasive Electrocardiology</i> , <b>2018</b> , 23, e12510	1.5	5
77	Exposure to second hand smoke and 10-year (2002-2012) incidence of cardiovascular disease in never smokers: The ATTICA cohort study. <i>International Journal of Cardiology</i> , <b>2019</b> , 295, 29-35	3.2	5
76	Serum glucose level at hospital admission correlates with left ventricular systolic dysfunction in nondiabetic, acute coronary patients: the Hellenic Heart Failure Study. <i>Heart and Vessels</i> , <b>2010</b> , 25, 209-16 <sup>1</sup>	2.1	5
75	Determinants of healthy ageing and its relation to 10-year cardiovascular disease incidence: the ATTICA study. <i>Central European Journal of Public Health</i> , <b>2018</b> , 26, 3-9	1.2	5
74	Angiotensin receptor-neprilysin inhibition in patients with acute decompensated heart failure: an expert consensus position paper. <i>Heart Failure Reviews</i> , <b>2021</b> , 1	5	5
73	Acute myocarditis from coxsackie infection, mimicking subendocardial ischaemia. <i>Hellenic Journal of Cardiology</i> , <b>2009</b> , 50, 147-50	2.1	5
72	Management of iron deficiency in chronic heart failure: Practical considerations for clinical use and future directions. <i>European Journal of Internal Medicine</i> , <b>2019</b> , 65, 17-25	3.9	4
71	N-terminal ProBNP distribution and correlations with biological characteristics in apparently healthy Greek population: ATTICA study. <i>Angiology</i> , <b>2010</b> , 61, 397-404	2.1	4
70	Mediterranean diet mediates the adverse effect of depressive symptomatology on short-term outcome in elderly survivors from an acute coronary event. <i>Cardiology Research and Practice</i> , <b>2011</b> , 2011, 429487	1.9	4
69	Cardiac Resynchronisation Therapy and Cellular Bioenergetics: Effects Beyond Chamber Mechanics. <i>European Cardiology Review</i> , <b>2019</b> , 14, 33-44	3.9	4
68	Physical Activity Level Improves the Predictive Accuracy of Cardiovascular Disease Risk Score: The ATTICA Study (2002-2012). <i>International Journal of Preventive Medicine</i> , <b>2016</b> , 7, 52	1.6	4
67	Distribution, infrastructure, and expertise of heart failure and cardio-oncology clinics in a developing network: temporal evolution and challenges during the coronavirus disease 2019 pandemic. <i>ESC Heart Failure</i> , <b>2020</b> , 7, 3408-3413	3.7	4
66	Systematic vitamin D supplementation and monitoring: improving outcomes in heart failure?. <i>European Journal of Heart Failure</i> , <b>2017</b> , 19, 686-687	12.3	3
65	Association between lipids and apolipoproteins on type 2 diabetes risk; moderating effects of gender and polymorphisms; the ATTICA study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , <b>2020</b> , 30, 788-795	4.5	3
64	Brain Natriuretic Peptide mediates the prognostic role of renal function toward 10-year cardiovascular mortality in patients with Acute Coronary Syndrome: the HHF study (2006-2016). <i>Hellenic Journal of Cardiology</i> , <b>2018</b> , 59, 110-118	2.1	3
63	A sex-specific evaluation of predicted lean and fat mass composition and cardiovascular disease onset and progression: A combined analysis of the ATTICA and GREECS prospective epidemiological studies. <i>Obesity Research and Clinical Practice</i> , <b>2019</b> , 13, 469-477	5.4	3
62	Exposure to low environmental radiation and longevity. Insights from the Ikaria Study. <i>International Journal of Cardiology</i> , <b>2013</b> , 169, e97-8	3.2	3

61	Ventricular arrhythmogenic potential assessment in an asymptomatic ischemic cardiomyopathy patient with a normal ejection fraction. <i>Hellenic Journal of Cardiology</i> , <b>2017</b> , 58, 443-445	2.1	3
60	Modeling anthropometric indices in relation to 10-year (2002-2012) incidence of cardiovascular disease, among apparently healthy individuals: The ATTICA study. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , <b>2017</b> , 11 Suppl 2, S789-S795	8.9	3
59	Left atrial function predicts heart failure events in patients with newly diagnosed left ventricular systolic heart failure during short-term follow-up. <i>Angiology</i> , <b>2014</b> , 65, 817-23	2.1	3
58	The turtle still wins the rabbit?. <i>International Journal of Cardiology</i> , <b>2012</b> , 161, 113-5	3.2	3
57	Baseline and 6-Week follow-up levels of PAF and activity of its metabolic enzymes in patients with heart failure and healthy volunteers--a pilot study. <i>Angiology</i> , <b>2013</b> , 64, 522-8	2.1	3
56	Moderate coffee consumption lowers the likelihood of developing left ventricular systolic dysfunction in post-acute coronary syndrome normotensive patients. <i>Journal of Medicinal Food</i> , <b>2009</b> , 12, 29-36	2.8	3
55	Cardiovascular disease-related lifestyle factors and longevity. <i>Cardiology Research and Practice</i> , <b>2011</b> , 2011, 386892	1.9	3
54	The Mediterranean Diet Benefit on Cardiovascular Hemodynamics and Erectile Function in Chronic Heart Failure Male Patients by Decoding Central and Peripheral Vessel Rheology. <i>Nutrients</i> , <b>2020</b> , 13,	6.7	3
53	Dairy products, surrogate markers, and cardiovascular disease; a sex-specific analysis from the ATTICA prospective study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , <b>2020</b> , 30, 2194-2206	4.5	3
52	The Association of Healthy Aging with Multimorbidity: IKARIA Study. <i>Nutrients</i> , <b>2021</b> , 13,	6.7	3
51	Beer, wine consumption, and 10-year CVD incidence: the ATTICA study. <i>European Journal of Clinical Nutrition</i> , <b>2019</b> , 73, 1015-1023	5.2	3
50	The acute and long-term effects of a cardiac rehabilitation program on endothelial progenitor cells in chronic heart failure patients: Comparing two different exercise training protocols. <i>IJC Heart and Vasculature</i> , <b>2021</b> , 32, 100702	2.4	3
49	The presence of NAFLD influences the transition of metabolically healthy to metabolically unhealthy obesity and the ten-year cardiovascular disease risk: A population-based cohort study. <i>Metabolism: Clinical and Experimental</i> , <b>2021</b> , 154893	12.7	3
48	Reply to Letter to the Editor to J-shaped relationship between habitual coffee consumption and 10-year (2002-2012) cardiovascular disease incidence: the ATTICA study. <i>European Journal of Nutrition</i> , <b>2017</b> , 56, 2213-2214	5.2	2
47	Paraprosthetic leak unmasked by combined enoxaparin/warfarin therapy for thrombosed mitral valve. <i>Echocardiography</i> , <b>2009</b> , 26, 1105-6	1.5	2
46	Reply to D Trichopoulos. <i>American Journal of Clinical Nutrition</i> , <b>2011</b> , 93, 665-665	7	2
45	Age-dependent dichotomous effect of superoxide dismutase Ala16Val polymorphism on oxidized LDL levels. <i>Experimental and Molecular Medicine</i> , <b>2008</b> , 40, 27-34	12.8	2
44	Non-invasive methods in differentiating ischaemic from non-ischaemic cardiomyopathy. A review paper. <i>Acta Cardiologica</i> , <b>2006</b> , 61, 454-62	0.9	2

43	Exercise promotes endothelial progenitor cell mobilization in patients with chronic heart failure. <i>European Journal of Preventive Cardiology</i> , <b>2020</b> ,	3.9	2
42	The prognostic significance of serum glucose levels after the onset of ventricular arrhythmia on in-hospital mortality of patients with acute coronary syndrome. <i>Review of Diabetic Studies</i> , <b>2008</b> , 5, 47-51 <sup>3,6</sup>	3.6	2
41	Sex-discrete role of depressive symptomatology on 10-year first and recurrent cardiovascular disease incidence: results from ATTICA and GRECS prospective studies. <i>Hellenic Journal of Cardiology</i> , <b>2020</b> , 61, 321-328	2.1	2
40	Cardiovascular disease in women: Executive summary of the expert panel statement of women in cardiology of the hellenic cardiological society. <i>Hellenic Journal of Cardiology</i> , <b>2020</b> , 61, 362-377	2.1	2
39	Multipoint left ventricular pacing effects on hemodynamic parameters and functional status: HUMVEE single-arm clinical trial (NCT03189368). <i>Hellenic Journal of Cardiology</i> , <b>2021</b> ,	2.1	2
38	Irrational beliefs trigger depression and anxiety symptoms, and associated with increased inflammation and oxidative stress markers in the 10-year diabetes mellitus risk: the ATTICA epidemiological study. <i>Journal of Diabetes and Metabolic Disorders</i> , <b>2021</b> , 20, 727-739	2.5	2
37	Women leaders in Cardiology. Contemporary profile of the WHO European region. <i>European Heart Journal Open</i> , <b>2021</b> , 1,		2
36	Peritoneal dialysis as a therapeutic solution in elderly patients with cardiorenal syndrome and heart failure: A case-series report. <i>Hellenic Journal of Cardiology</i> , <b>2020</b> , 61, 73-77	2.1	2
35	Comparison of the Mediterranean diet and the Dietary Approach Stop Hypertension in reducing the risk of 10-year fatal and non-fatal CVD events in healthy adults: the ATTICA Study (2002-2012). <i>Public Health Nutrition</i> , <b>2021</b> , 24, 2746-2757	3.3	2
34	Cardiac amyloidosis: in search of the ideal diagnostic tool. <i>Herz</i> , <b>2021</b> , 46, 9-14	2.6	2
33	The association between serum uric acid levels and 10-year cardiovascular disease incidence: results from the ATTICA prospective study. <i>Reviews in Cardiovascular Medicine</i> , <b>2021</b> , 22, 991-1001	3.9	2
32	Association of fatal myocardial infarction with past level of physical activity: a pooled analysis of cohort studies. <i>European Journal of Preventive Cardiology</i> , <b>2021</b> ,	3.9	2
31	Specific features of the oldest old from the Longevity Blue Zones in Ikaria and Sardinia. <i>Mechanisms of Ageing and Development</i> , <b>2021</b> , 198, 111543	5.6	2
30	Skeletal muscle mass and abdominal obesity are independent predictors of hepatic steatosis and interact to predict ten-year cardiovascular disease incidence: Data from the ATTICA cohort study.. <i>Clinical Nutrition</i> , <b>2022</b> , 41, 1281-1289	5.9	2
29	Predicted Skeletal Muscle Mass and 4-Year Cardiovascular Disease Incidence in Middle-Aged and Elderly Participants of IKARIA Prospective Epidemiological Study: The Mediating Effect of Sex and Cardiometabolic Factors. <i>Nutrients</i> , <b>2020</b> , 12,	6.7	1
28	The association between protein consumption from animal and plant sources with psychological distress in older people in the Mediterranean region. <i>Nutrition and Healthy Aging</i> , <b>2020</b> , 5, 273-285	1.3	1
27	Meat consumption, depressive symptomatology and cardiovascular disease incidence in apparently healthy men and women: highlights from the ATTICA cohort study (2002-2012). <i>Nutritional Neuroscience</i> , <b>2020</b> , 1-10	3.6	1
26	Sex-Related Differences of the Effect of Lipoproteins and Apolipoproteins on 10-Year Cardiovascular Disease Risk; Insights from the ATTICA Study (2002-2012). <i>Molecules</i> , <b>2020</b> , 25,	4.8	1



25	The aetiology of death for marathon runner Phidippides?. <i>European Heart Journal</i> , <b>2019</b> , 40, 2564-2565	9.5	1
24	Electrocardiographic findings at presentation, in relation to in-hospital mortality and 30-day outcome of patients with acute coronary syndromes; the GREECS study. <i>International Journal of Cardiology</i> , <b>2008</b> , 123, 263-70	3.2	1
23	Pitfalls leading to misdiagnosis of a normally functioning prosthetic aortic valve as stenotic. <i>Echocardiography</i> , <b>2007</b> , 24, 773-9	1.5	1
22	Anxiety and socio-economic status among healthy adults: the ATTICA Study. <i>Epidemiology and Psychiatric Sciences</i> , <b>2007</b> , 16, 356-362	5.1	1
21	An integrated assessment of family history on the risk of developing acute coronary syndromes (CARDIO2000 study). <i>Acta Cardiologica</i> , <b>2004</b> , 59, 383-90	0.9	1
20	The association of animal and plant protein with successful ageing: a combined analysis of MEDIS and ATTICA epidemiological studies. <i>Public Health Nutrition</i> , <b>2021</b> , 24, 2215-2224	3.3	1
19	Comparative Trial of the Effects of Left Ventricular and Biventricular Pacing on Indices of Cardiac Function and Clinical Course of Patients With Heart Failure: Rationale and Design of the READAPT Randomized Trial. <i>Angiology</i> , <b>2021</b> , 72, 961-970	2.1	1
18	A Mediterranean diet microsimulation modeling in relation to cardiovascular disease burden: the ATTICA and GREECS epidemiological studies. <i>European Journal of Clinical Nutrition</i> , <b>2021</b> ,	5.2	1
17	Novel anti-platelet agents for the treatment of stable angina pectoris. <i>Current Pharmaceutical Design</i> , <b>2013</b> , 19, 1581-6	3.3	1
16	A Rare Case of Angiosarcoma of the Left Ventricle Detected by Cardiac Magnetic Resonance Imaging. <i>Hellenic Journal of Cardiology</i> , <b>2015</b> , 56, 444-5	2.1	1
15	The Role of Antithrombotic Therapy in Heart Failure. <i>Current Pharmaceutical Design</i> , <b>2020</b> , 26, 2735-2761	3.3	0
14	Clinical Impact of an Early Response and of Early Initiation of Salvage Therapy in Patients with Systemic Light Chain (AL) Amyloidosis. <i>Blood</i> , <b>2019</b> , 134, 1894-1894	2.2	0
13	Unveiling the mystery of "missing" emergencies in the era of COVID-19 pandemic: a generalized phenomenon with unclarified implications. <i>Clinical Research in Cardiology</i> , <b>2020</b> , 109, 1580-1581	6.1	0
12	Utilization and tolerance of beta-blockers among patients with AL amyloidosis. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , <b>2021</b> , 1-7	2.7	0
11	Quality of plant-based diets in relation to 10-year cardiovascular disease risk: the ATTICA cohort study.. <i>European Journal of Nutrition</i> , <b>2022</b> , 1	5.2	0
10	Irrational beliefs, depression and anxiety, in relation to 10-year cardiovascular disease risk: the ATTICA Epidemiological Study.. <i>Anxiety, Stress and Coping</i> , <b>2022</b> , 1-15	3.1	0
9	Comparison of two biventricular infarct patterns with respect to the infarct burden required to induce cardiogenic shock: An experimental study. <i>Hellenic Journal of Cardiology</i> , <b>2017</b> , 58, 306-309	2.1	
8	Waist-to-Height Ratio Outperforms Classic Anthropometric Indices in Predicting Successful Aging in Older Adults; an Analysis of the ATTICA and MEDIS Epidemiological Studies. <i>Experimental Aging Research</i> , <b>2020</b> , 46, 154-165	1.7	



7	Postpartum cardiomyopathy complicated with upper-extremity deep vein thrombosis and pulmonary embolism. <i>International Journal of Cardiology</i> , <b>2011</b> , 152, e58-60	3.2
6	Association between hostility and plasma total homocysteine concentrations in a general population sample. <i>Neuropsychobiology</i> , <b>2006</b> , 53, 26-32	4
5	The association of sodium intake with successful aging, in 3,349 middle-aged and older adults: Results from the ATTICA and MEDIS cross-sectional epidemiological studies. <i>Nutrition and Healthy Aging</i> , <b>2020</b> , 5, 287-296	1.3
4	Multipoint left ventricular pacing as an addition to cardiac resynchronization therapy: a bridge to the holy grail?. <i>American Journal of Cardiovascular Disease</i> , <b>2021</b> , 11, 429-440	0.9
3	Association of arterial stiffness with functional parameters in patients with systolic heart failure: Data from the Corinthia study. <i>Hellenic Journal of Cardiology</i> , <b>2021</b> , 63, 86-86	2.1
2	Brain natriuretic peptide mediates the effect of creatinine clearance on development of left ventricular systolic dysfunction in patients with acute coronary syndrome. <i>Hellenic Journal of Cardiology</i> , <b>2010</b> , 51, 413-20	2.1
1	Exploring the Role of Irrational Beliefs, Lifestyle Behaviors, and Educational Status in 10-Year Cardiovascular Disease Risk: the ATTICA Epidemiological Study.. <i>International Journal of Behavioral Medicine</i> , <b>2022</b> , 1	2.6