

# Fatos Onen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5430516/publications.pdf>

Version: 2024-02-01

97  
papers

3,040  
citations

249298

26  
h-index

223390

49  
g-index

97  
all docs

97  
docs citations

97  
times ranked

3637  
citing authors

#	ARTICLE	IF	CITATIONS
1	Training Course Results of the Assessment of Modified Rodnan Skin Score in Scleroderma. Namık Kemal Tıp Dergisi, 2022, 10, 43-47.	0.0	0
2	Pregnancy in Takayasu's arteritis has a high risk of hypertension-related fetomaternal complications: A retrospective study of a Turkish cohort. International Journal of Rheumatic Diseases, 2022, 25, 140-146.	0.9	2
3	European bio-naïve spondyloarthritis patients initiating TNF inhibitor: time trends in baseline characteristics, treatment retention and response. Rheumatology, 2022, 61, 3799-3807.	0.9	7
4	Rituximab on lung, skin, and joint involvement in patients with systemic sclerosis: A case series study and review of the literature. International Journal of Rheumatic Diseases, 2022, 25, 755-768.	0.9	6
5	Metabolic syndrome is associated with increased cardiovascular risk and disease damage in patients with Takayasu arteritis. International Journal of Rheumatic Diseases, 2022, 25, 775-780.	0.9	5
6	Identification of susceptibility loci for Takayasu arteritis through a large multi-ancestral genome-wide association study. American Journal of Human Genetics, 2021, 108, 84-99.	2.6	26
7	Evaluation of limited hand mobility in systemic sclerosis patients by using "prayer sign" and "tabletop sign". Clinical Rheumatology, 2021, 40, 2771-2777.	1.0	2
8	Inflammatory rheumatic diseases in patients with ochronotic arthropathy. Modern Rheumatology, 2021, 31, 1031-1037.	0.9	2
9	Fetuin-A and its association with disease activity in psoriatic arteritis. Ulusal Romatoloji Dergisi, 2021, 13, 47-53.	0.0	0
10	The prevalence of Sjögren's syndrome and sicca symptoms in patients with systemic sclerosis and alpha-smooth muscle actin expression in biopsy specimens from minor salivary glands. Turkish Journal of Medical Sciences, 2021, 51, 1875-1882.	0.4	5
11	Rheumatologic manifestations in a cohort of patients with Vogt-Koyanagi-Harada disease. Modern Rheumatology, 2021, , .	0.9	0
12	Biologic treatments in Takayasu's Arteritis: A comparative study of tumor necrosis factor inhibitors and tocilizumab. Seminars in Arthritis and Rheumatism, 2021, 51, 1224-1229.	1.6	15
13	Retention and response rates in 14 261 PsA patients starting TNF inhibitor treatment" results from 12 countries in EuroSpA. Rheumatology, 2020, 59, 1640-1650.	0.9	18
14	Drug retention, inactive disease and response rates in 1860 patients with axial spondyloarthritis initiating secukinumab treatment: routine care data from 13 registries in the EuroSpA collaboration. RMD Open, 2020, 6, e001280.	1.8	33
15	Prevalence of Spondyloarthritis Among Patients Who Underwent Lumbar Disc Herniation Surgery. Archives of Rheumatology, 2020, 35, 189-195.	0.3	1
16	Ocular toxicity of intravitreal golimumab in a rabbit model. Turkish Journal of Medical Sciences, 2020, 50, 1111-1122.	0.4	2
17	Efficacy of TNF inhibitors for refractory vascular Behçet's disease: A multicenter observational study of 27 patients and a review of the literature. International Journal of Rheumatic Diseases, 2020, 23, 256-261.	0.9	27
18	Treatment response and drug retention rates in 24 195 biologic-naïve patients with axial spondyloarthritis initiating TNFi treatment: routine care data from 12 registries in the EuroSpA collaboration. Annals of the Rheumatic Diseases, 2019, 78, 1536-1544.	0.5	58

#	ARTICLE	IF	CITATIONS
19	Infliximab-associated focal segmental glomerulosclerosis in a patient with ankylosing spondylitis. <i>Rheumatology International</i> , 2019, 39, 561-567.	1.5	8
20	Genome-wide association study in Turkish and Iranian populations identify rare familial Mediterranean fever gene (MEFV) polymorphisms associated with ankylosing spondylitis. <i>PLoS Genetics</i> , 2019, 15, e1008038.	1.5	41
21	AB0884â€¦CLINICAL AND DEMOGRAPHIC CHARACTERISTICS OF PATIENTS WITH OCHRONOTIC ARTHROPATHY. , 2019, , .		0
22	FRI0392â€¦EVIDENCE BASED RECOMMENDATIONS FOR THE MANAGEMENT OF ENTEROPATHIC ARTHRITIS: A RHEUMATOLOGY, GASTROENTEROLOGY COLLABORATIVE INITIATIVE. , 2019, , .		0
23	Is dry heat treatment (fluidotherapy) effective in improving hand function in patients with rheumatoid arthritis? A randomized controlled trial. <i>Clinical Rehabilitation</i> , 2019, 33, 485-493.	1.0	2
24	Spontaneous Remission of Isaacs" Syndrome. <i>Balkan Medical Journal</i> , 2019, 36, 251-252.	0.3	3
25	The validity and reliability study of the University of California, Los Angeles Scleroderma Clinical Trial Consortium Gastrointestinal Tract (UCLA SCTC GIT) 2.0 questionnaire for the Turkish society. <i>Turkish Journal of Gastroenterology</i> , 2019, 30, 234-241.	0.4	6
26	Nationwide Experience With Offâ€¦Label Use of Interleukinâ€¦ Targeting Treatment in Familial Mediterranean Fever Patients. <i>Arthritis Care and Research</i> , 2018, 70, 1090-1094.	1.5	48
27	Gender does not make a difference in â€œcomposite psoriatic disease activity index (CPDAI)â€¦in patients with psoriatic arthritis. <i>Rheumatology International</i> , 2018, 38, 2069-2076.	1.5	11
28	Frequency of pulmonary hypertension in transthoracic echocardiography screening is not increased in Takayasu arteritis: Experience from a single center in Turkey. <i>European Journal of Rheumatology</i> , 2018, 5, 249-253.	1.3	7
29	Telephone interview strategy can be used for screening inflammatory back pain in the community. <i>International Journal of Rheumatic Diseases</i> , 2017, 20, 33-38.	0.9	1
30	Criteria sets for primary Sjogrenâ€™s syndrome are not adequate for those presenting with extraglandular organ involvements as their dominant clinical features. <i>Rheumatology International</i> , 2017, 37, 675-684.	1.5	8
31	Long-Term Follow-Up of Endovascular Repair in the Management of Arterial Stenosis Caused by Takayasu's Arteritis. <i>Annals of Vascular Surgery</i> , 2017, 42, 93-100.	0.4	16
32	Epidemiology of Takayasu arteritis. <i>Presse Medicale</i> , 2017, 46, e197-e203.	0.8	113
33	Oxidative stress and related factors in patients with ankylosing spondylitis. <i>European Journal of Rheumatology</i> , 2016, 3, 20-24.	1.3	27
34	Increased Frequency of Hand Osteoarthritis in Patients with Primary SjÃ¶rgren Syndrome Compared with Systemic Lupus Erythematosus. <i>Journal of Rheumatology</i> , 2016, 43, 1068-1071.	1.0	7
35	Nodular Scleritis in Association with Panuveitis in BehÃ§et's Disease. <i>Medical Hypothesis, Discovery, and Innovation in Ophthalmology</i> , 2016, 5, 15-17.	0.4	1
36	Epidemiology of Takayasu's arteritis in Turkey. <i>Clinical and Experimental Rheumatology</i> , 2016, 34, S33-9.	0.4	16

#	ARTICLE	IF	CITATIONS
37	Identification of Susceptibility Loci in <i>IL6</i> , <i>RPS9</i> , <i>LILRB3</i> , and an Intergenic Locus on Chromosome 21q22 in Takayasu Arteritis in a Genome-Wide Association Study. <i>Arthritis and Rheumatology</i> , 2015, 67, 1361-1368.	2.9	79
38	Assessment of Patients with Takayasu Arteritis in Routine Practice with Indian Takayasu Clinical Activity Score. <i>Journal of Rheumatology</i> , 2015, 42, 1443-1447.	1.0	19
39	Prevalence of Inflammatory Back Pain and Axial Spondyloarthritis Among University Employees in Izmir, Turkey. <i>Journal of Rheumatology</i> , 2015, 42, 1647-1651.	1.0	7
40	Efficacy of Interleukin-1 Targeting Treatments in Patients with Familial Mediterranean Fever. <i>Inflammation</i> , 2015, 38, 27-31.	1.7	62
41	Grip Ability Test in Rheumatoid Arthritis Patients: Relationship With Disease Activity and Hand-Specific Self-Report Questionnaires. <i>Archives of Rheumatology</i> , 2014, 29, 160-166.	0.3	4
42	Markers of endothelial damage and repair in Takayasu arteritis: Are they associated with disease activity?. <i>Rheumatology International</i> , 2014, 34, 1129-1138.	1.5	27
43	Performance of different criteria sets for inflammatory back pain in patients with axial spondyloarthritis with and without radiographic sacroiliitis. <i>Clinical Rheumatology</i> , 2014, 33, 1475-1479.	1.0	22
44	The prevalence of gout in an urban area of Izmir, Turkey: A population-based epidemiological study. <i>International Journal of Clinical Practice</i> , 2014, 68, 775-782.	0.8	7
45	Body composition in patients with rheumatoid arthritis is not different than healthy subjects. <i>European Journal of Rheumatology</i> , 2014, 1, 106-110.	1.3	8
46	Fetuin-A is related to syndesmophytes in patients with ankylosing spondylitis: a case control study. <i>Clinics</i> , 2014, 69, 688-693.	0.6	21
47	High prevalence of spondyloarthritis and ankylosing spondylitis among familial Mediterranean fever patients and their first-degree relatives: further evidence for the connection. <i>Arthritis Research and Therapy</i> , 2013, 15, R21.	1.6	63
48	Baseline sacroiliac joint magnetic resonance imaging abnormalities and male sex predict the development of radiographic sacroiliitis. <i>Clinical Rheumatology</i> , 2013, 32, 1511-1517.	1.0	4
49	High frequency of inflammatory back pain and other features of spondyloarthritis in patients with rheumatoid arthritis. <i>Rheumatology International</i> , 2013, 33, 1289-1293.	1.5	11
50	Identification of Multiple Genetic Susceptibility Loci in Takayasu Arteritis. <i>American Journal of Human Genetics</i> , 2013, 93, 298-305.	2.6	143
51	Pelvic Ewing sarcoma mimicking sacroiliitis. <i>Arthritis and Rheumatism</i> , 2013, 65, 290-290.	6.7	3
52	Impaired quality of life, disability and mental health in Takayasu's arteritis. <i>Rheumatology</i> , 2013, 52, 1898-1904.	0.9	53
53	Performance of response scales of activity and functional measures of ankylosing spondylitis: numerical rating scale versus visual analog scale. <i>Rheumatology International</i> , 2013, 33, 2617-2623.	1.5	24
54	Bilateral Intravitreal Ranibizumab Injection and Panretinal Photocoagulation in a 16-Year-Old Girl with Severe Vaso-Occlusive Lupus Retinopathy. <i>Case Reports in Ophthalmological Medicine</i> , 2013, 2013, 1-4.	0.3	1

#	ARTICLE	IF	CITATIONS
55	Increased Levels of Macrophage Migration Inhibitory Factor in Patients with Familial Mediterranean Fever. <i>International Journal of Medical Sciences</i> , 2013, 10, 836-839.	1.1	7
56	Initial Diagnosis of Lumbar Disc Herniation Is Associated with a Delay in Diagnosis of Ankylosing Spondylitis. <i>Journal of Rheumatology</i> , 2012, 39, 1996-1999.	1.0	35
57	Familial Mediterranean Fever. <i>Medicine (United States)</i> , 2012, 91, 131-136.	0.4	568
58	Down-regulation of adiponectin in patients with familial Mediterranean fever during attack-free period. <i>Rheumatology International</i> , 2012, 32, 2819-2822.	1.5	4
59	Ghrelin and adipokines as circulating markers of disease activity in patients with Takayasu arteritis. <i>Arthritis Research and Therapy</i> , 2012, 14, R272.	1.6	15
60	Takayasu's arteritis is associated with HLA-B*52, but not with HLA-B*51, in Turkey. <i>Arthritis Research and Therapy</i> , 2012, 14, R27.	1.6	60
61	PDCD1 polymorphisms are not associated with Takayasu's arteritis in Turkey. <i>Clinical and Experimental Rheumatology</i> , 2012, 30, S11-4.	0.4	4
62	Increased prevalence of M694V in patients with ankylosing spondylitis: Additional evidence for a link with familial mediterranean fever. <i>Arthritis and Rheumatism</i> , 2010, 62, 3059-3063.	6.7	43
63	Assessment of disease activity and progression in Takayasu's arteritis with Disease Extent Index-Takayasu. <i>Rheumatology</i> , 2010, 49, 1889-1893.	0.9	97
64	A Case of Adult-Onset Still's Disease Complicated with Diffuse Alveolar Hemorrhage. <i>Journal of Korean Medical Science</i> , 2009, 24, 155.	1.1	21
65	Axial sarcoidosis mimicking radiographic sacroiliitis. <i>Rheumatology International</i> , 2009, 29, 343-345.	1.5	20
66	Clinical history for inflammatory back pain in ankylosing spondylitis: the sensitivity, specificity and consistency of clinical features. <i>Rheumatology International</i> , 2009, 29, 349-351.	1.5	5
67	Thymic enlargement in a patient with juvenile idiopathic arthritis during etanercept therapy. <i>Rheumatology International</i> , 2009, 29, 591-593.	1.5	10
68	Atypical infectious mononucleosis in a patient receiving tumor necrosis factor alpha inhibitory treatment. <i>Rheumatology International</i> , 2009, 29, 825-826.	1.5	12
69	Hyperuricemia and its related factors in an urban population, Izmir, Turkey. <i>Rheumatology International</i> , 2009, 29, 869-874.	1.5	40
70	Prevalence of spondyloarthritis in Turkish patients with inflammatory bowel disease. <i>Rheumatology International</i> , 2009, 29, 955-957.	1.5	27
71	M694V mutation may have a role in susceptibility to ankylosing spondylitis. <i>Rheumatology International</i> , 2009, 29, 1259-1260.	1.5	6
72	Prevalence of primary Sjogren's syndrome in Turkey: a population-based epidemiological study. <i>International Journal of Clinical Practice</i> , 2009, 63, 954-961.	0.8	53

#	ARTICLE	IF	CITATIONS
73	Nasal Septal Perforation in a Patient with Takayasu's Arteritis; a Rare Association. <i>Internal Medicine</i> , 2009, 48, 1551-1554.	0.3	7
74	Quality of life in patients with Takayasu's arteritis is impaired and comparable with rheumatoid arthritis and ankylosing spondylitis patients. <i>Clinical Rheumatology</i> , 2008, 27, 859-865.	1.0	36
75	Cytomegalovirus colitis in a patient with Behçetâ€™s disease receiving tumor necrosis factor alpha inhibitory treatment. <i>World Journal of Gastroenterology</i> , 2008, 14, 2912.	1.4	45
76	Early-onset pancytopenia and skin ulcer following low-dose methotrexate therapy. <i>Human and Experimental Toxicology</i> , 2008, 27, 585-589.	1.1	26
77	Prevalence of ankylosing spondylitis and related spondyloarthritides in an urban area of Izmir, Turkey. <i>Journal of Rheumatology</i> , 2008, 35, 305-9.	1.0	62
78	Irritable Bowel Syndrome in Persons Who Acquired Trichinellosis. <i>American Journal of Gastroenterology</i> , 2007, 102, 1064-1069.	0.2	50
79	Body composition, insulin, and leptin levels in patients with ankylosing spondylitis. <i>Clinical Rheumatology</i> , 2007, 26, 1427-1432.	1.0	65
80	Early ultrasonographic markers of atherosclerosis in patients with familial Mediterranean fever. <i>Clinical Rheumatology</i> , 2007, 26, 1467-1473.	1.0	58
81	The relations between attacks and menstrual periods and pregnancies of familial Mediterranean fever patients. <i>Rheumatology International</i> , 2006, 26, 676-679.	1.5	27
82	Familial Mediterranean fever. <i>Rheumatology International</i> , 2006, 26, 489-496.	1.5	303
83	Circulated Activated Platelets and Increased Platelet Reactivity in Patients With Behçetâ€™s Disease. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2006, 12, 451-457.	0.7	30
84	Anti-tumor necrosis factor-alpha-induced psoriasis. <i>Journal of Rheumatology</i> , 2006, 33, 1411-4.	1.0	45
85	Acute Trichinellosis in Children Compared With Adults. <i>Pediatric Infectious Disease Journal</i> , 2005, 24, 897-900.	1.1	25
86	Thyrotoxic Periodic Paralysis in a Turkish Male; The Recurrence of the Attack after Radioiodine Treatment. <i>Endocrine Journal</i> , 2005, 52, 149-151.	0.7	21
87	Reflex sympathetic dystrophy syndrome due to arteriovenous fistula. <i>Hemodialysis International</i> , 2005, 9, 344-348.	0.4	13
88	A case of familial Mediterranean fever and polyarteritis nodosa complicated by spontaneous perirenal and subcapsular hepatic hemorrhage requiring multiple arterial embolizations. <i>Rheumatology International</i> , 2005, 25, 60-64.	1.5	14
89	Thrombosis and priapism in a patient with Henoch-Schonlein purpura. <i>Rheumatology International</i> , 2005, 25, 472-474.	1.5	16
90	Gemcitabine-induced vasculitis in advanced transitional cell carcinoma of the bladder. <i>Journal of Cancer Research and Clinical Oncology</i> , 2004, 130, 122-125.	1.2	22

#	ARTICLE	IF	CITATIONS
91	A case of recurrent pancreatitis due to hyperlipidemia misdiagnosed as familial Mediterranean fever. <i>Clinical Rheumatology</i> , 2004, 23, 559-561.	1.0	4
92	Articular, B-cell, non-Hodgkin's lymphoma mimicking rheumatoid arthritis: synovial involvement in a small hand joint. <i>Rheumatology International</i> , 2004, 24, 169-172.	1.5	23
93	Seroprevalence of <i>Borrelia burgdorferi</i> in patients with Behçet's disease. <i>Rheumatology International</i> , 2003, 23, 289-293.	1.5	9
94	A case with recurrent calf pain and swelling: recurrent spontaneous calf haematoma. <i>Rheumatology International</i> , 2002, 21, 247-249.	1.5	6
95	Increased levels of tissue factor pathway inhibitor may reflect disease activity and play a role in thrombotic tendency in Behçet's disease. <i>American Journal of Hematology</i> , 2001, 68, 225-230.	2.0	13
96	Effects of rhg-csf on neutrophil functions and survival in sepsis induced diabetic rats. <i>Endocrine Research</i> , 1998, 24, 141-157.	0.6	11
97	Warthin tumour and IgG <sub>4</sub> -RD with pleural involvement: shared immunity or coincidence?. <i>Scandinavian Journal of Rheumatology</i> , 0, , 1-3.	0.6	0