

Subash C B Gopinath

List of Publications by Year
in descending order

Source: <https://exaly.com/author-pdf/5430764/publications.pdf>

Version: 2024-02-01

424
papers

9,736
citations

41344
49
h-index

69250
77
g-index

429
all docs

429
docs citations

429
times ranked

9281
citing authors

#	ARTICLE	IF	CITATIONS
1	Aptamers as a replacement for antibodies in enzyme-linked immunosorbent assay. Biosensors and Bioelectronics, 2015, 64, 392-403.	10.1	473
2	Colorimetric detection of controlled assembly and disassembly of aptamers on unmodified gold nanoparticles. Biosensors and Bioelectronics, 2014, 51, 115-123.	10.1	216
3	Graphene-based electrochemical biosensors for monitoring noncommunicable disease biomarkers. Biosensors and Bioelectronics, 2019, 130, 276-292.	10.1	180
4	Diagnostics on acute myocardial infarction: Cardiac troponin biomarkers. Biosensors and Bioelectronics, 2015, 70, 209-220.	10.1	175
5	An RNA aptamer that distinguishes between closely related human influenza viruses and inhibits haemagglutinin-mediated membrane fusion. Journal of General Virology, 2006, 87, 479-487.	2.9	174
6	Assays for aptamer-based platforms. Biosensors and Bioelectronics, 2012, 34, 1-11.	10.1	169
7	Bacterial detection: From microscope to smartphone. Biosensors and Bioelectronics, 2014, 60, 332-342.	10.1	131
8	Shape- and Size-Controlled Synthesis of Silver Nanoparticles Using Aloe vera Plant Extract and Their Antimicrobial Activity. Nanoscale Research Letters, 2016, 11, 520.	5.7	127
9	A high-performance waveguide-mode biosensor for detection of factor IX using PEG-based blocking agents to suppress non-specific binding and improve sensitivity. Analyst, The, 2013, 138, 2863.	3.5	123
10	Synthesis and characterization of cotton fiber-based nanocellulose. International Journal of Biological Macromolecules, 2018, 109, 832-836.	7.5	118
11	Biotechnological Processes in Microbial Amylase Production. BioMed Research International, 2017, 2017, 1-9.	1.9	113
12	Single-stranded DNA (ssDNA) production in DNA aptamer generation. Analyst, The, 2012, 137, 1307.	3.5	111
13	An Efficient RNA Aptamer against Human Influenza B Virus Hemagglutinin. Journal of Biochemistry, 2006, 139, 837-846.	1.7	107
14	Current aspects in immunosensors. Biosensors and Bioelectronics, 2014, 57, 292-302.	10.1	104
15	Feasibility of graphene in biomedical applications. Biomedicine and Pharmacotherapy, 2017, 94, 354-361.	5.6	104
16	Extracellular enzymatic activity profiles in fungi isolated from oil-rich environments. Mycoscience, 2005, 46, 119-126.	0.8	101
17	Aptamer That Binds to the gD Protein of Herpes Simplex Virus 1 and Efficiently Inhibits Viral Entry. Journal of Virology, 2012, 86, 6732-6744.	3.4	97
18	â€˜Spotted Nanoflowersâ€™: Gold-seeded Zinc Oxide Nanohybrid for Selective Bio-capture. Scientific Reports, 2015, 5, 12231.	3.3	92

#	ARTICLE	IF	CITATIONS
19	Aptamer-based “point-of-care testing”. Biotechnology Advances, 2016, 34, 198-208.	11.7	89
20	Strategies to Characterize Fungal Lipases for Applications in Medicine and Dairy Industry. BioMed Research International, 2013, 2013, 1-10.	1.9	87
21	Purification of keratinase from poultry farm isolate-Scopulariopsis brevicaulis and statistical optimization of enzyme activity. Enzyme and Microbial Technology, 2005, 36, 639-647.	3.2	85
22	Generation of Anti-Influenza Aptamers Using the Systematic Evolution of Ligands by Exponential Enrichment for Sensing Applications. Langmuir, 2013, 29, 15107-15115.	3.5	85
23	Aptamers that bind to the hemagglutinin of the recent pandemic influenza virus H1N1 and efficiently inhibit agglutination. Acta Biomaterialia, 2013, 9, 8932-8941.	8.3	83
24	Label-free methods of reporting biomolecular interactions by optical biosensors. Analyst, The, 2013, 138, 3576.	3.5	83
25	Gold-nanorod enhances dielectric voltammetry detection of c-reactive protein: A predictive strategy for cardiac failure. Biosensors and Bioelectronics, 2019, 130, 40-47.	10.1	83
26	Current and future envision on developing biosensors aided by 2D molybdenum disulfide (MoS2) productions. Biosensors and Bioelectronics, 2019, 132, 248-264.	10.1	83
27	Biosensing applications of surface plasmon resonance-based Biacore technology. Sensors and Actuators B: Chemical, 2010, 150, 722-733.	7.8	81
28	Temperature-dependent green biosynthesis and characterization of silver nanoparticles using balloon flower plants and their antibacterial potential. Journal of Molecular Structure, 2019, 1177, 302-309.	3.6	76
29	A needle-like Cu2CdSnS4 alloy nanostructure-based integrated electrochemical biosensor for detecting the DNA of Dengue serotype 2. Mikrochimica Acta, 2017, 184, 2211-2218.	5.0	75
30	Optimization of extracellular keratinase production by poultry farm isolate Scopulariopsis brevicaulis. Bioresource Technology, 2007, 98, 1298-1303.	9.6	74
31	An angular fluidic channel for prism-free surface-plasmon-assisted fluorescence capturing. Nature Communications, 2013, 4, 2855.	12.8	73
32	Biotin-Streptavidin Competition Mediates Sensitive Detection of Biomolecules in Enzyme Linked Immunosorbent Assay. PLoS ONE, 2016, 11, e0151153.	2.5	72
33	Biotechnological Aspects and Perspective of Microbial Keratinase Production. BioMed Research International, 2015, 2015, 1-10.	1.9	70
34	Gold nano-urchin integrated label-free amperometric aptasensing human blood clotting factor IX: A prognosticative approach for “Royal disease”. Biosensors and Bioelectronics, 2019, 131, 128-135.	10.1	70
35	Eco-friendly synthesis of Solanum trilobatum extract-capped silver nanoparticles is compatible with good antimicrobial activities. Journal of Molecular Structure, 2018, 1160, 80-91.	3.6	69
36	Substrate-gate coupling in ZnO-FET biosensor for cardiac troponin I detection. Sensors and Actuators B: Chemical, 2017, 242, 1142-1154.	7.8	63

#	ARTICLE	IF	CITATIONS
37	Monitoring Biomolecular Interactions on a Digital Versatile Disk: A BioDVD Platform Technology. ACS Nano, 2008, 2, 1885-1895.	14.6	62
38	Titanium Dioxide Nanoparticle-Based Interdigitated Electrodes: A Novel Current to Voltage DNA Biosensor Recognizes E. coli O157:H7. PLoS ONE, 2015, 10, e0139766.	2.5	60
39	Human vault-associated non-coding RNAs bind to mitoxantrone, a chemotherapeutic compound. Nucleic Acids Research, 2005, 33, 4874-4881.	14.5	59
40	Low Temperature Annealed Zinc Oxide Nanostructured Thin Film-Based Transducers: Characterization for Sensing Applications. PLoS ONE, 2015, 10, e0132755.	2.5	59
41	Gold interdigitated triple-microelectrodes for label-free prognosticative aptasensing of prostate cancer biomarker in serum. Biosensors and Bioelectronics, 2019, 136, 118-127.	10.1	57
42	A potent anti-coagulant RNA aptamer inhibits blood coagulation by specifically blocking the extrinsic clotting pathway. Thrombosis and Haemostasis, 2006, 95, 767-771.	3.4	56
43	Selective phytochemicals targeting pancreatic stellate cells as new anti-fibrotic agents for chronic pancreatitis and pancreatic cancer. Acta Pharmaceutica Sinica B, 2020, 10, 399-413.	12.0	56
44	Expression of Noncoding Vault RNA in Human Malignant Cells and Its Importance in Mitoxantrone Resistance. Molecular Cancer Research, 2010, 8, 1536-1546.	3.4	55
45	Biopolymers Regulate Silver Nanoparticle under Microwave Irradiation for Effective Antibacterial and Antibiofilm Activities. PLoS ONE, 2016, 11, e0157612.	2.5	55
46	Phyto-Mediated Photo Catalysed Green Synthesis of Silver Nanoparticles Using Durio Zibethinus Seed Extract: Antimicrobial and Cytotoxic Activity and Photocatalytic Applications. Molecules, 2018, 23, 3311.	3.8	55
47	Influence of Nanometric Holes on the Sensitivity of a Waveguide-Mode Sensor: Label-Free Nanosensor for the Analysis of RNA Aptamer~Ligand Interactions. Analytical Chemistry, 2008, 80, 6602-6609.	6.5	53
48	Gold nanorod embedded novel 3D graphene nanocomposite for selective bio-capture in rapid detection of Mycobacterium tuberculosis. Biosensors and Bioelectronics, 2018, 116, 116-122.	10.1	53
49	Human papilloma virus DNA-biomarker analysis for cervical cancer: Signal enhancement by gold nanoparticle-coupled tetravalent streptavidin-biotin strategy. International Journal of Biological Macromolecules, 2019, 134, 354-360.	7.5	51
50	Observations of Immuno-Gold Conjugates on Influenza Viruses Using Waveguide-Mode Sensors. PLoS ONE, 2013, 8, e69121.	2.5	50
51	Highly sensitive Escherichia coli shear horizontal surface acoustic wave biosensor with silicon dioxide nanostructures. Biosensors and Bioelectronics, 2017, 93, 146-154.	10.1	49
52	Aptasensing nucleocapsid protein on nanodiamond assembled gold interdigitated electrodes for impedimetric SARS-CoV-2 infectious disease assessment. Biosensors and Bioelectronics, 2022, 197, 113735.	10.1	49
53	A Point-of-Care Immunosensor for Human Chorionic Gonadotropin in Clinical Urine Samples Using a Cuneated Polysilicon Nanogap Lab-on-Chip. PLoS ONE, 2015, 10, e0137891.	2.5	48
54	A Sensitive Multilayered Structure Suitable for Biosensing on the BioDVD Platform. Analytical Chemistry, 2009, 81, 4963-4970.	6.5	47

#	ARTICLE	IF	CITATIONS
55	Detection of colored nanomaterials using evanescent field-based waveguide sensors. Optics Express, 2010, 18, 15732.	3.4	46
56	Simultaneous voltammetric determination of vanillin and guaiacol in food products on defect free graphene nanoflakes modified glassy carbon electrode. Mikrochimica Acta, 2017, 184, 2131-2140.	5.0	46
57	Palladium nanoparticle-decorated reduced graphene oxide sheets synthesized using Ficus carica fruit extract: A catalyst for Suzuki cross-coupling reactions. PLoS ONE, 2018, 13, e0193281.	2.5	46
58	Gold-nanourchin seeded single-walled carbon nanotube on voltammetry sensor for diagnosing neurodegenerative Parkinson's disease. Analytica Chimica Acta, 2020, 1094, 142-150.	5.4	46
59	Waveguide-Mode Sensors as Aptasensors. Sensors, 2012, 12, 2136-2151.	3.8	44
60	Snake-venom-derived Factor IX-binding protein specifically blocks the Ca^{2+} -carboxylglutamic acid-rich-domain-mediated membrane binding of human Factors IX and X. Biochemical Journal, 2007, 405, 351-357.	3.7	43
61	Evaluation of Anti-A/Udorn/307/1972 Antibody Specificity to Influenza A/H3N2 Viruses Using an Evanescent-Field Coupled Waveguide-Mode Sensor. PLoS ONE, 2013, 8, e81396.	2.5	43
62	Microbial Enzymes and Their Applications in Industries and Medicine 2014. BioMed Research International, 2015, 2015, 1-3.	1.9	43
63	Nanogapped impedimetric immunosensor for the detection of 16 kDa heat shock protein against Mycobacterium tuberculosis. Mikrochimica Acta, 2016, 183, 2697-2703.	5.0	43
64	Multidimensional (OD-3D) nanostructures for lung cancer biomarker analysis: Comprehensive assessment on current diagnostics. Biosensors and Bioelectronics, 2019, 141, 111434.	10.1	43
65	Potentials in synthesizing nanostructured silver particles. Microsystem Technologies, 2017, 23, 4345-4357.	2.0	42
66	Current advances and future visions on bioelectronic immunosensing for prostate-specific antigen. Biosensors and Bioelectronics, 2017, 98, 267-284.	10.1	42
67	Title is missing!. World Journal of Microbiology and Biotechnology, 2003, 19, 681-689.	3.6	41
68	Lipase-Secreting <i>Bacillus</i> Species in an Oil-Contaminated Habitat: Promising Strains to Alleviate Oil Pollution. BioMed Research International, 2015, 2015, 1-9.	1.9	41
69	Assorted micro-scale interdigitated aluminium electrode fabrication for insensitive electrolyte evaluation: zeolite nanoparticle-mediated micro- to nano-scaled electrodes. Applied Physics A: Materials Science and Processing, 2019, 125, 1.	2.3	41
70	Microbial Enzymes and Their Applications in Industries and Medicine 2016. BioMed Research International, 2017, 2017, 1-3.	1.9	40
71	Conditions optimized for the preparation of single-stranded DNA (ssDNA) employing lambda exonuclease digestion in generating DNA aptamer. World Journal of Microbiology and Biotechnology, 2011, 27, 1167-1173.	3.6	39
72	Surface functionalization chemistries on highly sensitive silica-based sensor chips. Analyst, The, 2012, 137, 3520.	3.5	39

#	ARTICLE	IF	CITATIONS
73	A new nano-worm structure from gold-nanoparticle mediated random curving of zinc oxide nanorods. Biosensors and Bioelectronics, 2016, 78, 14-22.	10.1	39
74	Polymer Conjugated Gold Nanoparticles in Biomedical Applications. Current Medicinal Chemistry, 2018, 25, 1433-1445.	2.4	39
75	Crystal structure of glutamine receptor protein from Sulfolobus tokodaii strain 7 in complex with its effector L-glutamine: implications of effector binding in molecular association and DNA binding. Nucleic Acids Research, 2008, 36, 4808-4820.	14.5	37
76	Dynamic Change of Neural Cell Adhesion Molecule Polysialylation on Human Neuroblastoma (IMR-32) and Rat Pheochromocytoma (PC-12) Cells during Growth and Differentiation. Journal of Biological Chemistry, 2002, 277, 28200-28211.	3.4	36
77	An RNA Aptamer That Discriminates Bovine Factor IX from Human Factor IX. Journal of Biochemistry, 2006, 140, 667-676.	1.7	36
78	Identification of Host-Immune Response Protein Candidates in the Sera of Human Oral Squamous Cell Carcinoma Patients. PLoS ONE, 2014, 9, e109012.	2.5	35
79	Sensing strategies for influenza surveillance. Biosensors and Bioelectronics, 2014, 61, 357-369.	10.1	35
80	Salt-adapted moulds and yeasts: Potentials in industrial and environmental biotechnology. Process Biochemistry, 2018, 69, 33-44.	3.7	35
81	Neu5Ac1±2,6Gal and Neu5Ac1±2,3Gal receptor specificities on influenza viruses determined by a waveguide-mode sensor. Acta Biomaterialia, 2013, 9, 5080-5087.	8.3	34
82	Characterization of Gold-Sputtered Zinc Oxide Nanorodsâ€”a Potential Hybrid Material. Nanoscale Research Letters, 2016, 11, 31.	5.7	34
83	Amperometry detection of nitrite in food samples using tetrasulfonated copper phthalocyanine modified glassy carbon electrode. Sensors and Actuators B: Chemical, 2018, 272, 151-159.	7.8	34
84	Diagnosing human blood clotting deficiency. International Journal of Biological Macromolecules, 2018, 116, 765-773.	7.5	34
85	<p><p>Glucose oxidase complexed gold-graphene nanocomposite on a dielectric surface for glucose detection: a strategy for gestational diabetes mellitus</p><p>. International Journal of Nanomedicine, 2019, Volume 14, 7851-7860.	6.7	34
86	Nanostructured aluminosilicate from fly ash: Potential approach in waste utilization for industrial and medical applications. Journal of Cleaner Production, 2020, 253, 119923.	9.3	34
87	Silver nanoparticle in biosensor and bioimaging: Clinical perspectives. Biotechnology and Applied Biochemistry, 2020, , .	3.1	34
88	Microbial Enzymes and Their Applications in Industries and Medicine. BioMed Research International, 2013, 2013, 1-2.	1.9	33
89	Gold nanoparticle mediated method for spatially resolved deposition of DNA on nano-gapped interdigitated electrodes, and its application to the detection of the human Papillomavirus. Mikrochimica Acta, 2016, 183, 3119-3126.	5.0	33
90	Detection of influenza viruses by a waveguide-mode sensor. Analytical Methods, 2010, 2, 1880.	2.7	32

#	ARTICLE	IF	CITATIONS
91	Thickness Dependent Nanostructural, Morphological, Optical and Impedometric Analyses of Zinc Oxide-Gold Hybrids: Nanoparticle to Thin Film. PLoS ONE, 2015, 10, e0144964.	2.5	32
92	Aptamer-based impedimetric determination of the human blood clotting factor IX in serum using an interdigitated electrode modified with a ZnO nanolayer. Mikrochimica Acta, 2017, 184, 117-125.	5.0	32
93	Cellulose acetate-MoS2 nanopetal hybrid: A highly sensitive and selective electrochemical aptasensor of Troponin I for the early diagnosis of Acute Myocardial Infarction. Journal of the Taiwan Institute of Chemical Engineers, 2021, 118, 245-253.	5.3	32
94	High-performance integrated field-effect transistor-based sensors. Analytica Chimica Acta, 2016, 917, 1-18.	5.4	31
95	Complementation of ELISA and an Interdigitated Electrode Surface in Gold Nanoparticle Functionalization for Effective Detection of Human Blood Clotting Defects. Nanoscale Research Letters, 2019, 14, 222.	5.7	31
96	Synthesis of gold nanoparticles using <i>Platycodon grandiflorum</i> extract and its antipathogenic activity under optimal conditions. Nanomaterials and Nanotechnology, 2020, 10, 184798042096169.	3.0	31
97	Production and characterization of silica nanoparticles from fly ash: conversion of agro-waste into resource. Preparative Biochemistry and Biotechnology, 2021, 51, 86-95.	1.9	31
98	Graphene oxide-gold nanoparticle-aptamer complexed probe for detecting amyloid beta oligomer by ELISA-based immunoassay. Journal of Immunological Methods, 2021, 489, 112942.	1.4	31
99	Fabrication of interdigitated high-performance zinc oxide nanowire modified electrodes for glucose sensing. Analytica Chimica Acta, 2016, 925, 70-81.	5.4	30
100	Potential blood clotting factors and anticoagulants. Biomedicine and Pharmacotherapy, 2016, 84, 356-365.	5.6	30
101	A direct detection of human papillomavirus 16 genomic DNA using gold nanoprobe. International Journal of Biological Macromolecules, 2017, 94, 571-575.	7.5	30
102	Crystal structure of the MarR family regulatory protein, ST1710, from <i>Sulfolobus tokodaii</i> strain 7. Journal of Structural Biology, 2008, 161, 9-17.	2.8	29
103	DNA extraction on bio-chip: history and preeminence over conventional and solid-phase extraction methods. Applied Microbiology and Biotechnology, 2017, 101, 8077-8088.	3.6	29
104	Mediator-free simultaneous determination of acetaminophen and caffeine using a glassy carbon electrode modified with a nanotubular clay. Mikrochimica Acta, 2017, 184, 4485-4494.	5.0	29
105	Gold Nanoparticle-Mediated High-Performance Enzyme-Linked Immunosorbent Assay for Detection of Tuberculosis ESAT-6 Protein. Micro and Nanosystems, 2017, 8, 92-98.	0.6	29
106	Gold Nanorod Integrated Electrochemical Sensing for Hyperglycaemia on Interdigitated Electrode. BioMed Research International, 2019, 2019, 1-7.	1.9	29
107	Cellulose nanocrystals from bleached rice straw pulp: acidic deep eutectic solvent versus sulphuric acid hydrolyses. Cellulose, 2021, 28, 6183.	4.9	29
108	A DNA based visual and colorimetric aggregation assay for the early growth factor receptor (EGFR) mutation by using unmodified gold nanoparticles. Mikrochimica Acta, 2019, 186, 546.	5.0	28

#	ARTICLE	IF	CITATIONS
109	Graphitic carbon nitride/graphene nanoflakes hybrid system for electrochemical sensing of DNA bases in meat samples. <i>Scientific Reports</i> , 2020, 10, 12860.	3.3	28
110	Long Noncoding RNA UCA1 in Gastrointestinal Cancers: Molecular Regulatory Roles and Patterns, Mechanisms, and Interactions. <i>Journal of Oncology</i> , 2021, 2021, 1-15.	1.3	28
111	Voltammetric determination of human papillomavirus 16 DNA by using interdigitated electrodes modified with titanium dioxide nanoparticles. <i>Mikrochimica Acta</i> , 2019, 186, 336.	5.0	27
112	Current state of green reduction strategies: Solution-processed reduced graphene oxide for healthcare biodetection. <i>Materials Science and Engineering C</i> , 2019, 96, 904-914.	7.3	27
113	Laser-scribed graphene nanofiber decorated with oil palm lignin capped silver nanoparticles: a green biosensor. <i>Scientific Reports</i> , 2021, 11, 5475.	3.3	27
114	Variations in Spontaneous Assembly and Disassembly of Molecules on Unmodified Gold Nanoparticles. <i>Nanoscale Research Letters</i> , 2016, 11, 399.	5.7	26
115	Progression in sensing cardiac troponin biomarker charge transductions on semiconducting nanomaterials. <i>Analytica Chimica Acta</i> , 2016, 935, 30-43.	5.4	26
116	Target DNA detection of human papilloma virus-16 E7 gene by capture-target-reporter sandwich on interdigitated electrode sensor. <i>International Journal of Biological Macromolecules</i> , 2019, 141, 564-569.	7.5	26
117	Voltammetric determination of caffeic acid by using a glassy carbon electrode modified with a chitosan-protected nanohybrid composed of carbon black and reduced graphene oxide. <i>Mikrochimica Acta</i> , 2019, 186, 54.	5.0	26
118	Immunosensing prostate-specific antigen: Faradaic vs non-Faradaic electrochemical impedance spectroscopy analysis on interdigitated microelectrode device. <i>International Journal of Biological Macromolecules</i> , 2020, 162, 1924-1936.	7.5	26
119	Green Synthesis and Characterization of Silver Nanoparticles Using <i>Spondias mombin</i> Extract and Their Antimicrobial Activity against Biofilm-Producing Bacteria. <i>Molecules</i> , 2021, 26, 2681.	3.8	26
120	Polysilicon nanogap lab-on-chip facilitates multiplex analyses with single analyte. <i>Biosensors and Bioelectronics</i> , 2016, 84, 44-52.	10.1	25
121	Field-Effect Transistor-Integration with TiO ₂ Nanoparticles for Sensing of Cardiac Troponin I Biomarker. <i>Journal of Nanoscience and Nanotechnology</i> , 2018, 18, 5283-5291.	0.9	25
122	Human Papillomavirus E6 biosensing: Current progression on early detection strategies for cervical Cancer. <i>International Journal of Biological Macromolecules</i> , 2019, 126, 877-890.	7.5	25
123	Electroanalysis on an Interdigitated Electrode for High-Affinity Cardiac Troponin I Biomarker Detection by Aptamer-Gold Conjugates. <i>ACS Omega</i> , 2020, 5, 25899-25905.	3.5	25
124	Prospects of Ligand-Induced Aptamers. <i>Critical Reviews in Analytical Chemistry</i> , 2008, 38, 34-47.	3.5	24
125	Photovoltaic and antimicrobial potentials of electrodeposited copper nanoparticle. <i>Biochemical Engineering Journal</i> , 2019, 142, 97-104.	3.6	24
126	Title is missing!. <i>World Journal of Microbiology and Biotechnology</i> , 2002, 18, 449-458.	3.6	23

#	ARTICLE	IF	CITATIONS
127	Evaluation of nucleic acid duplex formation on gold over layers in biosensor fabricated using Czochralski-grown single-crystal silicon substrate. <i>Analytical and Bioanalytical Chemistry</i> , 2010, 398, 751-758.	3.7	23
128	Engineered nanostructures to carry the biological ligands. <i>MATEC Web of Conferences</i> , 2018, 150, 06002.	0.2	23
129	<p>Aptamer-Antibody Complementation On Multiwalled Carbon Nanotube-Gold Transduced Dielectrode Surfaces To Detect Pandemic Swine Influenza Virus</p>. <i>International Journal of Nanomedicine</i> , 2019, Volume 14, 8469-8481.	6.7	23
130	Improved immunoassay for Insulin-like Growth Factor 1 detection by aminated silica nanoparticle in ELISA. <i>Process Biochemistry</i> , 2020, 91, 282-287.	3.7	23
131	Ultrasensitive and Highly Selective Graphene-Based Field-Effect Transistor Biosensor for Anti-Diuretic Hormone Detection. <i>Sensors</i> , 2020, 20, 2642.	3.8	23
132	Nanodetection of Head and Neck Cancer on Titanium Oxide Sensing Surface. <i>Nanoscale Research Letters</i> , 2020, 15, 33.	5.7	22
133	High-performance interactive analysis of split aptamer and HIV-1 Tat on multiwall carbon nanotube-modified field-effect transistor. <i>International Journal of Biological Macromolecules</i> , 2019, 125, 414-422.	7.5	21
134	Quantification of cortisol for the medical diagnosis of multiple pregnancy-related diseases. <i>3 Biotech</i> , 2020, 10, 35.	2.2	21
135	Detection of microRNA-335-5p on an Interdigitated Electrode Surface for Determination of the Severity of Abdominal Aortic Aneurysms. <i>Nanoscale Research Letters</i> , 2020, 15, 105.	5.7	21
136	Selection of RNA-aptamer against human influenza B virus. <i>Nucleic Acids Symposium Series</i> , 2005, 49, 85-86.	0.3	20
137	Toward Biological Diagnosis System Based on Digital Versatile Disc Technology. <i>Japanese Journal of Applied Physics</i> , 2007, 46, 4003-4006.	1.5	20
138	Analysis of Compounds That Interfere with Herpes Simplex Virusâ€Host Receptor Interactions Using Surface Plasmon Resonance. <i>Analytical Chemistry</i> , 2013, 85, 10455-10462.	6.5	20
139	Signal enhancement in ELISA: Biotin-streptavidin technology against gold nanoparticles. <i>Journal of Taibah University Medical Sciences</i> , 2016, 11, 432-438.	0.9	20
140	Novel synthesis of silicon carbide nanotubes by microwave heating of blended silicon dioxide and multi-walled carbon nanotubes: The effect of the heating temperature. <i>Ceramics International</i> , 2016, 42, 17642-17649.	4.8	20
141	HIV-1 Tat biosensor: Current development and trends for early detection strategies. <i>Biosensors and Bioelectronics</i> , 2016, 78, 358-366.	10.1	20
142	Cellulose nanoparticles encapsulated cow urine for effective inhibition of pathogens. <i>Powder Technology</i> , 2018, 328, 140-147.	4.2	20
143	Fabrication of gold nanorodâ€zinc oxide nanocomposite on gap-fingered integrated interdigitated aluminum electrodes and their response to electrolytes. <i>Applied Physics A: Materials Science and Processing</i> , 2019, 125, 1.	2.3	20
144	Aptamer-antibody dual probes on single-walled carbon nanotube bridged dielectrode: Comparative analysis on human blood clotting factor. <i>International Journal of Biological Macromolecules</i> , 2020, 151, 1133-1138.	7.5	20

#	ARTICLE	IF	CITATIONS
145	State-of-the-Art on Functional Titanium Dioxide-Integrated Nano-Hybrids in Electrical Biosensors. Critical Reviews in Analytical Chemistry, 2022, 52, 637-648.	3.5	20
146	Highly sensitive and selective acute myocardial infarction detection using aptamer- α -thethered MoS ₂ nanoflower and screen-printed electrodes. Biotechnology and Applied Biochemistry, 2020, , .	3.1	20
147	Comparative Analysis on Dielectric Gold and Aluminium Triangular Junctions: Impact of Ionic Strength and Background Electrolyte by pH Variations. Scientific Reports, 2020, 10, 6783.	3.3	20
148	Crystal structure of an archaeal specific DNA-binding protein (Ape10b2) from <i>Aeropyrum pernix</i> K1. Proteins: Structure, Function and Bioinformatics, 2008, 71, 1156-1162.	2.6	19
149	Cell-targeting aptamers act as intracellular delivery vehicles. Applied Microbiology and Biotechnology, 2016, 100, 6955-6969.	3.6	19
150	Red Spectral Shift in Sensitive Colorimetric Detection of Tuberculosis by ESAT-6 Antigen-Antibody Complex: a New Strategy with Gold Nanoparticle. Nanoscale Research Letters, 2018, 13, 331.	5.7	19
151	Separation and identification of bioactive peptides from stem of <i>Tinospora cordifolia</i> (Willd.) Miers. PLoS ONE, 2018, 13, e0193717.	2.5	19
152	Deep eutectic solvents-halophilic cellulase system: An efficient route for in situ saccharification of lignocellulose. Process Biochemistry, 2019, 81, 99-103.	3.7	19
153	Enhanced halophilic lipase secretion by <i>Marinobacter litoralis</i> SW45 and its potential fatty acid esters release. Journal of Basic Microbiology, 2019, 59, 87-100.	3.3	19
154	A potent anti-coagulant RNA aptamer inhibits blood coagulation by specifically blocking the extrinsic clotting pathway. Thrombosis and Haemostasis, 2006, 95, 767-71.	3.4	19
155	A BioDVD Media with Multilayered Structure Is Suitable for Analyzing Biomolecular Interactions. Journal of Nanoscience and Nanotechnology, 2011, 11, 5682-5688.	0.9	18
156	Monitoring recombinant human erythropoietin abuse among athletes. Biosensors and Bioelectronics, 2015, 63, 86-98.	10.1	18
157	Turning oil palm empty fruit bunch waste into substrate for optimal lipase secretion on solid state fermentation by <i>Trichoderma</i> strains. Process Biochemistry, 2017, 63, 35-41.	3.7	18
158	A pH stimuli thiol modified mesoporous silica nanoparticles: Doxorubicin carrier for cancer therapy. Journal of the Taiwan Institute of Chemical Engineers, 2018, 87, 264-271.	5.3	18
159	Antimicrobial activity of functionalized single-walled carbon nanotube with herbal extract of <i>Hempedu bumi</i> . Surface and Interface Analysis, 2018, 50, 354-361.	1.8	18
160	High-Affinity Detection of Alpha-Synuclein by Aptamer-Gold Conjugates on an Amine-Modified Dielectric Surface. Journal of Analytical Methods in Chemistry, 2019, 2019, 1-8.	1.6	18
161	Aluminosilicate Nanocomposites from Incinerated Chinese Holy Joss Fly Ash: A Potential Nanocarrier for Drug Cargos. Scientific Reports, 2020, 10, 3351.	3.3	18
162	Characterization and Antibacterial Response of Silver Nanoparticles Biosynthesized Using an Ethanolic Extract of <i>Coccinia indica</i> Leaves. Crystals, 2021, 11, 97.	2.2	18

#	ARTICLE	IF	CITATIONS
163	Insights into anti-termination regulation of the hut operon in <i>Bacillus subtilis</i> : importance of the dual RNA-binding surfaces of HutP. <i>Nucleic Acids Research</i> , 2008, 36, 3463-3473.	14.5	17
164	Monitoring surface-assisted biomolecular assembly by means of evanescent-field-coupled waveguide-mode nanobiosensors. <i>Analytical and Bioanalytical Chemistry</i> , 2009, 394, 481-488.	3.7	17
165	Enhanced sensitivity mediated ambipolar conduction with p-type TiO ₂ anatase transducer for biomarker capturing. <i>Sensors and Actuators A: Physical</i> , 2017, 259, 57-67.	4.1	17
166	Amperometric determination of nitrite using natural fibers as template for titanium dioxide nanotubes with immobilized hemin as electron transfer mediator. <i>Mikrochimica Acta</i> , 2018, 185, 194.	5.0	17
167	Antimicrobial Activity of Plant Extracts from Aloe Vera, Citrus Hystrix, Sabah Snake Grass and Zingiber Officinale against <i>Pyricularia Oryzae</i> that causes Rice Blast Disease in Paddy Plants. <i>IOP Conference Series: Materials Science and Engineering</i> , 2018, 318, 012009.	0.6	17
168	An Introduction to Biosensors and Biomolecules. , 2019, , 1-21.		17
169	D-glucosamine chitosan base molecule-assisted synthesis of different shape and sized silver nanoparticles by a single pot method: A greener approach for sensor and microbial applications. <i>International Journal of Biological Macromolecules</i> , 2019, 133, 1280-1287.	7.5	17
170	Aluminosilicate Nanocomposite on Genosensor: A Prospective Voltammetry Platform for Epidermal Growth Factor Receptor Mutant Analysis in Non-small Cell Lung Cancer. <i>Scientific Reports</i> , 2019, 9, 17013.	3.3	17
171	Elastomeric polydimethylsiloxane polymer on conductive interdigitated electrode for analyzing skin hydration dynamics. <i>Applied Physics A: Materials Science and Processing</i> , 2020, 126, 1.	2.3	17
172	Titanium dioxide-mediated resistive nanobiosensor for <i>E. coli</i> O157:H7. <i>Mikrochimica Acta</i> , 2020, 187, 235.	5.0	17
173	Gold-silane complexed antibody immobilization on polystyrene ELISA surface for enhanced determination of matrix Metalloproteinase-9. <i>Process Biochemistry</i> , 2021, 100, 231-236.	3.7	17
174	Immuno-probed graphene nanoplatelets on electrolyte-gated field-effect transistor for stable cortisol quantification in serum. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2020, 117, 10-18.	5.3	17
175	Biomolecular discrimination analyses by surface plasmon resonance. <i>Analyst</i> , The, 2014, 139, 2678.	3.5	16
176	Synthesis and characterization of reduced graphene oxide using the aqueous extract of <i>Eclipta prostrata</i> . <i>3 Biotech</i> , 2020, 10, 364.	2.2	16
177	Organic-Inorganic Hybrid Nanoflower Production and Analytical Utilization: Fundamental to Cutting-Edge Technologies. <i>Critical Reviews in Analytical Chemistry</i> , 2022, 52, 1488-1510.	3.5	16
178	Molybdenum disulphide/cellulose acetate nanofiber composite on screen printed electrodes for detecting cardiac troponin by electrical impedance spectroscopy. <i>Cellulose</i> , 2021, 28, 5761.	4.9	16
179	Cardiac Biomarkers: Invasive to Non-invasive Assessments. <i>Current Medicinal Chemistry</i> , 2016, 23, 4270-4284.	2.4	16
180	Drug Encapsulated Nanoparticles for Treating Targeted Cells. <i>Current Medicinal Chemistry</i> , 2017, 24, 3310-3321.	2.4	16

#	ARTICLE	IF	CITATIONS
181	Revealing Glycoproteins in the Secretome of MCF-7 Human Breast Cancer Cells. BioMed Research International, 2015, 2015, 1-8.	1.9	15
182	Identification of circulating biomarkers in sera of Plasmodium knowlesi-infected malaria patients â€“ comparison against Plasmodium vivax infection. BMC Infectious Diseases, 2015, 15, 49.	2.9	15
183	Amine-Aldehyde Chemical Conjugation on a Potassium Hydroxide-Treated Polystyrene ELISA Surface for Nanosensing an HIV-p24 Antigen. Nanoscale Research Letters, 2019, 14, 21.	5.7	15
184	Coordinated Dispersion and Aggregation of Gold Nanorod in Aptamer-Mediated Gestational Hypertension Analysis. Journal of Analytical Methods in Chemistry, 2019, 2019, 1-10.	1.6	15
185	Distinguishing normal and aggregated alpha-synuclein interaction on gold nanorod incorporated zinc oxide nanocomposite by electrochemical technique. International Journal of Biological Macromolecules, 2021, 171, 217-224.	7.5	15
186	Production and characterization of graphene from carbonaceous rice straw by cost-effect extraction. 3 Biotech, 2021, 11, 205.	2.2	15
187	Enhanced antibacterial effect by antibiotic loaded starch nanoparticle. Journal of the Association of Arab Universities for Basic and Applied Sciences, 2017, 24, 136-140.	1.0	14
188	Catechin adsorption on magnetic hydroxyapatite nanoparticles: A synergistic interaction with calcium ions. Materials Chemistry and Physics, 2020, 241, 122337.	4.0	14
189	Quantitative simultaneous determination of pentoxifylline and paracetamol in drug and biological samples at graphene nanoflakes modified electrode. Journal of the Taiwan Institute of Chemical Engineers, 2020, 107, 15-23.	5.3	14
190	Molybdenum disulfideâ€“gold nanoparticle nanocomposite in field-effect transistor back-gate for enhanced C-reactive protein detection. Mikrochimica Acta, 2020, 187, 588.	5.0	14
191	3D nanoporous hybrid nanoflower for enhanced non-faradaic redox-free electrochemical impedimetric biodetermination. Journal of the Taiwan Institute of Chemical Engineers, 2020, 116, 26-35.	5.3	14
192	Divalent ion-induced aggregation of gold nanoparticles for voltammetry Immunosensing: comparison of transducer signals in an assay for the squamous cell carcinoma antigen. Mikrochimica Acta, 2020, 187, 128.	5.0	14
193	Mycorrhiza: a natural resource assists plant growth under varied soil conditions. 3 Biotech, 2020, 10, 204.	2.2	14
194	Nanoparticle synthetic methods: strength and limitations. , 2021, , 31-43.		14
195	Graphene Oxide-Gold Star Construct on Triangular Electrodes for Alzheimerâ€™s Disease Identification. Journal of Analytical Methods in Chemistry, 2021, 2021, 1-8.	1.6	14
196	Microwave-assisted solvent-free extraction of essential oil from Coleus aromaticus: anti-phytopathogenic potential for fruit post-harvesting. 3 Biotech, 2021, 11, 166.	2.2	14
197	Silica and graphene mediate arsenic detection in mature rice grain by a newly patterned currentâ€“voltage aptasensor. Scientific Reports, 2021, 11, 14688.	3.3	14
198	Volatile Organic Compounds as Potential Biomarkers for Noninvasive Disease Detection by Nanosensors: A Comprehensive Review. Critical Reviews in Analytical Chemistry, 2023, 53, 1828-1839.	3.5	14

#	ARTICLE	IF	CITATIONS
199	Nanodiamond conjugated SARS-CoV-2 spike protein: electrochemical impedance immunosensing on a gold microelectrode. <i>Mikrochimica Acta</i> , 2022, 189, 226.	5.0	14
200	Faradaic electrochemical impedimetric analysis on MoS ₂ /Au-NPs decorated surface for C-reactive protein detection. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2022, 138, 104450.	5.3	14
201	Signal changes for dye-complexed biomolecular interactions on waveguide-sensor chips. <i>Sensors and Actuators B: Chemical</i> , 2011, 155, 239-244.	7.8	13
202	Production and purification of antibody by immunizing rabbit with rice tungro bacilliform and rice tungro spherical viruses. <i>Process Biochemistry</i> , 2018, 68, 37-42.	3.7	13
203	Aptamer- ¹⁷ Î ² -estradiol-antibody sandwich ELISA for determination of gynecological endocrine function. <i>Biotechnology and Applied Biochemistry</i> , 2021, 68, 881-888.	3.1	13
204	Matrix Metalloproteinases in Chemoresistance: Regulatory Roles, Molecular Interactions, and Potential Inhibitors. <i>Journal of Oncology</i> , 2022, 2022, 1-25.	1.3	13
205	Microfluidic-based biosensor: signal enhancement by gold nanoparticle. <i>Microsystem Technologies</i> , 2016, 22, 2389-2395.	2.0	12
206	Characterization of reduced graphene oxide obtained from vacuum-assisted low-temperature exfoliated graphite. <i>Microsystem Technologies</i> , 2018, 24, 5007-5016.	2.0	12
207	Squamous Cell Carcinoma Biomarker Sensing on a Strontium Oxide-Modified Interdigitated Electrode Surface for the Diagnosis of Cervical Cancer. <i>BioMed Research International</i> , 2019, 2019, 1-7.	1.9	12
208	Characterization and anti-bacterial potential of iron oxide nanoparticle processed eco-friendly by plant extract. <i>Preparative Biochemistry and Biotechnology</i> , 2020, 50, 1053-1062.	1.9	12
209	Molecularly imprinted polymer amalgamation on narrow-gapped Archimedean-spiral interdigitated electrodes: resistance to electrolyte fouling in acidic medium. <i>Mikrochimica Acta</i> , 2021, 188, 144.	5.0	12
210	Non-Protein Coding RNA Genes as the Novel Diagnostic Markers for the Discrimination of Salmonella Species Using PCR. <i>PLoS ONE</i> , 2015, 10, e0118668.	2.5	12
211	Use of UV-vis-NIR spectroscopy to monitor label-free interaction between molecular recognition elements and erythropoietin on a gold-coated polycarbonate platform. <i>Talanta</i> , 2014, 126, 103-109.	5.5	11
212	Voltammetric immunoassay for the human blood clotting factor IX by using nanogapped dielectrode junctions modified with gold nanoparticle-conjugated antibody. <i>Mikrochimica Acta</i> , 2017, 184, 3739-3745.	5.0	11
213	Designing probe from E6 genome region of human Papillomavirus 16 for sensing applications. <i>International Journal of Biological Macromolecules</i> , 2018, 107, 1738-1746.	7.5	11
214	Perspectives of nanobiotechnology and biomacromolecules in parkinson's disease. <i>Process Biochemistry</i> , 2019, 86, 32-39.	3.7	11
215	Recent Advances in Identifying Biomarkers and High-Affinity Aptamers for Gynecologic Cancers Diagnosis and Therapy. <i>Journal of Analytical Methods in Chemistry</i> , 2019, 2019, 1-9.	1.6	11
216	Co-ordinated split aptamer assembly and disassembly on Gold nanoparticle for functional detection of HIV-1 tat. <i>Process Biochemistry</i> , 2019, 79, 32-39.	3.7	11

#	ARTICLE	IF	CITATIONS
217	Nanodiagnostic Attainments and Clinical Perspectives on C-Reactive Protein: Cardiovascular Disease Risks Assessment. <i>Current Medicinal Chemistry</i> , 2021, 28, 986-1002.	2.4	11
218	SARS-CoV-2 spike protein: Site-specific breakpoints for the development of COVID-19 vaccines. <i>Journal of King Saud University - Science</i> , 2021, 33, 101648.	3.5	11
219	Topical application of polyethylenimine as a candidate for novel prophylactic therapeutics against genital herpes caused by herpes simplex virus. <i>Archives of Virology</i> , 2014, 159, 425-435.	2.1	10
220	Detection of Human Papillomavirus 16-Specific IgG and IgM Antibodies in Patient Sera: A Potential Indicator of Oral Squamous Cell Carcinoma Risk Factor. <i>International Journal of Medical Sciences</i> , 2016, 13, 424-431.	2.5	10
221	Aptamer-based determination of ATP by using a functionalized impedimetric nanosensor and mediation by a triangular junction transducer. <i>Mikrochimica Acta</i> , 2017, 184, 4425-4431.	5.0	10
222	Peptic ulcer: Current prospects of diagnostic and nanobiotechnological trends on pathogenicity. <i>Process Biochemistry</i> , 2019, 85, 51-59.	3.7	10
223	Automated, high-throughput DNA extraction protocol for disposable label free, microfluidics integrating DNA biosensor for oil palm pathogen, <i>Ganoderma boninense</i> . <i>Process Biochemistry</i> , 2020, 92, 447-456.	3.7	10
224	Introduction to nanoparticles and analytical devices. , 2021, , 1-29.		10
225	Longitudinal Zeolite-Iron Oxide Nanocomposite Deposited Capacitance Biosensor for Interleukin-3 in Sepsis Detection. <i>Nanoscale Research Letters</i> , 2021, 16, 68.	5.7	10
226	Single-walled carbon nanotube-gold urchin nanohybrid for identifying gastric cancer on dimicroelectrodes junction. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2021, 121, 108-114.	5.3	10
227	Green synthesized strontium oxide nanoparticles by <i>Elodea canadensis</i> extract and their antibacterial activity. <i>Journal of Nanostructure in Chemistry</i> , 2022, 12, 365-373.	9.1	10
228	Multi-analyte validation in heterogeneous solution by ELISA. <i>International Journal of Biological Macromolecules</i> , 2017, 105, 796-800.	7.5	9
229	Shortening full-length aptamer by crawling base deletion – Assisted by Mfold web server application. <i>Journal of the Association of Arab Universities for Basic and Applied Sciences</i> , 2017, 23, 37-42.	1.0	9
230	Synthesis of silicon carbide nanomaterials by microwave heating: Effect of types of carbon nanotubes. <i>Solid State Sciences</i> , 2019, 98, 106023.	3.2	9
231	Self-assembled silver nanoparticle-DNA on a dielectrode microdevice for determination of gynecologic tumors. <i>Biomedical Microdevices</i> , 2020, 22, 67.	2.8	9
232	Alzheimer's Disease Determination by a Dual Probe on Gold Nanourchins and Nanohorn Hybrids. <i>International Journal of Nanomedicine</i> , 2021, Volume 16, 2311-2322.	6.7	9
233	Self-assembled reduced graphene oxide nanoflakes assisted by post-sonication boosted electrical performance in gold interdigitated microelectrodes. <i>Journal of Colloid and Interface Science</i> , 2020, 577, 345-354.	9.4	9
234	Detection of Influenza Viruses Attached to an Optical Disk. <i>Journal of Biomaterials and Nanobiotechnology</i> , 2013, 04, 145-150.	0.5	9

#	ARTICLE	IF	CITATIONS
235	Molecularly imprinted polymer enhances affinity and stability over conventional aptasensor for blood clotting biomarker detection on regimented carbon nanohorn and gold nanourchin hybrid layers. <i>Sensors and Actuators B: Chemical</i> , 2022, 363, 131842.	7.8	9
236	Biosecretion of higher halophilic lipase by a novel <i>Bacillus amyloliquefaciens</i> AIKK2 using agro-waste as supporting substrate. <i>Process Biochemistry</i> , 2018, 72, 55-62.	3.7	8
237	Biosensor Recognizes the Receptor Molecules. , 2019, , 195-210.		8
238	High-performance detection of an abdominal aortic aneurysm biomarker by immunosensing. <i>Biotechnology and Applied Biochemistry</i> , 2020, 67, 383-388.	3.1	8
239	Antihyperlipidemic potential of diosmin in Swiss Albino mice with high-fat diet induced hyperlipidemia. <i>Saudi Journal of Biological Sciences</i> , 2021, 28, 109-115.	3.8	8
240	Feasibility study on microwave welding of thermoplastic using multiwalled carbon nanotubes as susceptor. <i>Nanomaterials and Nanotechnology</i> , 2021, 11, 184798042110029.	3.0	8
241	Glycosylated biomarker sensors: advancements in prostate cancer diagnosis. <i>Chemical Communications</i> , 2021, 57, 9640-9655.	4.1	8
242	Zeolite-iron oxide nanocomposite from fly ash formed a “clubbell” structure: integration of cardiac biocapture macromolecules in serum on microelectrodes. <i>Mikrochimica Acta</i> , 2021, 188, 187.	5.0	8
243	Progress in gene therapy treatments for prostate cancer. <i>Biotechnology and Applied Biochemistry</i> , 2022, 69, 1166-1175.	3.1	8
244	Impedimetric cardiac biomarker determination in serum mediated by epoxy and hydroxyl of reduced graphene oxide on gold array microelectrodes. <i>Mikrochimica Acta</i> , 2021, 188, 257.	5.0	8
245	1,1'-Carbonyldiimidazole-copper nanoflower enhanced collapsible laser scribed graphene engraved microgap capacitive aptasensor for the detection of milk allergen. <i>Scientific Reports</i> , 2021, 11, 20825.	3.3	8
246	Developing Platform for Detecting Biomolecules. <i>Japanese Journal of Applied Physics</i> , 2008, 47, 5777.	1.5	7
247	Optimization of silica surface with nanosize holes for immobilization of biomolecules and analysis of their interactions. <i>Analytica Chimica Acta</i> , 2010, 680, 72-78.	5.4	7
248	Regeneration of commercial Biacore chips to analyze biomolecular interactions. <i>Optical Engineering</i> , 2011, 50, 034402.	1.0	7
249	Detection and Two-Dimensional Imaging of <i>Escherichia coli</i> Attached to an Optical Disk. <i>Japanese Journal of Applied Physics</i> , 2013, 52, 108004.	1.5	7
250	Deposition and characterization of ZnO thin film for FET with back gate biasing-based biosensors application. , 2015, , .		7
251	Optical measurements on tailored zinc oxide thin films under optimal. <i>Optik</i> , 2016, 127, 3069-3074.	2.9	7
252	Preliminary Studies on Antimicrobial Activity of Extracts from Aloe Vera Leaf, Citrus Hystrix Leaf, Zingiber Officinale and Sabah Snake Grass Against <i>Bacillus Subtilis</i> . <i>MATEC Web of Conferences</i> , 2018, 150, 06042.	0.2	7

#	ARTICLE	IF	CITATIONS
253	Gold nanoparticle assembly and disassembly in colorimetric immunoassay to detect 17 β -estradiol and determine gynecological disorder. Process Biochemistry, 2020, 99, 21-26.	3.7	7
254	Harumanis Mango: Perspectives in Disease Management and Advancement using Interdigitated Electrodes (IDE) Nano-Biosensor. IOP Conference Series: Materials Science and Engineering, 2020, 864, 012180.	0.6	7
255	Novelty Studies on Amorphous Silica Nanoparticle Production From Rice Straw Ash. IOP Conference Series: Materials Science and Engineering, 2020, 864, 012021.	0.6	7
256	Simple and Green Approach Strategy to Synthesis Graphene Using Rice Straw Ash. IOP Conference Series: Materials Science and Engineering, 2020, 864, 012181.	0.6	7
257	Biomolecular assembly on interdigitated electrode nanosensor for selective detection of insulin-like growth factor-1. Artificial Cells, Nanomedicine and Biotechnology, 2021, 49, 30-37.	2.8	7
258	Surface engineered iron oxide nanoparticles as efficient materials for antibiofilm application. Biotechnology and Applied Biochemistry, 2022, 69, 714-725.	3.1	7
259	MXene Surface on Multiple Junction Triangles for Determining Osteosarcoma Cancer Biomarker by Dielectrode Microgap Sensor. International Journal of Nanomedicine, 2020, Volume 15, 10171-10181.	6.7	7
260	Generation of RNA aptamer against rHuEPO- β by SELEX. Asian Pacific Journal of Tropical Disease, 2014, 4, 224.	0.5	6
261	Gate dielectric scaling in MOSFETs device. AIP Conference Proceedings, 2016, , .	0.4	6
262	Synthesis of SiC nanowhiskers from graphite and silica by microwave heating. Materials Science-Poland, 2016, 34, 770-779.	1.0	6
263	Saturation magnetization studies on iron-nickel ball milling nanopowders and spark plasma sintered specimens. Journal of Magnetism and Magnetic Materials, 2018, 465, 621-625.	2.3	6
264	Alkalinized extraction of silica-aluminium nanocomposite from traditional Chinese joss paper: Optical characterizations. Materials Chemistry and Physics, 2020, 243, 122621.	4.0	6
265	Gold-Nanohybrid Biosensors for Analyzing Blood Circulating Clinical Biomacromolecules: Current Trend toward Future Remote Digital Monitoring. Critical Reviews in Analytical Chemistry, 2022, 52, 577-592.	3.5	6
266	Design and fabrication of PDMS microfluidics device for rapid and label-free DNA detection. Applied Physics A: Materials Science and Processing, 2020, 126, 1.	2.3	6
267	Determination of cardiac disease biomarker by plasmonic sandwich ELISA. Biotechnology and Applied Biochemistry, 2022, 69, 160-165.	3.1	6
268	An iron oxide nanoworm hybrid on an interdigitated microelectrode silica surface to detect abdominal aortic aneurysms. Mikrochimica Acta, 2021, 188, 185.	5.0	6
269	Nanoparticles in electrochemical bioanalytical analysis. , 2021, , 83-112.		6
270	Immunosensing the rheumatoid arthritis biomarker through bifunctional aldehyde-amine linkers on an iron oxide nanoparticle seeded voltammetry sensor. Nanomaterials and Nanotechnology, 2022, 12, 184798042210851.	3.0	6

#	ARTICLE	IF	CITATIONS
271	Real-time detection by properties of tin dioxide for formaldehyde gas sensor. , 2015, , .		5
272	Secretion of <i>N</i> - and <i>O</i> -linked Glycoproteins from 4T1 Murine Mammary Carcinoma Cells. International Journal of Medical Sciences, 2016, 13, 330-339.	2.5	5
273	Immunosensor development for rice tungro bacilliform virus (RTBV) detection using antibody nano-gold conjugate. AIP Conference Proceedings, 2017, , .	0.4	5
274	Immunosensor development formatting for tungro disease detection using nano-gold antibody particles application. AIP Conference Proceedings, 2017, , .	0.4	5
275	Impedance based Aluminium Interdigitated Electrode (Al-IDE) Biosensor on Silicon Substrate for Salmonella Detection. , 2018, , .		5
276	The ZnO-FET Biosensor for Cardiac Troponin I. IOP Conference Series: Materials Science and Engineering, 2018, 318, 012031.	0.6	5
277	Infection-Mediated Clinical Biomarkers for a COVID-19 Electrical Biosensing Platform. Sensors, 2021, 21, 3829.	3.8	5
278	Surface charge transduction enhancement on nano-silica and - Alumina integrated planar electrode for hybrid DNA determination. Materials Chemistry and Physics, 2021, 265, 124486.	4.0	5
279	Cellulose nanocrystal production from bleached rice straw pulp by combined alkaline and acidic deep eutectic solvents treatment: optimization by response surface methodology. Biomass Conversion and Biorefinery, 2022, 12, 25-33.	4.6	5
280	Human Exfoliated Deciduous Teeth Stem Cells: Features and Therapeutic Effects on Neurogenerative and Hepatobiliary-pancreatic Diseases. Current Stem Cell Research and Therapy, 2021, 16, 563-576.	1.3	5
281	Recent advances in techniques for fabrication and characterization of nanogap biosensors: A review. Biotechnology and Applied Biochemistry, 2022, 69, 1395-1417.	3.1	5
282	Molecular Detection of Methicillin-Resistant Staphylococcus aureus by Non-Protein Coding RNA-Mediated Monoplex Polymerase Chain Reaction. PLoS ONE, 2016, 11, e0158736.	2.5	5
283	Aptamer: A Versatile Probe in Medical Diagnosis. INNOSC Theranostics and Pharmacological Sciences, 2018, 1, 14-19.	0.2	5
284	Nanoelectronics in Biosensing Applications. , 2019, , 211-224.		4
285	Label-free aptamer based biosensor for heavy metal detection. AIP Conference Proceedings, 2020, , .	0.4	4
286	An interdigitated aptasensor to detect interleukin-6 for diagnosing rheumatoid arthritis in serum. Biotechnology and Applied Biochemistry, 2020, , .	3.1	4
287	Anxiety determination by antibody-conjugated nanoparticles on an interdigitated electrode sensor. 3 Biotech, 2020, 10, 377.	2.2	4
288	Coordination of Nanoconjugation with an Antigen/Antibody for Efficient Detection of Gynecological Tumors. Journal of Analytical Methods in Chemistry, 2020, 2020, 1-8.	1.6	4

#	ARTICLE	IF	CITATIONS
289	MicroRNA of Nucleocapsid region from SARS-CoV-2: Potential sensing components for biosensor development. Biotechnology and Applied Biochemistry, 2021, , .	3.1	4
290	Gold Nanomaterial Hybrid on PEGylated Metal Oxide Interdigitated Mini-electrode Surface to Diagnose Prostate Cancer. Nano, 2020, 15, 2050154.	1.0	4
291	Fabrication of Cu ₂ O Nanostructured Thin Film by Anodizing. Materials Science-Poland, 2018, 36, 209-216.	1.0	4
292	In silico structural analysis of truncated 2 nd fluoro-RNA aptamer: Elucidating EGF-1 and EGF-2 binding domains on factor IX protein. Process Biochemistry, 2021, 111, 124-131.	3.7	4
293	Identifying mineral decrement with bone injury by quantifying osteocalcin on current-volt sensor. Biotechnology and Applied Biochemistry, 2022, 69, 2061-2068.	3.1	4
294	Study on characterization of bio-oil derived from sugarcane bagasse (<i>Saccharum barberi</i>) for application as biofuel. Clean Energy, 2022, 6, 297-304.	3.2	4
295	Metal-free Sulfur-doped graphitic carbon nitride-modified GCE-based electrocatalyst for the enhanced electrochemical determination of Omeprazole in Drug formulations and Biological Samples. Biotechnology and Applied Biochemistry, 2022, 69, 2766-2779.	3.1	4
296	Carbon Material Hybrid Construction on an Aptasensor for Monitoring Surgical Tumors. Journal of Analytical Methods in Chemistry, 2022, 2022, 1-7.	1.6	4
297	Reactive Ion etching of TiO ₂ thin film: The impact of different gaseous. , 2015, , .		3
298	Characteristics of TiO ₂ thin film with back-gate biasing for FET-based biosensors application. , 2015, , .		3
299	Impact of size variation in junctionless vs junction planar SOI n-MOSFET transistor. , 2015, , .		3
300	Effect of annealing temperature on structural, morphological and electrical properties of nanoparticles TiO ₂ thin films by sol-gel method. AIP Conference Proceedings, 2016, , .	0.4	3
301	Determination of set potential voltages for cucumber mosaic virus detection using screen printed carbon electrode. AIP Conference Proceedings, 2017, , .	0.4	3
302	Selectivity verification of cardiac troponin monoclonal antibodies for cardiac troponin detection by using conventional ELISA. AIP Conference Proceedings, 2017, , .	0.4	3
303	Evaluation of factor IX deficiency by interdigitated electrode (IDE). AIP Conference Proceedings, 2017, , .	0.4	3
304	Biosynthesis of butyl esters from crude oil of palm fruit and kernel using halophilic lipase secretion by Marinobacter litoralis SW-45. 3 Biotech, 2019, 9, 314.	2.2	3
305	Covalent conjugation of reduced graphene oxide with oligos for current-volt signal determination on leukemia. Applied Physics A: Materials Science and Processing, 2020, 126, 1.	2.3	3
306	The effect of graphite type on the synthesis of SiC nanomaterials by microwave-assisted synthesis. Applied Physics A: Materials Science and Processing, 2020, 126, 1.	2.3	3

#	ARTICLE	IF	CITATIONS
307	Sensitive identification of prostate-specific antigen by iron oxide nanoparticle antibody conjugates on the gap-finger electrode surface. <i>Biotechnology and Applied Biochemistry</i> , 2020, 68, 896-901.	3.1	3
308	MicroRNA-155 complementation on a chemically functionalized dual electrode surface for determining breast cancer. <i>3 Biotech</i> , 2020, 10, 270.	2.2	3
309	Nano-silica embedded polydimethylsiloxane on interdigitated sensor as adhesive polymer for detecting lung cancer mutation. <i>Biotechnology and Applied Biochemistry</i> , 2022, 69, 451-460.	3.1	3
310	Sensitive silica-alumina modified capacitive non-Faradaic glucose sensor for gestational diabetes. <i>Biotechnology and Applied Biochemistry</i> , 2021, , .	3.1	3
311	Advancement in biosensor: Telediagnosis and remote digital imaging. <i>Biotechnology and Applied Biochemistry</i> , 2022, 69, 1199-1208.	3.1	3
312	Biosensors and biomarkers for determining gestational diabetes mellitus and jaundice in children. <i>Biotechnology and Applied Biochemistry</i> , 2022, 69, 1354-1364.	3.1	3
313	Impedance spectroscopy for identifying tau protein to monitor anesthesia-based issues. <i>Biotechnology and Applied Biochemistry</i> , 2022, 69, 1805-1811.	3.1	3
314	Nanostructure-mediated glucose oxidase biofunctionalization for monitoring gestational diabetes. <i>Process Biochemistry</i> , 2021, 110, 19-25.	3.7	3
315	Silica/antibody-conjugated microcomb electrode sensor for cardiac biomarker analysis. <i>Applied Physics A: Materials Science and Processing</i> , 2021, 127, 1.	2.3	3
316	High-Affinity Detection of Metal-Mediated Nephrotoxicity by Aptamer Nanomaterial Complementation. <i>Current Nanoscience</i> , 2019, 15, 549-556.	1.2	3
317	Potentials of MicroRNA in Early Detection of Ovarian Cancer by Analytical Electrical Biosensors. <i>Critical Reviews in Analytical Chemistry</i> , 2022, 52, 1511-1523.	3.5	3
318	Identification of <i>Mycoplasma pneumoniae</i> by DNA-modified gold nanomaterials in a colorimetric assay. <i>Biotechnology and Applied Biochemistry</i> , 2023, 70, 553-559.	3.1	3
319	Monitoring biological interactions using perforated evanescent-field-coupled waveguide-mode nanobiosensors. <i>Nucleic Acids Symposium Series</i> , 2009, 53, 93-94.	0.3	2
320	Gold Nanoparticles in Biosensing Analyses. , 2015, , 221-234.		2
321	TiO ₂ anatase phase structure growth, morphological optical and electrical characterization by different alcoholic solvents. , 2015, , .		2
322	Transparent mask design and fabrication of interdigitated electrodes. , 2015, , .		2
323	Design Architecture of field-effect transistor with back gate electrode for biosensor application. <i>AIP Conference Proceedings</i> , 2016, , .	0.4	2
324	Zinc oxide interdigitated electrode for biosensor application. <i>AIP Conference Proceedings</i> , 2016, , .	0.4	2

325	Surface morphology of titanium dioxide (TiO2) nanoparticles on aluminum interdigitated device electrodes (IDEs). AIP Conference Proceedings, 2016, , .	0.4	2
326	Integrated titanium dioxide (TiO2) nanoparticles on interdigitated device electrodes (IDEs) for pH analysis. AIP Conference Proceedings, 2016, , .	0.4	2
327	Study of different 3-aminopropyl triethoxysilane (APTES) concentration on TiO2 particles based IDE for cervical cancer detection. AIP Conference Proceedings, 2017, , .	0.4	2
328	Characterization of zinc oxide thin film for pH detector. AIP Conference Proceedings, 2017, , .	0.4	2
329	Fabrication and characterization of aluminium interdigitated electrode hybrid with ZnO for cardiac troponin T biomarker detection. AIP Conference Proceedings, 2018, , .	0.4	2
330	Antimicrobial Property of Biosynthesized Silver Nanoparticles. Advanced Structured Materials, 2019, , 87-101.	0.5	2
331	Diagnosing Perioperative Cardiovascular Risks in Noncardiac Surgery Patients. Journal of Analytical Methods in Chemistry, 2019, 2019, 1-9.	1.6	2
332	Whole genome sequence of moderate halophilic marine bacterium Marinobacter litoralis SW-45: Abundance of non-coding RNAs. International Journal of Biological Macromolecules, 2019, 133, 1288-1298.	7.5	2
333	Recognition of Bacterial DNA on SAW-Based Biosensors. , 2019, , 117-146.		2
334	<i>In Vitro</i> Nucleic Acid Hybridization for the Identification of High-Risk Human <i>Papillomavirus </i>(HPV) in Cervical Clinical Specimens. Journal of Biomimetics, Biomaterials and Biomedical Engineering, 0, 42, 51-58.	0.5	2
335	Electrochemical DNA Biosensor based on 30 nM Gold Nanoparticle Modified Electrode by Electro Less Deposition for Human Papillomavirus (HPV) 18 E6 Region. IOP Conference Series: Materials Science and Engineering, 2020, 864, 012167.	0.6	2
336	Silica nanoparticle assists determining liver cancer gene sequence on interdigitated electrode surface. Biotechnology and Applied Biochemistry, 2021, 68, 683-689.	3.1	2
337	Immunodetection of urinary C-terminal telopeptide fragment of type II collagen: An osteoarthritis biomarker analysis. Biotechnology and Applied Biochemistry, 2020, 68, 726-731.	3.1	2
338	Gold-nanourchin complexed silicon dioxide-probe on gap-fingered interdigitated electrode surface for Parkinsonâ€™s Disease determination by currentâ€“voltage measurement. Nanomaterials and Nanotechnology, 2021, 11, 184798042098735.	3.0	2
339	Multiwalled carbon-aptamer conjugates for dielectric detection of matrix metalloproteinase-9. Applied Physics A: Materials Science and Processing, 2021, 127, 1.	2.3	2
340	Thyroglobulin determination on silaneâ€“antibody functionalized interdigitated dielectrode surface to diagnose thyroid tumor. Biotechnology and Applied Biochemistry, 2022, 69, 376-382.	3.1	2
341	Biosensing human blood clotting factor by dual probes: Evaluation by deep long shortâ€“term memory networks in time series forecasting. Biotechnology and Applied Biochemistry, 2022, 69, 930-938.	3.1	2

#	ARTICLE	IF	CITATIONS
343	Aptasensing luteinizing hormone to determine gynecological endocrine complications on graphene oxide layered sensor. Biotechnology and Applied Biochemistry, 2022, 69, 1509-1516.	3.1	2
344	Diagnosing metabolic diseases by nanoparticle immobilization. , 2021, , 211-222.		2
345	Human Neutrophil Peptide 1 Promotes Immune Sterilization In vivo by Reducing Virulence of Multidrug-resistant <i>Klebsiella pneumoniae</i> and Increasing the Ability of Macrophages. Biotechnology and Applied Biochemistry, 2021, , .	3.1	2
346	Assessment of heavy metals contamination studies in paddy grains around paddy field in Perlis. AIP Conference Proceedings, 2020, , .	0.4	2
347	Zinc oxide and gold textured Janus nanowire integration in an impedimetric sensor for leptospirosis DNA-biomarker recognition. Biotechnology and Applied Biochemistry, 2022, 69, 2698-2712.	3.1	2
348	A Zeolite Nanoparticle-Modified Anionic Surface for Aptasensing Lipocalin-2 in Ulcerative Colitis by Dual-Electrodes. Journal of Biomedical Nanotechnology, 2021, 17, 2495-2504.	1.1	2
349	Hemin-Modified Halloysite Nanotube as Electrocatalyst for the Enhanced Electrochemical Determination of Nitrite. Journal of the Electrochemical Society, 2022, 169, 057528.	2.9	2
350	Immuno-probed multiwalled carbon nanotube surface for abdominal aortic aneurysm biomarker analysis. Biotechnology and Applied Biochemistry, 2023, 70, 502-508.	3.1	2
351	Cardiovascular biomarker troponin I biosensor: Aptamer-gold-antibody hybrid on a metal oxide surface. Biotechnology and Applied Biochemistry, 2023, 70, 581-591.	3.1	2
352	Electron concentration behavior in junctionless vs junction SOI n-MOSFET transistor. , 2015, , .		1
353	Study on chemically modified graphene platforms for biosensor applications. , 2015, , .		1
354	Fabrication and electrical characterization of graphene oxide as transducing channel for biosensor application. , 2015, , .		1
355	Integrated of IDEs with TiO ₂ nanoparticles thin films for pH sensor. , 2015, , .		1
356	Influenza viral infection in the respiratory system-potential ways of monitoring. , 2016, , 33-43.		1
357	Optimization of time on CF ₄ /O ₂ etchant for inductive couple plasma reactive ion etching of TiO ₂ thin film. AIP Conference Proceedings, 2016, , .	0.4	1
358	Microwave Irradiation Assisted Synthesis of Silicon Carbide Nanotubes. Materials Science Forum, 2016, 857, 111-115.	0.3	1
359	Fabrication and characterization on width of spiral interdigitated electrodes based biosensors. AIP Conference Proceedings, 2017, , .	0.4	1
360	Detection of human immunodeficiency virus type 1 (HIV-1) Tat protein by aptamer-based biosensors. AIP Conference Proceedings, 2017, , .	0.4	1

#	ARTICLE	IF	CITATIONS
361	Preliminary assessment for DNA extraction on microfluidic channel. AIP Conference Proceedings, 2017, , .	0.4	1
362	Influenza viral detection on microfluidic delivery assisted biosensors. Microsystem Technologies, 2018, 24, 823-830.	2.0	1
363	Performance of Biodegradable Soy-based Polymer and Nanocomposite with Reduced Moisture Absorptivity. Micro and Nanosystems, 2018, 10, 40-46.	0.6	1
364	An Overview of Unique Metal Oxide Nanostructures for Biosensor Applications. Advanced Structured Materials, 2019, , 51-69.	0.5	1
365	Aptasensing Ampicillin on Silica Substrate Gapped by Interdigitated Aluminium Electrode. Micro and Nanosystems, 2019, 11, 115-122.	0.6	1
366	Hydrocephaly Analysis Supported by Computerized Tomography and Nuclear Magnetic Resonance. Journal of Analytical Methods in Chemistry, 2019, 2019, 1-7.	1.6	1
367	A study of magnetic retardation of iron-nickel nanopowder and sintered specimen by spark plasma. Journal of Magnetism and Magnetic Materials, 2019, 485, 280-285.	2.3	1
368	Blood Biomarkers Diagnosis as Primitive Precautionary using Zinc Oxide (ZnO) modified Interdigitated Electrode (IDE). , 2019, , .		1
369	Study on Graphene Oxide and Reduced Graphene Oxide Overlaid on Field Effect Transistor with Channel Length Variation. , 2019, , .		1
370	Detection of interleukinâ€8 on microgapped dual electrodes for measuring asthma complication. Biotechnology and Applied Biochemistry, 2020, , .	3.1	1
371	Gold Nanoparticles Enhanced Electrochemical Impedance Sensor (EIS) for Human Papillomavirus (HPV) 16 Detection E6 region. IOP Conference Series: Materials Science and Engineering, 2020, 864, 012165.	0.6	1
372	Voltammetric DNA Biosensor for Human Papillomavirus (HPV) Strain 18 Detection. IOP Conference Series: Materials Science and Engineering, 2020, 864, 012166.	0.6	1
373	DNAâ€RNA complementation on silicon wafer for thyroid cancer determination. Biotechnology and Applied Biochemistry, 2020, 68, 554-559.	3.1	1
374	Electroimmunodetection of cardiac Câ€reactive protein for determining myocardial Injury. Biotechnology and Applied Biochemistry, 2021, 68, 272-278.	3.1	1
375	A mini review of electrochemical genosensor based biosensor diagnostic system for infectious diseases. Environmental and Toxicology Management, 2021, 1, 14-17.	0.7	1
376	Nanosensing colon cancer biomarker on zeoliteâ€modified gapâ€fingered dielectrodes. Biotechnology and Applied Biochemistry, 2021, , .	3.1	1
377	Designing dna probe from hpv 18 and 58 in e6 region for sensing element in the development of genosensor based gold nanoparticles. Biotechnology and Applied Biochemistry, 2021, , .	3.1	1
378	Gold starâ€carbon nanotube composite for analysing preeclampsia during pregnancy. Applied Physics A: Materials Science and Processing, 2020, 126, .	2.3	1

#	ARTICLE	IF	CITATIONS
379	The Correlation Between Ischemic Stroke and Thrombosis by Nanoscale Biomarker Analysis. Current Nanoscience, 2020, 16, 676-684.	1.2	1
380	Biosensing epidemic and pandemic respiratory viruses: Internet of Things with Gaussian noise channel algorithmic model. Biotechnology and Applied Biochemistry, 2021, , .	3.1	1
381	Nanotechnology assisted biomarker analysis to rehabilitate acute ischemic stroke patients by early detection. Process Biochemistry, 2022, 114, 28-35.	3.7	1
382	Novel Approaches in Fabrication and Integration of Nanowire for Micro/Nano Systems. Critical Reviews in Analytical Chemistry, 2021, , 1-17.	3.5	1
383	Biosynthesis of zerovalent iron nanoparticles for catalytic reduction of 4â€¢Nitrophenol and decoloration of textile dyes. Biotechnology and Applied Biochemistry, 2022, , .	3.1	1
384	Cleaner deoxygenation of graphene oxide from agro-byproducts for downstream and biological applications. Biomass Conversion and Biorefinery, 0, , .	4.6	1
385	Early detection of viral DNA in breast cancer using fingered aluminium interdigitated electrode modified by Streptavidin-biotin tetravalent complex. Journal of the Indian Chemical Society, 2022, 99, 100604.	2.8	1
386	Tracks adjustment on the BioDVD platform for data averaging. , 2011, , .		0
387	Palmtop waveguide-mode sensor: Comparison of sensitivity and subtyping of influenza viruses with SPR, ELISA and Immunochromatography. , 2013, , .		0
388	The effect of aluminum nanoparticle on the seebeck coefficient of biomedical thermoelectric devices. , 2015, , .		0
389	Surface properties of modified nanodiamond on silicon via a spray method. , 2015, , .		0
390	Gold nanoparticles mediated colorimetric assay for HIV-Tat protein detection. AIP Conference Proceedings, 2016, , .	0.4	0
391	Design architecture of double spiral interdigitated electrode with back gate electrode for biosensor application. AIP Conference Proceedings, 2016, , .	0.4	0
392	Study of nanoparticles TiO2 thin films on p-type silicon substrate using different alcoholic solvents. AIP Conference Proceedings, 2016, , .	0.4	0
393	FET-based biosensors with back-gate coupling towards the electrical pre-amplification of cardiac troponin I detection. , 2016, , .		0
394	Generation of aptamer for biosensing applications. AIP Conference Proceedings, 2016, , .	0.4	0
395	Investigation on Optimally Performing Sensor Substrates through Bio-fouling of Immunoglobulin-Conjugated Gold Nanoparticles. Proceedings of the National Academy of Sciences India Section B - Biological Sciences, 2017, 87, 807-814.	1.0	0
396	Comparison of different methods for extraction and purification of human Papillomavirus (HPV) DNA from serum samples. AIP Conference Proceedings, 2017, , .	0.4	0

#	ARTICLE	IF	CITATIONS
397	Effect of different concentration of HPV DNA probe immobilization for cervical cancer detection based IDE biosensor. AIP Conference Proceedings, 2017, , .	0.4	0
398	Low cost design and fabrication of PDMS microfluidics micromixers for DNA extraction. , 2017, , .		0
399	Determination of fixed-potential selection using chronoamperometry analysis by screen-printed carbon electrode for rice tungro bacilliform virus (RTBV) detection. AIP Conference Proceedings, 2017, , .	0.4	0
400	Sensing Crop Diseases. , 2017, , 101-115.		0
401	HPV DNA target hybridization concentrations studies using interdigitated electrodes (IDE) for early detection of cervical cancer. AIP Conference Proceedings, 2017, , .	0.4	0
402	Identification of probes for biosensing dengue viral serotypes. AIP Conference Proceedings, 2018, , .	0.4	0
403	Identification of conserved and non-served regions among 16S rRNAs for bacterial probe designing. AIP Conference Proceedings, 2018, , .	0.4	0
404	Analysis of conserved and non-served regions in neuraminidase of influenza virus for probe designing. AIP Conference Proceedings, 2018, , .	0.4	0
405	Conserved and non-served regions in herpes simplex viral glycoproteins for probe designing. AIP Conference Proceedings, 2018, , .	0.4	0
406	Molybdenum Disulfide (MoS ₂)/Gold Nanoparticles (AuNPs)-based Field-effect Transistor for C-reactive Protein Detection: Early Diagnosis of Cardiovascular Disease. , 2019, , .		0
407	Facile Synthesis of Cellulose Acetate Nanofiber for Biosensing Application. , 2019, , .		0
408	Deposited structures of reduced graphene oxide onto glass substrates influenced by solvents and cleaning reagents. , 2019, , .		0
409	Targeted DNA complementation on a 1,1- C_2 -carbonyldiimidazole-functionalized surface for identifying Mycobacterium tuberculosis. 3 Biotech, 2020, 10, 227.	2.2	0
410	Polymer-tethered metal oxide sensing surface for abdominal aortic aneurysm biomarker quantification by dual antibodies. Journal of the Taiwan Institute of Chemical Engineers, 2021, 120, 43-48.	5.3	0
411	Enhancing erythrocyteâ€influenza virus specificity by glycanâ€conjugated gold nanoparticle: Validation of hemagglutination by aptamer and neuraminidases. Biotechnology and Applied Biochemistry, 2021, , .	3.1	0
412	miRNA identification by nuclease digestion in ELISA for diagnosis of osteosarcoma. Biotechnology and Applied Biochemistry, 2021, , .	3.1	0
413	Battling against the Coronavirus Disease 2019. , 0, , 1-2.		0
414	MIR-133a-3p Overexpression-induced Elevation of Cisplatin-mediated Chemosensitivity to Non-Small Cell Lung Cancer by Targeting Replication Factor C3. Process Biochemistry, 2021, 111, 249-249.	3.7	0

#	ARTICLE	IF	CITATIONS
415	Detection of influenza viruses with the waveguide mode sensor. Synthesiology, 2015, 8, 97-107.	0.2	0
416	Effect of Heating Duration on the Synthesis of Silicon Carbide Nanotubes by Microwave Heating of MWCNTs and Silica. Sains Malaysiana, 2017, 46, 1069-1074.	0.5	0
417	Shedding New Light on Pharmacological Sciences. , 0, , 1-2.		0
418	Heart Infection Prognosis Analysis by Two-dimensional Spot Tracking Imaging. Current Medical Imaging, 2020, 16, 534-544.	0.8	0
419	Impedimetric Lectin Biosensor for Prostate Cancer Detection. , 2021, , .		0
420	Transistor-Based Biomolecule Sensors: Recent Technological Advancements and Future Prospects. Critical Reviews in Analytical Chemistry, 2021, , 1-22.	3.5	0
421	Potential Risks Assessment of Trihalomethanes in Drinking Water Supply. Journal of Water Chemistry and Technology, 2021, 43, 468-474.	0.6	0
422	Morphological Analysis of Fabricated 5.0 μ m Interdigitated Electrode (IDE). Journal of Physics: Conference Series, 2021, 2129, 012100.	0.4	0
423	Integration of Aluminium Interdigitated Electrodes with Zinc Oxide as Nanocomposite for Selectively Detect Alpha-Synuclein for Parkinson's Disease Diagnosis. Journal of Physics: Conference Series, 2021, 2129, 012094.	0.4	0
424	Current-Volt Biosensing of Cystatin C on Carbon Nanowired Interdigitated Electrode Surface: A Clinical Marker Analysis for Bulged Aorta. Journal of Analytical Methods in Chemistry, 2022, 2022, 1-7.	1.6	0