

# Ann M Vuong

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5432674/publications.pdf>

Version: 2024-02-01

62  
papers

1,859  
citations

293460

24  
h-index

312153

41  
g-index

64  
all docs

64  
docs citations

64  
times ranked

2648  
citing authors

#	ARTICLE	IF	CITATIONS
1	Plasma Fluorescent Oxidation Products and Bone Mineral Density Among Male Veterans: A Cross-Sectional Study. <i>Journal of Clinical Densitometry</i> , 2022, 25, 141-149.	0.5	5
2	Associations of neonicotinoids with insulin and glucose homeostasis parameters in US adults: NHANES 2015-2016. <i>Chemosphere</i> , 2022, 286, 131642.	4.2	17
3	Maternal urinary OPE metabolite concentrations and blood pressure during pregnancy: The HOME study. <i>Environmental Research</i> , 2022, 207, 112220.	3.7	6
4	Gestational exposure to polybrominated diphenyl ethers and social skills and problem behaviors in adolescents: The HOME study. <i>Environment International</i> , 2022, 159, 107036.	4.8	8
5	Exploratory analysis of the associations between neonicotinoids and measures of adiposity among US adults: NHANES 2015-2016. <i>Chemosphere</i> , 2022, 300, 134450.	4.2	10
6	Dietary carotenoid intake and osteoporosis: the National Health and Nutrition Examination Survey, 2005-2018. <i>Archives of Osteoporosis</i> , 2022, 17, 2.	1.0	15
7	Hypertension, BMI, and cardiovascular and cerebrovascular diseases. <i>Open Medicine (Poland)</i> , 2021, 16, 149-155.	0.6	5
8	Maternal Urinary Organophosphate Esters and Alterations in Maternal and Neonatal Thyroid Hormones. <i>American Journal of Epidemiology</i> , 2021, 190, 1793-1802.	1.6	25
9	Proximity to traffic and exposure to polycyclic aromatic hydrocarbons in relation to Attention Deficit Hyperactivity Disorder and conduct disorder in U.S. children. <i>International Journal of Hygiene and Environmental Health</i> , 2021, 232, 113686.	2.1	9
10	Prenatal exposure to per- and polyfluoroalkyl substances (PFAS) and neurobehavior in US children through 8 years of age: The HOME study. <i>Environmental Research</i> , 2021, 195, 110825.	3.7	40
11	Exposure to endocrine disrupting chemicals (EDCs) and cardiometabolic indices during pregnancy: the HOME Study. <i>ISEE Conference Abstracts</i> , 2021, 2021, .	0.0	0
12	Maternal urinary organophosphate ester concentrations and blood pressure during pregnancy: The HOME Study. <i>ISEE Conference Abstracts</i> , 2021, 2021, .	0.0	0
13	Gestational Exposure to Polybrominated Diphenyl Ethers and Social Skills and Problem Behaviors in Adolescents: The HOME Study. <i>ISEE Conference Abstracts</i> , 2021, 2021, .	0.0	0
14	Associations of neonicotinoids with insulin and glucose homeostasis parameters in US adults: NHANES 2015-2016. <i>ISEE Conference Abstracts</i> , 2021, 2021, .	0.0	0
15	Gestational organophosphate ester exposures and bone mineral density in early adolescence: The HOME Study. <i>ISEE Conference Abstracts</i> , 2021, 2021, .	0.0	0
16	Variability of urinary organophosphate esters (OPEs) during childhood: The HOME Study. <i>ISEE Conference Abstracts</i> , 2021, 2021, .	0.0	0
17	Exposure to endocrine disrupting chemicals (EDCs) and cardiometabolic indices during pregnancy: The HOME Study. <i>Environment International</i> , 2021, 156, 106747.	4.8	25
18	Childhood exposure to per- and polyfluoroalkyl substances (PFAS) and neurobehavioral domains in children at age 8 years. <i>Neurotoxicology and Teratology</i> , 2021, 88, 107022.	1.2	11

#	ARTICLE	IF	CITATIONS
19	Prenatal exposure to a mixture of organophosphate esters and intelligence among 8-year-old children of the HOME Study. <i>NeuroToxicology</i> , 2021, 87, 149-155.	1.4	12
20	Concentrations and loadings of organophosphate and replacement brominated flame retardants in house dust from the home study during the PBDE phase-out. <i>Chemosphere</i> , 2020, 239, 124701.	4.2	46
21	Flame Retardants and Neurodevelopment: an Updated Review of Epidemiological Literature. <i>Current Epidemiology Reports</i> , 2020, 7, 220-236.	1.1	24
22	Ornithine and breast cancer: a matched case-control study. <i>Scientific Reports</i> , 2020, 10, 15502.	1.6	8
23	Effects of $\beta$ -carotene intake on the risk of fracture: a Bayesian meta-analysis. <i>BMC Musculoskeletal Disorders</i> , 2020, 21, 711.	0.8	10
24	Maternal cadmium exposure and neurobehavior in children: The HOME study. <i>Environmental Research</i> , 2020, 186, 109583.	3.7	14
25	Prenatal exposure to a mixture of persistent organic pollutants (POPs) and child reading skills at school age. <i>International Journal of Hygiene and Environmental Health</i> , 2020, 228, 113527.	2.1	23
26	Organophosphate esters in a cohort of pregnant women: Variability and predictors of exposure. <i>Environmental Research</i> , 2020, 184, 109255.	3.7	42
27	Polybrominated diphenyl ether (PBDE) and poly- and perfluoroalkyl substance (PFAS) exposures during pregnancy and maternal depression. <i>Environment International</i> , 2020, 139, 105694.	4.8	26
28	Chemical mixtures and neurobehavior: a review of epidemiologic findings and future directions. <i>Reviews on Environmental Health</i> , 2020, 35, 245-256.	1.1	12
29	Prenatal and childhood exposure to poly- and perfluoroalkyl substances (PFAS) and cognitive development in children at age 8 years. <i>Environmental Research</i> , 2019, 172, 242-248.	3.7	46
30	Exposure to polybrominated diphenyl ethers (PBDEs) during childhood and adiposity measures at age 8 years. <i>Environment International</i> , 2019, 123, 148-155.	4.8	24
31	Childhood polybrominated diphenyl ether (PBDE) serum concentration and reading ability at ages 5 and 8 years: The HOME Study. <i>Environment International</i> , 2019, 122, 330-339.	4.8	24
32	Exposure to polybrominated diphenyl ethers (PBDEs) and child behavior: Current findings and future directions. <i>Hormones and Behavior</i> , 2018, 101, 94-104.	1.0	95
33	Childhood polybrominated diphenyl ether (PBDE) exposure and executive function in children in the HOME Study. <i>International Journal of Hygiene and Environmental Health</i> , 2018, 221, 87-94.	2.1	16
34	Polybrominated diphenyl ether (PBDE) exposures and thyroid hormones in children at age 3 years. <i>Environment International</i> , 2018, 117, 339-347.	4.8	48
35	Childhood perfluoroalkyl substance exposure and executive function in children at 8 years. <i>Environment International</i> , 2018, 119, 212-219.	4.8	30
36	Prenatal and childhood exposure to perfluoroalkyl substances (PFAS) and measures of attention, impulse control, and visual spatial abilities. <i>Environment International</i> , 2018, 119, 413-420.	4.8	27

#	ARTICLE	IF	CITATIONS
37	Optimal gestational weight gain: prepregnancy BMI specific influences on adverse pregnancy and infant health outcomes. <i>Journal of Perinatology</i> , 2017, 37, 369-374.	0.9	4
38	Calpain-2/p35-p25/Cdk5 pathway is involved in the neuronal apoptosis induced by polybrominated diphenyl ether-153. <i>Toxicology Letters</i> , 2017, 277, 41-53.	0.4	13
39	Prenatal and postnatal polybrominated diphenyl ether exposure and visual spatial abilities in children. <i>Environmental Research</i> , 2017, 153, 83-92.	3.7	29
40	Prenatal and postnatal polybrominated diphenyl ether (PBDE) exposure and measures of inattention and impulsivity in children. <i>Neurotoxicology and Teratology</i> , 2017, 64, 20-28.	1.2	31
41	Childhood polybrominated diphenyl ether (PBDE) exposure and neurobehavior in children at 8 years. <i>Environmental Research</i> , 2017, 158, 677-684.	3.7	38
42	Prenatal Polybrominated Diphenyl Ether Exposure and Body Mass Index in Children Up To 8 Years of Age. <i>Environmental Health Perspectives</i> , 2016, 124, 1891-1897.	2.8	29
43	Physician Recommendation of Diabetes Clinical Protocols. <i>Hospital Topics</i> , 2016, 94, 15-21.	0.3	1
44	Prenatal polybrominated diphenyl ether and perfluoroalkyl substance exposures and executive function in school-age children. <i>Environmental Research</i> , 2016, 147, 556-564.	3.7	80
45	Prenatal Exposure to Nitrosatable Drugs, Dietary Intake of Nitrites, and Preterm Birth. <i>American Journal of Epidemiology</i> , 2016, 183, 634-642.	1.6	29
46	Gestational Weight Gain Trend and Population Attributable Risks of Adverse Fetal Growth Outcomes in <sc>O</sc>hio. <i>Paediatric and Perinatal Epidemiology</i> , 2015, 29, 346-350.	0.8	12
47	Maternal Polybrominated Diphenyl Ether (PBDE) Exposure and Thyroid Hormones in Maternal and Cord Sera: The HOME Study, Cincinnati, USA. <i>Environmental Health Perspectives</i> , 2015, 123, 1079-1085.	2.8	93
48	Rural Healthy People 2020: New Decade, Same Challenges. <i>Journal of Rural Health</i> , 2015, 31, 326-333.	1.6	297
49	Determinants of Variations in Self-reported Barriers to Colonoscopy Among Uninsured Patients in a Primary Care Setting. <i>Journal of Community Health</i> , 2015, 40, 260-270.	1.9	16
50	Gestational urinary bisphenol A and maternal and newborn thyroid hormone concentrations: The HOME Study. <i>Environmental Research</i> , 2015, 138, 453-460.	3.7	101
51	Nitrosatable Drug Exposure during Pregnancy and Preterm and Smallâ€forâ€Gestationalâ€Age Births. <i>Paediatric and Perinatal Epidemiology</i> , 2015, 29, 60-71.	0.8	8
52	Assessing bottled water nitrate concentrations to evaluate total drinking water nitrate exposure and risk of birth defects. <i>Journal of Water and Health</i> , 2014, 12, 755-762.	1.1	17
53	Behavioral and technological interventions targeting glycemic control in a racially/ethnically diverse population: a randomized controlled trial. <i>BMC Public Health</i> , 2014, 14, 71.	1.2	28
54	Impact of chronic disease self-management programs on type 2 diabetes management in primary care. <i>World Journal of Diabetes</i> , 2014, 5, 407.	1.3	36

#	ARTICLE	IF	CITATIONS
55	Primary care physicians' perceptions of diabetes treatment protocols. <i>Texas Medicine</i> , 2014, 110, e1.	0.0	0
56	Maternal dietary intake of nitrates, nitrites and nitrosamines and selected birth defects in offspring: a case-control study. <i>Nutrition Journal</i> , 2013, 12, 34.	1.5	28
57	Prenatal Nitrate Intake from Drinking Water and Selected Birth Defects in Offspring of Participants in the National Birth Defects Prevention Study. <i>Environmental Health Perspectives</i> , 2013, 121, 1083-1089.	2.8	112
58	Factors Associated With Successful Completion of the Chronic Disease Self-Management Program by Adults With Type 2 Diabetes. <i>Family and Community Health</i> , 2013, 36, 147-157.	0.5	27
59	Prenatal exposure to nitrosatable drugs, vitamin C, and risk of selected birth defects. <i>Birth Defects Research Part A: Clinical and Molecular Teratology</i> , 2013, 97, 515-531.	1.6	11
60	Factors Affecting Acceptability and Usability of Technological Approaches to Diabetes Self-Management: A Case Study. <i>Diabetes Technology and Therapeutics</i> , 2012, 14, 1178-1182.	2.4	39
61	Nitrosatable drug exposure during the first trimester of pregnancy and selected congenital malformations. <i>Birth Defects Research Part A: Clinical and Molecular Teratology</i> , 2012, 94, 701-713.	1.6	32
62	Nitrosatable Drug Exposure During Early Pregnancy and Neural Tube Defects in Offspring. <i>American Journal of Epidemiology</i> , 2011, 174, 1286-1295.	1.6	45