

Roch Giorgi

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/543308/roch-giorgi-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

170
papers

5,615
citations

41
h-index

68
g-index

191
ext. papers

6,599
ext. citations

4.2
avg, IF

5.18
L-index

#	Paper	IF	Citations
170	Prognosis of Adults With Isolated Left Ventricular Non-Compaction: Results of a Prospective Multicentric Study.. <i>Frontiers in Cardiovascular Medicine</i> , 2022 , 9, 856160	5.4	2
169	Excess body weight is an independent risk factor for severe forms of COVID-19. <i>Metabolism: Clinical and Experimental</i> , 2021 , 117, 154703	12.7	8
168	Estimation of covariate effects on net survivals in the relative survival progressive illness-death model. <i>Statistical Methods in Medical Research</i> , 2021 , 30, 1538-1553	2.3	
167	On models for the estimation of the excess mortality hazard in case of insufficiently stratified life tables. <i>Biostatistics</i> , 2021 , 22, 51-67	3.7	12
166	Mucoepidermoid carcinoma of salivary glands: A French Network of Rare Head and Neck Tumors (REFCOR) prospective study of 292 cases. <i>European Journal of Surgical Oncology</i> , 2021 , 47, 1376-1383	3.6	6
165	Salivary Gland Lithiasis Recurrence After Minimally-Invasive Surgery: Incidence, Risk Factors and Prevention. <i>Laryngoscope</i> , 2021 , 131, 794-799	3.6	3
164	Correcting inaccurate background mortality in excess hazard models through breakpoints. <i>BMC Medical Research Methodology</i> , 2020 , 20, 268	4.7	2
163	A permutation test based on the restricted mean survival time for comparison of net survival distributions in non-proportional excess hazard settings. <i>Statistical Methods in Medical Research</i> , 2020 , 29, 1612-1623	2.3	1
162	Correcting for misclassification and selection effects in estimating net survival in clinical trials. <i>BMC Medical Research Methodology</i> , 2019 , 19, 104	4.7	3
161	Single Injection of High Volume of Autologous Pure PRP Provides a Significant Improvement in Knee Osteoarthritis: A Prospective Routine Care Study. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	19
160	"Spatial heterogeneity of environmental risk in randomized prevention trials: consequences and modeling". <i>BMC Medical Research Methodology</i> , 2019 , 19, 149	4.7	2
159	Gofette: A R package for assessing goodness-of-fit in proportional (sub) distributions hazards regression models. <i>Computer Methods and Programs in Biomedicine</i> , 2019 , 177, 269-275	6.9	4
158	Early treated HIV-infected children remain at risk of growth retardation during the first five years of life: Results from the ANRS-PEDIACAM cohort in Cameroon. <i>PLoS ONE</i> , 2019 , 14, e0219960	3.7	7
157	Same-eye comparison of pupillary dilation with an intraoperative standardized intracameral combination of mydriatics (Mydrane®) versus a preoperative ophthalmic (Mydriaserit®) in standard cataract surgery in non-diabetic patients. <i>Journal Francais D'ophtalmologie</i> , 2019 , 42, e339-e348	0.8	1
156	Efficacy and safety of nivolumab in patients with non-small cell lung cancer: a retrospective study in clinical practice. <i>Journal of Chemotherapy</i> , 2019 , 31, 90-94	2.3	10
155	Commentary on: Survival benefit of mantle cell lymphoma patients enrolled in clinical trials; a joint study from the LYSA group and French cancer registries. <i>Journal of Cancer Research and Clinical Oncology</i> , 2018 , 144, 791-793	4.9	1
154	Embolization of the Superior Rectal Arteries for Hemorrhoidal Disease: Prospective Results in 25 Patients. <i>Journal of Vascular and Interventional Radiology</i> , 2018 , 29, 884-892.e1	2.4	23

153	Peri-operative oral caffeine does not prevent postoperative atrial fibrillation after heart valve surgery with cardiopulmonary bypass: A randomised controlled clinical trial. <i>European Journal of Anaesthesiology</i> , 2018 , 35, 911-918	2.3	4
152	Patient-prosthesis mismatch in new generation trans-catheter heart valves: a propensity score analysis. <i>European Heart Journal Cardiovascular Imaging</i> , 2018 , 19, 225-233	4.1	15
151	Right ventricular and tricuspid valve function in patients chronically implanted with leadless pacemakers. <i>Europace</i> , 2018 , 20, 823-828	3.9	12
150	Upper aerodigestive tract cancer and oral health status before radiotherapy: A cross-sectional study of 154 patients. <i>Journal of Stomatology, Oral and Maxillofacial Surgery</i> , 2018 , 119, 2-7	1.7	0
149	Factors limiting adherence to antiepileptic treatment: A French online patient survey. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2018 , 43, 73-79	2.2	10
148	Meta-analysis of major bleeding events on aspirin versus vitamin K antagonists in randomized trials. <i>International Journal of Cardiology</i> , 2017 , 230, 572-576	3.2	4
147	Chemotherapy in Old Women with Breast Cancer: Is Age Still a Predictor for Under Treatment?. <i>Breast Journal</i> , 2017 , 23, 256-266	1.2	10
146	Evaluation of hand hygiene compliance and associated factors with a radio-frequency-identification-based real-time continuous automated monitoring system. <i>Journal of Hospital Infection</i> , 2017 , 95, 344-351	6.9	26
145	Infective endocarditis in octogenarians. <i>Heart</i> , 2017 , 103, 1602-1609	5.1	28
144	Persistent pathways after lung radiofrequency ablation as a risk factor of drain placement. <i>International Journal of Hyperthermia</i> , 2017 , 33, 659-663	3.7	3
143	Prevalence of obstructive sleep apnoea syndrome following oropharyngeal cancer treatment: A prospective cohort study. <i>Clinical Otolaryngology</i> , 2017 , 42, 1281-1288	1.8	8
142	Smartphone text message service to foster hand hygiene compliance in health care workers. <i>American Journal of Infection Control</i> , 2017 , 45, 234-239	3.8	10
141	Mathematical models for predicting human mobility in the context of infectious disease spread: introducing the impedance model. <i>International Journal of Health Geographics</i> , 2017 , 16, 42	3.5	14
140	Outcomes and costs associated with two different lead-extraction approaches: a single-centre study. <i>Europace</i> , 2017 , 19, 1710-1716	3.9	3
139	Goodness-of-fit test for monotone proportional subdistribution hazards assumptions based on weighted residuals. <i>Statistics in Medicine</i> , 2017 , 36, 362-377	2.3	3
138	Value of CMR in quantification of paravalvular aortic regurgitation after TAVI. <i>European Heart Journal Cardiovascular Imaging</i> , 2016 , 17, 41-50	4.1	18
137	Impact of socioeconomic inequalities on geographic disparities in cancer incidence: comparison of methods for spatial disease mapping. <i>BMC Medical Research Methodology</i> , 2016 , 16, 136	4.7	8
136	A log-rank-type test to compare net survival distributions. <i>Biometrics</i> , 2016 , 72, 760-9	1.8	19

135	PAP assays in newborn screening for cystic fibrosis: a population-based cost-effectiveness study. <i>Journal of Medical Screening</i> , 2016 , 23, 62-9	1.4	9
134	Aortic Function's Adaptation in Response to Exercise-Induced Stress Assessing by 1.5T MRI: A Pilot Study in Healthy Volunteers. <i>PLoS ONE</i> , 2016 , 11, e0157704	3.7	7
133	Anatomical and Technical Factors Influence the Rate of In-Stent Restenosis following Carotid Artery Stenting for the Treatment of Post-Carotid Endarterectomy Stenosis. <i>PLoS ONE</i> , 2016 , 11, e0161716	2.7	9
132	Challenges in the estimation of Net SURvival: The CENSUR working survival group. <i>Revue D'epidemiologie Et De Sante Publique</i> , 2016 , 64, 367-371	0.6	4
131	Interactive Videos within an e-Learning Context. <i>Studies in Health Technology and Informatics</i> , 2016 , 221, 117	0.5	1
130	Trends in excess mortality in follicular lymphoma at a population level. <i>European Journal of Haematology</i> , 2015 , 94, 120-9	3.8	8
129	Changes in dynamics of excess mortality rates and net survival after diagnosis of follicular lymphoma or diffuse large B-cell lymphoma: comparison between European population-based data (EURO CARE-5). <i>Lancet Haematology</i> , 2015 , 2, e481-91	14.6	28
128	SPODT: An R Package to Perform Spatial Partitioning. <i>Journal of Statistical Software</i> , 2015 , 63,	7.3	4
127	Reproducibility issues in science, is P value really the only answer?. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, E1934	11.5	11
126	MRI monitoring of myocardial iron overload: use of cardiac MRI combined with hepatic MRI in a cohort of multi-transfused patients with thalassaemia. <i>Diagnostic and Interventional Imaging</i> , 2014 , 95, 1065-9	5.4	3
125	A monocentric experience of growth hormone replacement therapy in adult patients. <i>Annales D'endocrinologie</i> , 2014 , 75, 176-83	1.7	7
124	Treatment of classic Whipple's disease: from in vitro results to clinical outcome. <i>Journal of Antimicrobial Chemotherapy</i> , 2014 , 69, 219-27	5.1	86
123	Modelling recurrent events: comparison of statistical models with continuous and discontinuous risk intervals on recurrent malaria episodes data. <i>Malaria Journal</i> , 2014 , 13, 293	3.6	22
122	Analysis of swallowing after partial frontolateral laryngectomy with epiglottic reconstruction for glottic cancer. <i>European Archives of Oto-Rhino-Laryngology</i> , 2014 , 271, 2013-20	3.5	6
121	Effect of permethrin-impregnated underwear on body lice in sheltered homeless persons: a randomized controlled trial. <i>JAMA Dermatology</i> , 2014 , 150, 273-9	5.1	12
120	Assessment of myocardial partition coefficient of gadolinium (Gd) in dilated cardiomyopathy and its impact on segmental and global systolic function. <i>Journal of Magnetic Resonance Imaging</i> , 2014 , 40, 1336-41	5.6	2
119	A diagnosis of giant cell-rich tumour of bone is supported by p63 immunohistochemistry, when more than 50 % of cells is stained. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2014 , 465, 487-94	5.1	13
118	Is exposure to night-time traffic noise a risk factor for purchase of anxiolytic-hypnotic medication? A cohort study. <i>European Journal of Public Health</i> , 2014 , 24, 298-303	2.1	23

117	Measuring persistence to hormonal therapy in patients with breast cancer: accounting for temporary treatment discontinuation. <i>Pharmacoepidemiology and Drug Safety</i> , 2014 , 23, 882-9	2.6	6
116	A joint frailty model to estimate the recurrence process and the disease-specific mortality process without needing the cause of death. <i>Statistics in Medicine</i> , 2014 , 33, 3147-66	2.3	12
115	Controlled general anaesthesia for subthalamic nucleus stimulation in Parkinson's disease. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2014 , 85, 1167-73	5.5	44
114	Delayed anemia assessment in patients treated with oral artemisinin derivatives for uncomplicated malaria: a pooled analysis of clinical trials data from Mali. <i>Malaria Journal</i> , 2014 , 13, 358	3.6	10
113	DNA-dependent RNA polymerase detects hidden giant viruses in published databanks. <i>Genome Biology and Evolution</i> , 2014 , 6, 1603-10	3.9	33
112	Abnormal weight gain and gut microbiota modifications are side effects of long-term doxycycline and hydroxychloroquine treatment. <i>Antimicrobial Agents and Chemotherapy</i> , 2014 , 58, 3342-7	5.9	65
111	Neonatal screening for cystic fibrosis: comparing the performances of IRT/DNA and IRT/PAP. <i>Journal of Cystic Fibrosis</i> , 2014 , 13, 384-90	4.1	26
110	Reduction in incidence of Q fever endocarditis: 27 years of experience of a national reference center. <i>Journal of Infection</i> , 2014 , 68, 141-8	18.9	20
109	Dealing with missing data in the Center for Epidemiologic Studies Depression self-report scale: a study based on the French E3N cohort. <i>BMC Medical Research Methodology</i> , 2013 , 13, 28	4.7	14
108	Psychometric properties of a French version of a Dutch scale for assessing breast and body image (BBIS) in healthy women. <i>BMC Women's Health</i> , 2013 , 13, 24	2.9	3
107	Prediction of symptomatic embolism in infective endocarditis: construction and validation of a risk calculator in a multicenter cohort. <i>Journal of the American College of Cardiology</i> , 2013 , 62, 1384-92	15.1	89
106	Mononuclear cell adenosine deaminase and CD26/dipeptidylpeptidase-IV activities are sensitive markers of reperfusion during percutaneous transluminal angioplasty. <i>International Journal of Cardiology</i> , 2013 , 166, 225-9	3.2	5
105	Ischemia-modified albumin and adenosine plasma concentrations are associated with severe systemic inflammatory response syndrome after cardiopulmonary bypass. <i>Journal of Critical Care</i> , 2013 , 28, 747-55	4	8
104	Lactobacillus reuteri and Escherichia coli in the human gut microbiota may predict weight gain associated with vancomycin treatment. <i>Nutrition and Diabetes</i> , 2013 , 3, e87	4.7	42
103	High endogenous adenosine plasma concentration is associated with atrial fibrillation during cardiac surgery with cardiopulmonary bypass. <i>International Journal of Cardiology</i> , 2013 , 165, 201-4	3.2	6
102	Tamoxifen therapy for patients with breast cancer. <i>Lancet, The</i> , 2013 , 381, 2077	4.0	3
101	Clinical and oncological outcomes after surgical excision of parotid gland tumours in patients aged over 80 years. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2013 , 42, 1385-90	2.9	3
100	A meta-regression analysis of the available data on adherence to adjuvant hormonal therapy in breast cancer: summarizing the data for clinicians. <i>Breast Cancer Research and Treatment</i> , 2013 , 138, 325-8	4.4	53

99	Impact of ageing on presentation and outcome of mitral regurgitation due to flail leaflet: a multicentre international study. <i>European Heart Journal</i> , 2013 , 34, 2600-9	9.5	18
98	Diagnostic yield of FDG positron-emission tomography/computed tomography in patients with CEID infection: a pilot study. <i>Europace</i> , 2013 , 15, 252-7	3.9	59
97	Immunoglobulin G anticardiolipin antibodies and progression to Q fever endocarditis. <i>Clinical Infectious Diseases</i> , 2013 , 57, 57-64	11.6	32
96	Correlation between body mass index and gut concentrations of <i>Lactobacillus reuteri</i> , <i>Bifidobacterium animalis</i> , <i>Methanobrevibacter smithii</i> and <i>Escherichia coli</i> . <i>International Journal of Obesity</i> , 2013 , 37, 1460-6	5.5	224
95	Complementary or alternative medicine as possible determinant of decreased persistence to aromatase inhibitor therapy among older women with non-metastatic breast cancer. <i>PLoS ONE</i> , 2013 , 8, e81677	3.7	16
94	Excess mortality and morbidity in patients surviving infective endocarditis. <i>American Heart Journal</i> , 2012 , 164, 94-101	4.9	79
93	Early discontinuation of tamoxifen intake in younger women with breast cancer: is it time to rethink the way it is prescribed?. <i>European Journal of Cancer</i> , 2012 , 48, 1939-46	7.5	66
92	Inequality in sentinel lymph node dissection for elderly women with early stage breast cancer: Results from a French prospective cohort study. <i>Journal of Geriatric Oncology</i> , 2012 , 3, 212-219	3.6	1
91	Impact de l'information disponible sur Internet chez les patients douloureux chroniques. <i>Douleur Et Analgesie</i> , 2012 , 25, 226-239	0.2	1
90	Secondary procedures after infrarenal abdominal aortic aneurysms endovascular repair with second-generation endografts. <i>Annals of Vascular Surgery</i> , 2012 , 26, 166-74	1.7	20
89	The impact of additional life-table variables on excess mortality estimates. <i>Statistics in Medicine</i> , 2012 , 31, 4219-30	2.3	17
88	High cell surface CD26-associated activities and low plasma adenosine concentration in fibromyalgia. <i>Annals of the Rheumatic Diseases</i> , 2012 , 71, 1427-8	2.4	6
87	Repeated artemisinin-based combination therapies in a malaria hyperendemic area of Mali: efficacy, safety, and public health impact. <i>American Journal of Tropical Medicine and Hygiene</i> , 2012 , 87, 50-56	3.2	28
86	Adenosine plasma level and A2A adenosine receptor expression: correlation with laboratory tests in patients with neurally mediated syncope. <i>Heart</i> , 2012 , 98, 855-9	5.1	39
85	Low-flow, low-gradient severe aortic stenosis despite normal ejection fraction is associated with severe left ventricular dysfunction as assessed by speckle-tracking echocardiography: a multicenter study. <i>Circulation: Cardiovascular Imaging</i> , 2012 , 5, 27-35	3.9	146
84	Adjuvant endocrine therapy with tamoxifen in young women with breast cancer: determinants of interruptions vary over time. <i>Annals of Oncology</i> , 2012 , 23, 882-90	10.3	86
83	Prognostic value of preoperative coronary computed tomography angiography in patients treated by orthotopic liver transplantation. <i>European Journal of Gastroenterology and Hepatology</i> , 2012 , 24, 558-62	2.2	36
82	Clinical features and evolution of alveolar echinococcosis in France from 1982 to 2007: results of a survey in 387 patients. <i>Journal of Hepatology</i> , 2011 , 55, 1025-33	13.4	90

81	Rebuttal to editorial saying cancer survival statistics are misleading. <i>BMJ, The</i> , 2011 , 343, d4214	5.9	2
80	Gadolinium chelate kinetics in cardiac MR imaging of myocarditis: comparison to acute myocardial infarction and impact on late gadolinium enhancement. <i>Investigative Radiology</i> , 2011 , 46, 705-10	10.1	4
79	A study of 28 flat bone osteosarcomas: prognostic factors and early and long-term outcome. <i>European Journal of Cancer Care</i> , 2011 , 20, 322-9	2.4	2
78	Links between private habits, psychological stress and brain cancer: a case-control pilot study in France. <i>Journal of Neuro-Oncology</i> , 2011 , 103, 307-16	4.8	27
77	Competing risk models to estimate the excess mortality and the first recurrent-event hazards. <i>BMC Medical Research Methodology</i> , 2011 , 11, 78	4.7	9
76	Flexible modeling of the effects of continuous prognostic factors in relative survival. <i>Statistics in Medicine</i> , 2011 , 30, 1351-65	2.3	14
75	Quantification of myocardial blood flow and flow reserve in rats using arterial spin labeling MRI: comparison with a fluorescent microsphere technique. <i>NMR in Biomedicine</i> , 2011 , 24, 1047-53	4.4	24
74	O3-1.2 How to perform a sensitivity analysis exploring the impact of missing not at random data with the R software. <i>Journal of Epidemiology and Community Health</i> , 2011 , 65, A31-A31	5.1	1
73	Isolated left ventricular non-compaction in adults: clinical and echocardiographic features in 105 patients. Results from a French registry. <i>European Journal of Heart Failure</i> , 2011 , 13, 177-85	12.3	108
72	Sensitivity analysis when data are missing not-at-random. <i>Epidemiology</i> , 2011 , 22, 282	3.1	27
71	The timing of surgery influences mortality and morbidity in adults with severe complicated infective endocarditis: a propensity analysis. <i>European Heart Journal</i> , 2011 , 32, 2027-33	9.5	138
70	Lecture critique d'articles aux βreuves classantes nationales : le travail (numérique) serait-il payant ?. <i>Pédagogie Médicale</i> , 2010 , 11, 67-68	0.2	
69	Adult intracranial WHO grade II ependymomas: long-term outcome and prognostic factor analysis in a series of 114 patients. <i>Neuro-Oncology</i> , 2010 , 12, 976-84	1	59
68	Measurement of trabeculated left ventricular mass using cardiac magnetic resonance imaging in the diagnosis of left ventricular non-compaction. <i>European Heart Journal</i> , 2010 , 31, 1098-104	9.5	317
67	Diagnosis of cardiac device-related infective endocarditis after device removal. <i>JACC: Cardiovascular Imaging</i> , 2010 , 3, 673-81	8.4	37
66	Assessment of left ventricular non-compaction in adults: side-by-side comparison of cardiac magnetic resonance imaging with echocardiography. <i>Archives of Cardiovascular Diseases</i> , 2010 , 103, 150-9	2.7	74
65	Occupational and environmental risk factors for brain cancer: a pilot case-control study in France. <i>Presse Medicale</i> , 2010 , 39, e35-44	2.2	10
64	Advanced hip osteoarthritis: magnetic resonance imaging aspects and histopathology correlations. <i>Osteoarthritis and Cartilage</i> , 2010 , 18, 1429-35	6.2	42

63	Flexible modeling of competing risks in survival analysis. <i>Statistics in Medicine</i> , 2010 , 29, 2453-68	2.3	22
62	Head-up tilt induced syncope and adenosine A2A receptor gene polymorphism. <i>European Heart Journal</i> , 2009 , 30, 1510-5	9.5	31
61	Prognostic impact of O6-methylguanine-DNA methyltransferase silencing in patients with recurrent glioblastoma multiforme who undergo surgery and carmustine wafer implantation: a prospective patient cohort. <i>Cancer</i> , 2009 , 115, 4783-94	6.4	67
60	Ezrin immunohistochemical expression in cartilaginous tumours: a useful tool for differential diagnosis between chondroblastic osteosarcoma and chondrosarcoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2009 , 454, 81-7	5.1	26
59	Infratentorial ependymomas: prognostic factors and outcome analysis in a multi-center retrospective series of 106 adult patients. <i>Acta Neurochirurgica</i> , 2009 , 151, 947-60	3	27
58	Withdrawal symptoms as a predictor of mortality in patients HIV-infected through drug use and receiving highly active antiretroviral therapy (HAART). <i>Drug and Alcohol Dependence</i> , 2009 , 99, 96-104	4.9	8
57	Incidence, risk factors, and outcome of traumatic tricuspid regurgitation after percutaneous ventricular lead removal. <i>Journal of the American College of Cardiology</i> , 2009 , 53, 2168-74	15.1	50
56	Is a web-based concordance test feasible to assess therapeutic decision-making skills in a French context?. <i>Medical Teacher</i> , 2009 , 31, e162-8	3	3
55	Peripheral plasma adenosine release in patients with chronic heart failure. <i>Heart</i> , 2009 , 95, 651-5	5.1	18
54	Dispositif pédagogique de formation à la lecture critique d'articles scientifiques utilisant une plate-forme numérique : impact sur les performances des étudiants à l'examen sommatif. <i>Pédagogie Médicale</i> , 2009 , 10, 131-144	0.2	4
53	Risk of reoperation for aortic bioprosthesis dysfunction. <i>Journal of Heart Valve Disease</i> , 2009 , 18, 256-61		28
52	Utility of malignancy markers in fine-needle aspiration cytology of thyroid nodules: comparison of Hector Battifora mesothelial antigen-1, thyroid peroxidase and dipeptidyl aminopeptidase IV. <i>British Journal of Cancer</i> , 2008 , 98, 818-23	8.7	34
51	Predictive factors of the response to chemoradiotherapy in esophageal cancer. <i>Gastroenterologie Clinique Et Biologique</i> , 2008 , 32, 567-77		12
50	Incidence and determinants of spinal cord ischaemia in stent-graft repair of the thoracic aorta. <i>European Journal of Vascular and Endovascular Surgery</i> , 2008 , 35, 455-61	2.3	139
49	Prognostic value of ischaemia-modified albumin in patients with non-ST-segment elevation acute coronary syndromes. <i>Archives of Cardiovascular Diseases</i> , 2008 , 101, 645-51	2.7	21
48	Outcome after surgical treatment performed within the first week of antimicrobial therapy during infective endocarditis: a prospective study. <i>Archives of Cardiovascular Diseases</i> , 2008 , 101, 687-95	2.7	21
47	Postoperative treatment with angiotensin-converting enzyme inhibitors in patients with preoperative reduced left ventricular systolic function. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2008 , 22, 187-91	2.1	3
46	Mortality and morbidity among elderly people with burns--evaluation of data on admission. <i>Burns</i> , 2008 , 34, 965-74	2.3	66

45	Nutritional factors as predictors of response to radio-chemotherapy and survival in unresectable squamous head and neck carcinoma. <i>Radiotherapy and Oncology</i> , 2008 , 87, 195-200	5.3	51
44	Adenosine A2A receptor hyperexpression in patients with severe SIRS after cardiopulmonary bypass. <i>Journal of Investigative Medicine</i> , 2008 , 56, 864-71	2.9	11
43	Cervical paragangliomas: is SDH genetic analysis systematically required?. <i>European Archives of Oto-Rhino-Laryngology</i> , 2008 , 265, 557-63	3.5	21
42	The performance of multiple imputation for missing covariate data within the context of regression relative survival analysis. <i>Statistics in Medicine</i> , 2008 , 27, 6310-31	2.3	24
41	Supratentorial ependymomas: prognostic factors and outcome analysis in a retrospective series of 46 adult patients. <i>Cancer</i> , 2008 , 113, 175-85	6.4	51
40	Slow dynamics of lymphoscintigraphic mapping is associated to the negativity of the sentinel node in melanoma patients. <i>Annals of Surgical Oncology</i> , 2008 , 15, 2878-86	3.1	8
39	Prospective evaluation of nonenhanced MR imaging in acute pancreatitis. <i>Journal of Magnetic Resonance Imaging</i> , 2007 , 26, 331-8	5.6	40
38	Evaluation of the effect of JPEG and JPEG2000 image compression on the detection of diabetic retinopathy. <i>Eye</i> , 2007 , 21, 487-93	4.4	20
37	Comparison between PET and PET/CT in recurrent head and neck cancer and clinical implications. <i>European Archives of Oto-Rhino-Laryngology</i> , 2007 , 264, 531-8	3.5	39
36	Long-term outcomes after repaired acute type A aortic dissections. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2007 , 6, 47-51	1.8	35
35	Multicentric French study on adult intracranial ependymomas: prognostic factors analysis and therapeutic considerations from a cohort of 152 patients. <i>Brain</i> , 2007 , 130, 1338-49	11.2	100
34	Solitary fibrous tumors of the central nervous system: clinicopathological and therapeutic considerations of 18 cases. <i>Neurosurgery</i> , 2007 , 60, 715-22; discussion 722	3.2	68
33	Effects of levosimendan on acute pulmonary embolism-induced right ventricular failure. <i>Critical Care Medicine</i> , 2007 , 35, 1948-54	1.4	112
32	Surgical treatment of active aortic endocarditis: homografts are not the cornerstone of outcome. <i>Annals of Thoracic Surgery</i> , 2007 , 84, 1935-42	2.7	72
31	Impact of cerebrovascular complications on mortality and neurologic outcome during infective endocarditis: a prospective multicentre study. <i>European Heart Journal</i> , 2007 , 28, 1155-61	9.5	247
30	Semi-automated detection of the foveal avascular zone in fluorescein angiograms in diabetes mellitus. <i>Clinical and Experimental Ophthalmology</i> , 2006 , 34, 119-23	2.4	14
29	Multifocal motor neuropathy with and without conduction block: a single entity?. <i>Neurology</i> , 2006 , 67, 592-6	6.5	95
28	Diagnostic evaluation of clinically normal subjects with chronic hyperCKemia. <i>Neurology</i> , 2006 , 66, 1585-8.5	6.8	68

27	Role of endogenous adenosine as a predictive marker of vasoplegia during cardiopulmonary bypass and postoperative severe systemic inflammatory response. <i>Critical Care Medicine</i> , 2006 , 34, 640-5	1.4	15
26	Meiotic anomalies in infertile men with severe spermatogenic defects. <i>Human Reproduction</i> , 2005 , 20, 1897-902	5.7	38
25	Metabolic factors and the foveal avascular zone of the retina in diabetes mellitus. <i>Diabetes and Metabolism</i> , 2005 , 31, 465-70	5.4	12
24	Foveal avascular zone in diabetic retinopathy: quantitative vs qualitative assessment. <i>Eye</i> , 2005 , 19, 322-6	4.4	163
23	RSURV: a function to perform relative survival analysis with S-PLUS or R. <i>Computer Methods and Programs in Biomedicine</i> , 2005 , 78, 175-8	6.9	10
22	Analysis of time-dependent covariates in a regressive relative survival model. <i>Statistics in Medicine</i> , 2005 , 24, 3863-70	2.3	5
21	Lack of Alkaline Phosphatase Activity Predicts Meningioma Recurrence. <i>American Journal of Clinical Pathology</i> , 2005 , 124, 252-258	1.9	9
20	Prosthetic valve endocarditis: who needs surgery? A multicentre study of 104 cases. <i>Heart</i> , 2005 , 91, 954-9	5.1	111
19	Lack of alkaline phosphatase activity predicts meningioma recurrence. <i>American Journal of Clinical Pathology</i> , 2005 , 124, 252-8	1.9	6
18	Immediate and medium-term results of intraoperative parathyroid hormone monitoring during video-assisted parathyroidectomy. <i>Archives of Surgery</i> , 2004 , 139, 1301-3		12
17	Minimally invasive surgery for female urinary incontinence: experience with periurethral microballoon implantation. <i>Journal of Endourology</i> , 2004 , 18, 901-5; discussion 905	2.7	6
16	High concentrations of N-BNP are related to non-infectious severe SIRS associated with cardiovascular dysfunction occurring after off-pump coronary artery surgery. <i>British Journal of Anaesthesia</i> , 2004 , 93, 639-44	5.4	25
15	Differential patterns of cognitive impairment in patients with aqueductal stenosis and normal pressure hydrocephalus. <i>Acta Neurochirurgica</i> , 2004 , 146, 1301-8; discussion 1308	3	23
14	Increased plasma levels of pro-brain natriuretic peptide in patients with cardiovascular complications following off-pump coronary artery surgery. <i>Intensive Care Medicine</i> , 2004 , 30, 1799-806	14.5	34
13	Laparoscopy-assisted reconstruction to treat severe aortoiliac occlusive disease: early and midterm results. <i>Journal of Vascular Surgery</i> , 2004 , 39, 777-83	3.5	28
12	Endocarditis in the elderly: clinical, echocardiographic, and prognostic features. <i>European Heart Journal</i> , 2003 , 24, 1576-83	9.5	88
11	A relative survival regression model using B-spline functions to model non-proportional hazards. <i>Statistics in Medicine</i> , 2003 , 22, 2767-84	2.3	73
10	Laparoscopy-assisted abdominal aortic aneurysm endoaneurysmorrhaphy: early and mid-term results. <i>Journal of Vascular Surgery</i> , 2003 , 37, 744-9	3.5	43

9	Clinical outcome after repair of acute type A dissection in patients over 70 years-old. <i>European Journal of Cardio-thoracic Surgery</i> , 2002 , 22, 211-7	3	28
8	Experimenting with new paradigms for medical education and the emergence of a distance learning degree using the internet: teaching evidence-based medicine. <i>Informatics for Health and Social Care</i> , 2002 , 27, 1-11		22
7	Evaluating the prognosis of multiple, severely traumatized children in the intensive care unit. <i>Intensive Care Medicine</i> , 2001 , 27, 1511-7	14.5	49
6	Tubular lesions and tubular cell adhesion molecules for the prognosis of lupus nephritis. <i>Kidney International</i> , 2001 , 60, 2215-21	9.9	44
5	CD44s and CD44v6 expression in localized T1-T2 conventional renal cell carcinomas. <i>Journal of Pathology</i> , 2001 , 193, 345-9	9.4	12
4	Pax-2 expression in adult renal tumors. <i>Human Pathology</i> , 2001 , 32, 282-7	3.7	72
3	Relative survival: comparison of regressive models and advice for the user. <i>Journal of Epidemiology and Biostatistics</i> , 2001 , 6, 455-62		5
2	The use of the personalized estimate of death probabilities for medical decision making. <i>Journal of Biomedical Informatics</i> , 2000 , 33, 75-83		4
1	Tubular lesions determine prognosis of IgA nephropathy. <i>American Journal of Kidney Diseases</i> , 2000 , 35, 13-20	7.4	75