
Nobuhiro Ikemura

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5433448/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Catheter ablation improves outcomes and quality of life in Japanese patients with early-stage atrial fibrillation: A retrospective cohort study. Heart Rhythm, 2022, 19, 1076-1083.	0.7	2
2	Effect of Tricuspid Regurgitation on the Reported Quality of Life and Subsequent Outcomes in Patients With Atrial Fibrillation. Journal of the American Heart Association, 2022, 11, e022713.	3.7	5
3	Regional variations in the process of care for patients undergoing percutaneous coronary intervention in Japan. The Lancet Regional Health - Western Pacific, 2022, 22, 100425.	2.9	4
4	Conventional medical therapy in heart failure patients eligible for the PARADIGM-HF, DAPA-HF, and SHIFT trials. International Journal of Cardiology, 2022, 359, 76-83.	1.7	2
5	Contrast-Associated Acute Kidney Injury After Percutaneous Coronary Intervention. JACC: Cardiovascular Interventions, 2022, 15, 1283.	2.9	0
6	Implications of QRS Prolongation in Patients With Atrial Fibrillation (from a Multicenter Outpatient) Tj ETQq0 0 () rgBT /Ove	erlock 10 Tf .
7	Symptom burden and treatment perception in patients with atrial fibrillation, with and without a family history of atrial fibrillation. Heart and Vessels, 2021, 36, 267-276.	1.2	3
8	Symptom Under-Recognition of Atrial Fibrillation Patients in Consideration for Catheter Ablation. JACC: Clinical Electrophysiology, 2021, 7, 565-574.	3.2	4
9	Letter by Kuno et al Regarding Article, "Heart Team/Guidelines Discordance Is Associated With Increased Mortality: Data From a National Survey of Revascularization in Patients With Complex Coronary Artery Disease― Circulation: Cardiovascular Interventions, 2021, 14, e010649.	3.9	0
10	Baseline and Postprocedural Health Status Outcomes in Contemporary Patients With Atrial Fibrillation Who Underwent Catheter Ablation: A Report from the Japanese Outpatient Registry. Journal of the American Heart Association, 2021, 10, e019983.	3.7	5
11	Burden of Mild (<13 g/dl) Anemia in Patients With Atrial Fibrillation (A Report from a Multicenter) Tj ETQq1 1 0.7	84314 rgE 1.6	BT <u>/</u> Overlock
12	Applicability and Eligibility of the International Study of Comparative Health Effectiveness with Medical and Invasive Approaches (ISCHEMIA) for Patients who Underwent Revascularization with Percutaneous Coronary Intervention. Journal of Clinical Medicine, 2020, 9, 2889.	2.4	9
13	Discrepancy in recognition of symptom burden among patients with atrial fibrillation. American Heart Journal, 2020, 226, 240-249.	2.7	12
14	Ischemic and Bleeding Events Among Patients With Acute Coronary Syndrome Associated With Low-Dose Prasugrel vs Standard-Dose Clopidogrel Treatment. JAMA Network Open, 2020, 3, e202004.	5.9	18
15	Exploring Triaging and Short-Term Outcomes of Early Invasive Strategy in Non-ST Segment Elevation Acute Coronary Syndrome: A Report from Japanese Multicenter Registry. Journal of Clinical Medicine, 2020, 9, 1106.	2.4	3
16	Treatment strategies and subsequent changes in the patient-reported quality-of-life among elderly patients with atrial fibrillation. American Heart Journal, 2020, 222, 83-92.	2.7	14
17	A Cluster Analysis of the Japanese Multicenter Outpatient Registry of Patients With Atrial Fibrillation. American Journal of Cardiology, 2019, 124, 871-878.	1.6	24
	Novel Approach for Viewalizing Multiple Domains of Quality of Life Scalas, Circulations		

Novel Approach for Visualizing Multiple Domains of Quality of Life Scales. Circulation: Cardiovascular Quality and Outcomes, 2019, 12, e005573.

NOBUHIRO IKEMURA

#	ARTICLE	IF	CITATIONS
19	Assessment of Sex Differences in the Initial Symptom Burden, Applied Treatment Strategy, and Quality of Life in Japanese Patients With Atrial Fibrillation. JAMA Network Open, 2019, 2, e191145.	5.9	33
20	Cohort profile: patient characteristics and quality-of-life measurements for newly-referred patients with atrial fibrillation—Keio interhospital Cardiovascular Studies-atrial fibrillation (KiCS-AF). BMJ Open, 2019, 9, e032746.	1.9	19
21	Contemporary trend of reduced-dose non-vitamin K anticoagulants in Japanese patients with atrial fibrillation: A cross-sectional analysis of a multicenter outpatient registry. Journal of Cardiology, 2019, 73, 14-21.	1.9	16
22	Consequence of reimbursement policy alteration for urgent PCI in Japan. Lancet, The, 2018, 391, 2208-2209.	13.7	11
23	C-REACTIVE PROTEIN IN NON-ST ELEVATION MYOCARDIAL INFARCTION PATIENTS IS USEFUL IN IMPROVING DISCRIMINATION OF CONVENTIONAL RISK SCORE: A REPORT FROM MULTICENTER PCI REGISTRY. Journal of the American College of Cardiology, 2017, 69, 294.	2.8	2
24	Plasma interleukin-27 levels in patients with coronary artery disease. Medicine (United States), 2017, 96, e8260.	1.0	7
25	Effect of Compliance to Updated AHA/ACC Performance and Quality Measures Among Patients With Atrial Fibrillation on Outcome (from Japanese Multicenter Registry). American Journal of Cardiology, 2017, 120, 595-600.	1.6	9
26	Plasma Soluble Endoglin Levels Are Inversely Associated With the Severity of Coronary Atherosclerosis—Brief Report. Arteriosclerosis, Thrombosis, and Vascular Biology, 2017, 37, 49-52.	2.4	20
27	Barriers Associated With Door-to-Balloon Delay in Contemporary Japanese Practice. Circulation Journal, 2017, 81, 815-822.	1.6	17
28	Effect of Pre-Procedural Beta-Blocker in Patients Undergoing Percutaneous Coronary Intervention. JACC: Cardiovascular Interventions, 2016, 9, 2458-2459.	2.9	0
29	Use of renin-angiotensin system inhibitors after coronary interventions in patients with the guideline-based indications: A report from a Japanese multicenter registry. International Journal of Cardiology, 2016, 225, 362-364.	1.7	0
30	Efficacy of tolvaptan in a patient with right-sided heart failure and renal dysfunction refractory to diuretic therapy. Journal of Cardiology Cases, 2014, 9, 226-229.	0.5	3