

Sonja C. Jhnig

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5434638/sonja-c-jahnig-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

91
papers

2,984
citations

31
h-index

52
g-index

110
ext. papers

3,877
ext. citations

5
avg, IF

5.36
L-index

#	Paper	IF	Citations
91	Introduction to European rivers 2022 , 1-26		
90	Disentangling the effect of climatic and hydrological predictor variables on benthic macroinvertebrate distributions from predictive models. <i>Hydrobiologia</i> , 2022 , 849, 1021-1040	2.4	
89	A global agenda for advancing freshwater biodiversity research. <i>Ecology Letters</i> , 2021 ,	10	6
88	More exposure opportunities for promoting freshwater conservation. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2021 , 31, 3626	2.6	2
87	Impacts of loss of free-flowing rivers on global freshwater megafauna. <i>Biological Conservation</i> , 2021 , 263, 109335	6.2	4
86	Combined effects of life-history traits and human impact on extinction risk of freshwater megafauna. <i>Conservation Biology</i> , 2021 , 35, 643-653	6	7
85	Safeguarding freshwater life beyond 2020: Recommendations for the new global biodiversity framework from the European experience. <i>Conservation Letters</i> , 2021 , 14, e12771	6.9	27
84	Variation in macroinvertebrate community structure of functional process zones along the river continuum: New elements for the interpretation of the river ecosystem synthesis. <i>River Research and Applications</i> , 2021 , 37, 665-674	2.3	3
83	Twenty-five essential research questions to inform the protection and restoration of freshwater biodiversity. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2021 , 31, 2632-2653	2.6	11
82	Increased sediment deposition triggered by climate change impacts freshwater pearl mussel habitats and metapopulations. <i>Journal of Applied Ecology</i> , 2021 , 58, 1933-1944	5.8	3
81	Revisiting global trends in freshwater insect biodiversity. <i>Wiley Interdisciplinary Reviews: Water</i> , 2021 , 8, e1506	5.7	6
80	SMART Research: Toward Interdisciplinary River Science in Europe. <i>Frontiers in Environmental Science</i> , 2020 , 8,	4.8	4
79	Rethinking megafauna. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2020 , 287, 20192643	4.4	13
78	From topography to hydrology-The modifiable area unit problem impacts freshwater species distribution models. <i>Ecology and Evolution</i> , 2020 , 10, 2956-2968	2.8	3
77	Climate model variability leads to uncertain predictions of the future abundance of stream macroinvertebrates. <i>Scientific Reports</i> , 2020 , 10, 2520	4.9	2
76	When is a hydrological model sufficiently calibrated to depict flow preferences of riverine species?. <i>Ecohydrology</i> , 2020 , 13, e2193	2.5	6
75	A meeting framework for inclusive and sustainable science. <i>Nature Ecology and Evolution</i> , 2020 , 4, 668-671.	3	7

74	Expanding conservation culturomics and iEcology from terrestrial to aquatic realms. <i>PLoS Biology</i> , 2020 , 18, e3000935	9.7	12
73	Identifying and applying an optimum set of environmental variables in species distribution models. <i>Inland Waters</i> , 2020 , 10, 11-28	2.4	3
72	Metacommunity Structures of Macroinvertebrates and Diatoms in High Mountain Streams, Yunnan, China. <i>Frontiers in Ecology and Evolution</i> , 2020 , 8,	3.7	2
71	Streamflow-based evaluation of climate model sub-selection methods. <i>Climatic Change</i> , 2020 , 163, 1267-1285	4.5	6
70	Elevation, aspect, and local environment jointly determine diatom and macroinvertebrate diversity in the Cangshan Mountain, Southwest China. <i>Ecological Indicators</i> , 2020 , 108, 105618	5.8	12
69	The three Rs of river ecosystem resilience: Resources, recruitment, and refugia. <i>River Research and Applications</i> , 2019 , 35, 107-120	2.3	48
68	Combining eight research areas to foster the uptake of ecosystem-based management in fresh waters. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2019 , 29, 1161-1173	2.6	15
67	Molecular phylogeny of Himalopsyche (Trichoptera, Rhyacophilidae). <i>Systematic Entomology</i> , 2019 , 44, 973-984	3.4	2
66	The Freshwater Information Platform: a global online network providing data, tools and resources for science and policy support. <i>Hydrobiologia</i> , 2019 , 838, 1-11	2.4	18
65	The global decline of freshwater megafauna. <i>Global Change Biology</i> , 2019 , 25, 3883-3892	11.4	72
64	Put freshwater megafauna on the table before they are eaten to extinction. <i>Conservation Letters</i> , 2019 , 12, e12662	6.9	3
63	Spatially explicit species distribution models: A missed opportunity in conservation planning?. <i>Diversity and Distributions</i> , 2019 , 25, 758-769	5	15
62	Benthic Macroinvertebrates as Indicators for River Health in Changjiang Basin. <i>Terrestrial Environmental Sciences</i> , 2019 , 207-217	0.1	2
61	Future large hydropower dams impact global freshwater megafauna. <i>Scientific Reports</i> , 2019 , 9, 18531	4.9	40
60	Climate change impacts on ecologically relevant hydrological indicators in three catchments in three European ecoregions. <i>Ecological Engineering</i> , 2019 , 127, 404-416	3.9	25
59	Introducing the H2020 AQUACROSS project: Knowledge, Assessment, and Management for AQUATIC Biodiversity and Ecosystem Services aCROSS EU policies. <i>Science of the Total Environment</i> , 2019 , 652, 320-329	10.2	7
58	Social equity shapes zone-selection: Balancing aquatic biodiversity conservation and ecosystem services delivery in the transboundary Danube River Basin. <i>Science of the Total Environment</i> , 2019 , 656, 797-807	10.2	13
57	On the use of multicriteria decision analysis to formally integrate community values into ecosystem-based freshwater management. <i>River Research and Applications</i> , 2019 , 35, 1666-1676	2.3	5

56	Projected effects of Climate-change-induced flow alterations on stream macroinvertebrate abundances. <i>Ecology and Evolution</i> , 2018 , 8, 3393-3409	2.8	22
55	Molecular association and morphological characterisation of larval types (Trichoptera, Rhyacophilidae). <i>ZooKeys</i> , 2018 , 79-108	1.2	5
54	The Alliance for Freshwater Life: A global call to unite efforts for freshwater biodiversity science and conservation. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2018 , 28, 1015-1022	2.6	106
53	Freshwater megafauna diversity: Patterns, status and threats. <i>Diversity and Distributions</i> , 2018 , 24, 1395-1404	5.4	35
52	A high-resolution streamflow and hydrological metrics dataset for ecological modeling using a regression model. <i>Scientific Data</i> , 2018 , 5, 180224	8.2	9
51	Disappearing giants: a review of threats to freshwater megafauna. <i>Wiley Interdisciplinary Reviews: Water</i> , 2017 , 4, e1208	5.7	38
50	Improving hydrological model optimization for riverine species. <i>Ecological Indicators</i> , 2017 , 80, 376-385	5.8	23
49	Severity Multipliers as a Methodology to Explore Potential Effects of Climate Change on Stream Bioassessment Programs. <i>Water (Switzerland)</i> , 2017 , 9, 188	3	2
48	Quantitative hydrological preferences of benthic stream invertebrates in Germany. <i>Ecological Indicators</i> , 2017 , 79, 163-172	5.8	26
47	Using streamflow observations to estimate the impact of hydrological regimes and anthropogenic water use on European stream macroinvertebrate occurrences. <i>Ecohydrology</i> , 2017 , 10, e1895	2.5	15
46	Exceptional body size-extinction risk relations shed new light on the freshwater biodiversity crisis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017 , 114, E10263-E10264	11.5	10
45	Metacommunity structuring in Himalayan streams over large elevational gradients: the role of dispersal routes and niche characteristics. <i>Journal of Biogeography</i> , 2017 , 44, 62-74	4.1	41
44	Flagship umbrella species needed for the conservation of overlooked aquatic biodiversity. <i>Conservation Biology</i> , 2017 , 31, 481-485	6	44
43	Freshwater Megafauna: Flagships for Freshwater Biodiversity under Threat. <i>BioScience</i> , 2017 , 67, 919-927	7.7	42
42	Anthropogenic land-use stress alters community concordance at the river-riparian interface. <i>Ecological Indicators</i> , 2016 , 65, 133-141	5.8	14
41	Environmental and spatial characterisation of an unknown fauna using DNA sequencing: an example with Himalayan Hydropsychidae (Insecta: Trichoptera). <i>Freshwater Biology</i> , 2016 , 61, 1905-1920	3.1	9
40	Contrasting metacommunity structure and beta diversity in an aquatic-floodplain system. <i>Oikos</i> , 2016 , 125, 686-697	4	67
39	Elements of metacommunity structure of river and riparian assemblages: Communities, taxonomic groups and deconstructed trait groups. <i>Ecological Complexity</i> , 2016 , 25, 35-43	2.6	23

38	Context dependency in biodiversity patterns of central German stream metacommunities. <i>Freshwater Biology</i> , 2016 , 61, 607-620	3.1	67
37	The climate sensitive zone along an altitudinal gradient in central Himalayan rivers: a useful concept to monitor climate change impacts in mountain regions. <i>Climatic Change</i> , 2015 , 132, 265-278	4.5	18
36	An attack on two fronts: predicting how changes in land use and climate affect the distribution of stream macroinvertebrates. <i>Freshwater Biology</i> , 2015 , 60, 1443-1458	3.1	51
35	The role of the uplift of the Qinghai-Tibetan Plateau for the evolution of Tibetan biotas. <i>Biological Reviews</i> , 2015 , 90, 236-53	13.5	369
34	Impacts of land use changes on hydrological components and macroinvertebrate distributions in the Poyang lake area. <i>Ecohydrology</i> , 2015 , 8, 1119-1136	2.5	27
33	Modelling spatial distribution of surface runoff and sediment yield in a Chinese river basin without continuous sediment monitoring. <i>Hydrological Sciences Journal</i> , 2015 , 1-24	3.5	3
32	A new model linking macroinvertebrate assemblages to habitat composition in rivers: development, sensitivity and univariate application. <i>Fundamental and Applied Limnology</i> , 2015 , 186, 117-133	1.0	11
31	Environmental Controls on River Assemblages at the Regional Scale: An Application of the Elements of Metacommunity Structure Framework. <i>PLoS ONE</i> , 2015 , 10, e0135450	3.7	27
30	Community-Environment relationships of riverine invertebrate communities in central Chinese streams. <i>Environmental Earth Sciences</i> , 2015 , 74, 6431-6442	2.9	4
29	Latitudinal patterns and large-scale environmental determinants of stream insect richness across Europe. <i>Limnologia</i> , 2015 , 55, 33-43	2	8
28	Application of species distribution models in stream ecosystems: the challenges of spatial and temporal scale, environmental predictors and species occurrence data. <i>Fundamental and Applied Limnology</i> , 2015 , 186, 45-61	1.9	55
27	Climatic and Catchment-Scale Predictors of Chinese Stream Insect Richness Differ between Taxonomic Groups. <i>PLoS ONE</i> , 2015 , 10, e0123250	3.7	17
26	Integrating catchment properties in small scale species distribution models of stream macroinvertebrates. <i>Ecological Modelling</i> , 2014 , 277, 77-86	3	56
25	Mountain river restoration measures and their success(ion): Effects on river morphology, local species pool, and functional composition of three organism groups. <i>Ecological Indicators</i> , 2014 , 38, 243-255	5.8	36
24	Current and future latitudinal gradients in stream macroinvertebrate richness across North America. <i>Freshwater Science</i> , 2014 , 33, 1136-1147	2	14
23	The Rise of Riverine Flow-ecology and Environmental Flow Research. <i>Environmental Processes</i> , 2014 , 1, 323-330	2.8	13
22	Substratum associations of benthic invertebrates in lowland and mountain streams. <i>Ecological Indicators</i> , 2013 , 30, 178-189	5.8	37
21	Choice of study area and predictors affect habitat suitability projections, but not the performance of species distribution models of stream biota. <i>Ecological Modelling</i> , 2013 , 257, 1-10	3	44

20	Modelling distribution in European stream macroinvertebrates under future climates. <i>Global Change Biology</i> , 2013 , 19, 752-62	11.4	128
19	A comparison of habitat diversity and interannual habitat dynamics in actively and passively restored mountain rivers of Germany. <i>Hydrobiologia</i> , 2013 , 712, 89-104	2.4	12
18	The impact of hydromorphological restoration on river ecological status: a comparison of fish, benthic invertebrates, and macrophytes. <i>Hydrobiologia</i> , 2013 , 704, 475-488	2.4	128
17	Limiting factors and thresholds for macroinvertebrate assemblages in European rivers: Empirical evidence from three datasets on water quality, catchment urbanization, and river restoration. <i>Ecological Indicators</i> , 2012 , 18, 63-72	5.8	71
16	Characterizing macroinvertebrate communities across China: Large-scale implementation of a self-organizing map. <i>Ecological Indicators</i> , 2012 , 23, 394-401	5.8	11
15	Modelling of riverine ecosystems by integrating models: conceptual approach, a case study and research agenda. <i>Journal of Biogeography</i> , 2012 , 39, 2253-2263	4.1	40
14	Dispersal as a limiting factor in the colonization of restored mountain streams by plants and macroinvertebrates. <i>Journal of Applied Ecology</i> , 2011 , 48, 1241-1250	5.8	81
13	Climate-change winners and losers: stream macroinvertebrates of a submontane region in Central Europe. <i>Freshwater Biology</i> , 2011 , 56, 2009-2020	3.1	132
12	River restoration success: a question of perception 2011 , 21, 2007-15		135
11	Climate Change and the Hydrology and Morphology of Freshwater Ecosystems 2010 , 65-83		9
10	A comparative analysis of restoration measures and their effects on hydromorphology and benthic invertebrates in 26 central and southern European rivers. <i>Journal of Applied Ecology</i> , 2010 , 47, 671-680	5.8	119
9	River water quality assessment in selected Yangtze tributaries: Background and method development. <i>Journal of Earth Science (Wuhan, China)</i> , 2010 , 21, 876-881	2.2	13
8	Restoration effort, habitat mosaics, and macroinvertebrates Does channel form determine community composition?. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2009 , 19, 157-169	2.6	35
7	Re-meandering German lowland streams: qualitative and quantitative effects of restoration measures on hydromorphology and macroinvertebrates. <i>Environmental Management</i> , 2009 , 44, 745-54	3.1	59
6	Effects of re-braiding measures on hydromorphology, floodplain vegetation, ground beetles and benthic invertebrates in mountain rivers. <i>Journal of Applied Ecology</i> , 2009 , 46, 406-416	5.8	76
5	Relation between floodplain land use and river hydromorphology on different spatial scales a case study from two lower-mountain catchments in Germany. <i>Fundamental and Applied Limnology</i> , 2009 , 174, 63-73	1.9	16
4	Substrate-specific macroinvertebrate diversity patterns following stream restoration. <i>Aquatic Sciences</i> , 2008 , 70, 292-303	2.5	49
3	Hydromorphological parameters indicating differences between single- and multiple-channel mountain rivers in Germany, in relation to their modification and recovery. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2008 , 18, 1200-1216	2.6	39

2	Safeguarding Freshwater Life Beyond 2020: Recommendations for the New Global Biodiversity Framework from the European Experience	2
1	A Global Agenda for Advancing Freshwater Biodiversity Research	2