## Sharon H Saydah

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5434905/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Poor Control of Risk Factors for Vascular Disease Among Adults With Previously Diagnosed Diabetes. JAMA - Journal of the American Medical Association, 2004, 291, 335.	3.8	1,182
2	Prevalence of Type 1 and Type 2 Diabetes Among Children and Adolescents From 2001 to 2009. JAMA - Journal of the American Medical Association, 2014, 311, 1778.	3.8	1,160
3	Incidence Trends of Type 1 and Type 2 Diabetes among Youths, 2002–2012. New England Journal of Medicine, 2017, 376, 1419-1429.	13.9	1,115
4	Prevalence of Diabetes and Impaired Fasting Glucose in Adults in the U.S. Population: National Health and Nutrition Examination Survey 1999-2002. Diabetes Care, 2006, 29, 1263-1268.	4.3	1,066
5	Full Accounting of Diabetes and Pre-Diabetes in the U.S. Population in 1988–1994 and 2005–2006. Diabetes Care, 2009, 32, 287-294.	4.3	981
6	The Prevalence of Meeting A1C, Blood Pressure, and LDL Goals Among People With Diabetes, 1988–2010. Diabetes Care, 2013, 36, 2271-2279.	4.3	620
7	Association of Type 1 Diabetes vs Type 2 Diabetes Diagnosed During Childhood and Adolescence With Complications During Teenage Years and Young Adulthood. JAMA - Journal of the American Medical Association, 2017, 317, 825.	3.8	471
8	Prevalence of Diabetes by Race and Ethnicity in the United States, 2011-2016. JAMA - Journal of the American Medical Association, 2019, 322, 2389.	3.8	390
9	Prevalence of Diabetes in U.S. Youth in 2009: The SEARCH for Diabetes in Youth Study. Diabetes Care, 2014, 37, 402-408.	4.3	365
10	The SEARCH for Diabetes in Youth Study: Rationale, Findings, and Future Directions. Diabetes Care, 2014, 37, 3336-3344.	4.3	334
11	Prevalence of Diagnosed Diabetes in Adults by Diabetes Type — United States, 2016. Morbidity and Mortality Weekly Report, 2018, 67, 359-361.	9.0	318
12	Trends in the Prevalence of Ketoacidosis at Diabetes Diagnosis: The SEARCH for Diabetes in Youth Study. Pediatrics, 2014, 133, e938-e945.	1.0	309
13	Acute Kidney Injury Recovery Pattern and Subsequent Risk ofÂCKD: An Analysis of Veterans Health Administration Data. American Journal of Kidney Diseases, 2016, 67, 742-752.	2.1	298
14	Trends in Death Rates Among U.S. Adults With and Without Diabetes Between 1997 and 2006. Diabetes Care, 2012, 35, 1252-1257.	4.3	265
15	Trends in Prevalence of Type 1 and Type 2 Diabetes in Children and Adolescents in the US, 2001-2017. JAMA - Journal of the American Medical Association, 2021, 326, 717.	3.8	254
16	The Future Burden of CKD in the United States: A Simulation Model for the CDC CKD Initiative. American Journal of Kidney Diseases, 2015, 65, 403-411.	2.1	241
17	Sodium and potassium intakes among US adults: NHANES 2003–2008. American Journal of Clinical Nutrition, 2012, 96, 647-657.	2.2	225
18	Prevalence of and Risk Factors for Diabetic Peripheral Neuropathy in Youth With Type 1 and Type 2 Diabetes: SEARCH for Diabetes in Youth Study, Diabetes Care, 2017, 40, 1226-1232	4.3	202

#	Article	IF	CITATIONS
19	Use of Complementary and Alternative Medicine Among Adults with Chronic Diseases: United States 2002. Journal of Alternative and Complementary Medicine, 2006, 12, 805-812.	2.1	200
20	Secular Changes in U.S. Prediabetes Prevalence Defined by Hemoglobin A1c and Fasting Plasma Glucose. Diabetes Care, 2013, 36, 2286-2293.	4.3	185
21	Socioeconomic Status and Risk of Diabetes-Related Mortality in the U.S Public Health Reports, 2010, 125, 377-388.	1.3	180
22	Abnormal Glucose Tolerance and the Risk of Cancer Death in the United States. American Journal of Epidemiology, 2003, 157, 1092-1100.	1.6	156
23	Age and the Burden of Death Attributable to Diabetes in the United States. American Journal of Epidemiology, 2002, 156, 714-719.	1.6	149
24	Secular Changes in the Age-Specific Prevalence of Diabetes Among U.S. Adults: 1988–2010. Diabetes Care, 2013, 36, 2690-2696.	4.3	149
25	Cardiovascular and renal burdens of prediabetes in the USA: analysis of data from serial cross-sectional surveys, 1988–2014. Lancet Diabetes and Endocrinology,the, 2018, 6, 392-403.	5.5	142
26	Trends in cardiovascular disease risk factors by obesity level in adults in the United States, NHANES 1999â€⊋010. Obesity, 2014, 22, 1888-1895.	1.5	137
27	Socioeconomic Status and Mortality. Diabetes Care, 2013, 36, 49-55.	4.3	136
28	Review of the performance of methods to identify diabetes cases among vital statistics, administrative, and survey data. Annals of Epidemiology, 2004, 14, 507-516.	0.9	135
29	Prevalence of Chronic Kidney Disease in Persons With Undiagnosed or Prehypertension in the United States. Hypertension, 2010, 55, 1102-1109.	1.3	112
30	Food Insecurity, CKD, and Subsequent ESRD in US Adults. American Journal of Kidney Diseases, 2017, 70, 38-47.	2.1	106
31	Cardiometabolic Risk Factors Among US Adolescents and Young Adults and Risk of Early Mortality. Pediatrics, 2013, 131, e679-e686.	1.0	94
32	Trends in Incidence of Type 1 Diabetes Among Non-Hispanic White Youth in the U.S., 2002–2009. Diabetes, 2014, 63, 3938-3945.	0.3	92
33	Trends in Gestational Diabetes Among Hospital Deliveries in 19 U.S. States, 2000–2010. American Journal of Preventive Medicine, 2015, 49, 12-19.	1.6	90
34	Race and ethnic differences in glycemic control among adults with diagnosed diabetes in the United States. Ethnicity and Disease, 2007, 17, 529-35.	1.0	85
35	Peripheral Neuropathy in Adolescents and Young Adults With Type 1 and Type 2 Diabetes From the SEARCH for Diabetes in Youth Follow-up Cohort. Diabetes Care, 2013, 36, 3903-3908.	4.3	83
36	Trends and Disparities in Cardiovascular Mortality Among U.S. Adults With and Without Self-Reported Diabetes, 1988–2015. Diabetes Care, 2018, 41, 2306-2315.	4.3	77

#	Article	IF	CITATIONS
37	Association of markers of insulin and glucose control with subsequent colorectal cancer risk. Cancer Epidemiology Biomarkers and Prevention, 2003, 12, 412-8.	1.1	76
38	Diabetic ketoacidosis at diagnosis of type 1 diabetes and glycemic control over time: The SEARCH for diabetes in youth study. Pediatric Diabetes, 2019, 20, 172-179.	1.2	75
39	CKD Awareness Among US Adults by Future Risk of Kidney Failure. American Journal of Kidney Diseases, 2020, 76, 174-183.	2.1	74
40	Late Conditions Diagnosed 1–4 Months Following an Initial Coronavirus Disease 2019 (COVID-19) Encounter: A Matched-Cohort Study Using Inpatient and Outpatient Administrative Data—United States, 1 March–30 June 2020. Clinical Infectious Diseases, 2021, 73, S5-S16.	2.9	71
41	Long-Term Symptoms Among Adults Tested for SARS-CoV-2 — United States, January 2020–April 2021. Morbidity and Mortality Weekly Report, 2021, 70, 1235-1241.	9.0	69
42	Insulin-like Growth Factors and Subsequent Risk of Mortality in the United States. American Journal of Epidemiology, 2007, 166, 518-526.	1.6	64
43	Diabetes and fracture risk in older U.S. adults. Bone, 2016, 82, 9-15.	1.4	64
44	Association of Sleep-Related Problems With CKD in the United States, 2005-2008. American Journal of Kidney Diseases, 2011, 58, 554-564.	2.1	62
45	GHb Level and Subsequent Mortality Among Adults in the U.S Diabetes Care, 2009, 32, 1440-1446.	4.3	60
46	National Trends in the Prevalence of Chronic Kidney Disease Among Racial/Ethnic and Socioeconomic Status Groups, 1988-2016. JAMA Network Open, 2020, 3, e207932.	2.8	60
47	Depressive symptoms and the risk of type 2 diabetes mellitus in a US sample. Diabetes/Metabolism Research and Reviews, 2003, 19, 202-208.	1.7	58
48	County-level air quality and the prevalence of diagnosed chronic kidney disease in the US Medicare population. PLoS ONE, 2018, 13, e0200612.	1.1	57
49	Poor accordance to a DASH dietary pattern isÂassociated with higher risk of ESRD amongÂadultsÂwith moderate chronic kidneyÂdiseaseÂandÂhypertension. Kidney International, 2019, 95, 1433-1442.	2.6	50
50	Use of administrative and electronic health record data for development of automated algorithms for childhood diabetes case ascertainment and type classification: the SEARCH for Diabetes in Youth Study. Pediatric Diabetes, 2014, 15, 573-584.	1.2	49
51	Albuminuria Prevalence in First Morning Void Compared with Previous Random Urine from Adults in the National Health and Nutrition Examination Survey, 2009–2010. Clinical Chemistry, 2013, 59, 675-683.	1.5	45
52	Projected Impact of Implementing the Results of the Diabetes Prevention Program in the U.S. Population. Diabetes Care, 2002, 25, 1940-1945.	4.3	44
53	Long-Term and Recent Progress in Blood Pressure Levels Among U.S. Adults With Diagnosed Diabetes, 1988-2008. Diabetes Care, 2011, 34, 1579-1581.	4.3	42
54	Mortality in youth-onset type 1 and type 2 diabetes: The SEARCH for Diabetes in Youth study. Journal of Diabetes and Its Complications, 2018, 32, 545-549.	1.2	41

#	Article	IF	CITATIONS
55	State-Level Awareness of Chronic Kidney Disease in the U.S American Journal of Preventive Medicine, 2017, 53, 300-307.	1.6	40
56	Pregnancy Experience Among Women With and Without Gestational Diabetes in the U.S., 1995 National Survey of Family Growth. Diabetes Care, 2005, 28, 1035-1040.	4.3	37
57	Co-occurrence of early diabetes-related complications in adolescents and young adults with type 1 diabetes: an observational cohort study. The Lancet Child and Adolescent Health, 2019, 3, 35-43.	2.7	36
58	Increase in Prevalence of Diabetic Ketoacidosis at Diagnosis Among Youth With Type 1 Diabetes: The SEARCH for Diabetes in Youth Study. Diabetes Care, 2021, 44, 1573-1578.	4.3	35
59	Estimating Prevalence of CKD Stages 3-5 Using Health System Data. American Journal of Kidney Diseases, 2013, 61, 930-938.	2.1	34
60	Prevalence of Asthma and Its Association With Glycemic Control Among Youth With Diabetes. Pediatrics, 2011, 128, e839-e847.	1.0	33
61	Cost-Effectiveness of Screening for Microalbuminuria among African Americans. Journal of the American Society of Nephrology: JASN, 2012, 23, 2035-2041.	3.0	33
62	Receipt of Glucose Testing and Performance of Two US Diabetes Screening Guidelines, 2007–2012. PLoS ONE, 2015, 10, e0125249.	1.1	33
63	Prevalence of Select New Symptoms and Conditions Among Persons Aged Younger Than 20 Years and 20 Years or Older at 31 to 150 Days After Testing Positive or Negative for SARS-CoV-2. JAMA Network Open, 2022, 5, e2147053.	2.8	33
64	The Cardiometabolic Risk Profile of Young Adults With Diabetes in the U.S Diabetes Care, 2019, 42, 1895-1902.	4.3	32
65	Trends in Chronic Kidney Disease Care in the US by Race and Ethnicity, 2012-2019. JAMA Network Open, 2021, 4, e2127014.	2.8	32
66	Association of metabolic syndrome with insulin-like growth factors among adults in the US. Cancer Causes and Control, 2009, 20, 1309-1316.	0.8	28
67	Americans' Use of Dietary Supplements That Are Potentially Harmful in CKD. American Journal of Kidney Diseases, 2013, 61, 739-747.	2.1	26
68	The early natural history of albuminuria in young adults with youth-onset type 1 and type 2 diabetes. Journal of Diabetes and Its Complications, 2018, 32, 1160-1168.	1.2	25
69	Relationship of Polyunsaturated Fatty Acid Intake to Peripheral Neuropathy Among Adults With Diabetes in the National Health and Nutrition Examination Survey (NHANES) 1999–2004. Diabetes Care, 2008, 31, 93-95.	4.3	24
70	An efficient approach for surveillance of childhood diabetes by type derived from electronic health record data: the SEARCH for Diabetes in Youth Study. Journal of the American Medical Informatics Association: JAMIA, 2016, 23, 1060-1067.	2.2	24
71	Association between fear of hypoglycemia and physical activity in youth with type 1 diabetes: The <scp>SEARCH</scp> for diabetes in youth study. Pediatric Diabetes, 2020, 21, 1277-1284.	1.2	24
72	Prevalence of diagnosed diabetes in American Indian and Alaska Native adults, 2006–2017. BMJ Open Diabetes Research and Care, 2020, 8, e001218.	1.2	23

#	Article	IF	CITATIONS
73	Differences in U.S. Rural-Urban Trends in Diabetes ABCS, 1999–2018. Diabetes Care, 2021, 44, 1766-1773.	4.3	21
74	Trends in Albuminuria and GFR Among Adolescents in the United States, 1988-2014. American Journal of Kidney Diseases, 2018, 72, 644-652.	2.1	20
75	Dietary Sodium Reduction Does Not Affect Circulating Glucose Concentrations in Fasting Children or Adults: Findings from a Systematic Review and Meta-Analysis. Journal of Nutrition, 2015, 145, 505-513.	1.3	18
76	Potential Impact of Prescribing Metformin According to eGFR Rather Than Serum Creatinine. Diabetes Care, 2015, 38, 2059-2067.	4.3	18
77	Multimorbidity of Four Cardiometabolic and Chronic Pulmonary Disease Groups: Prevalence and Attributable Fraction in US Adults, 2007–2012. Journal of Comorbidity, 2017, 7, 22-32.	3.9	18
78	Angiotensin-Converting Enzyme Inhibitor or Angiotensin Receptor Blocker Use Among Hypertensive US Adults With Albuminuria. Hypertension, 2021, 77, 94-102.	1.3	17
79	Study protocol for the Innovative Support for Patients with SARS-COV-2 Infections Registry (INSPIRE): A longitudinal study of the medium and long-term sequelae of SARS-CoV-2 infection. PLoS ONE, 2022, 17, e0264260.	1.1	15
80	High health satisfaction among emerging adults with diabetes: Factors predicting resilience Health Psychology, 2017, 36, 206-214.	1.3	14
81	Medical Costs Among Youth Younger Than 20 Years of Age With and Without Diabetic Ketoacidosis at the Time of Diabetes Diagnosis. Diabetes Care, 2019, 42, 2256-2261.	4.3	12
82	Estimating prevalence of type I and type II diabetes using incidence rates: the SEARCH for diabetes in youth study. Annals of Epidemiology, 2019, 37, 37-42.	0.9	11
83	Occurrence of severe hypoglycaemic events among US youth and young adults with type 1 or type 2 diabetes. Endocrinology, Diabetes and Metabolism, 2019, 2, e00057.	1.0	11
84	Life Course Socioeconomic Position, Allostatic Load, and Incidence of Type 2 Diabetes among African America n Adults: The Jackson Heart Study, 2000-04 to 2012. Ethnicity and Disease, 2019, 29, 39-46.	1.0	11
85	Identifying High-Risk Individuals for Chronic Kidney Disease: Results of the CHERISH Community Demonstration Project. American Journal of Nephrology, 2018, 48, 447-455.	1.4	10
86	Demographic Correlates of Short-Term Mortality Among Youth and Young Adults With Youth-Onset Diabetes Diagnosed From 2002 to 2015: The SEARCH for Diabetes in Youth Study. Diabetes Care, 2021, 44, 2691-2698.	4.3	10
87	Increasing burden of type 2 diabetes in Navajo youth: The SEARCH for diabetes in youth study. Pediatric Diabetes, 2019, 20, 815-820.	1.2	9
88	Receipt of recommended complications and comorbidities screening in youth and young adults with type 1 diabetes: Associations with metabolic status and satisfaction with care. Pediatric Diabetes, 2020, 21, 349-357.	1.2	9
89	The accuracy of provider diagnosed diabetes type in youth compared to an etiologic criteria in the <scp>SEARCH</scp> for Diabetes in Youth Study. Pediatric Diabetes, 2020, 21, 1403-1411.	1.2	9
90	Incidence and predictors of type 1 diabetes among younger adults aged 20–45 years: The diabetes in young adults (DiYA) study. Diabetes Research and Clinical Practice, 2021, 171, 108624.	1.1	9

#	Article	IF	CITATIONS
91	Detection of Diabetes Status and Type in Youth Using Electronic Health Records: The SEARCH for Diabetes in Youth Study. Diabetes Care, 2020, 43, 2418-2425.	4.3	8
92	Cognitive Function in Adolescents and Young Adults With Youth-Onset Type 1 Versus Type 2 Diabetes: The SEARCH for Diabetes in Youth Study. Diabetes Care, 2021, 44, 1273-1280.	4.3	8
93	Factors influencing time to case registration for youth with type 1Âand type 2 diabetes: SEARCH for Diabetes in Youth Study. Annals of Epidemiology, 2016, 26, 631-637.	0.9	7
94	Trends and socioeconomic disparities in all-cause mortality among adults with diagnosed diabetes by race/ethnicity: a population-based cohort study - USA, 1997–2015. BMJ Open, 2021, 11, e044158.	0.8	7
95	Consistency with the Dietary Approaches to Stop Hypertension Diet among Adults with Diabetes. Journal of the Academy of Nutrition and Dietetics, 2012, 112, 1798-1805.	0.4	6
96	The influence of exposure to maternal diabetes in utero on the rate of decline in β-cell function among youth with diabetes. Journal of Pediatric Endocrinology and Metabolism, 2013, 26, 721-7.	0.4	6
97	Diabetes Self-Management Education Patterns in a US Population-Based Cohort of Youth With Type 1 Diabetes. The Diabetes Educator, 2014, 40, 29-39.	2.6	6
98	Trends and Characteristics of Self-reported Case Presentation of Diabetes Diagnosis Among Youth From 2002 to 2010: Findings From the SEARCH for Diabetes in Youth Study. Diabetes Care, 2015, 38, e84-e85.	4.3	6
99	Serum cystatin C in youth with diabetes: The SEARCH for diabetes in youth study. Diabetes Research and Clinical Practice, 2017, 130, 258-265.	1.1	6
100	Mortality associated with less intense risk-factor control among adults with diabetes in the United States. Primary Care Diabetes, 2018, 12, 3-12.	0.9	6
101	Emerging Approaches in Surveillance of Type 1 Diabetes. Current Diabetes Reports, 2018, 18, 61.	1.7	6
102	Surveillance for Post-COVID Conditions Is Necessary: Addressing the Challenges with Multiple Approaches. Journal of General Internal Medicine, 2022, , 1.	1.3	5
103	Vitamin D and Albuminuria in Youth with and without Type 1 Diabetes. Hormone Research in Paediatrics, 2017, 87, 385-395.	0.8	4
104	Out of Pocket Diabetes-Related Medical Expenses for Adolescents and Young Adults With Type 1 Diabetes: The SEARCH for Diabetes in Youth Study. Diabetes Care, 2019, 42, e172-e174.	4.3	4
105	Estimating State-Level Health Burden of Diabetes: Diabetes-Attributable Fractions for Diabetes Complications. American Journal of Preventive Medicine, 2019, 56, 232-240.	1.6	4
106	Alternative waist-to-height ratios associated with risk biomarkers in youth with diabetes: comparative models in the SEARCH for Diabetes in Youth Study. International Journal of Obesity, 2019, 43, 1940-1950.	1.6	3
107	Identifying optimal survey-based algorithms to distinguish diabetes type among adults with diabetes. Journal of Clinical and Translational Endocrinology, 2020, 21, 100231.	1.0	3
108	Comparison of several survey-based algorithms to ascertain type 1 diabetes among US adults with self-reported diabetes. BMJ Open Diabetes Research and Care, 2020, 8, e001917.	1.2	1

#	Article	IF	CITATIONS
109	The association between dietary intake of polyunsaturated fatty acids (PUFA) and the risk of diabetic peripheral neuropathy (PN) in the National Health and Nutrition Examination Survey (NHANES) 1999–2002. FASEB Journal, 2007, 21, A115.	0.2	Ο
110	Prevalence of multimorbidity among U.S. adults: data from the National Health and Nutrition Examination Survey. FASEB Journal, 2012, 26, lb451.	0.2	0
111	Twelve-Month Follow-up of Early COVID-19 Cases in the United States: Cellular and Humoral Immune Longevity. Open Forum Infectious Diseases, 2022, 9, ofab664.	0.4	0