Iwona Kwiecień

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5436364/publications.pdf

Version: 2024-02-01

840776 713466 23 432 11 21 citations h-index g-index papers 23 23 23 639 docs citations times ranked citing authors all docs

#	Article	IF	Citations
1	Hydrogels Made of Poly-Î ³ -Glutamic Acid and Sugar Alcohols for Enhanced Survival of Probiotic Strains Subjected to Low pH and Freeze Drying. AppliedChem, 2021, 1, 173-183.	1.0	O
2	Physicochemical and Biological Characterisation of Diclofenac Oligomeric Poly(3-hydroxyoctanoate) Hybrids as \hat{l}^2 -TCP Ceramics Modifiers for Bone Tissue Regeneration. International Journal of Molecular Sciences, 2020, 21, 9452.	4.1	11
3	Synthesis of Hydrogels Made of Poly- \hat{l}^3 -Glutamic Acid (\hat{l}^3 -PGA) for Potential Applications as Probiotic-Delivery Vehicles. Applied Sciences (Switzerland), 2020, 10, 2787.	2.5	3
4	A comparative study of three-dimensional printing directions: The degradation and toxicological profile of a PLA/PHA blend. Polymer Degradation and Stability, 2018, 152, 191-207.	5.8	81
5	Tandem mass spectroscopy as a tool for investigation of complexes of PNPâ€lariat ether derivative with metal ions. Journal of Mass Spectrometry, 2018, 53, 278-285.	1.6	3
6	Biodegradable PBAT/PLA Blend with Bioactive MCPA-PHBV Conjugate Suppresses Weed Growth. Biomacromolecules, 2018, 19, 511-520.	5 . 4	42
7	Application of Polysaccharide-Based Hydrogels as Probiotic Delivery Systems. Gels, 2018, 4, 47.	4.5	86
8	Biocompatible terpolyesters containing polyhydroxyalkanoate and sebacic acid structural segments – synthesis and characterization. RSC Advances, 2017, 7, 20469-20479.	3.6	4
9	The Synthesis and Structural Characterization of Graft Copolymers Composed of Î ³ -PGA Backbone and Oligoesters Pendant Chains. Journal of the American Society for Mass Spectrometry, 2017, 28, 2223-2234.	2.8	3
10	Forensic Engineering of Advanced Polymeric Materialsâ€"Part V: Prediction Studies of Aliphaticâ€"Aromatic Copolyester and Polylactide Commercial Blends in View of Potential Applications as Compostable Cosmetic Packages. Polymers, 2017, 9, 257.	4.5	21
11	The Molecular Level Characterization of Biodegradable Polymers Originated from Polyethylene Using Non-Oxygenated Polyethylene Wax as a Carbon Source for Polyhydroxyalkanoate Production. Bioengineering, 2017, 4, 73.	3.5	41
12	Diversifying Polyhydroxyalkanoates – End-Group and Side-Chain Functionality. Current Organic Synthesis, 2017, 14, 757-767.	1.3	3
13	Synthesis and Structural Characterization of Bioactive PHA and \hat{I}^3 -PGA Oligomers for Potential Applications as a Delivery System. Materials, 2016, 9, 307.	2.9	11
14	Transesterification of PHA to Oligomers Covalently Bonded with (Bio)Active Compounds Containing Either Carboxyl or Hydroxyl Functionalities. PLoS ONE, 2015, 10, e0120149.	2.5	17
15	Molecular architecture of novel potentially bioactive (co)oligoesters containing pesticide moieties established by electrospray ionization multistage mass spectrometry. Rapid Communications in Mass Spectrometry, 2015, 29, 533-544.	1.5	12
16	(Bio)degradation studies of degradable polymer composites with jute in different environments. Fibers and Polymers, 2015, 16, 1362-1369.	2.1	18
17	Electrospun Fibres of Polyhydroxybutyrate Synthesized by (i) Ralstonia eutropha (i) from Different Carbon Sources. International Journal of Polymer Science, 2014, 2014, 1-11.	2.7	14
18	Synthesis and structural characterization at the molecular level of oligo(3-hydroxybutyrate) conjugates with antimicrobial agents designed for food packaging materials. Designed Monomers and Polymers, 2014, 17, 311-321.	1.6	17

#	Article	IF	CITATIONS
19	Molecular level structure of novel synthetic analogues of aliphatic biopolyesters as revealed by multistage mass spectrometry. Analytica Chimica Acta, 2014, 808, 104-114.	5.4	19
20	Controlled Release of 2,4-D and Dicamba 3-hydroxybutyric Acid Oligomers. , 2013, , 15-30.		1
21	Electrospray ionisation mass spectrometry molecularâ€level structural characterisation of novel phenoxycarboxylic acid–oligo(3â€hydroxybutyrate) conjugates with potential agricultural applications. Rapid Communications in Mass Spectrometry, 2012, 26, 2673-2682.	1.5	14
22	Synthesis and evaluation of effectiveness of a controlled release preparation 2,4-d: a reduction of risk of pollution and exposure of workers. Archives of Environmental Protection, 2012, 38, .	1.1	3
23	N- Hydroxyphthalimide and transition metal salts as catalysts of the liquid-phase oxidation of 1-methoxy-4-(1-methylethyl)benzene with oxygen. Open Chemistry, 2011, 9, 670-676.	1.9	8