

Ulrik Madvig Mogensen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5436886/publications.pdf>

Version: 2024-02-01

35
papers

1,041
citations

567281

15
h-index

414414

32
g-index

35
all docs

35
docs citations

35
times ranked

2088
citing authors

#	ARTICLE	IF	CITATIONS
1	Cause-specific death and risk factors of 1-year mortality after implantable cardioverter-defibrillator implantation: a nationwide study. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2022, 8, 39-49.	4.0	3
2	Glycated haemoglobin levels among 3295 hospitalized COVID-19 patients, with and without diabetes, and risk of severe infection, admission to an intensive care unit and all-cause mortality. <i>Diabetes, Obesity and Metabolism</i> , 2022, 24, 499-510.	4.4	12
3	The impact of partial-oral endocarditis treatment on anxiety and depression in the POET trial. <i>Journal of Psychosomatic Research</i> , 2022, 154, 110718.	2.6	3
4	Self-assessed health status and associated mortality in endocarditis: secondary findings from the POET trial. <i>Quality of Life Research</i> , 2022, , 1.	3.1	0
5	Room for improvement: initiation of lipid-lowering treatment and achievement of lipid target levels—a Danish registry-based study. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2021, 7, 181-188.	4.0	3
6	Initiation of domiciliary care and nursing home admission following first hospitalization for heart failure, stroke, chronic obstructive pulmonary disease or cancer. <i>PLoS ONE</i> , 2021, 16, e0255364.	2.5	3
7	Serum potassium in the PARADIGM-HF trial. <i>European Journal of Heart Failure</i> , 2020, 22, 2056-2064.	7.1	34
8	Self-reported health status and the associated risk of mortality in heart failure: The DANISH trial. <i>Journal of Psychosomatic Research</i> , 2020, 137, 110220.	2.6	6
9	Add-on therapy in metformin-treated patients with type 2 diabetes at moderate cardiovascular risk: a nationwide study. <i>Cardiovascular Diabetology</i> , 2020, 19, 107.	6.8	18
10	Quality of life and the associated risk of all-cause mortality in nonischemic heart failure. <i>International Journal of Cardiology</i> , 2020, 305, 92-98.	1.7	7
11	Association between Type D personality and outcomes in patients with non-ischemic heart failure. <i>Quality of Life Research</i> , 2019, 28, 2901-2908.	3.1	10
12	The economic burden of heart failure in Denmark from 1998 to 2016. <i>European Journal of Heart Failure</i> , 2019, 21, 1526-1531.	7.1	17
13	The impact of implantable cardioverter-defibrillator implantation on health-related quality of life in the DANISH trial. <i>Europace</i> , 2019, 21, 900-908.	1.7	10
14	Cardiac ventricular sizes are reduced in patients with long-term, normoalbuminuric type 1 diabetes compared to the non-diabetic background population. <i>Diabetes and Vascular Disease Research</i> , 2019, 16, 289-296.	2.0	5
15	Differential Impact of Heart Failure With Reduced Ejection Fraction on Men and Women. <i>Journal of the American College of Cardiology</i> , 2019, 73, 29-40.	2.8	168
16	Generalised arterial calcification in normoalbuminuric patients with type 1 diabetes with and without cardiovascular autonomic neuropathy. <i>Diabetes and Vascular Disease Research</i> , 2019, 16, 98-102.	2.0	13
17	Left ventricular remodelling and cardiac chamber sizes in long-term, normoalbuminuric type 1 diabetes patients with and without cardiovascular autonomic neuropathy. <i>Journal of Diabetes and Its Complications</i> , 2019, 33, 171-177.	2.3	3
18	Possible early detection of coronary artery calcium progression in type 1 diabetes: A case-control study of normoalbuminuric type 1 diabetes patients and matched controls. <i>Diabetes Research and Clinical Practice</i> , 2018, 141, 18-25.	2.8	5

#	ARTICLE	IF	CITATIONS
19	Aliskiren alone or in combination with enalapril vs. enalapril among patients with chronic heart failure with and without diabetes: a subgroup analysis from the <scp>ATMOSPHERE</scp> trial. <i>European Journal of Heart Failure</i> , 2018, 20, 136-147.	7.1	18
20	Evidence-Based Therapy and Its Association With Workforce Detachment After First Hospitalization for Heart Failure. <i>JACC: Heart Failure</i> , 2018, 6, 41-48.	4.1	3
21	Employment status at time of first hospitalization for heart failure is associated with a higher risk of death and rehospitalization for heart failure. <i>European Journal of Heart Failure</i> , 2018, 20, 240-247.	7.1	16
22	Initiation of domiciliary care and nursing home admission following first hospitalization of heart failure patients: a nationwide cohort study. <i>Clinical Epidemiology</i> , 2018, Volume 10, 917-930.	3.0	10
23	The effects of sacubitril/valsartan on coronary outcomes in PARADIGM-HF. <i>American Heart Journal</i> , 2017, 188, 35-41.	2.7	32
24	Clinical and Echocardiographic Characteristics and Cardiovascular Outcomes According to Diabetes Status in Patients With Heart Failure and Preserved Ejection Fraction. <i>Circulation</i> , 2017, 135, 724-735.	1.6	153
25	Prognostic Value of N-Terminal Pro-B-Type Natriuretic Peptide Levels in Heart Failure Patients With and Without Atrial Fibrillation. <i>Circulation: Heart Failure</i> , 2017, 10, .	3.9	53
26	Re-Examination of the BEST Trial Using Composite Outcomes, Including Emergency Department Visits. <i>JACC: Heart Failure</i> , 2017, 5, 591-599.	4.1	12
27	Type of Atrial Fibrillation and Outcomes in Patients With Heart Failure and Reduced Ejection Fraction. <i>Journal of the American College of Cardiology</i> , 2017, 70, 2490-2500.	2.8	114
28	Nocturnal antihypertensive treatment in patients with type 1 diabetes with autonomic neuropathy and non-dipping: a randomised, placebo-controlled, double-blind cross-over trial. <i>BMJ Open</i> , 2016, 6, e012307.	1.9	17
29	The prevalence and prognostic importance of possible familial hypercholesterolemia in patients with myocardial infarction. <i>American Heart Journal</i> , 2016, 181, 35-42.	2.7	35
30	Return to the Workforce After First Hospitalization for Heart Failure. <i>Circulation</i> , 2016, 134, 999-1009.	1.6	50
31	The importance of β_2 -agonists in myocardial infarction: Findings from the Eastern Danish Heart Registry. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2016, 5, 551-559.	1.0	2
32	Sulfonylurea in combination with insulin is associated with increased mortality compared with a combination of insulin and metformin in a retrospective Danish nationwide study. <i>Diabetologia</i> , 2015, 58, 50-58.	6.3	44
33	Metformin in combination with various insulin secretagogues in type 2 diabetes and associated risk of cardiovascular morbidity and mortality – A retrospective nationwide study. <i>Diabetes Research and Clinical Practice</i> , 2015, 107, 104-112.	2.8	15
34	Cardiovascular Autonomic Neuropathy and Subclinical Cardiovascular Disease in Normoalbuminuric Type 1 Diabetic Patients. <i>Diabetes</i> , 2012, 61, 1822-1830.	0.6	39
35	Clinical characteristics and major comorbidities in heart failure patients more than 85 years of age compared with younger age groups. <i>European Journal of Heart Failure</i> , 2011, 13, 1216-1223.	7.1	108