

Jan Libiger

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5436983/jan-libiger-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

33
papers

1,920
citations

18
h-index

33
g-index

33
ext. papers

2,161
ext. citations

6.3
avg, IF

3.61
L-index

| # | Paper | IF | Citations |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 33 | Effectiveness of antipsychotic drugs in first-episode schizophrenia and schizophreniform disorder: an open randomised clinical trial. <i>Lancet, The</i> , 2008 , 371, 1085-97 | 40 | 823 |
| 32 | Cognitive effects of antipsychotic drugs in first-episode schizophrenia and schizophreniform disorder: a randomized, open-label clinical trial (EUFEST). <i>American Journal of Psychiatry</i> , 2009 , 166, 675-82 | 11.9 | 249 |
| 31 | Amisulpride and olanzapine followed by open-label treatment with clozapine in first-episode schizophrenia and schizophreniform disorder (OPTiMiSE): a three-phase switching study. <i>Lancet Psychiatry, the</i> , 2018 , 5, 797-807 | 23.3 | 100 |
| 30 | Persistent negative symptoms in first episode patients with schizophrenia: results from the European First Episode Schizophrenia Trial. <i>European Neuropsychopharmacology</i> , 2013 , 23, 196-204 | 1.2 | 99 |
| 29 | Effectiveness of antipsychotics in first-episode schizophrenia and schizophreniform disorder on response and remission: an open randomized clinical trial (EUFEST). <i>Schizophrenia Research</i> , 2009 , 115, 97-103 | 3.6 | 92 |
| 28 | Correlates of cognitive impairment in first episode schizophrenia: the EUFEST study. <i>Schizophrenia Research</i> , 2009 , 115, 104-14 | 3.6 | 79 |
| 27 | Antiepileptic drugs in schizophrenia: a review. <i>European Psychiatry</i> , 2002 , 17, 371-8 | 6 | 57 |
| 26 | Differences in onset of disease and severity of psychopathology between toxoplasmosis-related and toxoplasmosis-unrelated schizophrenia. <i>Acta Psychiatrica Scandinavica</i> , 2013 , 127, 227-38 | 6.5 | 42 |
| 25 | Visual mismatch negativity among patients with schizophrenia. <i>Schizophrenia Research</i> , 2008 , 102, 320-8 | 3.6 | 41 |
| 24 | Efficacy of antipsychotic drugs against hostility in the European First-Episode Schizophrenia Trial (EUFEST). <i>Journal of Clinical Psychiatry</i> , 2011 , 72, 955-61 | 4.6 | 37 |
| 23 | A large European, multicenter, multinational validation study of the Brief Negative Symptom Scale. <i>European Neuropsychopharmacology</i> , 2019 , 29, 947-959 | 1.2 | 36 |
| 22 | Comorbid substance abuse in first-episode schizophrenia: effects on cognition and psychopathology in the EUFEST study. <i>Schizophrenia Research</i> , 2013 , 147, 132-139 | 3.6 | 36 |
| 21 | Glycine serum level in schizophrenia: relation to negative symptoms. <i>Psychiatry Research</i> , 2010 , 176, 103-8 | 9.9 | 28 |
| 20 | Predictors of discontinuation of antipsychotic medication and subsequent outcomes in the European First Episode Schizophrenia Trial (EUFEST). <i>Schizophrenia Research</i> , 2016 , 172, 145-51 | 3.6 | 23 |
| 19 | Prolactin response to D-fenfluramine challenge test as a predictor of treatment response to haloperidol in acute schizophrenia. <i>Schizophrenia Research</i> , 1998 , 30, 91-9 | 3.6 | 23 |
| 18 | Unmet needs in patients with first-episode schizophrenia: a longitudinal perspective. <i>Psychological Medicine</i> , 2012 , 42, 1461-73 | 6.9 | 21 |
| 17 | Higher prevalence of antibodies to <i>Borrelia burgdorferi</i> in psychiatric patients than in healthy subjects. <i>American Journal of Psychiatry</i> , 2002 , 159, 297-301 | 11.9 | 21 |

| | | | |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|
| 16 | Gender differences in the treatment of first-episode schizophrenia: Results from the European First Episode Schizophrenia Trial. <i>Schizophrenia Research</i> , 2015 , 169, 303-307 | 3.6 | 18 |
| 15 | The interrelation of needs and quality of life in first-episode schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012 , 262, 207-16 | 5.1 | 13 |
| 14 | Insight and hostility as predictors and correlates of nonadherence in the European First Episode Schizophrenia Trial. <i>Journal of Clinical Psychopharmacology</i> , 2013 , 33, 258-61 | 1.7 | 11 |
| 13 | Attitudes of patients with schizophrenia and depression to psychiatric research: a study in seven European countries. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2011 , 46, 159-65 | 4.5 | 11 |
| 12 | Comorbidity of parkinsonism and schizophrenia in a patient treated with clozapine. <i>European Psychiatry</i> , 2003 , 18, 258-9 | 6 | 11 |
| 11 | Clinical and demographic characteristics of psychiatric patients seropositive for <i>Borrelia burgdorferi</i> . <i>European Psychiatry</i> , 2006 , 21, 118-22 | 6 | 9 |
| 10 | Different serine and glycine metabolism in patients with schizophrenia receiving clozapine. <i>Journal of Psychiatric Research</i> , 2012 , 46, 811-8 | 5.2 | 8 |
| 9 | Effects of haloperidol treatment on prolactin response to D-fenfluramine challenge in acute schizophrenia. <i>Psychopharmacology</i> , 1999 , 141, 322-5 | 4.7 | 8 |
| 8 | D-serine serum levels in patients with schizophrenia: relation to psychopathology and comparison to healthy subjects. <i>Neuroendocrinology Letters</i> , 2008 , 29, 485-92 | 0.3 | 8 |
| 7 | Rhythmic finger-tapping task and fast segmentation of neural processing in schizophrenics. <i>Biological Psychiatry</i> , 1996 , 40, 1301-4 | 7.9 | 7 |
| 6 | Visual information processing in recently abstaining methamphetamine-dependent individuals: evoked potentials study. <i>Documenta Ophthalmologica</i> , 2008 , 117, 245-55 | 2.2 | 6 |
| 5 | Does the change of psychopathology during the placebo period predict the response to subsequent treatment with active medication. <i>Psychiatry Research</i> , 1994 , 52, 107-14 | 9.9 | 2 |
| 4 | Drug induced dementia. <i>Progress in Neuro-Psychopharmacology & Biological Psychiatry</i> , 1980 , 4, 561-7 | | 1 |
| 3 | Psychiatry benefits from psychopathology and diagnosis in shaping clinical management. <i>Current Opinion in Psychiatry</i> , 2007 , 20, 202-3 | 4.9 | 0 |
| 2 | Subjective well-being with antipsychotic treatment. <i>Acta Neuropsychiatrica</i> , 2009 , 21 Suppl 2, 65 | 3.9 | |
| 1 | Treatment in The Early Stages of Psychosis 2001 , 181-195 | | |