

# Davor Vrcibradic

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5437220/publications.pdf>

Version: 2024-02-01

32  
papers

533  
citations

759233

12  
h-index

677142

22  
g-index

32  
all docs

32  
docs citations

32  
times ranked

383  
citing authors

#	ARTICLE	IF	CITATIONS
1	Anuran species composition and density estimates from an Atlantic Forest area within the APA Serra da Mantiqueira, Rio de Janeiro state, Brazil. <i>Biota Neotropica</i> , 2022, 22, .	0.5	0
2	Assessing the importance of reproductive modes for the evaluation of altitudinal distribution patterns in tropical frogs. <i>Biotropica</i> , 2021, 53, 786-797.	1.6	8
3	A summary of reptile and anuran amphibian species from Brazilian sandy coastal plains: 31 years of sampling efforts of the "Laboratório de Ecologia de Vertebrados, Universidade do Estado do Rio de Janeiro". <i>Brazilian Journal of Biology</i> , 2021, 81, 1144-1165.	0.9	0
4	Assessing the relationship between species traits and extinction risk at a regional level: an analysis involving Brazilian terrestrial mammals. <i>Anais Da Academia Brasileira De Ciencias</i> , 2021, 93, e20210761.	0.8	0
5	Lizard assemblage from a sand dune habitat from southeastern Brazil: a niche overlap analysis. <i>Anais Da Academia Brasileira De Ciencias</i> , 2016, 88, 677-687.	0.8	5
6	Species composition, richness and nestedness of lizard assemblages from Restinga habitats along the Brazilian coast. <i>Brazilian Journal of Biology</i> , 2014, 74, 349-354.	0.9	7
7	An overview of female reproductive traits in South American <i>Mabuya</i> (Squamata, Scincidae), with emphasis on brood size and its correlates. <i>Journal of Natural History</i> , 2011, 45, 813-825.	0.5	11
8	Plant Consumption of Insular and Mainland Populations of a Tropical Lizard. <i>Herpetologica</i> , 2011, 67, 32-45.	0.4	14
9	Anurans from two high-elevation areas of Atlantic Forest in the state of Rio de Janeiro, Brazil. <i>Zoologia</i> , 2011, 28, 457-464.	0.5	18
10	Reptilia, Polychrotidae, <i>Anolis fuscoauratus</i> : distribution extension. <i>Check List</i> , 2009, 5, 746.	0.4	4
11	Frog species richness, composition and beta-diversity in coastal Brazilian restinga habitats. <i>Brazilian Journal of Biology</i> , 2008, 68, 101-107.	0.9	31
12	Effects of a fire on a population of treefrogs ( <i>Scinax cf. alter</i> , Lutz) in a restinga habitat in southern Brazil. <i>Brazilian Journal of Biology</i> , 2008, 68, 539-543.	0.9	7
13	Amphibia, Anura, <i>Hylodes charadranaetes</i> , <i>Ischnocnema octavioi</i> , and <i>Euparkerella cochranae</i> : distribution extension. <i>Check List</i> , 2008, 4, 103.	0.4	5
14	NEW GENUS, NEW SPECIES OF ACANTHOCEPHALA (ECHINORHYNCHIDAE) FROM THE BRAZILIAN FROG <i>HYLODES PHYLLODES</i> (ANURA: LEPTODACTYLIDAE). <i>Journal of Parasitology</i> , 2006, 92, 353-356.	0.7	13
15	Diet of the lizard <i>Mabuya agilis</i> (Sauria; Scincidae) in an insular habitat (Ilha Grande, RJ, Brazil). <i>Brazilian Journal of Biology</i> , 2004, 64, 135-139.	0.9	11
16	Field Body Temperatures of Pregnant and Nonpregnant Females of Three Species of Viviparous Skinks ( <i>Mabuya</i> ) from Southeastern Brazil. <i>Journal of Herpetology</i> , 2004, 38, 447-451.	0.5	7
17	Nematode assemblages of some insular and continental lizard hosts of the genus <i>Mabuya</i> Fitzinger (Reptilia, Scincidae) along the eastern Brazilian coast. <i>Revista Brasileira De Zoologia</i> , 2003, 20, 755-759.	0.5	28
18	Patterns of infestation by chigger mites in four diurnal lizard species from a restinga habitat (Jurubatiba) of Southeastern Brazil. <i>Brazilian Journal of Biology</i> , 2003, 63, 393-399.	0.9	21

#	ARTICLE	IF	CITATIONS
19	Interpopulational Variation in Litter Size of the Skink <i>Mabuya agilis</i> in Southeastern Brazil. <i>Copeia</i> , 2002, 2002, 857-864.	1.3	12
20	Helminth communities of two sympatric skinks ( <i>Mabuya agilis</i> and <i>Mabuya macrorhyncha</i> ) from two "restinga" habitats in southeastern Brazil. <i>Journal of Helminthology</i> , 2002, 76, 355-361.	1.0	50
21	Use of cacti as heat sources by thermoregulating <i>Mabuya agilis</i> (Raddi) and <i>Mabuya macrorhyncha</i> Hoge (Lacertilia, Scincidae) in two restinga habitats in southeastern Brazil. <i>Revista Brasileira De Zoologia</i> , 2002, 19, 77-83.	0.5	18
22	Ecology of <i>Mabuya agilis</i> (Raddi) (Lacertilia, Scincidae) at the restinga of Grumari, Rio de Janeiro, southeastern Brazil. <i>Revista Brasileira De Zoologia</i> , 2002, 19, 19-29.	0.5	9
23	Nematode infection patterns in four sympatric lizards from a restinga habitat (Jurubatiba) in Rio de Janeiro state, southeastern Brazil. <i>Amphibia - Reptilia</i> , 2000, 21, 307-316.	0.5	48
24	Feeding Ecology of <i>Tropidurus torquatus</i> : Ontogenetic Shift in Plant Consumption and Seasonal Trends in Diet. <i>Journal of Herpetology</i> , 2000, 34, 325.	0.5	55
25	New <i>Cnemidophorus</i> (Squamata; Teiidae) from Coastal Rio de Janeiro State, Southeastern Brazil. <i>Copeia</i> , 2000, 2000, 501-509.	1.3	32
26	Ecological Differences in Tropical Sympatric Skinks ( <i>Mabuya macrorhyncha</i> and <i>Mabuya agilis</i> ) in Southeastern Brazil. <i>Journal of Herpetology</i> , 1996, 30, 60.	0.5	59
27			