## Seong-Jong Kim

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5437712/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Effect of various factors on solid particle erosion behavior of degraded 9Cr-1MoVNb steel with experiment design. Applied Surface Science, 2020, 506, 144956.	6.1	7
2	INCORPORATION OF MULTI-WALLED CARBON NANOTUBES INTO OXIDE LAYER FORMED ON AL ALLOY BY PLASMA ELECTROLYTIC OXIDATION. Surface Review and Letters, 2020, 27, 2050007.	1.1	2
3	EFFECT OF ANODIC AND CATHODIC CURRENT DENSITIES ON THE CAVITATION DAMAGE CHARACTERISTICS OF ALUMINUM ALLOY IN SEAWATER. Surface Review and Letters, 2020, 27, 1950125.	1.1	1
4	Determination of corrosion protection current density requirement of zinc sacrificial anode for corrosion protection of AA5083-H321 in seawater. Applied Surface Science, 2020, 509, 145346.	6.1	28
5	Essential anti-corrosive behavior of anodized Al alloy by applied current density. Applied Surface Science, 2019, 481, 637-641.	6.1	16
6	Effect of pH of the sulfuric acid bath on cavitation erosion behavior in natural seawater of electroless nickel plating coating. Applied Surface Science, 2019, 483, 194-204.	6.1	20
7	Role of M23C6 carbide on the corrosion characteristics of modified 9Cr-1Mo steel in N2-O2-CO2-SO2 atmosphere at 650â€ <sup>-</sup> °C. Applied Surface Science, 2019, 483, 417-424.	6.1	9
8	Effect of lead nitrate concentration on electroless nickel plating characteristics of gray cast iron. Surface and Coatings Technology, 2019, 376, 2-7.	4.8	3
9	Effect of stabilizer concentration on the cavitation erosion resistance characteristics of the electroless nickel plated gray cast iron in seawater. Surface and Coatings Technology, 2019, 376, 31-37.	4.8	3
10	Microstructure and cavitation damage characteristics of surface treated gray cast iron by plasma ion nitriding. Applied Surface Science, 2019, 477, 147-153.	6.1	18
11	Cavitation erosion behavior in seawater of electroless Ni-P coating and process optimization using Taguchi method. Applied Surface Science, 2019, 477, 37-43.	6.1	25
12	Optimization of Painting Process to Improve Durability of Mega Yacht and Cavitation Erosion Characteristics. Journal of Welding and Joining, 2019, 37, 254-261.	1.3	2
13	Effect of Plasma Ion Nitriding Temperature on the Durability of SCM440 Steel. Journal of Welding and Joining, 2019, 37, 448-454.	1.3	0
14	Evaluation of Anti-Cavitation Performance of Polyurethane Coatings in Seawater using Ultrasonic Vibratory Method. Journal of Welding and Joining, 2019, 37, 455-462.	1.3	1
15	Effect of Applied Current Density on Cavitation-Erosion Characteristics for Anodized Al Alloy. Journal of Nanoscience and Nanotechnology, 2018, 18, 1365-1368.	0.9	1
16	Synergistic damage mechanism of corrosion and cavitation-erosion for plasma ion nitrided 18Cr–8Ni–1.1Mn–0.43C stainless steel in seawater. Japanese Journal of Applied Physics, 2017, 56, 01AG03	$.^{1.5}$	4
17	Corrosion behavior in seawater of arc thermal sprayed Inconel 625 coatings with sealing treatment. Surface and Coatings Technology, 2017, 325, 729-737.	4.8	21
18	CAVITATION AND ELECTROCHEMICAL CHARACTERISTICS IN SEAWATER BY WATER CAVITATION PEENING OF 5083-O AI ALLOY FOR SHIPS. Surface Review and Letters, 2017, 24, 1750076.	1.1	3

Seong-Jong Kim

#	Article	IF	CITATIONS
19	Observation of Surface Characteristics for Aluminum Anodizing Layer With Processing Time. Journal of Nanoscience and Nanotechnology, 2017, 17, 4169-4172.	0.9	1
20	Evaluation of Corrosion Resistance for Two-Step Aluminum Anodizing with Processing Time. Journal of Nanoscience and Nanotechnology, 2016, 16, 11262-11266.	0.9	4
21	Evaluation of the surface damage to stainless steel caused by a micro-jet in seawater. Journal of the Korean Physical Society, 2016, 68, 368-372.	0.7	3
22	Electrochemical Characteristics in Seawater for Cold Thermal Spray-Coated Al–Mg Alloy Layer. Acta Metallurgica Sinica (English Letters), 2016, 29, 727-734.	2.9	15
23	Electrochemical characteristics under cavitation-erosion for STS 316L in seawater. Materials Research Bulletin, 2014, 58, 244-247.	5.2	21
24	Effects of rotation speed and time in potentiostatic experiment in seawater for 5083-H116 Al alloy. Journal of Advanced Marine Engineering and Technology, 2014, 38, 974-980.	0.4	0
25	Mechanical and electrochemical characteristics in sea water of 5052-O aluminum alloy for ship. Transactions of Nonferrous Metals Society of China, 2013, 23, 636-641.	4.2	23
26	Potentiostatic corrosion protection technology under cavitation condition for 5083-H116 Al alloy. Transactions of Nonferrous Metals Society of China, 2013, 23, 3206-3214.	4.2	4
27	Cavitation and electrochemical characteristics of thermal spray coating with sealing material. Transactions of Nonferrous Metals Society of China, 2013, 23, 1002-1010.	4.2	10
28	An Investigation on the Optimum Corrosion Protection Potential for Minimization of Cavitation Damage Using the Potentiostatic Method in Seawater. Microscopy and Microanalysis, 2013, 19, 73-76.	0.4	7
29	Electrochemical characteristics of Al–Mg and Al–Mg–Si alloy in sea water. Transactions of Nonferrous Metals Society of China, 2012, 22, s881-s886.	4.2	12
30	Effects of water cavitation peening on electrochemical characteristic by using micro-droplet cell of Al–Mg alloy. Current Applied Physics, 2012, 12, S24-S30.	2.4	16
31	Electrochemical characteristics of HVOF spray coated layer with WC–27NiCr and WC–10Co4Cr for Al bronze. Transactions of Nonferrous Metals Society of China, 2012, 22, s753-s759.	4.2	6
32	Surface analysis of Alâ€Mg alloy series for ship after cavitation test. Surface and Interface Analysis, 2012, 44, 1389-1392.	1.8	8
33	Investigation on the cavitation damage behavior with temperature and cavitation time in seawater. Surface and Interface Analysis, 2012, 44, 1407-1410.	1.8	7
34	The Welding Surface and Mechanical Characteristics in Friction Stir Welding for 5456-H116 Alloy. Journal of the Korean Society of Marine Environment and Safety, 2012, 18, 273-278.	0.3	0
35	Electrochmical Characteristics by Water Cavitation Peening of Cu Alloy. Journal of Advanced Marine Engineering and Technology, 2012, 36, 1083-1090.	0.4	0
36	Evaluation on Damage Behavior of Al-4.5%Mg-0.6%Mn Al Alloy with Potentiostatic Experiment Time. Journal of the Korean Society of Marine Environment and Safety, 2012, 18, 569-576.	0.3	0

Seong-Jong Kim

#	Article	IF	CITATIONS
37	Effects of precipitation strengthening heat treatment for Al-Mg alloy. Transactions of Nonferrous Metals Society of China, 2011, 21, 1218-1224.	4.2	5
38	Improvement of hydrogen embrittlement and stress corrosion cracking by annealing for Al-4.4Mg-0.6Mn alloy. Transactions of Nonferrous Metals Society of China, 2011, 21, s17-s22.	4.2	8
39	Optimization of friction stir welding with the various welding parameters for Al-Mg alloys. Rare Metals, 2011, 30, 628-632.	7.1	7
40	Investigation on SCC and HE of STS 304 austenitic stainless steel for offshore structures. Rare Metals, 2011, 30, 633-638.	7.1	4
41	Cavitation and Electrochemical Characteristics Using Hydrogen Overpotential Method for ALBC3 Alloy. Journal of the Korean Institute of Surface Engineering, 2011, 44, 277-283.	0.1	4
42	Effects of applied potential on SCC and HE for STS 316L in seawater. Physica Scripta, 2010, T139, 014037.	2.5	2
43	The corrosion and mechanical properties of Al alloy 5083-H116 in metal inert gas welding based on slow strain rate test. Surface and Coatings Technology, 2010, 205, S73-S78.	4.8	24
44	MECHANICAL CHARACTERISTICS OF CAST AC7AV ALLOY AFTER ALTERNATIVE MULTI-PASS FRICTION STIR PROCESSING. Surface Review and Letters, 2010, 17, 69-72.	1.1	5
45	Electrochemical properties in a seawater environment of 5456-H116 aluminum alloy subjected to optimal friction stir processing. Physica Scripta, 2010, T139, 014038.	2.5	1
46	Electrochemical characteristics of Al-Mg alloy in seawater for leisure ship: Stress corrosion cracking and hydrogen embrittlement. Korean Journal of Chemical Engineering, 2009, 26, 250-257.	2.7	18
47	Effects of solution heat treatment on corrosion resistance of 5083F Al alloy. Transactions of Nonferrous Metals Society of China, 2009, 19, 887-891.	4.2	13
48	Surface characteristics of chemical conversion coating for Mg-Al alloy. Transactions of Nonferrous Metals Society of China, 2009, 19, 892-897.	4.2	12
49	Corrosion and optimum corrosion protection potential of friction stir welded 5083-O Al alloy for leisure ship. Transactions of Nonferrous Metals Society of China, 2009, 19, 898-903.	4.2	9
50	Effects of thickness of Al thermal spray coating for STS 304. Transactions of Nonferrous Metals Society of China, 2009, 19, 925-929.	4.2	36
51	Electrochemical characteristics of stainless steel using impressed current cathodic protection in seawater. Transactions of Nonferrous Metals Society of China, 2009, 19, 930-934.	4.2	18
52	Optimum condition by mechanical characteristic evaluation in friction stir welding for 5083-O Al alloy. Transactions of Nonferrous Metals Society of China, 2009, 19, s17-s22.	4.2	34
53	Mechanical and electrochemical characteristics evaluation in annealing treatment for ship material. Transactions of Nonferrous Metals Society of China, 2009, 19, s40-s44.	4.2	1
54	Electrochemical characteristics and surface morphology in non-chromate chemical conversion coating for Zn-electroplated steel sheets. Transactions of Nonferrous Metals Society of China, 2009, 19, s45-s49.	4.2	3

SEONG-JONG KIM

#	Article	IF	CITATIONS
55	Corrosion characteristics of steel in seawater containing various chloride concentrations generated by electrochemical method. Transactions of Nonferrous Metals Society of China, 2009, 19, s50-s55.	4.2	4
56	Evaluation of Mechanical Characteristic and Investigation on Optimum Condition in Friction Stir Processing for 5456-H116 Al Alloy. Journal of the Korean Institute of Surface Engineering, 2009, 42, 13-20.	0.1	7
57	Mechanical and Electrochemical Characteristics in Welding with Robot on 6061-T6 Al Alloy for Al Ship. Journal of Advanced Marine Engineering and Technology, 2009, 33, 313-321.	0.4	3
58	Optimization of Corrosion Protection Potential for Stress Corrosion Cracking and Hydrogen Embrittlement of 5083-H112 Alloy in Seawater. Metals and Materials International, 2008, 14, 203-211.	3.4	19
59	Evaluation of Electrochemical Characteristic and Investigation on Optimum Condition in Friction Stir Welding for 6061-T6 Al Alloy. Journal of the Korean Institute of Surface Engineering, 2008, 41, 341-350.	0.1	3
60	Investigation on Optimum Protection Potential Decision of Al Alloy(5083F) in Sea Water by Impressed Current Cathodic Protection. Journal of the Korean Institute of Surface Engineering, 2007, 40, 262-270.	0.1	2
61	Evaluation of the characteristics using slow strain rate tests of 5456 Al-Mg alloy for ship construction. Korean Journal of Chemical Engineering, 2006, 23, 1028-1033.	2.7	24
62	Electrochemical properties of Al and Al alloys relevant to corrosion protection in seawater environments. Korean Journal of Chemical Engineering, 2006, 23, 847-853.	2.7	15
63	Electrochemical study of hydrogen embrittlement and optimum cathodic protection potential of welded high strength Steel. Metals and Materials International, 2005, 11, 63-69.	3.4	32
64	Electrochemical properties and corrosion protection of stainless steel for hot water tank. Korean Journal of Chemical Engineering, 2004, 21, 739-745.	2.7	9
65	Sealing effects of anodic oxide films formed on Mg-Al alloys. Korean Journal of Chemical Engineering, 2004, 21, 915-920.	2.7	12
66	An electrochemical study of cathodic protection of steel used for marine structures. Korean Journal of Chemical Engineering, 2003, 20, 560-565.	2.7	39
67	The effect of post-weld heat treatment affecting corrosion resistance and hydrogen embrittlement of HAZ part in FCAW. Surface and Coatings Technology, 2003, 169-170, 675-678.	4.8	19
68	The electrochemical study on mechanical and hydrogen embrittlement properties of HAZ part as a function of post-weld heat treatment in SMAW. Surface and Coatings Technology, 2003, 169-170, 163-167.	4.8	25
69	Characterization of the Silica Conversion Film Formed on Zinc-Electroplated Steel. Materials Transactions, 2003, 44, 782-786.	1.2	11
70	Formation of Anodic Films on Mg-Al Alloys in NaOH solutions at Constant Potentials. Materials Transactions, 2003, 44, 1036-1041.	1.2	13
71	The relationship between corrosion protection and hydrogen embrittlement properties of HAZ in flux cored are welding. Metals and Materials International, 2002, 8, 387-393.	3.4	18
72	Hydrogen embrittlement properties of heat affected zone of high strength steel in shielded metal arc welding. Metals and Materials International, 2002, 8, 395-401.	3.4	16

#	Article	IF	CITATIONS
73	Cavitation erosion characteristics of hard chromium plated diesel engine cylinder liner. Transactions of the Institute of Metal Finishing, 0, , 1-4.	1.3	0