# Jodie Dodd

# List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/5441115/jodie-dodd-publications-by-year.pdf

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

8,916 90 202 39 h-index g-index citations papers 6.2 6.17 10,418 219 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
202	Promoting Health Behavior Change in the Preconception Period: Combined Approach to Intervention Planning <i>JMIR Formative Research</i> , <b>2022</b> , 6, e35108	2.5	
201	Determinants of rapid infant weight gain: A pooled analysis of seven cohorts <i>Pediatric Obesity</i> , <b>2022</b> , e12928	4.6	0
200	Barriers to and facilitators for addressing overweight and obesity before conception: A qualitative study. <i>Women and Birth</i> , <b>2021</b> , 34, e493-e497	3.3	1
199	Systematic Review of Counseling and Behavioral Interventions for Healthy Weight and Weight Gain in Pregnancy From the US Preventive Services Task Force. <i>JAMA - Journal of the American Medical Association</i> , <b>2021</b> , 326, 1634-1635	27.4	0
198	The effects of dietary and lifestyle interventions among pregnant women with overweight or obesity on early childhood outcomes: an individual participant data meta-analysis from randomised trials. <i>BMC Medicine</i> , <b>2021</b> , 19, 128	11.4	5
197	Creating Healthy Change in the Preconception Period for Women with Overweight or Obesity: A Qualitative Study Using the Information-Motivation-Behavioural Skills Model. <i>Journal of Clinical Medicine</i> , <b>2020</b> , 9,	5.1	3
196	Effects of an antenatal dietary intervention in women with obesity or overweight on child outcomes at 3-5 years of age: LIMIT randomised trial follow-up. <i>International Journal of Obesity</i> , <b>2020</b> , 44, 1531-1535	5.5	7
195	Metformin in Pregnancy Study (MiPS): protocol for a systematic review with individual patient data meta-analysis. <i>BMJ Open</i> , <b>2020</b> , 10, e036981	3	5
194	Skin and subcutaneous fascia closure at caesarean section to reduce wound complications: the closure randomised trial. <i>BMC Pregnancy and Childbirth</i> , <b>2020</b> , 20, 606	3.2	O
193	Gestational Weight Gain-Re-Examining the Current Paradigm. <i>Nutrients</i> , <b>2020</b> , 12,	6.7	4
192	Effect of metformin in addition to an antenatal diet and lifestyle intervention on fetal growth and adiposity: the GRoW randomised trial. <i>BMC Endocrine Disorders</i> , <b>2020</b> , 20, 139	3.3	O
191	The effect of maternal obesity on fetal biometry, body composition, and growth velocity. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , <b>2020</b> , 33, 2216-2226	2	4
190	In overweight and obese women, fetal ultrasound biometry accurately predicts newborn measures. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , <b>2020</b> , 60, 101-107	1.7	4
189	Gestational weight gain outside the Institute of Medicine recommendations and adverse pregnancy outcomes: analysis using individual participant data from randomised trials. <i>BMC Pregnancy and Childbirth</i> , <b>2019</b> , 19, 322	3.2	38
188	A Randomized Trial of Prenatal n-3 Fatty Acid Supplementation and Preterm Delivery. <i>New England Journal of Medicine</i> , <b>2019</b> , 381, 1035-1045	59.2	40
187	Nutrition During Pregnancy, Lactation and Early Childhood and its Implications for Maternal and Long-Term Child Health: The Early Nutrition Project Recommendations. <i>Annals of Nutrition and Metabolism</i> , <b>2019</b> , 74, 93-106	4.5	94
186	Does preconception body mass index modify the effect of maternal diet on hypertensive disorders of pregnancy?. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>2019</b> , 126, 674	3.7	

185	Maternal cardiometabolic markers are associated with fetal growth: a secondary exploratory analysis of the LIMIT randomised trial. <i>BMC Endocrine Disorders</i> , <b>2019</b> , 19, 97	3.3	
184	Impact of maternal education on response to lifestyle interventions to reduce gestational weight gain: individual participant data meta-analysis. <i>BMJ Open</i> , <b>2019</b> , 9, e025620	3	4
183	Prenatal administration of progestogens for preventing spontaneous preterm birth in women with a multiple pregnancy. <i>The Cochrane Library</i> , <b>2019</b> , 2019,	5.2	8
182	A Randomised Trial to Optimise Gestational Weight Gain and Improve Maternal and Infant Health Outcomes through Antenatal Dietary, Lifestyle and Exercise Advice: The OPTIMISE Randomised Trial. <i>Nutrients</i> , <b>2019</b> , 11,	6.7	8
181	Effect of metformin in addition to dietary and lifestyle advice for pregnant women who are overweight or obese: the GRoW randomised, double-blind, placebo-controlled trial. <i>Lancet Diabetes and Endocrinology,the</i> , <b>2019</b> , 7, 15-24	18.1	43
180	Awareness of Listeriosis and Methylmercury toxicity public health recommendations and diet during pregnancy. <i>Women and Birth</i> , <b>2019</b> , 32, e65-e70	3.3	1
179	Optimising gestational weight gain and improving maternal and infant health outcomes through antenatal dietary, lifestyle and physical activity advice: the OPTIMISE randomised controlled trial protocol. <i>BMJ Open</i> , <b>2018</b> , 8, e019583	3	9
178	Effects of an antenatal dietary intervention in overweight and obese women on 6 month infant outcomes: follow-up from the LIMIT randomised trial. <i>International Journal of Obesity</i> , <b>2018</b> , 42, 1326-1	335	15
177	Fetal middle cerebral artery Doppler to time intrauterine transfusion in red-cell alloimmunization: a randomized trial. <i>Ultrasound in Obstetrics and Gynecology</i> , <b>2018</b> , 51, 306-312	5.8	20
176	Evaluation of a smartphone nutrition and physical activity application to provide lifestyle advice to pregnant women: The SNAPP randomised trial. <i>Maternal and Child Nutrition</i> , <b>2018</b> , 14,	3.4	28
175	Metformin for women who are overweight or obese during pregnancy for improving maternal and infant outcomes. <i>The Cochrane Library</i> , <b>2018</b> , 7, CD010564	5.2	18
174	In Overweight or Obese Pregnant Women, Maternal Dietary Factors are not Associated with Fetal Growth and Adiposity. <i>Nutrients</i> , <b>2018</b> , 10,	6.7	3
173	Prenatal Diet and Child Growth at 18 Months. <i>Pediatrics</i> , <b>2018</b> , 142,	7.4	10
172	Targeting the postpartum period to promote weight loss: a systematic review and meta-analysis. <i>Nutrition Reviews</i> , <b>2018</b> , 76, 639-654	6.4	20
171	Metformin and Dietary Advice for Pregnant Women Who Are Overweight or Obese to Promote Gestational Restriction of Weight GROW Randomized Trial. <i>Diabetes</i> , <b>2018</b> , 67, 1414-P	0.9	7
170	The characterisation of overweight and obese women who are under reporting energy intake during pregnancy. <i>BMC Pregnancy and Childbirth</i> , <b>2018</b> , 18, 204	3.2	12
169	The mediating effects of gestational diabetes on fetal growth and adiposity in women who are overweight and obese: secondary analysis of the LIMIT randomised trial. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>2018</b> , 125, 1558-1566	3.7	10
168	Managing obesity in pregnancy - An obstetric and midwifery perspective. <i>Midwifery</i> , <b>2017</b> , 49, 7-12	2.8	11

167	The effects of dietary and lifestyle interventions among pregnant women who are overweight or obese on longer-term maternal and early childhood outcomes: protocol for an individual participant data (IPD) meta-analysis. <i>Systematic Reviews</i> , <b>2017</b> , 6, 51	3	13
166	Effectiveness of progesterone, cerclage and pessary for preventing preterm birth in singleton pregnancies: a systematic review and network meta-analysis. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>2017</b> , 124, 1176-1189	3.7	34
165	Preterm birth prevention in twin pregnancies with progesterone, pessary, or cerclage: a systematic review and meta-analysis. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>2017</b> , 124, 1163	-3:773	46
164	The effect of an antenatal lifestyle intervention in overweight and obese women on circulating cardiometabolic and inflammatory biomarkers: secondary analyses from the LIMIT randomised trial. <i>BMC Medicine</i> , <b>2017</b> , 15, 32	11.4	11
163	Paternal obesity modifies the effect of an antenatal lifestyle intervention in women who are overweight or obese on newborn anthropometry. <i>Scientific Reports</i> , <b>2017</b> , 7, 1557	4.9	10
162	The effect of a lifestyle intervention on pregnancy and postpartum dietary patterns determined by factor analysis. <i>Obesity</i> , <b>2017</b> , 25, 1022-1032	8	12
161	Variations in reporting of outcomes in randomized trials on diet and physical activity in pregnancy: A systematic review. <i>Journal of Obstetrics and Gynaecology Research</i> , <b>2017</b> , 43, 1101-1110	1.9	8
160	Methods of term labour induction for women with a previous caesarean section. <i>The Cochrane Library</i> , <b>2017</b> , 6, CD009792	5.2	19
159	Prenatal administration of progestogens for preventing spontaneous preterm birth in women with a singleton pregnancy. <i>The Cochrane Library</i> , <b>2017</b> ,	5.2	3
158	Implications of maternal obesity on fetal growth and the role of ultrasound. <i>Expert Review of Endocrinology and Metabolism</i> , <b>2017</b> , 12, 45-58	4.1	4
157	Preconception weight management: an untapped area of women's health. <i>Australian Journal of Primary Health</i> , <b>2017</b> , 23, 61-65	1.4	8
156	Prenatal administration of progestogens for preventing spontaneous preterm birth in women with a multiple pregnancy. <i>The Cochrane Library</i> , <b>2017</b> , 10, CD012024	5.2	16
155	Elective repeat caesarean section versus induction of labour for women with a previous caesarean birth. <i>The Cochrane Library</i> , <b>2017</b> , 7, CD004906	5.2	6
154	Obesity: Maternal obesity and congenital anomalies - risk and diagnosis. <i>Nature Reviews</i> Endocrinology, <b>2017</b> , 13, 504-506	15.2	1
153	Regimens of ultrasound surveillance for twin pregnancies for improving outcomes. <i>The Cochrane Library</i> , <b>2017</b> , 11, CD011371	5.2	2
152	Interventions to prevent maternal obesity before conception, during pregnancy, and post partum. <i>Lancet Diabetes and Endocrinology,the</i> , <b>2017</b> , 5, 65-76	18.1	110
151	Type 1 diabetes: a disease of developmental origins. <i>Pediatric Diabetes</i> , <b>2017</b> , 18, 417-421	3.6	11
150	The More, the Better? Combining Interventions to Prevent Preterm Birth in Women at Risk: a Systematic Review and Meta-Analysis. <i>Journal of Obstetrics and Gynaecology Canada</i> , <b>2017</b> , 39, 1192-120	0 <del>2</del> .3	13

## (2016-2017)

149	Effect of diet and physical activity based interventions in pregnancy on gestational weight gain and pregnancy outcomes: meta-analysis of individual participant data from randomised trials. <i>BMJ, The</i> , <b>2017</b> , 358, j3119	5.9	173
148	Vaginal progesterone pessaries for pregnant women with a previous preterm birth to prevent neonatal respiratory distress syndrome (the PROGRESS Study): A multicentre, randomised, placebo-controlled trial. <i>PLoS Medicine</i> , <b>2017</b> , 14, e1002390	11.6	34
147	Effects of antenatal diet and physical activity on maternal and fetal outcomes: individual patient data meta-analysis and health economic evaluation. <i>Health Technology Assessment</i> , <b>2017</b> , 21, 1-158	4.4	136
146	Sealing procedures for preterm prelabour rupture of membranes. <i>The Cochrane Library</i> , <b>2016</b> , 7, CD010	)2 <u>4.8</u>	4
145	Metformin and dietary advice to improve insulin sensitivity and promote gestational restriction of weight among pregnant women who are overweight or obese: the GRoW Randomised Trial. <i>BMC Pregnancy and Childbirth</i> , <b>2016</b> , 16, 359	3.2	6
144	Progestogens and preterm birthnot the hoped for panacea?. <i>Lancet, The</i> , <b>2016</b> , 387, 2066-2068	40	3
143	Researchers' position statement on tackling obesity in pregnancy: the International Weight Management in Pregnancy (i-WIP) collaboration pleads for public health intervention. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>2016</b> , 123, 163-4	3.7	11
142	The effect of antenatal lifestyle advice for women who are overweight or obese on secondary measures of neonatal body composition: the LIMIT randomised trial. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>2016</b> , 123, 244-53	3.7	26
141	Induction of labour versus expectant management at term by subgroups of maternal age: an individual patient data meta-analysis. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , <b>2016</b> , 197, 1-5	2.4	16
140	Systematic review of antenatal dietary and lifestyle interventions in women with a normal body mass index. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , <b>2016</b> , 95, 259-69	3.8	21
139	Twin Birth Study: 2-year neurodevelopmental follow-up of the randomized trial of planned cesarean or planned vaginal delivery for twin pregnancy. <i>American Journal of Obstetrics and Gynecology</i> , <b>2016</b> , 214, 371.e1-371.e19	6.4	24
138	451: Progesterone, cervical cerclage and cervical pessary for primary prevention of preterm birth in high risk singleton pregnancies: a systematic review and network meta-analysis. <i>American Journal of Obstetrics and Gynecology</i> , <b>2016</b> , 214, S248-S249	6.4	2
137	Prospective risk of stillbirth and neonatal complications in twin pregnancies: systematic review and meta-analysis. <i>BMJ, The</i> , <b>2016</b> , 354, i4353	5.9	96
136	Development of composite outcomes for individual patient data (IPD) meta-analysis on the effects of diet and lifestyle in pregnancy: a Delphi survey. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>2016</b> , 123, 190-8	3.7	26
135	Antenatal dietary and lifestyle advice for women who are overweight or obese and the effect on fetal growth and adiposity: the LIMIT randomised trial. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>2016</b> , 123, 233-43	3.7	27
134	Techniques for assisting difficult delivery at caesarean section. <i>The Cochrane Library</i> , <b>2016</b> , CD004944	5.2	12
133	The effect of antenatal dietary and lifestyle advice for women who are overweight or obese on emotional well-being: the LIMIT randomized trial. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , <b>2016</b> , 95, 309-18	3.8	23
132	Dietary interventions in overweight and obese pregnant women: a systematic review of the content, delivery, and outcomes of randomized controlled trials. <i>Nutrition Reviews</i> , <b>2016</b> , 74, 312-28	6.4	82

131	Managing Obesity in Pregnancy: A Change in Focus from Harm Minimization to Prevention. <i>Seminars in Reproductive Medicine</i> , <b>2016</b> , 34, e38-46	1.4	10
130	Delivery of Dietary and Lifestyle Interventions in Pregnancy: is it Time to Promote the Use of Electronic and Mobile Health Technologies?. <i>Seminars in Reproductive Medicine</i> , <b>2016</b> , 34, e22-7	1.4	14
129	Prenatal administration of progestogens for preventing preterm birth in women with a multiple pregnancy <b>2016</b> ,		3
128	The influence of maternal BMI and gestational diabetes on pregnancy outcome. <i>Diabetes Research and Clinical Practice</i> , <b>2015</b> , 108, 508-13	7.4	50
127	The cost-effectiveness of providing antenatal lifestyle advice for women who are overweight or obese: the LIMIT randomised trial. <i>BMC Obesity</i> , <b>2015</b> , 2, 14	3.6	16
126	Effects of an antenatal dietary intervention on maternal anthropometric measures in pregnant women with obesity. <i>Obesity</i> , <b>2015</b> , 23, 1555-62	8	12
125	Pregnancy: Managing obesity during pregnancy-what are the options?. <i>Nature Reviews Endocrinology</i> , <b>2015</b> , 11, 691-2	15.2	4
124	Reduction of the number of fetuses for women with a multiple pregnancy. <i>The Cochrane Library</i> , <b>2015</b> , CD003932	5.2	8
123	Specialised antenatal clinics for women with a multiple pregnancy for improving maternal and infant outcomes. <i>The Cochrane Library</i> , <b>2015</b> , CD005300	5.2	4
122	A systems approach to reducing maternal obesity: The Health in Preconception, Pregnancy and Postbirth (HIPPP) Collaborative. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , <b>2015</b> , 55, 397-400	1.7	13
121	Maternal outcomes at 3 months after planned caesarean section versus planned vaginal birth for twin pregnancies in the Twin Birth Study: a randomised controlled trial. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>2015</b> , 122, 1653-62	3.7	25
120	Prenatal interventions for congenital diaphragmatic hernia for improving outcomes. <i>The Cochrane Library</i> , <b>2015</b> , CD008925	5.2	20
119	Modifying diet and physical activity to support pregnant women who are overweight or obese. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , <b>2015</b> , 18, 318-23	3.8	6
118	Directed preconception health programs and interventions for improving pregnancy outcomes for women who are overweight or obese. <i>The Cochrane Library</i> , <b>2015</b> , CD010932	5.2	29
117	The role of L-arginine in the prevention and treatment of pre-eclampsia: a systematic review of randomised trials. <i>Journal of Human Hypertension</i> , <b>2014</b> , 28, 230-5	2.6	48
116	Regimens of ultrasound surveillance for twin pregnancies for improving outcomes. <i>The Cochrane Library</i> , <b>2014</b> ,	5.2	1
115	Directed preconception health programs and interventions for improving pregnancy outcomes for women who are overweight or obese <b>2014</b> ,		2
114	Elective birth at 37 weeks' gestation for women with an uncomplicated twin pregnancy. <i>The Cochrane Library</i> , <b>2014</b> , CD003582	5.2	16

113	Surgical techniques for uterine incision and uterine closure at the time of caesarean section. <i>The Cochrane Library</i> , <b>2014</b> , CD004732	5.2	34
112	Elective repeat caesarean section versus induction of labour for women with a previous caesarean birth. <i>Cochrane Database of Systematic Reviews</i> , <b>2014</b> , CD004906		6
111	Preventing pre-eclampsia - are dietary factors the key?. BMC Medicine, 2014, 12, 176	11.4	12
110	The effects of antenatal dietary and lifestyle advice for women who are overweight or obese on neonatal health outcomes: the LIMIT randomised trial. <i>BMC Medicine</i> , <b>2014</b> , 12, 163	11.4	56
109	Dietary and lifestyle advice for pregnant women who are overweight or obese: the LIMIT randomized trial. <i>Annals of Nutrition and Metabolism</i> , <b>2014</b> , 64, 197-202	4.5	13
108	Antenatal lifestyle advice for women who are overweight or obese: LIMIT randomised trial. <i>BMJ, The</i> , <b>2014</b> , 348, g1285	5.9	322
107	Prenatal versus postnatal repair procedures for spina bifida for improving infant and maternal outcomes. <i>The Cochrane Library</i> , <b>2014</b> , CD008825	5.2	12
106	Interventions for fetal immobilisation during fetal surgery and invasive procedures. <i>The Cochrane Library</i> , <b>2014</b> ,	5.2	1
105	Antenatal Dietary and Lifestyle Interventions for Women Who are Overweight or Obese: Outcomes from the LIMIT Randomized Trial. <i>Current Nutrition Reports</i> , <b>2014</b> , 3, 392-399	6	4
104	Study protocol: differential effects of diet and physical activity based interventions in pregnancy on maternal and fetal outcomesindividual patient data (IPD) meta-analysis and health economic evaluation. Systematic Reviews, 2014, 3, 131	3	21
103	Use of a DVD to provide dietary and lifestyle information to pregnant women who are overweight or obese: a nested randomised trial. <i>BMC Pregnancy and Childbirth</i> , <b>2014</b> , 14, 409	3.2	19
102	The effects of antenatal dietary and lifestyle advice for women who are overweight or obese on maternal diet and physical activity: the LIMIT randomised trial. <i>BMC Medicine</i> , <b>2014</b> , 12, 161	11.4	112
101	Antenatal Lifestyle Advice for Women Who Are Overweight or Obese. <i>Obstetrical and Gynecological Survey</i> , <b>2014</b> , 69, 311-313	2.4	6
100	Prenatal administration of progesterone for preventing preterm birth in women considered to be at risk of preterm birth. <i>The Cochrane Library</i> , <b>2013</b> , CD004947	5.2	130
99	Overweight and obese women's perceptions about making healthy change during pregnancy: a mixed method study. <i>Maternal and Child Health Journal</i> , <b>2013</b> , 17, 1879-87	2.4	59
98	Developing a tool for obtaining maternal skinfold thickness measurements and assessing inter-observer variability among pregnant women who are overweight and obese. <i>BMC Pregnancy and Childbirth</i> , <b>2013</b> , 13, 42	3.2	23
97	A randomized trial of planned cesarean or vaginal delivery for twin pregnancy. <i>New England Journal of Medicine</i> , <b>2013</b> , 369, 1295-305	59.2	288
96	Effect of body image on gestational weight gain in overweight and obese women. <i>Women and Birth</i> , <b>2013</b> , 26, 267-72	3.3	34

95	Environmental determinants of islet autoimmunity (ENDIA): a pregnancy to early life cohort study in children at-risk of type 1 diabetes. <i>BMC Pediatrics</i> , <b>2013</b> , 13, 124	2.6	42
94	Antithrombotic therapy for improving maternal or infant health outcomes in women considered at risk of placental dysfunction. <i>The Cochrane Library</i> , <b>2013</b> , CD006780	5.2	40
93	A decrease in diet quality occurs during pregnancy in overweight and obese women which is maintained post-partum. <i>International Journal of Obesity</i> , <b>2013</b> , 37, 704-11	5.5	65
92	Planned elective repeat caesarean section versus planned vaginal birth for women with a previous caesarean birth. <i>The Cochrane Library</i> , <b>2013</b> , CD004224	5.2	45
91	Enablers of and barriers to making healthy change during pregnancy in overweight and obese women. <i>Australasian Medical Journal</i> , <b>2013</b> , 6, 565-77	2	44
90	Metformin for women who are obese during pregnancy for improving maternal and infant outcomes. <i>The Cochrane Library</i> , <b>2013</b> ,	5.2	2
89	Methods of term labour induction for women with a previous caesarean section. <i>Cochrane Database of Systematic Reviews</i> , <b>2013</b> , CD009792		16
88	Physical activity levels during pregnancy and gestational weight gain among women who are overweight or obese. <i>Health Promotion Journal of Australia</i> , <b>2013</b> , 24, 206-13	1.7	23
87	Exercise in obese pregnant women: positive impacts and current perceptions. <i>International Journal of Womenis Health</i> , <b>2013</b> , 5, 389-98	2.8	26
86	Maternal and neonatal outcomes following induction of labor: a cohort study. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , <b>2012</b> , 91, 198-203	3.8	33
85	Antenatal exercise to improve outcomes in overweight or obese women: A systematic review. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , <b>2012</b> , 91, 538-45	3.8	50
84	Elective repeat caesarean section versus induction of labour for women with a previous caesarean birth. <i>Cochrane Database of Systematic Reviews</i> , <b>2012</b> , CD004906		9
83	Sealing procedures for preterm prelabour rupture of membranes 2012,		1
82	Reduction of the number of fetuses for women with a multiple pregnancy. <i>Cochrane Database of Systematic Reviews</i> , <b>2012</b> , 10, CD003932		8
81	Authors' response to: Elective birth at 37 weeks of gestation versus standard care for women with an uncomplicated twin pregnancy at term: the Twins Timing of Birth Randomised Trial. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>2012</b> , 119, 1676-1677	3.7	1
80	Can shoulder dystocia be reliably predicted?. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2012, 52, 248-52	1.7	25
79	Elective birth at 37 weeks of gestation versus standard care for women with an uncomplicated twin pregnancy at term: the Twins Timing of Birth Randomised Trial. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>2012</b> , 119, 964-73	3.7	46
78	The IDEAL study: investigation of dietary advice and lifestyle for women with borderline gestational diabetes: a randomised controlled trial - study protocol. <i>BMC Pregnancy and Childbirth</i> , 2012, 12, 106	3.2	10

## (2010-2012)

77	Oral betamimetics for maintenance therapy after threatened preterm labour. <i>The Cochrane Library</i> , <b>2012</b> , 12, CD003927	5.2	17
76	Planned vaginal birth or elective repeat caesarean: patient preference restricted cohort with nested randomised trial. <i>PLoS Medicine</i> , <b>2012</b> , 9, e1001192	11.6	82
75	Techniques of intrauterine fetal transfusion for women with red-cell isoimmunisation for improving health outcomes. <i>The Cochrane Library</i> , <b>2012</b> , CD007096	5.2	5
74	Methods of term labour induction for women with a previous caesarean section 2012,		4
73	Specialised antenatal clinics for women with a multiple pregnancy for improving maternal and infant outcomes. <i>Cochrane Database of Systematic Reviews</i> , <b>2012</b> , CD005300		8
72	Obesity and reproductive dysfunction in women. <i>Endocrinology and Metabolism Clinics of North America</i> , <b>2011</b> , 40, 895-906	5.5	24
71	Prenatal interventions for congenital diaphragmatic hernia for improving outcomes 2011,		1
70	Unfractionated heparin for second trimester placental insufficiency: a pilot randomized trial. <i>Journal of Thrombosis and Haemostasis</i> , <b>2011</b> , 9, 1483-92	15.4	26
69	Maternal and perinatal health outcomes by body mass index category. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , <b>2011</b> , 51, 136-40	1.7	160
68	Limiting weight gain in overweight and obese women during pregnancy to improve health outcomes: the LIMIT randomised controlled trial. <i>BMC Pregnancy and Childbirth</i> , <b>2011</b> , 11, 79	3.2	68
67	Short- and long-term outcomes after cesarean section. <i>Expert Review of Obstetrics and Gynecology</i> , <b>2011</b> , 6, 205-215		26
66	The influence of intrapartum factors on risk of uterine rupture and successful vaginal birth after cesarean delivery. <i>Clinics in Perinatology</i> , <b>2011</b> , 38, 265-75	2.8	10
65	Gestational weight loss in overweight and obese women is associated with an increased risk of small for gestational age infants. <i>Evidence-Based Medicine</i> , <b>2011</b> , 16, 125-6		1
64	Multiple Pregnancy <b>2011</b> , 1053-1064.e4		
63	Threatened and Actual Preterm Labor Including Mode of Delivery <b>2011</b> , 1075-1090.e4		
62	HEPARIN IN HUMAN PLACENTAL DEVELOPMENT AND THE PREVENTION OF PLACENTAL COMPLICATIONS OF PREGNANCY. Fetal and Maternal Medicine Review, <b>2010</b> , 21, 185-203		7
61	Is the growing trend for cesarean sections a cause for concern?. <i>Expert Review of Obstetrics and Gynecology</i> , <b>2010</b> , 5, 183-193		1
60	Techniques of intrauterine fetal transfusion for women with red-cell isoimmunisation for improving health outcomes. <i>Cochrane Database of Systematic Reviews</i> , <b>2010</b> , CD007096		3

59	Misoprostol for induction of labour to terminate pregnancy in the second or third trimester for women with a fetal anomaly or after intrauterine fetal death. <i>The Cochrane Library</i> , <b>2010</b> , CD004901	5.2	18
58	Antithrombotic therapy for improving maternal or infant health outcomes in women considered at risk of placental dysfunction. <i>Cochrane Database of Systematic Reviews</i> , <b>2010</b> , CD006780		21
57	Timing of birth for women with a twin pregnancy at term: a randomised controlled trial. <i>BMC Pregnancy and Childbirth</i> , <b>2010</b> , 10, 68	3.2	15
56	Antenatal interventions for overweight or obese pregnant women: a systematic review of randomised trials. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>2010</b> , 117, 1316-26	3.7	202
55	The role of progesterone in prevention of preterm birth. <i>International Journal of Womens Health</i> , <b>2010</b> , 1, 73-84	2.8	27
54	Progesterone after previous preterm birth for prevention of neonatal respiratory distress syndrome (PROGRESS): a randomised controlled trial. <i>BMC Pregnancy and Childbirth</i> , <b>2009</b> , 9, 6	3.2	18
53	The prevention and treatment of intrauterine growth restriction. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , <b>2009</b> , 23, 795-807	4.6	17
52	Screening for placental insufficiency in high-risk pregnancies: is earlier better?. <i>Placenta</i> , <b>2008</b> , 29, 1034	- <del>4</del> .Q	54
51	Surgical techniques for uterine incision and uterine closure at the time of caesarean section. <i>Cochrane Database of Systematic Reviews</i> , <b>2008</b> , CD004732		35
50	The use of progesterone for prevention of preterm birth. <i>Journal of Obstetrics and Gynaecology Canada</i> , <b>2008</b> , 30, 67-71	1.3	41
49	Techniques of intrauterine fetal transfusion for women with red-cell isoimmunisation for improving health outcomes <b>2008</b> ,		2
48	Utilisation de progestfone pour la pr¶ention de lEccouchement prfhatur[] <i>Journal of Obstetrics and Gynaecology Canada</i> , <b>2008</b> , 30, 72-77	1.3	
47	Progesterone for the prevention of preterm birth: a systematic review. <i>Obstetrics and Gynecology</i> , <b>2008</b> , 112, 127-34	4.9	105
46	Dietary and lifestyle interventions to limit weight gain during pregnancy for obese or overweight women: a systematic review. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , <b>2008</b> , 87, 702-6	3.8	71
45	Heparin therapy for complications of placental dysfunction: a systematic review of the literature. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , <b>2008</b> , 87, 804-11	3.8	3
44	Determinants of adverse perinatal outcome in high-risk women with abnormal uterine artery Doppler images. <i>American Journal of Obstetrics and Gynecology</i> , <b>2008</b> , 198, 330.e1-7	6.4	72
43	Specialised antenatal clinics for women with a multiple pregnancy to improve maternal and infant outcomes. <i>Cochrane Database of Systematic Reviews</i> , <b>2007</b> , CD005300		6
42	A survey of clinician and patient attitudes towards the use of progesterone for women at risk of preterm birth. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , <b>2007</b> , 47, 106-9	1.7	5

#### (2005-2007)

41	of adverse maternal and infant health outcomes. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , <b>2007</b> , 47, 307-12	1.7	75
40	Birth after caesarean studyplanned vaginal birth or planned elective repeat caesarean for women at term with a single previous caesarean birth: protocol for a patient preference study and randomised trial. <i>BMC Pregnancy and Childbirth</i> , <b>2007</b> , 7, 17	3.2	19
39	Outcomes at 2 years of age after repeat doses of antenatal corticosteroids. <i>New England Journal of Medicine</i> , <b>2007</b> , 357, 1179-89	59.2	213
38	Risks and morbidity associated with previous cesarean section. Women's Health, 2007, 3, 55-61	3	O
37	Antithrombotic therapy for improving maternal or infant health outcomes in women considered at risk of placental dysfunction <b>2007</b> ,		2
36	Clinical update: obstetric anaesthesia. <i>Lancet, The</i> , <b>2007</b> , 370, 640-2	40	21
35	Morning compared with evening induction of labor: a nested randomized controlled trial. A nested randomized controlled trial. <i>Obstetrics and Gynecology</i> , <b>2006</b> , 108, 350-60	4.9	21
34	Oral misoprostol for induction of labour at term: randomised controlled trial. <i>BMJ, The</i> , <b>2006</b> , 332, 509-	<b>13</b> .9	34
33	Prenatal administration of progesterone for preventing preterm birth. <i>Cochrane Database of Systematic Reviews</i> , <b>2006</b> , CD004947		65
32	Neonatal respiratory distress syndrome after repeat exposure to antenatal corticosteroids: a randomised controlled trial. <i>Lancet, The</i> , <b>2006</b> , 367, 1913-9	40	241
31	Cochrane reviews in pregnancy: the role of perinatal randomized trials and systematic reviews in establishing evidence. <i>Seminars in Fetal and Neonatal Medicine</i> , <b>2006</b> , 11, 97-103	3.7	7
30	Tocolysis for assisting delivery at caesarean section. <i>Cochrane Database of Systematic Reviews</i> , <b>2006</b> , CD004944		8
29	Misoprostol versus cervagem for the induction of labour to terminate pregnancy in the second and third trimester: a systematic review. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , <b>2006</b> , 125, 3-8	2.4	31
28	Oral betamimetics for maintenance therapy after threatened preterm labour. <i>Cochrane Database of Systematic Reviews</i> , <b>2006</b> , CD003927		31
27	Elective repeat caesarean section versus induction of labour for women with a previous caesarean birth. <i>Cochrane Database of Systematic Reviews</i> , <b>2006</b> , CD004906		9
26	Care of women at risk of preterm birth: a survey of reported practice in Australia and New Zealand.  Australian and New Zealand Journal of Obstetrics and Gynaecology, 2006, 46, 546-8	1.7	1
25	Effect of treatment of gestational diabetes mellitus on pregnancy outcomes. <i>New England Journal of Medicine</i> , <b>2005</b> , 352, 2477-86	59.2	2155
24	Should we deliver twins electively at 37 weeks' gestation?. <i>Current Opinion in Obstetrics and Gynecology</i> , <b>2005</b> , 17, 579-83	2.4	11

23	Misoprostol for second and third trimester termination of pregnancy: a review of practice at the Women's and Children's Hospital, Adelaide, Australia. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , <b>2005</b> , 45, 25-9	1.7	9
22	Progesterone supplementation for preventing preterm birth: a systematic review and meta-analysis. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , <b>2005</b> , 84, 526-33	3.8	33
21	Evidence-based care of women with a multiple pregnancy. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , <b>2005</b> , 19, 131-53	4.6	20
20	Hospitalisation for bed rest for women with a triplet pregnancy: an abandoned randomised controlled trial and meta-analysis. <i>BMC Pregnancy and Childbirth</i> , <b>2005</b> , 5, 8	3.2	8
19	Progesterone supplementation for preventing preterm birth: a systematic review and meta-analysis <b>2005</b> , 84, 526		20
18	Planned elective repeat caesarean section versus planned vaginal birth for women with a previous caesarean birth. <i>Cochrane Database of Systematic Reviews</i> , <b>2004</b> , CD004224		25
17	Rectal analgesia for the relief of perineal pain after childbirth: a randomised controlled trial of diclofenac suppositories. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>2004</b> , 111, 1059-	-647	29
16	Single or multiple embryo transfer following in vitro fertilisation for improved neonatal outcome: a systematic review of the literature. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , <b>2004</b> , 44, 283-91	1.7	14
15	Vaginal birth after Caesarean versus elective repeat Caesarean for women with a single prior Caesarean birth: a systematic review of the literature. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , <b>2004</b> , 44, 387-91	1.7	30
14	Induction of labour for women with a previous Caesarean birth: a systematic review of the literature. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , <b>2004</b> , 44, 392-5	1.7	10
13	Women's experiences and preferences following Caesarean birth. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , <b>2004</b> , 44, 521-4	1.7	21
12	Treatment for women with postpartum iron deficiency anaemia. <i>The Cochrane Library</i> , <b>2004</b> , CD004222	5.2	28
11	Multifetal pregnancy reduction of triplet and higher-order multiple pregnancies to twins. <i>Fertility and Sterility</i> , <b>2004</b> , 81, 1420-2	4.8	34
10	Tocolysis for assisting delivery at caesarean section 2004,		1
9	Public and private intervention rates in obstetric practice. <i>Australian Health Review</i> , <b>2004</b> , 27, 9-12	1.8	
8	Reduction of the number of fetuses for women with triplet and higher order multiple pregnancies. <i>Cochrane Database of Systematic Reviews</i> , <b>2003</b> , CD003932		10
7	Elective delivery of women with a twin pregnancy from 37 weeks' gestation. <i>Cochrane Database of Systematic Reviews</i> , <b>2003</b> , CD003582		17
6	Stillbirth and neonatal outcomes in South Australia, 1991-2000. <i>American Journal of Obstetrics and Gynecology</i> , <b>2003</b> , 189, 1731-6	6.4	35

#### LIST OF PUBLICATIONS

5	Vaginal birth after Caesarean section: a survey of practice in Australia and New Zealand. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , <b>2003</b> , 43, 226-31	1.7	24
4	Do women with pre-eclampsia, and their babies, benefit from magnesium sulphate? The Magpie Trial: a randomised placebo-controlled trial. <i>Lancet, The</i> , <b>2002</b> , 359, 1877-90	40	1013
3	Petrol sniffing in a pregnant Aboriginal population: a review of maternal and neonatal outcomes. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , <b>2001</b> , 41, 420-3	1.7	6
2	Endometrial balloon ablation under local analgesia and intravenous sedation. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , <b>1999</b> , 39, 123-6	1.7	15
1	Outcomes of induced labour. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , <b>1997</b> , 37, 16-9	1.7	8