

Vicenç Puig

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5441666/publications.pdf>

Version: 2024-02-01

483
papers

7,643
citations

61857

43
h-index

102304

66
g-index

496
all docs

496
docs citations

496
times ranked

3785
citing authors

#	ARTICLE	IF	CITATIONS
1	Methodology for leakage isolation using pressure sensitivity analysis in water distribution networks. Control Engineering Practice, 2011, 19, 1157-1167.	3.2	170
2	Application of predictive control strategies to the management of complex networks in the urban water cycle [Applications of Control]. IEEE Control Systems, 2013, 33, 15-41.	1.0	166
3	Optimal control of urban drainage systems. A case study. Control Engineering Practice, 2004, 12, 1-9.	3.2	161
4	Fault diagnosis and fault tolerant control using set-membership approaches: Application to real case studies. International Journal of Applied Mathematics and Computer Science, 2010, 20, 619-635.	1.5	148
5	Validation and reconstruction of flow meter data in the Barcelona water distribution network. Control Engineering Practice, 2010, 18, 640-651.	3.2	114
6	FDI and FTC of wind turbines using the interval observer approach and virtual actuators/sensors. Control Engineering Practice, 2014, 24, 138-155.	3.2	111
7	A virtual actuator and sensor approach for fault tolerant control of LPV systems. Journal of Process Control, 2014, 24, 203-222.	1.7	107
8	Leak Localization in Water Networks: A Model-Based Methodology Using Pressure Sensors Applied to a Real Network in Barcelona [Applications of Control]. IEEE Control Systems, 2014, 34, 24-36.	1.0	106
9	Optimal Sensor Placement for Leak Location in Water Distribution Networks Using Genetic Algorithms. Sensors, 2013, 13, 14984-15005.	2.1	104
10	Quasi-LPV modeling, identification and control of a twin rotor MIMO system. Control Engineering Practice, 2013, 21, 829-846.	3.2	99
11	Leak localization in water distribution networks using Bayesian classifiers. Journal of Process Control, 2017, 55, 1-9.	1.7	96
12	Non-linear economic model predictive control of water distribution networks. Journal of Process Control, 2017, 56, 23-34.	1.7	94
13	Robust fault detection using zonotope-based set-membership consistency test. International Journal of Adaptive Control and Signal Processing, 2009, 23, 311-330.	2.3	92
14	Set-membership approach and Kalman observer based on zonotopes for discrete-time descriptor systems. Automatica, 2018, 93, 435-443.	3.0	90
15	Autonomous vehicle control using a kinematic Lyapunov-based technique with LQR-LMI tuning. Control Engineering Practice, 2018, 73, 1-12.	3.2	89
16	Passive robust fault detection using interval observers: Application to the DAMADICS benchmark problem. Control Engineering Practice, 2006, 14, 621-633.	3.2	84
17	Leak localization in water distribution networks using a mixed model-based/data-driven approach. Control Engineering Practice, 2016, 55, 162-173.	3.2	81
18	Fault-tolerant control strategy for actuator faults using LPV techniques: Application to a two degree of freedom helicopter. International Journal of Applied Mathematics and Computer Science, 2012, 22, 161-171.	1.5	79

#	ARTICLE	IF	CITATIONS
19	Bibliographical review on cyber attacks from a control oriented perspective. Annual Reviews in Control, 2019, 48, 103-128.	4.4	79
20	An LMI approach to robust fault estimation for a class of nonlinear systems. International Journal of Robust and Nonlinear Control, 2016, 26, 1530-1548.	2.1	78
21	Zonotopic Set-Membership State Estimation for Discrete-Time Descriptor LPV Systems. IEEE Transactions on Automatic Control, 2019, 64, 2092-2099.	3.6	74
22	Passive Robust Fault Detection of Dynamic Processes Using Interval Models. IEEE Transactions on Control Systems Technology, 2008, 16, 1083-1089.	3.2	72
23	Robust Quasi-LPV Model Reference FTC of a Quadrotor Uav Subject to Actuator Faults. International Journal of Applied Mathematics and Computer Science, 2015, 25, 7-22.	1.5	71
24	Robust unknown input observer for state and fault estimation in discrete-time Takagi-Sugeno systems. International Journal of Systems Science, 2016, 47, 3409-3424.	3.7	68
25	Predictive optimal control of sewer networks using CORAL tool: application to Riera Blanca catchment in Barcelona. Water Science and Technology, 2009, 60, 869-878.	1.2	65
26	Worst-Case Simulation of Discrete Linear Time-Invariant Interval Dynamic Systems. Reliable Computing, 2003, 9, 251-290.	0.8	64
27	Objective Prioritization Using Lexicographic Minimizers for MPC of Sewer Networks. IEEE Transactions on Control Systems Technology, 2008, 16, 113-121.	3.2	64
28	Multi-objective optimisation for aircraft departure trajectories minimising noise annoyance. Transportation Research Part C: Emerging Technologies, 2010, 18, 975-989.	3.9	62
29	Robust fault diagnosis of proton exchange membrane fuel cells using a Takagi-Sugeno interval observer approach. International Journal of Hydrogen Energy, 2016, 41, 2875-2886.	3.8	62
30	Identification for passive robust fault detection using zonotope-based set-membership approaches. International Journal of Adaptive Control and Signal Processing, 2011, 25, 788-812.	2.3	57
31	A decision support system for on-line leakage localization. Environmental Modelling and Software, 2014, 60, 331-345.	1.9	57
32	Automated generation and comparison of Takagi-Sugeno and polytopic quasi-LPV models. Fuzzy Sets and Systems, 2015, 277, 44-64.	1.6	57
33	Fault Diagnosis Using a Timed Discrete-Event Approach Based on Interval Observers: Application to Sewer Networks. IEEE Transactions on Systems, Man and Cybernetics, Part A: Systems and Humans, 2010, 40, 900-916.	3.4	56
34	A GMDH neural network-based approach to passive robust fault detection using a constraint satisfaction backward test. Engineering Applications of Artificial Intelligence, 2007, 20, 886-897.	4.3	54
35	Robust fault detection based on adaptive threshold generation using interval LPV observers. International Journal of Adaptive Control and Signal Processing, 2012, 26, 258-283.	2.3	54
36	Observer gain effect in linear interval observer-based fault detection. Journal of Process Control, 2010, 20, 944-956.	1.7	53

#	ARTICLE	IF	CITATIONS
37	Robust state-feedback control of uncertain LPV systems: An LMI-based approach. Journal of the Franklin Institute, 2014, 351, 2781-2803.	1.9	53
38	A bounded-error approach to simultaneous state and actuator fault estimation for a class of nonlinear systems. Journal of Process Control, 2017, 52, 14-25.	1.7	53
39	Fault Diagnosis of Advanced Wind Turbine Benchmark using Interval-based ARR and Observers. IEEE Transactions on Industrial Electronics, 2015, , 1-1.	5.2	51
40	Autonomous racing using Linear Parameter Varying-Model Predictive Control (LPV-MPC). Control Engineering Practice, 2020, 95, 104270.	3.2	51
41	Actuator-fault detection and isolation based on set-theoretic approaches. Journal of Process Control, 2014, 24, 947-956.	1.7	46
42	Stochastic model predictive control based on Gaussian processes applied to drinking water networks. IET Control Theory and Applications, 2016, 10, 947-955.	1.2	46
43	PASSIVE ROBUST FAULT DETECTION APPROACHES USING INTERVAL MODELS. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2002, 35, 443-448.	0.4	44
44	Leak Localization in Water Distribution Networks Using Pressure and Data-Driven Classifier Approach. Water (Switzerland), 2020, 12, 54.	1.2	44
45	Fault detection using interval LPV models in an open-flow canal. Control Engineering Practice, 2010, 18, 460-470.	3.2	43
46	Model reference FTC for LPV systems using virtual actuators and set-membership fault estimation. International Journal of Robust and Nonlinear Control, 2015, 25, 735-760.	2.1	43
47	UIO design for singular delayed LPV systems with application to actuator fault detection and isolation. International Journal of Systems Science, 2016, 47, 107-121.	3.7	43
48	Leak Localization in Water Distribution Networks using Pressure Residuals and Classifiers. IFAC-PapersOnLine, 2015, 48, 220-225.	0.5	42
49	A fault-tolerant control strategy for non-linear discrete-time systems: application to the twin-rotor system. International Journal of Control, 2013, 86, 1788-1799.	1.2	41
50	Mixed Active/Passive Robust Fault Detection and Isolation Using Set-Theoretic Unknown Input Observers. IEEE Transactions on Automation Science and Engineering, 2018, 15, 863-871.	3.4	40
51	Gain scheduling LPV control for autonomous vehicles including friction force estimation and compensation mechanism. IET Control Theory and Applications, 2018, 12, 1683-1693.	1.2	40
52	Robust Fault Diagnosis of Nonlinear Systems Using Interval Constraint Satisfaction and Analytical Redundancy Relations. IEEE Transactions on Systems, Man, and Cybernetics: Systems, 2014, 44, 18-29.	5.9	39
53	MIMO Smith predictor: Global and structured robust performance analysis. Journal of Process Control, 2009, 19, 163-177.	1.7	38
54	Generalized set-theoretic unknown input observer for LPV systems with application to state estimation and robust fault detection. International Journal of Robust and Nonlinear Control, 2017, 27, 3812-3832.	2.1	38

#	ARTICLE	IF	CITATIONS
55	Detection of replay attacks in cyber-physical systems using a frequency-based signature. Journal of the Franklin Institute, 2019, 356, 2798-2824.	1.9	38
56	A Fault-Hiding Approach for the Switching Quasi-LPV Fault Tolerant Control of a Four-Wheeled Omnidirectional Mobile Robot. IEEE Transactions on Industrial Electronics, 2014, , 1-1.	5.2	37
57	Lexicographic optimisation for optimal departure aircraft trajectories. Aerospace Science and Technology, 2010, 14, 26-37.	2.5	36
58	A multi-objective optimization strategy for designing aircraft noise abatement procedures. Case study at Girona airport. Transportation Research, Part D: Transport and Environment, 2011, 16, 31-41.	3.2	36
59	Robust fault detection of non-linear systems using set-membership state estimation based on constraint satisfaction. Engineering Applications of Artificial Intelligence, 2012, 25, 1-10.	4.3	36
60	Gain-Scheduled Smith Predictor PID-Based LPV Controller for Open-Flow Canal Control. IEEE Transactions on Control Systems Technology, 2014, 22, 468-477.	3.2	36
61	Actuator multiplicative fault estimation in discrete-time LPV systems using switched observers. Journal of the Franklin Institute, 2016, 353, 3176-3191.	1.9	35
62	Optimal pressure sensor placement and assessment for leak location using a relaxed isolation index: Application to the Barcelona water network. Control Engineering Practice, 2017, 63, 1-12.	3.2	35
63	Diagnosis of timed automata: Theory and application to the DAMADICS actuator benchmark problem. Control Engineering Practice, 2006, 14, 609-619.	3.2	34
64	Tuning of Predictive Controllers for Drinking Water Networked Systems. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2011, 44, 14507-14512.	0.4	33
65	Fault Diagnosis of Wind Turbines using a Set-membership Approach. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2011, 44, 8316-8321.	0.4	32
66	Sensor placement for classifier-based leak localization in water distribution networks using hybrid feature selection. Computers and Chemical Engineering, 2018, 108, 152-162.	2.0	32
67	A virtual actuator approach for the fault tolerant control of unstable linear systems subject to actuator saturation and fault isolation delay. Annual Reviews in Control, 2015, 39, 68-80.	4.4	31
68	Stochastic model predictive control approaches applied to drinking water networks. Optimal Control Applications and Methods, 2017, 38, 541-558.	1.3	31
69	Robust fault estimation based on zonotopic Kalman filter for discrete-time descriptor systems. International Journal of Robust and Nonlinear Control, 2018, 28, 5071-5086.	2.1	30
70	Interval observer versus set-membership approaches for fault detection in uncertain systems using zonotopes. International Journal of Robust and Nonlinear Control, 2019, 29, 2819-2843.	2.1	30
71	TS fuzzy reconfiguration blocks for fault tolerant control of nonlinear systems. Journal of the Franklin Institute, 2020, 357, 4592-4623.	1.9	30
72	Equitable Aircraft Noise-Abatement Departure Procedures. Journal of Guidance, Control, and Dynamics, 2011, 34, 192-203.	1.6	29

#	ARTICLE	IF	CITATIONS
73	Set-theoretic methods in robust detection and isolation of sensor faults. International Journal of Systems Science, 2015, 46, 2317-2334.	3.7	29
74	Leak Localization in Water Distribution Networks using Deep Learning. , 2019, , .		29
75	FD-ZKF: A Zonotopic Kalman Filter optimizing fault detection rather than state estimation. Journal of Process Control, 2019, 73, 89-102.	1.7	29
76	Fault-Tolerant Control Based on Virtual Actuator and Sensor for Discrete-Time Descriptor Systems. IEEE Transactions on Circuits and Systems I: Regular Papers, 2020, 67, 5316-5325.	3.5	29
77	Fault-tolerant PID controllers using a passive robust fault diagnosis approach. Control Engineering Practice, 2001, 9, 1221-1234.	3.2	28
78	Fault-tolerant model predictive control within the hybrid systems framework: Application to sewer networks. International Journal of Adaptive Control and Signal Processing, 2009, 23, 757-787.	2.3	28
79	Robust identification and fault diagnosis based on uncertain multiple input-multiple output linear parameter varying parity equations and zonotopes. Journal of Process Control, 2012, 22, 1890-1912.	1.7	28
80	Optimal Sensor Placement for Leak Location in Water Distribution Networks using Evolutionary Algorithms. Water (Switzerland), 2015, 7, 6496-6515.	1.2	28
81	Control-Oriented Thermal Modeling Methodology for Water-Cooled PEM Fuel-Cell-Based Systems. IEEE Transactions on Industrial Electronics, 2015, 62, 5146-5154.	5.2	28
82	Sensor-fault tolerance using robust MPC with set-based state estimation and active fault isolation. International Journal of Robust and Nonlinear Control, 2017, 27, 1260-1283.	2.1	28
83	Fault estimation of wind turbines using combined adaptive and parameter estimation schemes. International Journal of Adaptive Control and Signal Processing, 2018, 32, 549-567.	2.3	28
84	Real-Time Control of Urban Water Cycle under Cyber-Physical Systems Framework. Water (Switzerland), 2020, 12, 406.	1.2	28
85	Optimal sensor placement for model-based fault detection and isolation. , 2007, , .		27
86	Robust fault detection and isolation based on zonotopic unknown input observers for discrete-time descriptor systems. Journal of the Franklin Institute, 2019, 356, 5293-5314.	1.9	27
87	Actuator fault diagnosis of singular delayed LPV systems with inexact measured parameters via PI unknown input observer. IET Control Theory and Applications, 2017, 11, 1894-1903.	1.2	27
88	An Interval NLPV Parity Equations Approach for Fault Detection and Isolation of a Wind Farm. IEEE Transactions on Industrial Electronics, 2014, , 1-1.	5.2	26
89	Robust fault detection of singular LPV systems with multiple time-varying delays. International Journal of Applied Mathematics and Computer Science, 2016, 26, 45-61.	1.5	26
90	LPV-MP planning for autonomous racing vehicles considering obstacles. Robotics and Autonomous Systems, 2020, 124, 103392.	3.0	26

#	ARTICLE	IF	CITATIONS
91	Set-membership parity space approach for fault detection in linear uncertain dynamic systems. International Journal of Adaptive Control and Signal Processing, 2016, 30, 186-205.	2.3	25
92	Fault-tolerant control design using the linear parameter varying approach. International Journal of Robust and Nonlinear Control, 2014, 24, 1969-1988.	2.1	24
93	Water demand forecasting for the optimal operation of large-scale drinking water networks: The Barcelona Case Study.. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2014, 47, 10457-10462.	0.4	24
94	Reliable fault-tolerant model predictive control of drinking water transport networks. Control Engineering Practice, 2016, 55, 197-211.	3.2	24
95	Multi-Model Prediction for Demand Forecast in Water Distribution Networks. Energies, 2018, 11, 660.	1.6	24
96	A virtual actuator approach for the secure control of networked LPV systems under pulse-width modulated DoS attacks. Neurocomputing, 2019, 365, 21-30.	3.5	24
97	Linear parameter varying modeling and identification for real-time control of open-flow irrigation canals. Environmental Modelling and Software, 2014, 53, 87-97.	1.9	23
98	Fault detection and isolation for a wind turbine benchmark using a mixed Bayesian/Set-membership approach. Annual Reviews in Control, 2015, 40, 59-69.	4.4	23
99	Fault tolerant control of a proton exchange membrane fuel cell using Takagi-Sugeno virtual actuators. Journal of Process Control, 2016, 45, 12-29.	1.7	23
100	Position-heading quadrotor control using LPV techniques. IET Control Theory and Applications, 2019, 13, 783-794.	1.2	23
101	A methodology and a software tool for sensor data validation/reconstruction: Application to the Catalonia regional water network. Control Engineering Practice, 2016, 49, 159-172.	3.2	22
102	Optimal Sizing of Storage Elements for a Vehicle Based on Fuel Cells, Supercapacitors, and Batteries. Energies, 2019, 12, 925.	1.6	22
103	Characterisation of interval-observer fault detection and isolation properties using the set-invariance approach. Journal of the Franklin Institute, 2020, 357, 1853-1886.	1.9	22
104	Integrated pollution-based real-time control of sanitation systems. Journal of Environmental Management, 2020, 269, 110798.	3.8	22
105	Efficient optimal sensor placement for model-based FDI using an incremental algorithm. , 2007, , .		21
106	A novel design of unknown input observers using set-theoretic methods for robust fault detection. , 2016, , .		21
107	Robust fault and icing diagnosis in unmanned aerial vehicles using LPV interval observers. International Journal of Robust and Nonlinear Control, 2019, 29, 5456-5480.	2.1	21
108	Fault Tolerant Control of the Wind Turbine Benchmark using Virtual Sensors/Actuators. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2012, 45, 114-119.	0.4	20

#	ARTICLE	IF	CITATIONS
109	Fault detection for uncertain LPV systems using probabilistic set-membership parity relation. Journal of Process Control, 2020, 87, 27-36.	1.7	20
110	Leak Localization Method for Water-Distribution Networks Using a Data-Driven Model and Dempsterâ€ŠShafer Reasoning. IEEE Transactions on Control Systems Technology, 2021, 29, 937-948.	3.2	20
111	A New Fault Diagnosis Algorithm that Improves the Integration of Fault Detection and Isolation. , 0, , .		19
112	Fault Tolerant Control design for polytopic uncertain LPV systems: Application to a quadrotor. , 2013, , .		19
113	Leak Signature Space: An Original Representation for Robust Leak Location in Water Distribution Networks. Water (Switzerland), 2015, 7, 1129-1148.	1.2	19
114	Robust Mpc for Actuatorâ€ŠFault Tolerance Using Setâ€ŠBased Passive Fault Detection and Active Fault Isolation. International Journal of Applied Mathematics and Computer Science, 2017, 27, 43-61.	1.5	19
115	Diagnosis of Icing and Actuator Faults in UAVs Using LPV Unknown Input Observers. Journal of Intelligent and Robotic Systems: Theory and Applications, 2018, 91, 651-665.	2.0	19
116	Data-Driven Approach for Leak Localization in Water Distribution Networks Using Pressure Sensors and Spatial Interpolation. Water (Switzerland), 2019, 11, 1500.	1.2	19
117	Fault diagnosis in wind turbines based on ANFIS and Takagiâ€ŠSugeno interval observers. Expert Systems With Applications, 2022, 206, 117698.	4.4	19
118	A new algorithm for adaptive threshold generation in robust fault detection based on a sliding window and global optimization. , 1999, , .		18
119	Robust Fault Detection Using Linear Interval Observers. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2003, 36, 579-584.	0.4	18
120	Fault-Tolerant Control design using a virtual sensor for LPV systems. , 2010, , .		18
121	Sensor fault diagnosis of singular delayed LPV systems with inexact parameters: an uncertain system approach. International Journal of Systems Science, 2018, 49, 179-195.	3.7	18
122	Set-invariance characterizations of discrete-time descriptor systems with application to active mode detection. Automatica, 2019, 107, 255-263.	3.0	18
123	Design of parameter-scheduled state-feedback controllers using shifting specifications. Journal of the Franklin Institute, 2015, 352, 93-116.	1.9	17
124	TS-MPC for Autonomous Vehicles Including a TS-MHE-UIO Estimator. IEEE Transactions on Vehicular Technology, 2019, 68, 6403-6413.	3.9	17
125	Passivation blocks for fault tolerant control of nonlinear systems. Automatica, 2021, 125, 109450.	3.0	17
126	Design of a fault-tolerant control scheme for Takagi-Sugeno fuzzy systems. , 2008, , .		16

#	ARTICLE	IF	CITATIONS
127	Health-aware Model Predictive Control of Wind Turbines using Fatigue Prognosis. IFAC-PapersOnLine, 2015, 48, 1363-1368.	0.5	16
128	Centralized and Distributed Command Governor Approaches for Water Supply Systems Management. IEEE Transactions on Systems, Man, and Cybernetics: Systems, 2018, 48, 586-595.	5.9	16
129	Active fault detection based on set-membership approach for uncertain discrete-time systems. International Journal of Robust and Nonlinear Control, 2020, 30, 5322-5340.	2.1	16
130	A hybrid system-level prognostics approach with online RUL forecasting for electronics-rich systems with unknown degradation behaviors. Microelectronics Reliability, 2020, 111, 113676.	0.9	16
131	Robust Economic Model Predictive Control Based on a Zonotope and Local Feedback Controller for Energy Dispatch in Smart-Grids Considering Demand Uncertainty. Energies, 2020, 13, 696.	1.6	16
132	An MPC-Enabled SWMM Implementation of the Astlingen RTC Benchmarking Network. Water (Switzerland), 2020, 12, 1034.	1.2	16
133	Health-aware control design based on remaining useful life estimation for autonomous racing vehicle. ISA Transactions, 2021, 113, 196-209.	3.1	16
134	Robust Fault Diagnosis using Paralleloptope-based Set-membership Consistency Tests. , 0, , .		15
135	Robust fault detection for LPV systems using interval observers and zonotopes. , 2009, , .		15
136	Leak Detection, Isolation and Estimation in Pressurized Water Pipe Networks using LPV Models and Zonotopes. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2010, 43, 36-41.	0.4	15
137	Quasi-LPV modelling and non-linear identification of a Twin Rotor System. , 2012, , .		15
138	Gain-scheduling multivariable LPV control of an irrigation canal system. ISA Transactions, 2016, 63, 274-280.	3.1	15
139	Combining CSP and MPC for the operational control of water networks. Engineering Applications of Artificial Intelligence, 2016, 49, 126-140.	4.3	15
140	Short-term demand forecast using a bank of neural network models trained using genetic algorithms for the optimal management of drinking water networks. Journal of Hydroinformatics, 2017, 19, 1-16.	1.1	15
141	Nonlinear Model Predictive Control with Constraint Satisfaction for a Quadcopter. Journal of Physics: Conference Series, 2017, 783, 012025.	0.3	15
142	Economic model predictive control based on a periodicity constraint. Journal of Process Control, 2018, 68, 226-239.	1.7	15
143	Combining set-theoretic UIO and invariant sets for optimal guaranteed robust fault detection and isolation. Journal of Process Control, 2019, 78, 155-169.	1.7	15
144	Mobile robot visual navigation based on fuzzy logic and optical flow approaches. International Journal of Systems Assurance Engineering and Management, 2019, 10, 1654-1667.	1.5	15

#	ARTICLE	IF	CITATIONS
145	Chance-constrained stochastic MPC of Astlingen urban drainage benchmark network. Control Engineering Practice, 2021, 115, 104900.	3.2	15
146	Multi-layer health-aware economic predictive control of a pasteurization pilot plant. International Journal of Applied Mathematics and Computer Science, 2018, 28, 97-110.	1.5	15
147	Optimal predictive control of water transport systems: Arrat-Darrat/Arros case study. Water Science and Technology, 2009, 60, 2125-2133.	1.2	14
148	Robust Model Predictive Control based on Gaussian Processes: Application to drinking water networks. , 2015, , .		14
149	Economic Model Predictive Control with Nonlinear Constraint Relaxation for the Operational Management of Water Distribution Networks. Energies, 2018, 11, 991.	1.6	14
150	A Simple Nonlinear Observer for State and Unknown Input Estimation: DC Motor Applications. IEEE Transactions on Circuits and Systems II: Express Briefs, 2020, 67, 710-714.	2.2	14
151	Leak detection and localization in water distribution networks by combining expert knowledge and data-driven models. Neural Computing and Applications, 2022, 34, 4759-4779.	3.2	14
152	Robust Fault Detection: Active Versus Passive Approaches. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2000, 33, 157-163.	0.4	13
153	Passive robust fault detection using fuzzy parity equations. Mathematics and Computers in Simulation, 2002, 60, 193-207.	2.4	13
154	Fault detection and isolation of hybrid system using diagnosers that combine discrete and continuous dynamics. , 2010, , .		13
155	LPV modelling and control of a Twin Rotor MIMO System. , 2011, , .		13
156	Limnimeter and rain gauge FDI in sewer networks using an interval parity equations based detection approach and an enhanced isolation scheme. Control Engineering Practice, 2013, 21, 146-170.	3.2	13
157	On the Assessment of Tree-Based and Chance-Constrained Predictive Control Approaches applied to Drinking Water Networks. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2014, 47, 6240-6245.	0.4	13
158	A practical test for assessing the reachability of discrete-time Takagi-Sugeno fuzzy systems. Journal of the Franklin Institute, 2015, 352, 5936-5951.	1.9	13
159	An Incremental Hybrid System Diagnoser Automaton Enhanced by Discernibility Properties. IEEE Transactions on Systems, Man, and Cybernetics: Systems, 2015, 45, 788-804.	5.9	13
160	Reliability-based economic model predictive control for generalised flow-based networks including actuators' health-aware capabilities. International Journal of Applied Mathematics and Computer Science, 2016, 26, 641-654.	1.5	13
161	Reduced-order Interval-observer Design for Dynamic Systems with Time-invariant Uncertainty. IFAC-PapersOnLine, 2017, 50, 6271-6276.	0.5	13
162	Actuator fault tolerance evaluation approach of nonlinear model predictive control systems using viability theory. Journal of Process Control, 2018, 71, 35-45.	1.7	13

#	ARTICLE	IF	CITATIONS
163	Disturbance observer-based LPV feedback control of a $\langle \text{mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline" id="d1e1738" altimg="si2.svg" \rangle \langle \text{mml:mi} \rangle N \langle \text{mml:mi} \rangle \langle \text{mml:math} \rangle$ -DoF robotic manipulator including compliance through gain shifting. Control Engineering Practice, 2021, 115, 104887.	3.2	13
164	Water Quality Indicator Interval Prediction in Wastewater Treatment Process Based on the Improved BES-LSSVM Algorithm. Sensors, 2022, 22, 422.	2.1	13
165	Leak Localization in Water Distribution Networks Using Data-Driven and Model-Based Approaches. Journal of Water Resources Planning and Management - ASCE, 2022, 148, .	1.3	13
166	Gray-Box Model of Inland Navigation Channel: Application to the Cuinchyâ€“Fontinettes Reach. Journal of Intelligent Systems, 2014, 23, 183-199.	1.2	12
167	Model reference quasi-LPV control of a quadrotor UAV. , 2014, , .		12
168	Linear quadratic control of LPV systems using static and shifting specifications. , 2015, , .		12
169	Icing detection in unmanned aerial vehicles with longitudinal motion using an LPV unknown input observer. , 2015, , .		12
170	Dilated LMI characterization for the robust finite time control of discrete-time uncertain linear systems. Automatica, 2016, 63, 16-20.	3.0	12
171	Healthâ€“aware model predictive control of wind turbines using fatigue prognosis. International Journal of Adaptive Control and Signal Processing, 2018, 32, 614-627.	2.3	12
172	Interval observer-based fault detectability analysis using mixed set-invariance theory and sensitivity analysis approach. International Journal of Systems Science, 2019, 50, 495-516.	3.7	12
173	Gaussian-Process-Based Demand Forecasting for Predictive Control of Drinking Water Networks. Lecture Notes in Computer Science, 2016, , 69-80.	1.0	12
174	Pressure Sensor Placement for Leak Localization in Water Distribution Networks Using Information Theory. Sensors, 2022, 22, 443.	2.1	12
175	Adaptive threshold generation in robust fault detection using interval models: timeâ€“domain and frequencyâ€“domain approaches. International Journal of Adaptive Control and Signal Processing, 2013, 27, 873-901.	2.3	11
176	Adaptive Observer for Switching Linear Parameter-Varying (LPV) Systems. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2014, 47, 1471-1476.	0.4	11
177	Zonotopic extended Kalman filter and fault detection of discrete-time nonlinear systems applied to a quadrotor helicopter. , 2016, , .		11
178	Set-membership identification and fault detection using a Bayesian framework. International Journal of Systems Science, 2016, 47, 1710-1724.	3.7	11
179	BiDrac Industry 4.0 framework: Application to an Automotive Paint Shop Process. Control Engineering Practice, 2021, 109, 104757.	3.2	11
180	Fault Tolerant Model Predictive Control applied on the Barcelona Sewer Network. , 0, , .		10

#	ARTICLE	IF	CITATIONS
181	Identification and Control of an Open-flow Canal using LPV Models. , 0, , .		10
182	Fault-tolerant explicit MPC of PEM fuel cells. , 2007, , .		10
183	Model-based Monitoring Techniques for Leakage Localization in Distribution Water Networks. Procedia Engineering, 2015, 119, 1399-1408.	1.2	10
184	Comparison of two non-linear model-based control strategies for autonomous vehicles. , 2016, , .		10
185	A necessary and sufficient condition for total observability of discrete-time linear time-varying systems. IFAC-PapersOnLine, 2017, 50, 729-734.	0.5	10
186	Zonotopic fault detection observer with H<inf>â”</inf> performance. , 2017, , .		10
187	A Robust Fault Detection Method using a Zonotopic Kaucher Set-membership Approach. IFAC-PapersOnLine, 2018, 51, 500-507.	0.5	10
188	Leak Localization in Water Distribution Networks using Fisher Discriminant Analysis. IFAC-PapersOnLine, 2018, 51, 929-934.	0.5	10
189	Economic MPC-LPV Control for the Operational Management of Water Distribution Networks. IFAC-PapersOnLine, 2019, 52, 88-93.	0.5	10
190	Fault handling in large water networks with online dictionary learning. Journal of Process Control, 2020, 94, 46-57.	1.7	10
191	Leak diagnosis in pipelines based on a Kalman filter for Linear Parameter Varying systems. Control Engineering Practice, 2021, 115, 104888.	3.2	10
192	A zonotopic set-invariance analysis of replay attacks affecting the supervisory layer. Systems and Control Letters, 2021, 157, 105056.	1.3	10
193	TS-MPC for Autonomous Vehicle using a Learning Approach. IFAC-PapersOnLine, 2020, 53, 15110-15115.	0.5	10
194	SIMULATION OF UNCERTAIN DYNAMIC SYSTEMS DESCRIBED BY INTERVAL MODELS: A SURVEY. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2005, 38, 1239-1250.	0.4	9
195	Robust Fault Detection Linear Interval Observers Avoiding the Wrapping Effect. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2008, 41, 11570-11575.	0.4	9
196	Fault estimation and virtual sensor FTC approach for LPV systems. , 2011, , .		9
197	A shifting pole placement approach for the design of parameter-scheduled state-feedback controllers. , 2013, , .		9
198	Combining Model Predictive Control with Constraint-satisfaction Formulation for the Operative Pumping Control in Water Networks. Procedia Engineering, 2015, 119, 963-972.	1.2	9

#	ARTICLE	IF	CITATIONS
199	Integrated simulation and optimization scheme of real-time large-scale water supply network: applied to Catalunya case study. Simulation, 2015, 91, 59-70.	1.1	9
200	Economic MPC with periodic terminal constraints of nonlinear differential-algebraic-equation systems: Application to drinking water networks. , 2016, , .		9
201	A distributed predictive control approach for periodic flow-based networks: application to drinking water systems. International Journal of Systems Science, 2017, 48, 3106-3117.	3.7	9
202	Fault detection and isolation using viability theory and interval observers. International Journal of Systems Science, 2018, 49, 1445-1462.	3.7	9
203	A Distributed Set-membership Approach based on Zonotopes for Interconnected Systems. , 2018, , .		9
204	Leakage localization in water distribution using data-driven models and sensitivity analysis. IFAC-PapersOnLine, 2018, 51, 736-741.	0.5	9
205	Estimation of Actuator and System Faults Via an Unknown Input Interval Observer for Takagi-Sugeno Systems. Processes, 2020, 8, 61.	1.3	9
206	Control-oriented quality modelling approach of sewer networks. Journal of Environmental Management, 2021, 294, 113031.	3.8	9
207	Optimal state observation using quadratic boundedness: Application to UAV disturbance estimation. International Journal of Applied Mathematics and Computer Science, 2019, 29, 99-109.	1.5	9
208	Observer gain effect in linear interval observer-based fault detection. , 2007, , .		8
209	Leakage Isolation using Pressure Sensitivity Analysis in Water Distribution Networks: Application to the Barcelona case study. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2010, 43, 578-584.	0.4	8
210	Robust fault detection using polytope-based set-membership consistency test. , 2010, , .		8
211	Decentralised MPC based on a Graph Partitioning Approach applied to the Barcelona Drinking Water Network*. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2011, 44, 1577-1583.	0.4	8
212	Fault Detection and Isolation of Hybrid Systems using Diagnosers that Reason on Components*. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2012, 45, 1250-1255.	0.4	8
213	Combining CSP and MPC for the Operational Control of Water Networks Application to the Richmond Case Study. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2014, 47, 6246-6251.	0.4	8
214	Fault Diagnosis of Advanced Wind Turbine Benchmark using Interval-based ARRs and Observers. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2014, 47, 4334-4339.	0.4	8
215	Fault Diagnosis and Fault Tolerant Control with Application on a Wind Turbine Low Speed Shaft Encoder. IFAC-PapersOnLine, 2015, 48, 1357-1362.	0.5	8
216	Observer-based Sensor Fault Detectability: About Robust Positive Invariance Approach and Residual Sensitivity * *This work was financially supported by Research Mobility Grant awarded by the University Paris-Saclay and a cooperation between Polytechnic University of Catalonia, Spain and CentraleSupélec, France. IFAC-PapersOnLine, 2017, 50, 5041-5046.	0.5	8

#	ARTICLE	IF	CITATIONS
217	Frequency-based detection of replay attacks: application to a multiple tank system. IFAC-PapersOnLine, 2018, 51, 969-974.	0.5	8
218	Simultaneous Optimal Estimation of Roughness and Minor Loss Coefficients in a Pipeline. Mathematical and Computational Applications, 2020, 25, 56.	0.7	8
219	Hierarchical decentralized reference governor using dynamic constraint tightening for constrained cascade systems. Journal of the Franklin Institute, 2020, 357, 12495-12517.	1.9	8
220	Prognosis of Water Quality Sensors Using Advanced Data Analytics: Application to the Barcelona Drinking Water Network. Sensors, 2020, 20, 1342.	2.1	8
221	Zonotopic fault detection observer for discrete-time descriptor systems considering $\hat{\alpha}$ fault sensitivity. International Journal of Systems Science, 2021, 52, 95-109.	3.7	8
222	Extended-horizon analysis of pressure sensitivities for leak detection in water distribution networks: Application to the Barcelona network. , 2013, , .		8
223	Fast zonotope-based LPV-MPC for autonomous vehicles. IET Control Theory and Applications, 2020, 14, 3676-3685.	1.2	8
224	First Results in Leak Localization in Water Distribution Networks using Graph-Based Clustering and Deep Learning. IFAC-PapersOnLine, 2020, 53, 16691-16696.	0.5	8
225	Clustering-Learning Approach to the Localization of Leaks in Water Distribution Networks. Journal of Water Resources Planning and Management - ASCE, 2022, 148, .	1.3	8
226	Dual-Rate Control Framework With Safe Watermarking Against Deception Attacks. IEEE Transactions on Systems, Man, and Cybernetics: Systems, 2022, 52, 7494-7506.	5.9	8
227	Comparison of Optimisation Algorithms for Centralised Anaerobic Co-Digestion in a Real River Basin Case Study in Catalonia. Sensors, 2022, 22, 1857.	2.1	8
228	Observers for Interval Systems using Set and Trajectory-based Approaches. , 0, , .		7
229	Robust identification and feedback design: An active noise control case study. Control Engineering Practice, 2008, 16, 1265-1274.	3.2	7
230	Simulation of discrete linear time-invariant fuzzy dynamic systems. Fuzzy Sets and Systems, 2008, 159, 787-803.	1.6	7
231	Fault Diagnosis using a Timed Discrete Event Approach based on Interval Observers. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2008, 41, 6914-6919.	0.4	7
232	ARIMA Models for Data Consistency of Flowmeters in Water Distribution Networks. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2009, 42, 480-485.	0.4	7
233	Fault Estimation and Virtual Actuator FTC Approach for LPV Systems*. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2012, 45, 824-829.	0.4	7
234	Nonlinear set-membership identification and fault detection using a Bayesian framework: Application to the wind turbine benchmark. , 2013, , .		7

#	ARTICLE	IF	CITATIONS
235	Sensor-fault tolerance using robust MPC with set-based state estimation and active fault isolation. , 2014, , .		7
236	Sensor Placement for Leak Location in Water Distribution Networks using the Leak Signature Space. IFAC-PapersOnLine, 2015, 48, 214-219.	0.5	7
237	Distributed fault diagnosis using minimal structurally over-determined sets: Application to a water distribution network. , 2016, , .		7
238	Comparison of set-membership and interval observer approaches for state estimation of uncertain systems. , 2016, , .		7
239	Detection of icing and actuators faults in the longitudinal dynamics of small UAVs using an LPV proportional integral unknown input observer. , 2016, , .		7
240	On the analogies in control design of non-linear systems using LPV and Takagi-Sugeno models. , 2016, , .		7
241	Real-Time Control-Oriented Quality Modelling in Combined Urban Drainage Networks * *This research is funded by EU funding for the project LIFE EFFIDRAIN LIFE14 ENV/ES/00080. IFAC-PapersOnLine, 2017, 50, 3941-3946.	0.5	7
242	Set-valued observer-based active fault-tolerant model predictive control. Optimal Control Applications and Methods, 2017, 38, 683-708.	1.3	7
243	Zonotopic Fault Estimation Filter Design for Discrete-time Descriptor Systems * *This work has been partially funded by the Spanish Government and FEDER through the projects CICYT ECOCIS (ref.) Tj ETQq1 1 0.784314 rgBT /Overloc by National Natural Science Foundation of China (Grant No. 61273162, 61403104).. IFAC-PapersOnLine, 2017, 50, 5055-5060.	0.5	7
244	D-stable Controller Design for Lipschitz NLPV System. IFAC-PapersOnLine, 2019, 52, 88-93.	0.5	7
245	Economic Predictive Control of a Pasteurization Plant using a Linear Parameter Varying Model. Computer Aided Chemical Engineering, 2017, 40, 1573-1578.	0.3	7
246	Zonotopic set-membership estimation for Switched Systems based on Wi-Radius Minimization: Vehicle application. IFAC-PapersOnLine, 2020, 53, 7446-7451.	0.5	7
247	Benchmarking on Approaches to Interval Observation Applied to Robust Fault Detection. Lecture Notes in Computer Science, 2005, , 171-191.	1.0	6
248	Observer Gain Effect in Linear Interval Observer-Based Fault Detection. , 2007, , 540-545.		6
249	Fault-Tolerant Control of a two-degree of freedom helicopter using LPV techniques. , 2008, , .		6
250	Set computations with subpavings in MATLAB: The SCS Toolbox. , 2010, , .		6
251	Robust ℌ<inf>∞</inf> actuator fault diagnosis and fault-tolerant control for a multi-tank system. , 2013, , .		6
252	Fault detection and isolation based on the combination of a bank of interval observers and invariant sets. , 2013, , .		6

#	ARTICLE	IF	CITATIONS
253	Fault Tolerant Control for a Second Order LPV System using Adaptive Control Methods. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2013, 46, 857-862.	0.4	6
254	Optimal Pressure Sensor Placement for Leak Localisation Using a Relaxed Isolation Index: Application to the Barcelona Water Network â...â. This work has been partially funded by the Spanish Ministry of Science and Technology through the Project ECOCIS (Ref. DPI2013-48243-C2-1-R) and Project HARCRCIS (Ref. DPI2014-58104-R), and by EFFINET grant FP7-ICT-2012-318556 of the European Commission..	0.5	6
255	Fault Tolerant Control of Unstable LPV Systems subject to actuator saturations using virtual actuators â...â. This work has been funded by the Spanish Ministry of Science and Technology through the projects CICYT ECOCIS (Ref. DPI2013-48243-C2-1-R) and HARCRCIS (Ref. DPI2014-58104-R), by AGAUR through the contract FIDGR 2014 (ref. 2014FI B1 00172) and by the DGR of Generalitat de Catalunya (SAC group) Tj ETQq1 1 0.784314 rgBT	0.5	6
256	Fault Tolerant Control of a PEM Fuel Cell using qLPV Virtual Actuators. IFAC-PapersOnLine, 2015, 48, 271-276.	0.5	6
257	Nonâlinear setâmembership identification approach based on the Bayesian framework. IET Control Theory and Applications, 2015, 9, 1392-1398.	1.2	6
258	Characterization of the minimum detectable fault of interval observers by using set-invariance theory. , 2016, , .		6
259	Guaranteed state estimation and fault detection based on zonotopes for differential-algebraic-equation systems. , 2016, , .		6
260	Setâmembership methods applied to FDI and FTC. International Journal of Adaptive Control and Signal Processing, 2016, 30, 150-153.	2.3	6
261	Approximating fault detection linear interval observers using ℓ_1 -order interval predictors. International Journal of Adaptive Control and Signal Processing, 2017, 31, 1040-1060.	2.3	6
262	Robust Periodic Economic Predictive Control based on Interval Arithmetic for Water Distribution Networks. IFAC-PapersOnLine, 2017, 50, 5202-5207.	0.5	6
263	Distributed Zonotopic Set-Membership State Estimation based on Optimization Methods with Partial Projection * *This work has been partially funded by the Spanish Government and FEDER through the projects CICYT ECOCIS (ref. DPI2013-48243), CICYT HARCRCIS (ref. DPI2014-58104-R) and CICYT DEOCS (ref.) Tj ETQq1 1 0.784314	0.5	6
264	Health-aware LPV-MPC Based on System Reliability Assessment for Drinking Water Networks. , 2018, , .		6
265	Health-aware LPV-MPC based on a Reliability-based Remaining Useful Life Assessment. IFAC-PapersOnLine, 2018, 51, 1285-1291.	0.5	6
266	Zonotopic Extended Kalman Filter For RUL Forecasting With Unknown Degradation Behaviors. , 2020, , .		6
267	LPV MPC Control of an Autonomous Aerial Vehicle. , 2020, , .		6
268	Economic Reliability-Aware MPC-LPV for Operational Management of Flow-Based Water Networks Including Chance-Constraints Programming. Processes, 2020, 8, 60.	1.3	6
269	Parameter Varying Approach For A Combined (Kinematic + Dynamic) Model Of Autonomous Vehicles. IFAC-PapersOnLine, 2020, 53, 15071-15076.	0.5	6
270	OBSERVER GAIN EFFECT IN LINEAR INTERVAL OBSERVER-BASED FAULT DETECTION. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2006, 39, 540-545.	0.4	5

#	ARTICLE	IF	CITATIONS
271	Equitable Noise Abatement Departure Procedures. , 2009, , .		5
272	Fault Detection and Isolation of a Real Wind Turbine using LPV Observers. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2011, 44, 12372-12379.	0.4	5
273	A fault/anomaly system prognosis using a data-driven approach considering uncertainty. , 2012, , .		5
274	Fault tolerant control design for polytopic uncertain LPV systems. , 2013, , .		5
275	On the relationship between interval observers and invariant sets in fault detection. , 2013, , .		5
276	Robust fault detection and isolation of wind turbines using interval observers. , 2013, , .		5
277	Temporal multi-level coordination techniques oriented to regional water networks: application to the Catalunya case study. Journal of Hydroinformatics, 2014, 16, 952-970.	1.1	5
278	A Virtual Actuator Approach for Fault Tolerant Control of Switching LPV Systems. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2014, 47, 11667-11672.	0.4	5
279	Two-layer scheduling scheme for pump stations. , 2014, , .		5
280	Flow meter data validation and reconstruction using neural networks: Application to the Barcelona water network. , 2016, , .		5
281	Leak localization in water distribution networks using model-based Bayesian reasoning. , 2016, , .		5
282	Robust state estimation and fault detection combining unknown input observer and set-membership approach. , 2016, , .		5
283	Comparative assessment of LPV-based predictive control strategies for a pasteurization plant. , 2017, , .		5
284	Zonotopic state estimation and fault detection for systems with time-invariant uncertainties. IFAC-PapersOnLine, 2018, 51, 494-499.	0.5	5
285	Modeling and fault diagnosis of flat inland navigation canals. Proceedings of the Institution of Mechanical Engineers Part I: Journal of Systems and Control Engineering, 2018, 232, 761-771.	0.7	5
286	Economic Health-Aware LPV-MPC Based on System Reliability Assessment for Water Transport Network. Energies, 2019, 12, 3015.	1.6	5
287	Robust economic model predictive control based on a periodicity constraint. International Journal of Robust and Nonlinear Control, 2019, 29, 3296-3310.	2.1	5
288	A Feedback Simulation Procedure for Real-time Control of Urban Drainage Systems. IFAC-PapersOnLine, 2019, 52, 101-106.	0.5	5

#	ARTICLE	IF	CITATIONS
289	Special issue on interval estimation applied to diagnosis and control of uncertain systems. International Journal of Control, 2020, 93, 2525-2527.	1.2	5
290	Observer-based model reference control of Takagi-Sugeno Lipschitz systems affected by disturbances using quadratic boundedness. Asian Journal of Control, 2021, 23, 42-56.	1.9	5
291	High-gain interval observer for partially linear systems with bounded disturbances. International Journal of Control, 2021, 94, 1376-1385.	1.2	5
292	Gas Turbine Model-Based Robust Fault Detection Using a Forward Backward Test. Lecture Notes in Computer Science, 2005, , 154-170.	1.0	5
293	Set-membership-based distributed moving horizon estimation of large-scale systems. ISA Transactions, 2022, 128, 402-413.	3.1	5
294	ROBUST FAULT ISOLATION USING NON-LINEAR INTERVAL OBSERVERS: THE DAMADICS BENCHMARK CASE STUDY. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2005, 38, 293-298.	0.4	4
295	Robust fault detection using interval LPV models. , 2007, , .		4
296	Suboptimal Hybrid Model Predictive Control: Application to Sewer Networks. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2008, 41, 10021-10026.	0.4	4
297	Robust Fault Diagnosis of Non-linear Systems using Constraints Satisfaction. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2009, 42, 1138-1143.	0.4	4
298	LPV model-based fault diagnosis using relative fault sensitivity signature approach in a PEM fuel cell. , 2010, , .		4
299	Optimal sensor placement for leak location in water distribution networks using genetic algorithms. , 2013, , .		4
300	An ensemble approach to estimate the fault-time instant. , 2013, , .		4
301	Discussion on Muskingum versus Integrator-Delay Models for Control Objectives. Journal of Applied Mathematics, 2014, 2014, 1-11.	0.4	4
302	Wind speed estimation in wind turbines using EKF: Application to experimental data. , 2014, , .		4
303	A fault hiding approach for the sliding mode fault-tolerant control of a non-holonomic mobile robot. , 2016, , .		4
304	Virtual actuator-based FTC for LPV systems with saturating actuators and FDI delays. , 2016, , .		4
305	Combined holt-winters and GA trained ANN approach for sensor validation and reconstruction: Application to water demand flowmeters. , 2016, , .		4
306	Periodic Nonlinear Economic Model Predictive Control with Changing Horizon for Water Distribution Networks * *This work has been partially funded by the Spanish Government and FEDER through the projects CICYT ECOCIS (ref. DPI2013-48243), CICYT DEOCS (ref. DPI2016-76493) and CICYT HAR-CRICS (ref. DPI2014-58104-R).. IFAC-PapersOnLine, 2017, 50, 6588-6593.	0.5	4

#	ARTICLE	IF	CITATIONS
307	Robust invariant sets and active mode detection for discrete-time uncertain descriptor systems. , 2017, , .		4
308	Output-Feedback Model Predictive Control of a Pasteurization Pilot Plant based on an LPV model. Journal of Physics: Conference Series, 2017, 783, 012029.	0.3	4
309	A two-tank benchmark for detection and isolation of cyber attacks. IFAC-PapersOnLine, 2018, 51, 770-775.	0.5	4
310	Interval observer fault detection ensuring detectability and isolability by using a set-invariance approach. IFAC-PapersOnLine, 2018, 51, 1111-1118.	0.5	4
311	Sensor Data Validation and Reconstruction. Advances in Industrial Control, 2017, , 175-193.	0.4	4
312	A Hierarchy of Change-Point Methods for Estimating the Time Instant of Leakages in Water Distribution Networks. IFIP Advances in Information and Communication Technology, 2013, , 615-624.	0.5	4
313	Análisis y diseño de sistemas lineales con parámetros variantes utilizando LMIs. RIAI - Revista Iberoamericana De Automatica E Informatica Industrial, 2018, 16, 1.	0.6	4
314	Incremental upgrading sensor placement methodology: Application to the leak localization in water networks. Computers and Chemical Engineering, 2022, 158, 107642.	2.0	4
315	Automated Off-Line Generation of Stable Variable Impedance Controllers According to Performance Specifications. IEEE Robotics and Automation Letters, 2022, 7, 5874-5881.	3.3	4
316	Autonomous Vehicle State Estimation and Mapping Using Takagi-Sugeno Modeling Approach. Sensors, 2022, 22, 3399.	2.1	4
317	Zonotopic Linear Parameter Varying SLAM Applied to Autonomous Vehicles. Sensors, 2022, 22, 3672.	2.1	4
318	ROBUST FAULT DETECTION USING INVERSE IMAGES OF INTERVAL FUNCTIONS. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2006, 39, 1210-1215.	0.4	3
319	ROBUST FAULT DETECTION USING INTERVAL CONSTRAINTS SATISFACTION AND SET COMPUTATIONS 1. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2006, 39, 1216-1221.	0.4	3
320	Hierarchical and Sensitivity Analysis for Noise Abatement Departure Procedures. , 2008, , .		3
321	A fault-tolerant control scheme for non-linear discrete-time systems: Application to the twin-rotor system. , 2010, , .		3
322	MRAC + H _∞ Fault Tolerant Control for Linear Parameter Varying systems. , 2010, , .		3
323	Fault-Tolerant Control design using LPV Admissible Model Matching with H _∞ performance: Application to a two-degree of freedom helicopter. , 2010, , .		3
324	Methodology for actuator fault tolerance evaluation of linear constrained MPC: Application to the Barcelona water network. , 2012, , .		3

#	ARTICLE	IF	CITATIONS
325	Sensor-fault detection and isolation using interval observers. , 2013, , .		3
326	Actuator-fault detection and isolation based on interval observers and invariant sets. , 2013, , .		3
327	Model-based leakage localization in drinking water distribution networks using structured residuals. , 2013, , .		3
328	Identification and switching quasi-LPV control of a four wheeled omnidirectional robot. , 2014, , .		3
329	Predictive Fault Tolerant Control for LPV systems using model reference. IFAC-PapersOnLine, 2015, 48, 30-35.	0.5	3
330	Leak localization in drinking water distribution networks using structured residuals. International Journal of Adaptive Control and Signal Processing, 2015, 29, 991-1007.	2.3	3
331	Shifting finite time stability and boundedness design for continuous-time LPV systems. , 2015, , .		3
332	Robust neural-network-based fault detection with sequential D-optimum bounded-error input design. IFAC-PapersOnLine, 2015, 48, 434-439.	0.5	3
333	Set-membership parity space hybrid system diagnosis. International Journal of Systems Science, 2015, 46, 790-807.	3.7	3
334	Prognosis of quality sensors in the Barcelona drinking water network. , 2016, , .		3
335	Analysis of set-theoretic unknown input observer and interval observer in robust fault detection. , 2016, , .		3
336	Decentralized fault diagnosis using analytical redundancy relations: Application to a water distribution network. , 2016, , .		3
337	Periodic economic model predictive control with nonlinear-constraint relaxation for water distribution networks. , 2016, , .		3
338	Data analytics methodology for monitoring quality sensors and events in the Barcelona drinking water network. Journal of Hydroinformatics, 2017, 19, 123-137.	1.1	3
339	Solving Diagnosability of Hybrid Systems via Abstraction and Discrete Event Techniques. IFAC-PapersOnLine, 2017, 50, 5023-5028.	0.5	3
340	Decentralized Fault-Tolerant Control of Inland Navigation Networks: a Challenge. Journal of Physics: Conference Series, 2017, 783, 012018.	0.3	3
341	Robust optimization based energy dispatch in smart grids considering demand uncertainty. Journal of Physics: Conference Series, 2017, 783, 012033.	0.3	3
342	Wind speed time series reconstruction using a hybrid neural genetic approach. IOP Conference Series: Earth and Environmental Science, 2017, 93, 012020.	0.2	3

#	ARTICLE	IF	CITATIONS
343	Health-aware Model Predictive Control of Pasteurization Plant. Journal of Physics: Conference Series, 2017, 783, 012030.	0.3	3
344	Probability-Guaranteed Set-Membership State Estimation for Polynomially Uncertain Linear Time-Invariant Systems. , 2018, , .		3
345	Fault-tolerant Control of Discrete-time Descriptor Systems using Virtual Actuators. , 2019, , .		3
346	Estimation of Node Pressures in Water Distribution Networks by Gaussian Process Regression. , 2019, , .		3
347	Optimal energy dispatch in a smart micro-grid system using economic model predictive control. Proceedings of the Institution of Mechanical Engineers Part I: Journal of Systems and Control Engineering, 2020, 234, 96-106.	0.7	3
348	Internal stability improvement of a natural gas centrifugal compressor system based on a new optimal output feedback controller using block transformation and grey wolf optimizer. Journal of Natural Gas Science and Engineering, 2021, 85, 103697.	2.1	3
349	Reconfiguration of large-scale systems using back-up components. Computers and Chemical Engineering, 2021, 149, 107288.	2.0	3
350	On robust interval observer design for uncertain systems subject to both time-invariant and time-varying uncertainties. International Journal of Control, 2020, 93, 2577-2595.	1.2	3
351	A Hybrid Automata Approach for Monitoring the Patient in the Loop in Artificial Pancreas Systems. Sensors, 2021, 21, 7117.	2.1	3
352	Multi-Objective-Based Tuning of Economic Model Predictive Control of Drinking Water Transport Networks. Water (Switzerland), 2022, 14, 1222.	1.2	3
353	FAULT DIAGNOSIS UNDER MULTIPLE SEQUENTIAL FAULTS OF THE RAIN-GAUGE NETWORK USED TO CONTROL THE BARCELONA SEWER SYSTEM. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2005, 38, 155-160.	0.4	2
354	On modelling approaches for receding-horizon control design applied to large-scale sewage systems. , 2009, , .		2
355	Reliable Fault-Tolerant Control Design for LPV Systems using Admissible Model Matching. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2011, 44, 13735-13740.	0.4	2
356	Parity space hybrid system diagnosis under model uncertainty. , 2012, , .		2
357	Robust MRAC-based Fault Tolerant Control for Additive and Multiplicative Faults in Nonlinear Systems. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2012, 45, 540-545.	0.4	2
358	Fault Detection and Isolation of a Real PEM Fuel Cell using Interval LPV Observers ¹ and the support from the National Science and Technology Council (CONACYT) Mexico.. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2012, 45, 90-95.	0.4	2
359	FTC of LPV systems using a bank of virtual sensors:Application to wind turbines. , 2013, , .		2
360	Set-membership identification and fault detection using a bayesian framework. , 2013, , .		2

#	ARTICLE	IF	CITATIONS
361	FAST: A fault analysis software tool. , 2014, , .		2
362	Inconsistent sensor data detection/correction: Application to environmental systems. , 2014, , .		2
363	Automatic control of pollutant on a shallow river using surface water systems: application to the Ebro River. Water Science and Technology, 2014, 69, 2210-2220.	1.2	2
364	Improved Fault Detection and Isolation Strategy using a Bank of Interval Observers. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2014, 47, 8024-8029.	0.4	2
365	Teaching Model-based Fault Detection and Isolation using Project-based Learning on a Three-tank System. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2014, 47, 9026-9031.	0.4	2
366	Shifting linear quadratic control of constrained continuous-time descriptor LPV systems**This work has been funded by the Spanish Ministry of Science and Technology through the projects CICYT ECOCIS (ref. DPI2013-48243-C2-1-R) and CICYT HARCRCIS (ref. DPI2014-58104-R), by AGAUR through the contract FI-DGR 2014 (ref. 2014FI B1 00172) and by the DGR of Generalitat de Catalunya (SAC group Ref.) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	0.5	2
367	Optimal sensor placement for classifier-based leak localization in drinking water networks. , 2016, , .		2
368	State and fault estimation of singular delayed LPV systems via proportional-integral observer. , 2016, , .		2
369	On Teaching Model-Based Fault Diagnosis in Engineering Curricula [Lecture Notes]. IEEE Control Systems, 2016, 36, 53-62.	1.0	2
370	A methodology for distributed fault diagnosis. Journal of Physics: Conference Series, 2017, 783, 012005.	0.3	2
371	An LPV modelling and fault diagnosis in wind turbine benchmark system. International Journal of Modelling, Identification and Control, 2017, 27, 243.	0.2	2
372	Zonotopic Unknown Input Observer of Discrete-time Descriptor Systems for State Estimation and Robust Fault Detection. IFAC-PapersOnLine, 2018, 51, 307-313.	0.5	2
373	Robust Periodic Economic Model Predictive Control using Probabilistic Set Invariance for Descriptor Systems. IFAC-PapersOnLine, 2018, 51, 436-441.	0.5	2
374	A Novel Formulation of Economic Model Predictive Control for Periodic Operations. , 2018, , .		2
375	Set-based replay attack detection in closed-loop systems using a plug & play watermarking approach. , 2019, , .		2
376	An integrated software architecture for the pollution-based real-time control of urban drainage systems. Journal of Hydroinformatics, 2021, 23, 671-687.	1.1	2
377	Detection of replay attacks in autonomous vehicles using a bank of QPV observers. , 2021, , .		2
378	LMI-based design of state-feedback controllers for pole clustering of LPV systems in a union of \mathbb{R}^n -regions. International Journal of Systems Science, 2022, 53, 291-312.	3.7	2

#	ARTICLE	IF	CITATIONS
379	Fault-Tolerant Model Predictive Control of Water Transport Networks. Advances in Industrial Control, 2017, , 291-319.	0.4	2
380	Robust Fault Detection Using Inverse Images of Interval Functions. , 2007, , 1210-1215.		2
381	Actuator fault tolerance evaluation of Linear Constrained Robust Model Predictive Control. , 2007, , .		2
382	Demand Forecasting for Real-Time Operational Control. Advances in Industrial Control, 2017, , 99-111.	0.4	2
383	Non-centralized Predictive Control for Drinking-Water Supply Systems. Advances in Industrial Control, 2017, , 341-360.	0.4	2
384	Fault Diagnosis using a Combined Model and Data Based Approach: Application to a Water Cooling Machine. , 2021, , .		2
385	A Fully Data-Driven Approach for Leak Localization in Water Distribution Networks. , 2021, , .		2
386	A two-layer control architecture for operational management and hydroelectricity production maximization in inland waterways using model predictive control. Control Engineering Practice, 2022, 124, 105172.	3.2	2
387	ACTUATOR FAULT TOLERANCE EVALUATION OF CONSTRAINED NONLINEAR MPC USING CONSTRAINTS SATISFACTION1. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2006, 39, 1413-1418.	0.4	1
388	Fault-Tolerant Optimal Control of Sewer Networks: Barcelona Case Study. Measurement and Control, 2006, 39, 151-156.	0.9	1
389	An LMI Approach to Designing Observers and Unknown Input Observers for Nonlinear Systems. , 2007, , 198-203.		1
390	Robust Fault Detection with Unknown Input Set-Membership State Estimators and Interval Models Using Zonotopes. , 2007, , 1234-1239.		1
391	Fault Isolation Module Implementation using a Timed Discrete-Event Approach based on Interval Observers. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2009, 42, 1563-1568.	0.4	1
392	Fault Detection and Isolation in Sewer Networks. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2009, 42, 1282-1293.	0.4	1
393	FTC design for polytopic LPV systems subject to actuator saturations. , 2012, , .		1
394	Interval LPV Identification and Fault Diagnosis of a Real Wind Turbine. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2012, 45, 1689-1694.	0.4	1
395	Methodology to Detect and Isolate Water Losses in Water Hydraulic Networks: Application to Barcelona Water Network. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2012, 45, 922-927.	0.4	1
396	Set-membership Parity Space Approach for Fault Detection in Linear Uncertain Dynamic Systems. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2012, 45, 1287-1292.	0.4	1

#	ARTICLE	IF	CITATIONS
397	Multi-layer model predictive control of regional water networks: Application to the catalunya case study. , 2013, , .		1
398	A bank of virtual sensors for active Fault Tolerant Control of LPV systems. , 2014, , .		1
399	A distributed command governor strategy for the operational control of drinking water networks. , 2014, , .		1
400	Qualitative and quantitative Multi-Model forecasting with nonlinear noise filter applied to water demand. , 2015, , .		1
401	LPV model-based fault detection: Application to wind turbine benchmark. , 2015, , .		1
402	State and fault estimation in singular delayed LPV systems. , 2015, , .		1
403	Model Predictive Control for Combined Water Supply and Navigability/Sustainability in River Systems. Operations Research/ Computer Science Interfaces Series, 2015, , 13-33.	0.3	1
404	A robust ∞ observer design for unknown input nonlinear systems: Application to fault diagnosis of a wind turbine. , 2015, , .		1
405	Towards a practical reachability test for dynamic systems under process faults. , 2016, , .		1
406	Fault tolerance evaluation of nonlinear systems using viability theory. , 2016, , .		1
407	Fault Detection and Isolation using Viability Theory and Interval Observers. Journal of Physics: Conference Series, 2017, 783, 012004.	0.3	1
408	To the Special Issue (Section) "Fault Diagnosis and Fault-Tolerant Control of Wind Turbine Systems" International Journal of Adaptive Control and Signal Processing, 2018, 32, 547-548.	2.3	1
409	Diagnosis of Hybrid Dynamic Systems Based on the Behavior Automaton Abstraction. , 2018, , 243-278.		1
410	Robust Fault Detection for Vehicle Lateral Dynamics: A Zonotope-based Set-membership Approach. , 2018, , .		1
411	Fault Diagnosis Using Set-Membership Approaches. , 2019, , 237-261.		1
412	Robust Zonotopic Observer Design: Interval Observer versus Set-membership Approaches. , 2019, , .		1
413	Fault-tolerant Control of a Service Robot using a LPV Robust Unknown Input Observer. , 2019, , .		1
414	Economic Health-aware MPC-LPV based on DBN Reliability model for Water Transport Network. , 2019, , .		1

#	ARTICLE	IF	CITATIONS
415	Observer Design for Takagi-Sugeno Lipschitz Systems Affected by Disturbances using Quadratic Boundedness. , 2019, , .		1
416	Interval zonotopic fault estimation for uncertain LPV descriptor systems. , 2019, , .		1
417	Factors influencing the stormwater quality model of sewer networks and a case study of Louis Fargue urban catchment in Bordeaux, France. Water Science and Technology, 2020, 81, 2232-2243.	1.2	1
418	Prognosis based on the Joint Parameter/State Estimation Using Zonotopic LPV Set-Membership Approach. IFAC-PapersOnLine, 2021, 54, 280-285.	0.5	1
419	Optimal Estimation of the Roughness Coefficient and Friction Factor of a Pipeline. Journal of Fluids Engineering, Transactions of the ASME, 2021, 143, .	0.8	1
420	Integrated FDI/FTC approach for wind turbines using a LPV interval predictor subspace approach and virtual sensors/actuators. Proceedings of the Institution of Mechanical Engineers, Part A: Journal of Power and Energy, 2021, 235, 1527-1543.	0.8	1
421	Economic model predictive control of nonlinear systems using a linear parameter varying approach. International Journal of Robust and Nonlinear Control, 2021, 31, 8218-8238.	2.1	1
422	Online statistical hypothesis test for leak detection in water distribution networks. Journal of Intelligent and Fuzzy Systems, 2021, 40, 8665-8681.	0.8	1
423	Passive Robust Fault Detection Using a Forward-Backward Test. , 2007, , 1044-1049.		1
424	Robust Fault Detection Using Interval Constraints Satisfaction and Set Computations ¹¹ This work has been supported by the CICYT of Spanish Science and Technology Ministry (DPI2002â€“03500) and by of DGR of Generalitat de Catalunya (SAC grup 2001/SGR/00236).. , 2007, , 1216-1221.		1
425	Design of Structured Residuals Using Interval Models: Application to Multiple Sequential Fault Isolation in Sensor Networks. , 2007, , 914-919.		1
426	Robust Bio-regenerative Life Support Systems Control. , 2008, , 273-295.		1
427	Combining Health Monitoring and Control. , 2013, , 230-255.		1
428	Quality Monitoring. Advances in Industrial Control, 2017, , 131-152.	0.4	1
429	Health-aware Model Predictive Control of Wind Turbines using Stiffness Degradation Approach. IFAC-PapersOnLine, 2020, 53, 10348-10353.	0.5	1
430	Fault Diagnosis and Prognosis using a Hybrid Approach combining Structural Analysis and Data-driven Techniques. , 2021, , .		1
431	Optimal LPV-based Control and Estimation for Autonomous Vehicles. , 2020, , .		1
432	Robust Zonotopic Set-Membership Approach for Model-Based Prognosis: Application on Linear Parameter-Varying Systems. , 2021, , .		1

#	ARTICLE	IF	CITATIONS
433	High-gain interval observer for continuousâ€“discrete-time systems using an LMI design approach. International Journal of Systems Science, 2022, 53, 3010-3026.	3.7	1
434	Health-Aware Economic MPC for Operational Management of Flow-Based Networks Using Bayesian Networks. Water (Switzerland), 2022, 14, 1538.	1.2	1
435	PASSIVE ROBUST FAULT DETECTION USING A FORWARD-BACKWARD TEST. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2006, 39, 1044-1049.	0.4	0
436	Observer Gain Effect in Linear Observer-Based Fault Detection. , 2007, , 699-704.		0
437	Adaptive Threshold Generation for Robust Fault Detection using Interval LPV Observers. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2009, 42, 444-449.	0.4	0
438	Artificial Neural Networks, Adaptive and Classical Control for FTC of Linear Parameters Varying Systems. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2011, 44, 13540-13545.	0.4	0
439	Design of an unknown input observer for fault diagnosis of non-linear systems with state constraints*. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2012, 45, 1065-1070.	0.4	0
440	Determination of an unknown input distribution matrix for non-linear discrete-time stochastic systems. , 2012, , .		0
441	Set-membership identification: Bayesian approach vs subpavings approach. , 2013, , .		0
442	Fault tolerant control of an omnidirectional robot using a switched Takagi-Sugeno approach. , 2014, , .		0
443	Robust MPC for actuator-fault tolerance using set-based passive fault detection and active fault isolation. , 2014, , .		0
444	Coordinating multi-layer MPC for complex water systems. , 2014, , .		0
445	Nonlinear set-membership identification using a Bayesian approach. , 2014, , .		0
446	The Software Architecture of FAST: An Agent-based FDI Tool â€“...â€“This work has also been partially funded by the Spanish Ministry of Science and Technology through the Project ECOCIS (Ref.) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 222 Td (DPI) FP7-ICT-2012-318556 of the European Commission.. IFAC-PapersOnLine, 2015, 48, 889-894.		0
447	Validation of wind turbine LPV model. , 2015, , .		0
448	Robust adaptive simultaneous state and fault estimation for nonlinear systems: Application to an aerodynamical system. , 2016, , .		0
449	Sensor placement algorithm for distributed fault diagnosis. , 2016, , .		0
450	Fault-tolerant periodic economic model predictive control of differential-algebraic-equation systems. , 2016, , .		0

#	ARTICLE	IF	CITATIONS
451	Guaranteed cost estimation and control for nonlinear system using LMI optimization. , 2016, , .		0
452	Economic MPC for the energy management of hybrid vehicles including fuel cells and supercapacitors. , 2016, , .		0
453	Optimal Design of a Wastewater Treatment Plant using Advanced Technologies. Computer Aided Chemical Engineering, 2017, , 865-870.	0.3	0
454	Diagnosis and Fault-Tolerant Control of Critical Infrastructures. Advances in Intelligent Systems and Computing, 2018, , 3-16.	0.5	0
455	A shifting pole placement approach for the design of performance-varying multivariable PID controllers via BMIs – This work has been partly funded by MINECO and FEDER through the project CICYT HARCRICS (ref.DPI2014-58104-R) and SCAV (ref.DPI2017-88403-R). This work has been also supported by the Spanish State Research Agency through the MarÁa de Maeztu Seal of Excellence to IRI (MDM-2016-0656) and the grant Juan de la Cierva-Formaci3n (FICI-2016-2901).. IFAC-PapersOnLine, 2018, 51, 256-261.	0.5	0
456	Pumps condition assessment in water distribution networks. IFAC-PapersOnLine, 2018, 51, 662-667.	0.5	0
457	FDI Approach. , 2019, , 69-95.		0
458	Time Evolution Pattern Analysis for Cyber Attack Detection in a Two-tank Benchmark. , 2019, , .		0
459	Robust Economic Model Predictive Control of Water Transport Networks. , 2020, , .		0
460	Process Performance Verification Using Viability Theory. Processes, 2021, 9, 482.	1.3	0
461	Health-aware Model Predictive Control including Fault-tolerant Capabilities for Drinking Water Transport Networks. , 2021, , .		0
462	Actuator Fault Tolerance Evaluation of Constrained Nonlinear MPC Using Constraints Satisfaction11This work has been supported by the CICYT of Spanish Science and Technology Ministry (DPI2002-03500) and by of DGR of Generalitat de Catalunya (SAC grup 2001/SGR/00236).. , 2007, , 1413-1418.		0
463	Robust Fault Detection Based on Zonotope-Based Set-Membership Parameter Consistency Test. , 2007, , 1056-1061.		0
464	Fault Tolerant Hybrid MPC Applied on Sewer Networks1. , 2007, , 144-149.		0
465	Multiple Fault Diagnosis System Design Using Reliability Analysis: Application to Barcelona Rain-Gauge Network. , 2007, , 1324-1329.		0
466	Towards a Better Integration of Passive Robust Interval-Based FDI Algorithms. , 2007, , 1050-1055.		0
467	Leak Detection in Water Distribution Networks with Optimal Linear Regression Models. Lecture Notes in Computer Science, 2012, , 463-472.	1.0	0
468	Model Reference Gain Scheduling Control of a PEM Fuel Cell Using Takagi-Sugeno Modelling. Communications in Computer and Information Science, 2014, , 518-527.	0.4	0

#	ARTICLE	IF	CITATIONS
469	Fault Detection and Isolation in Critical Infrastructure Systems. Lecture Notes in Computer Science, 2016, , 3-12.	1.0	0
470	Sensor Data Validation and Reconstruction in Water Networks: A Methodology and Software Implementation. Lecture Notes in Computer Science, 2016, , 88-93.	1.0	0
471	Model Predictive Control of Water Networks Considering Flow. Advances in Industrial Control, 2017, , 227-249.	0.4	0
472	Stochastic Model Predictive Control for Water Transport Networks with Demand Forecast Uncertainty. Advances in Industrial Control, 2017, , 269-290.	0.4	0
473	Partitioning Approaches for Large-Scale Water Transport Networks. Advances in Industrial Control, 2017, , 321-339.	0.4	0
474	Coordinating Regional and Urban Water Networks. Advances in Industrial Control, 2017, , 385-400.	0.4	0
475	Robust Economic Model Predictive Control of Drinking Water Transport Networks Using Zonotopes. Advances in Intelligent Systems and Computing, 2020, , 1470-1482.	0.5	0
476	Health-aware LPV Model Predictive Control of Wind Turbines. IFAC-PapersOnLine, 2020, 53, 826-831.	0.5	0
477	Set-membership Switched Observers based on Interval Characterization of the Estimation Error. IFAC-PapersOnLine, 2020, 53, 14261-14266.	0.5	0
478	Robust Fault Detection using Set-based Approaches. , 2021, , .		0
479	Robust Economic Model Predictive Control of Water Transport Networks. , 2020, , .		0
480	Improvement of Redundant Manipulator Mechanism performances using Linear Parameter Varying Model Approach. , 2020, , .		0
481	An Inclusion-based Approach for Determination of a Safe Maximal Output Admissible Set. , 2021, , .		0
482	Robust Zonotopic Prognostics Approaches for LPV Systems Based on Set-Membership and Extended Kalman Filter. , 2021, , .		0
483	LMI Conditions for Stability and State-Feedback H [∞] Control of Discrete-Time Multi-Mode Multi-Dimensional Systems. , 2022, , 1-1.		0