

Vicenç Puig

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5441666/publications.pdf>

Version: 2024-02-01

483
papers

7,643
citations

61984

43
h-index

102487

66
g-index

496
all docs

496
docs citations

496
times ranked

3785
citing authors

#	ARTICLE	IF	CITATIONS
1	LMI-based design of state-feedback controllers for pole clustering of LPV systems in a union of \mathbb{R}^n -regions. International Journal of Systems Science, 2022, 53, 291-312.	5.5	2
2	Set-membership-based distributed moving horizon estimation of large-scale systems. ISA Transactions, 2022, 128, 402-413.	5.7	5
3	Leak detection and localization in water distribution networks by combining expert knowledge and data-driven models. Neural Computing and Applications, 2022, 34, 4759-4779.	5.6	14
4	Pressure Sensor Placement for Leak Localization in Water Distribution Networks Using Information Theory. Sensors, 2022, 22, 443.	3.8	12
5	Incremental upgrading sensor placement methodology: Application to the leak localization in water networks. Computers and Chemical Engineering, 2022, 158, 107642.	3.8	4
6	Water Quality Indicator Interval Prediction in Wastewater Treatment Process Based on the Improved BES-LSSVM Algorithm. Sensors, 2022, 22, 422.	3.8	13
7	Clustering-Learning Approach to the Localization of Leaks in Water Distribution Networks. Journal of Water Resources Planning and Management - ASCE, 2022, 148, .	2.6	8
8	Dual-Rate Control Framework With Safe Watermarking Against Deception Attacks. IEEE Transactions on Systems, Man, and Cybernetics: Systems, 2022, 52, 7494-7506.	9.3	8
9	Comparison of Optimisation Algorithms for Centralised Anaerobic Co-Digestion in a Real River Basin Case Study in Catalonia. Sensors, 2022, 22, 1857.	3.8	8
10	Leak Localization in Water Distribution Networks Using Data-Driven and Model-Based Approaches. Journal of Water Resources Planning and Management - ASCE, 2022, 148, .	2.6	13
11	Automated Off-Line Generation of Stable Variable Impedance Controllers According to Performance Specifications. IEEE Robotics and Automation Letters, 2022, 7, 5874-5881.	5.1	4
12	Multi-Objective-Based Tuning of Economic Model Predictive Control of Drinking Water Transport Networks. Water (Switzerland), 2022, 14, 1222.	2.7	3
13	Autonomous Vehicle State Estimation and Mapping Using Takagi-Sugeno Modeling Approach. Sensors, 2022, 22, 3399.	3.8	4
14	High-gain interval observer for continuous-discrete-time systems using an LMI design approach. International Journal of Systems Science, 2022, 53, 3010-3026.	5.5	1
15	Zonotopic Linear Parameter Varying SLAM Applied to Autonomous Vehicles. Sensors, 2022, 22, 3672.	3.8	4
16	Health-Aware Economic MPC for Operational Management of Flow-Based Networks Using Bayesian Networks. Water (Switzerland), 2022, 14, 1538.	2.7	1
17	A two-layer control architecture for operational management and hydroelectricity production maximization in inland waterways using model predictive control. Control Engineering Practice, 2022, 124, 105172.	5.5	2
18	LMI Conditions for Stability and State-Feedback H^∞ Control of Discrete-Time Multi-Mode Multi-Dimensional Systems. , 2022, , 1-1.		0

#	ARTICLE	IF	CITATIONS
19	Fault diagnosis in wind turbines based on ANFIS and Takagi-Sugeno interval observers. Expert Systems With Applications, 2022, 206, 117698.	7.6	19
20	Leak Localization Method for Water-Distribution Networks Using a Data-Driven Model and Dempster-Shafer Reasoning. IEEE Transactions on Control Systems Technology, 2021, 29, 937-948.	5.2	20
21	Health-aware control design based on remaining useful life estimation for autonomous racing vehicle. ISA Transactions, 2021, 113, 196-209.	5.7	16
22	Observer-based model reference control of Takagi-Sugeno-Lipschitz systems affected by disturbances using quadratic boundedness. Asian Journal of Control, 2021, 23, 42-56.	3.0	5
23	Internal stability improvement of a natural gas centrifugal compressor system based on a new optimal output feedback controller using block transformation and grey wolf optimizer. Journal of Natural Gas Science and Engineering, 2021, 85, 103697.	4.4	3
24	Zonotopic fault detection observer for discrete-time descriptor systems considering $\hat{\gamma}$ fault sensitivity. International Journal of Systems Science, 2021, 52, 95-109.	5.5	8
25	High-gain interval observer for partially linear systems with bounded disturbances. International Journal of Control, 2021, 94, 1376-1385.	1.9	5
26	Prognosis based on the Joint Parameter/State Estimation Using Zonotopic LPV Set-Membership Approach. IFAC-PapersOnLine, 2021, 54, 280-285.	0.9	1
27	Optimal Estimation of the Roughness Coefficient and Friction Factor of a Pipeline. Journal of Fluids Engineering, Transactions of the ASME, 2021, 143, .	1.5	1
28	Integrated FDI/FTC approach for wind turbines using a LPV interval predictor subspace approach and virtual sensors/actuators. Proceedings of the Institution of Mechanical Engineers, Part A: Journal of Power and Energy, 2021, 235, 1527-1543.	1.4	1
29	Economic model predictive control of nonlinear systems using a linear parameter varying approach. International Journal of Robust and Nonlinear Control, 2021, 31, 8218-8238.	3.7	1
30	Passivation blocks for fault tolerant control of nonlinear systems. Automatica, 2021, 125, 109450.	5.0	17
31	An integrated software architecture for the pollution-based real-time control of urban drainage systems. Journal of Hydroinformatics, 2021, 23, 671-687.	2.4	2
32	Process Performance Verification Using Viability Theory. Processes, 2021, 9, 482.	2.8	0
33	Online statistical hypothesis test for leak detection in water distribution networks. Journal of Intelligent and Fuzzy Systems, 2021, 40, 8665-8681.	1.4	1
34	BiDrac Industry 4.0 framework: Application to an Automotive Paint Shop Process. Control Engineering Practice, 2021, 109, 104757.	5.5	11
35	Reconfiguration of large-scale systems using back-up components. Computers and Chemical Engineering, 2021, 149, 107288.	3.8	3
36	Health-aware Model Predictive Control including Fault-tolerant Capabilities for Drinking Water Transport Networks. , 2021, , .		0

#	ARTICLE	IF	CITATIONS
37	Detection of replay attacks in autonomous vehicles using a bank of QPV observers. , 2021, , .		2
38	Control-oriented quality modelling approach of sewer networks. Journal of Environmental Management, 2021, 294, 113031.	7.8	9
39	Leak diagnosis in pipelines based on a Kalman filter for Linear Parameter Varying systems. Control Engineering Practice, 2021, 115, 104888.	5.5	10
40	Disturbance observer-based LPV feedback control of a $\text{N} \times \text{N}$ DoF robotic manipulator including compliance through gain shifting. Control Engineering Practice, 2021, 115, 104887.	5.5	13
41	Chance-constrained stochastic MPC of Astlingen urban drainage benchmark network. Control Engineering Practice, 2021, 115, 104900.	5.5	15
42	A Hybrid Automata Approach for Monitoring the Patient in the Loop in Artificial Pancreas Systems. Sensors, 2021, 21, 7117.	3.8	3
43	A zonotopic set-invariance analysis of replay attacks affecting the supervisory layer. Systems and Control Letters, 2021, 157, 105056.	2.3	10
44	Robust Fault Detection using Set-based Approaches. , 2021, , .		0
45	Fault Diagnosis and Prognosis using a Hybrid Approach combining Structural Analysis and Data-driven Techniques. , 2021, , .		1
46	Fault Diagnosis using a Combined Model and Data Based Approach: Application to a Water Cooling Machine. , 2021, , .		2
47	A Fully Data-Driven Approach for Leak Localization in Water Distribution Networks. , 2021, , .		2
48	An Inclusion-based Approach for Determination of a Safe Maximal Output Admissible Set. , 2021, , .		0
49	Robust Zonotopic Set-Membership Approach for Model-Based Prognosis: Application on Linear Parameter-Varying Systems. , 2021, , .		1
50	Robust Zonotopic Prognostics Approaches for LPV Systems Based on Set-Membership and Extended Kalman Filter. , 2021, , .		0
51	A Simple Nonlinear Observer for State and Unknown Input Estimation: DC Motor Applications. IEEE Transactions on Circuits and Systems II: Express Briefs, 2020, 67, 710-714.	3.0	14
52	Optimal energy dispatch in a smart micro-grid system using economic model predictive control. Proceedings of the Institution of Mechanical Engineers Part I: Journal of Systems and Control Engineering, 2020, 234, 96-106.	1.0	3
53	Leak Localization in Water Distribution Networks Using Pressure and Data-Driven Classifier Approach. Water (Switzerland), 2020, 12, 54.	2.7	44
54	Autonomous racing using Linear Parameter Varying-Model Predictive Control (LPV-MPC). Control Engineering Practice, 2020, 95, 104270.	5.5	51

#	ARTICLE	IF	CITATIONS
55	LPV-MP planning for autonomous racing vehicles considering obstacles. Robotics and Autonomous Systems, 2020, 124, 103392.	5.1	26
56	Characterisation of interval-observer fault detection and isolation properties using the set-invariance approach. Journal of the Franklin Institute, 2020, 357, 1853-1886.	3.4	22
57	Zonotopic Extended Kalman Filter For RUL Forecasting With Unknown Degradation Behaviors. , 2020, , .		6
58	Special issue on interval estimation applied to diagnosis and control of uncertain systems. International Journal of Control, 2020, 93, 2525-2527.	1.9	5
59	Integrated pollution-based real-time control of sanitation systems. Journal of Environmental Management, 2020, 269, 110798.	7.8	22
60	Active fault detection based on set-membership approach for uncertain discrete-time systems. International Journal of Robust and Nonlinear Control, 2020, 30, 5322-5340.	3.7	16
61	A hybrid system-level prognostics approach with online RUL forecasting for electronics-rich systems with unknown degradation behaviors. Microelectronics Reliability, 2020, 111, 113676.	1.7	16
62	Robust Economic Model Predictive Control of Water Transport Networks. , 2020, , .		0
63	Factors influencing the stormwater quality model of sewer networks and a case study of Louis Fargue urban catchment in Bordeaux, France. Water Science and Technology, 2020, 81, 2232-2243.	2.5	1
64	Simultaneous Optimal Estimation of Roughness and Minor Loss Coefficients in a Pipeline. Mathematical and Computational Applications, 2020, 25, 56.	1.3	8
65	LPV MPC Control of an Autonomous Aerial Vehicle. , 2020, , .		6
66	Fault-Tolerant Control Based on Virtual Actuator and Sensor for Discrete-Time Descriptor Systems. IEEE Transactions on Circuits and Systems I: Regular Papers, 2020, 67, 5316-5325.	5.4	29
67	Fault handling in large water networks with online dictionary learning. Journal of Process Control, 2020, 94, 46-57.	3.3	10
68	Hierarchical decentralized reference governor using dynamic constraint tightening for constrained cascade systems. Journal of the Franklin Institute, 2020, 357, 12495-12517.	3.4	8
69	Robust Economic Model Predictive Control Based on a Zonotope and Local Feedback Controller for Energy Dispatch in Smart-Grids Considering Demand Uncertainty. Energies, 2020, 13, 696.	3.1	16
70	Economic Reliability-Aware MPC-LPV for Operational Management of Flow-Based Water Networks Including Chance-Constraints Programming. Processes, 2020, 8, 60.	2.8	6
71	Prognosis of Water Quality Sensors Using Advanced Data Analytics: Application to the Barcelona Drinking Water Network. Sensors, 2020, 20, 1342.	3.8	8
72	Real-Time Control of Urban Water Cycle under Cyber-Physical Systems Framework. Water (Switzerland), 2020, 12, 406.	2.7	28

#	ARTICLE	IF	CITATIONS
73	TS fuzzy reconfiguration blocks for fault tolerant control of nonlinear systems. Journal of the Franklin Institute, 2020, 357, 4592-4623.	3.4	30
74	Estimation of Actuator and System Faults Via an Unknown Input Interval Observer for Takagi-Sugeno Systems. Processes, 2020, 8, 61.	2.8	9
75	Fault detection for uncertain LPV systems using probabilistic set-membership parity relation. Journal of Process Control, 2020, 87, 27-36.	3.3	20
76	An MPC-Enabled SWMM Implementation of the Astlingen RTC Benchmarking Network. Water (Switzerland), 2020, 12, 1034.	2.7	16
77	On robust interval observer design for uncertain systems subject to both time-invariant and time-varying uncertainties. International Journal of Control, 2020, 93, 2577-2595.	1.9	3
78	Fast zonotope-tube-based LPV-MPC for autonomous vehicles. IET Control Theory and Applications, 2020, 14, 3676-3685.	2.1	8
79	Parameter Varying Approach For A Combined (Kinematic + Dynamic) Model Of Autonomous Vehicles. IFAC-PapersOnLine, 2020, 53, 15071-15076.	0.9	6
80	Robust Economic Model Predictive Control of Drinking Water Transport Networks Using Zonotopes. Advances in Intelligent Systems and Computing, 2020, , 1470-1482.	0.6	0
81	First Results in Leak Localization in Water Distribution Networks using Graph-Based Clustering and Deep Learning. IFAC-PapersOnLine, 2020, 53, 16691-16696.	0.9	8
82	TS-MPC for Autonomous Vehicle using a Learning Approach. IFAC-PapersOnLine, 2020, 53, 15110-15115.	0.9	10
83	Health-aware Model Predictive Control of Wind Turbines using Stiffness Degradation Approach. IFAC-PapersOnLine, 2020, 53, 10348-10353.	0.9	1
84	Health-aware LPV Model Predictive Control of Wind Turbines. IFAC-PapersOnLine, 2020, 53, 826-831.	0.9	0
85	Set-membership Switched Observers based on Interval Characterization of the Estimation Error. IFAC-PapersOnLine, 2020, 53, 14261-14266.	0.9	0
86	Zonotopic set-membership estimation for Switched Systems based on Wi-Radius Minimization: Vehicle application. IFAC-PapersOnLine, 2020, 53, 7446-7451.	0.9	7
87	Optimal LPV-based Control and Estimation for Autonomous Vehicles. , 2020, , .		1
88	Robust Economic Model Predictive Control of Water Transport Networks. , 2020, , .		0
89	Improvement of Redundant Manipulator Mechanism performances using Linear Parameter Varying Model Approach. , 2020, , .		0
90	Zonotopic Set-Membership State Estimation for Discrete-Time Descriptor LPV Systems. IEEE Transactions on Automatic Control, 2019, 64, 2092-2099.	5.7	74

#	ARTICLE	IF	CITATIONS
91	Fault Diagnosis Using Set-Membership Approaches. , 2019, , 237-261.		1
92	FDI Approach. , 2019, , 69-95.		0
93	A virtual actuator approach for the secure control of networked LPV systems under pulse-width modulated DoS attacks. Neurocomputing, 2019, 365, 21-30.	5.9	24
94	TS-MPC for Autonomous Vehicles Including a TS-MHE-UIO Estimator. IEEE Transactions on Vehicular Technology, 2019, 68, 6403-6413.	6.3	17
95	Data-Driven Approach for Leak Localization in Water Distribution Networks Using Pressure Sensors and Spatial Interpolation. Water (Switzerland), 2019, 11, 1500.	2.7	19
96	Economic Health-Aware LPV-MPC Based on System Reliability Assessment for Water Transport Network. Energies, 2019, 12, 3015.	3.1	5
97	Robust Zonotopic Observer Design: Interval Observer versus Set-membership Approaches. , 2019, , .		1
98	Fault-tolerant Control of Discrete-time Descriptor Systems using Virtual Actuators. , 2019, , .		3
99	Fault-tolerant Control of a Service Robot using a LPV Robust Unknown Input Observer. , 2019, , .		1
100	Set-based replay attack detection in closed-loop systems using a plug & play watermarking approach. , 2019, , .		2
101	Estimation of Node Pressures in Water Distribution Networks by Gaussian Process Regression. , 2019, , .		3
102	Economic Health-aware MPC-LPV based on DBN Reliability model for Water Transport Network. , 2019, , .		1
103	Leak Localization in Water Distribution Networks using Deep Learning. , 2019, , .		29
104	Bibliographical review on cyber attacks from a control oriented perspective. Annual Reviews in Control, 2019, 48, 103-128.	7.9	79
105	Robust fault detection and isolation based on zonotopic unknown input observers for discrete-time descriptor systems. Journal of the Franklin Institute, 2019, 356, 5293-5314.	3.4	27
106	Robust economic model predictive control based on a periodicity constraint. International Journal of Robust and Nonlinear Control, 2019, 29, 3296-3310.	3.7	5
107	Set-invariance characterizations of discrete-time descriptor systems with application to active mode detection. Automatica, 2019, 107, 255-263.	5.0	18
108	Combining set-theoretic UIO and invariant sets for optimal guaranteed robust fault detection and isolation. Journal of Process Control, 2019, 78, 155-169.	3.3	15

#	ARTICLE	IF	CITATIONS
109	Positioning heading quadrotor control using LPV techniques. IET Control Theory and Applications, 2019, 13, 783-794.	2.1	23
110	Optimal Sizing of Storage Elements for a Vehicle Based on Fuel Cells, Supercapacitors, and Batteries. Energies, 2019, 12, 925.	3.1	22
111	Interval observer versus set-membership approaches for fault detection in uncertain systems using zonotopes. International Journal of Robust and Nonlinear Control, 2019, 29, 2819-2843.	3.7	30
112	Detection of replay attacks in cyber-physical systems using a frequency-based signature. Journal of the Franklin Institute, 2019, 356, 2798-2824.	3.4	38
113	Observer Design for Takagi-Sugeno Lipschitz Systems Affected by Disturbances using Quadratic Boundedness. , 2019, , .		1
114	Time Evolution Pattern Analysis for Cyber Attack Detection in a Two-tank Benchmark. , 2019, , .		0
115	Interval zonotopic fault estimation for uncertain LPV descriptor systems. , 2019, , .		1
116	A Feedback Simulation Procedure for Real-time Control of Urban Drainage Systems. IFAC-PapersOnLine, 2019, 52, 101-106.	0.9	5
117	Mobile robot visual navigation based on fuzzy logic and optical flow approaches. International Journal of Systems Assurance Engineering and Management, 2019, 10, 1654-1667.	2.4	15
118	Economic MPC-LPV Control for the Operational Management of Water Distribution Networks. IFAC-PapersOnLine, 2019, 52, 88-93.	0.9	10
119	D-stable Controller Design for Lipschitz NLPV System. IFAC-PapersOnLine, 2019, 52, 88-93.	0.9	7
120	FD-ZKF: A Zonotopic Kalman Filter optimizing fault detection rather than state estimation. Journal of Process Control, 2019, 73, 89-102.	3.3	29
121	Interval observer-based fault detectability analysis using mixed set-invariance theory and sensitivity analysis approach. International Journal of Systems Science, 2019, 50, 495-516.	5.5	12
122	Robust fault and icing diagnosis in unmanned aerial vehicles using LPV interval observers. International Journal of Robust and Nonlinear Control, 2019, 29, 5456-5480.	3.7	21
123	Optimal state observation using quadratic boundedness: Application to UAV disturbance estimation. International Journal of Applied Mathematics and Computer Science, 2019, 29, 99-109.	1.5	9
124	Fault detection and isolation using viability theory and interval observers. International Journal of Systems Science, 2018, 49, 1445-1462.	5.5	9
125	To the Special Issue (Section) "Fault Diagnosis and Fault-Tolerant Control of Wind Turbine Systems" International Journal of Adaptive Control and Signal Processing, 2018, 32, 547-548.	4.1	1
126	Set-membership approach and Kalman observer based on zonotopes for discrete-time descriptor systems. Automatica, 2018, 93, 435-443.	5.0	90

#	ARTICLE	IF	CITATIONS
127	Mixed Active/Passive Robust Fault Detection and Isolation Using Set-Theoretic Unknown Input Observers. IEEE Transactions on Automation Science and Engineering, 2018, 15, 863-871.	5.2	40
128	Autonomous vehicle control using a kinematic Lyapunov-based technique with LQR-LMI tuning. Control Engineering Practice, 2018, 73, 1-12.	5.5	89
129	Diagnosis of Hybrid Dynamic Systems Based on the Behavior Automaton Abstraction. , 2018, , 243-278.		1
130	Centralized and Distributed Command Governor Approaches for Water Supply Systems Management. IEEE Transactions on Systems, Man, and Cybernetics: Systems, 2018, 48, 586-595.	9.3	16
131	Health-aware model predictive control of wind turbines using fatigue prognosis. International Journal of Adaptive Control and Signal Processing, 2018, 32, 614-627.	4.1	12
132	Fault estimation of wind turbines using combined adaptive and parameter estimation schemes. International Journal of Adaptive Control and Signal Processing, 2018, 32, 549-567.	4.1	28
133	Sensor fault diagnosis of singular delayed LPV systems with inexact parameters: an uncertain system approach. International Journal of Systems Science, 2018, 49, 179-195.	5.5	18
134	Diagnosis of Icing and Actuator Faults in UAVs Using LPV Unknown Input Observers. Journal of Intelligent and Robotic Systems: Theory and Applications, 2018, 91, 651-665.	3.4	19
135	Sensor placement for classifier-based leak localization in water distribution networks using hybrid feature selection. Computers and Chemical Engineering, 2018, 108, 152-162.	3.8	32
136	Diagnosis and Fault-Tolerant Control of Critical Infrastructures. Advances in Intelligent Systems and Computing, 2018, , 3-16.	0.6	0
137	A Distributed Set-membership Approach based on Zonotopes for Interconnected Systems. , 2018, , .		9
138	Health-aware LPV-MPC Based on System Reliability Assessment for Drinking Water Networks. , 2018, , .		6
139	Probability-Guaranteed Set-Membership State Estimation for Polynomially Uncertain Linear Time-Invariant Systems. , 2018, , .		3
140	A shifting pole placement approach for the design of performance-varying multivariable PID controllers via BMIs – This work has been partly funded by MINECO and FEDER through the project CICYT HARCRICS (ref.DPI2014-58104-R) and SCAV (ref.DPI2017-88403-R). This work has been also supported by the Spanish State Research Agency through the Mar�� de Maeztu Seal of Excellence to IRI (MDM-2016-0656) and the grant Juan de la Cierva-Formaci��n (FJCI-2016-2901).. IFAC-PapersOnLine, 2018, 51, 256-261.	0.9	0
141	Health-aware LPV-MPC based on a Reliability-based Remaining Useful Life Assessment. IFAC-PapersOnLine, 2018, 51, 1285-1291.	0.9	6
142	Zonotopic Unknown Input Observer of Discrete-time Descriptor Systems for State Estimation and Robust Fault Detection. IFAC-PapersOnLine, 2018, 51, 307-313.	0.9	2
143	Zonotopic state estimation and fault detection for systems with time-invariant uncertainties. IFAC-PapersOnLine, 2018, 51, 494-499.	0.9	5
144	A Robust Fault Detection Method using a Zonotopic Kaucher Set-membership Approach. IFAC-PapersOnLine, 2018, 51, 500-507.	0.9	10

#	ARTICLE	IF	CITATIONS
145	Leakage localization in water distribution using data-driven models and sensitivity analysis. IFAC-PapersOnLine, 2018, 51, 736-741.	0.9	9
146	A two-tank benchmark for detection and isolation of cyber attacks. IFAC-PapersOnLine, 2018, 51, 770-775.	0.9	4
147	Frequency-based detection of replay attacks: application to a multiple tank system. IFAC-PapersOnLine, 2018, 51, 969-974.	0.9	8
148	Robust Periodic Economic Model Predictive Control using Probabilistic Set Invariance for Descriptor Systems. IFAC-PapersOnLine, 2018, 51, 436-441.	0.9	2
149	Interval observer fault detection ensuring detectability and isolability by using a set-invariance approach. IFAC-PapersOnLine, 2018, 51, 1111-1118.	0.9	4
150	Pumps condition assessment in water distribution networks. IFAC-PapersOnLine, 2018, 51, 662-667.	0.9	0
151	Leak Localization in Water Distribution Networks using Fisher Discriminant Analysis. IFAC-PapersOnLine, 2018, 51, 929-934.	0.9	10
152	Robust Fault Detection for Vehicle Lateral Dynamics: A Zonotope-based Set-membership Approach. , 2018, , .		1
153	A Novel Formulation of Economic Model Predictive Control for Periodic Operations. , 2018, , .		2
154	Actuator fault tolerance evaluation approach of nonlinear model predictive control systems using viability theory. Journal of Process Control, 2018, 71, 35-45.	3.3	13
155	Economic Model Predictive Control with Nonlinear Constraint Relaxation for the Operational Management of Water Distribution Networks. Energies, 2018, 11, 991.	3.1	14
156	Modeling and fault diagnosis of flat inland navigation canals. Proceedings of the Institution of Mechanical Engineers Part I: Journal of Systems and Control Engineering, 2018, 232, 761-771.	1.0	5
157	Gain scheduling LPV control for autonomous vehicles including friction force estimation and compensation mechanism. IET Control Theory and Applications, 2018, 12, 1683-1693.	2.1	40
158	Multi-Model Prediction for Demand Forecast in Water Distribution Networks. Energies, 2018, 11, 660.	3.1	24
159	Economic model predictive control based on a periodicity constraint. Journal of Process Control, 2018, 68, 226-239.	3.3	15
160	Robust fault estimation based on zonotopic Kalman filter for discrete-time descriptor systems. International Journal of Robust and Nonlinear Control, 2018, 28, 5071-5086.	3.7	30
161	Multi-layer health-aware economic predictive control of a pasteurization pilot plant. International Journal of Applied Mathematics and Computer Science, 2018, 28, 97-110.	1.5	15
162	Análisis y diseño de sistemas lineales con parámetros variantes utilizando LMIs. RIAI - Revista Iberoamericana De Automatica E Informatica Industrial, 2018, 16, 1.	1.0	4

#	ARTICLE	IF	CITATIONS
163	Data analytics methodology for monitoring quality sensors and events in the Barcelona drinking water network. Journal of Hydroinformatics, 2017, 19, 123-137.	2.4	3
164	Short-term demand forecast using a bank of neural network models trained using genetic algorithms for the optimal management of drinking water networks. Journal of Hydroinformatics, 2017, 19, 1-16.	2.4	15
165	Generalized set-theoretic unknown input observer for LPV systems with application to state estimation and robust fault detection. International Journal of Robust and Nonlinear Control, 2017, 27, 3812-3832.	3.7	38
166	A bounded-error approach to simultaneous state and actuator fault estimation for a class of nonlinear systems. Journal of Process Control, 2017, 52, 14-25.	3.3	53
167	Leak localization in water distribution networks using Bayesian classifiers. Journal of Process Control, 2017, 55, 1-9.	3.3	96
168	Nonlinear Model Predictive Control with Constraint Satisfaction for a Quadcopter. Journal of Physics: Conference Series, 2017, 783, 012025.	0.4	15
169	A methodology for distributed fault diagnosis. Journal of Physics: Conference Series, 2017, 783, 012005.	0.4	2
170	Robust Mpc for Actuator Fault Tolerance Using Set-Based Passive Fault Detection and Active Fault Isolation. International Journal of Applied Mathematics and Computer Science, 2017, 27, 43-61.	1.5	19
171	Non-linear economic model predictive control of water distribution networks. Journal of Process Control, 2017, 56, 23-34.	3.3	94
172	Optimal pressure sensor placement and assessment for leak location using a relaxed isolation index: Application to the Barcelona water network. Control Engineering Practice, 2017, 63, 1-12.	5.5	35
173	Approximating fault detection linear interval observers using ℓ_1 -order interval predictors. International Journal of Adaptive Control and Signal Processing, 2017, 31, 1040-1060.	4.1	6
174	Real-Time Control-Oriented Quality Modelling in Combined Urban Drainage Networks * This research is funded by EU funding for the project LIFE EFFIDRAIN LIFE14 ENV/ES/00080. IFAC-PapersOnLine, 2017, 50, 3941-3946.	0.9	7
175	Reduced-order Interval-observer Design for Dynamic Systems with Time-invariant Uncertainty. IFAC-PapersOnLine, 2017, 50, 6271-6276.	0.9	13
176	Fault Detection and Isolation using Viability Theory and Interval Observers. Journal of Physics: Conference Series, 2017, 783, 012004.	0.4	1
177	A distributed predictive control approach for periodic flow-based networks: application to drinking water systems. International Journal of Systems Science, 2017, 48, 3106-3117.	5.5	9
178	Sensor fault tolerance using robust MPC with set-based state estimation and active fault isolation. International Journal of Robust and Nonlinear Control, 2017, 27, 1260-1283.	3.7	28
179	Stochastic model predictive control approaches applied to drinking water networks. Optimal Control Applications and Methods, 2017, 38, 541-558.	2.1	31
180	Set-valued observer-based active fault-tolerant model predictive control. Optimal Control Applications and Methods, 2017, 38, 683-708.	2.1	7

#	ARTICLE	IF	CITATIONS
181	A necessary and sufficient condition for total observability of discrete-time linear time-varying systems. IFAC-PapersOnLine, 2017, 50, 729-734.	0.9	10
182	Robust Periodic Economic Predictive Control based on Interval Arithmetic for Water Distribution Networks. IFAC-PapersOnLine, 2017, 50, 5202-5207.	0.9	6
183	Periodic Nonlinear Economic Model Predictive Control with Changing Horizon for Water Distribution Networks * *This work has been partially funded by the Spanish Government and FEDER through the projects CICYT ECOCIS (ref. DPI2013-48243), CICYT DEOCS (ref. DPI2016-76493) and CICYT HAR-CRIS (ref. DPI2014-58104-R).. IFAC-PapersOnLine, 2017, 50, 6588-6593.	0.9	4
184	Distributed Zonotopic Set-Membership State Estimation based on Optimization Methods with Partial Projection * *This work has been partially funded by the Spanish Government and FEDER through the projects CICYT ECOCIS (ref. DPI2013-48243), CICYT HARCRICS (ref. DPI2014-58104-R) and CICYT DEOCS (ref. DPI2016-76493). IFAC-PapersOnLine, 2017, 50, 5202-5207.	0.8	6
185	Solving Diagnosability of Hybrid Systems via Abstraction and Discrete Event Techniques. IFAC-PapersOnLine, 2017, 50, 5023-5028.	0.9	3
186	Observer-based Sensor Fault Detectability: About Robust Positive Invariance Approach and Residual Sensitivity * *This work was financially supported by Research Mobility Grant awarded by the University Paris-Saclay and a cooperation between Polytechnic University of Catalonia, Spain and CentraleSupélec, France. IFAC-PapersOnLine, 2017, 50, 5041-5046.	0.9	8
187	Zonotopic Fault Estimation Filter Design for Discrete-time Descriptor Systems * *This work has been partially funded by the Spanish Government and FEDER through the projects CICYT ECOCIS (ref. DPI2013-48243), CICYT HARCRICS (ref. DPI2014-58104-R) and CICYT DEOCS (ref. DPI2016-76493). IFAC-PapersOnLine, 2017, 50, 5055-5060.	0.9	7
188	Comparative assessment of LPV-based predictive control strategies for a pasteurization plant. , 2017, , .		5
189	Decentralized Fault-Tolerant Control of Inland Navigation Networks: a Challenge. Journal of Physics: Conference Series, 2017, 783, 012018.	0.4	3
190	Robust invariant sets and active mode detection for discrete-time uncertain descriptor systems. , 2017, , .		4
191	Zonotopic fault detection observer with H ₂ performance. , 2017, , .		10
192	Robust optimization based energy dispatch in smart grids considering demand uncertainty. Journal of Physics: Conference Series, 2017, 783, 012033.	0.4	3
193	Wind speed time series reconstruction using a hybrid neural genetic approach. IOP Conference Series: Earth and Environmental Science, 2017, 93, 012020.	0.3	3
194	An LPV modelling and fault diagnosis in wind turbine benchmark system. International Journal of Modelling, Identification and Control, 2017, 27, 243.	0.2	2
195	Optimal Design of a Wastewater Treatment Plant using Advanced Technologies. Computer Aided Chemical Engineering, 2017, , 865-870.	0.5	0
196	Output-Feedback Model Predictive Control of a Pasteurization Pilot Plant based on an LPV model. Journal of Physics: Conference Series, 2017, 783, 012029.	0.4	4
197	Health-aware Model Predictive Control of Pasteurization Plant. Journal of Physics: Conference Series, 2017, 783, 012030.	0.4	3
198	Sensor Data Validation and Reconstruction. Advances in Industrial Control, 2017, , 175-193.	0.5	4

#	ARTICLE	IF	CITATIONS
199	Fault-Tolerant Model Predictive Control of Water Transport Networks. Advances in Industrial Control, 2017, , 291-319.	0.5	2
200	Economic Predictive Control of a Pasteurization Plant using a Linear Parameter Varying Model. Computer Aided Chemical Engineering, 2017, 40, 1573-1578.	0.5	7
201	Actuator fault diagnosis of singular delayed LPV systems with inexact measured parameters via PI unknown input observer. IET Control Theory and Applications, 2017, 11, 1894-1903.	2.1	27
202	Quality Monitoring. Advances in Industrial Control, 2017, , 131-152.	0.5	1
203	Model Predictive Control of Water Networks Considering Flow. Advances in Industrial Control, 2017, , 227-249.	0.5	0
204	Stochastic Model Predictive Control for Water Transport Networks with Demand Forecast Uncertainty. Advances in Industrial Control, 2017, , 269-290.	0.5	0
205	Demand Forecasting for Real-Time Operational Control. Advances in Industrial Control, 2017, , 99-111.	0.5	2
206	Partitioning Approaches for Large-Scale Water Transport Networks. Advances in Industrial Control, 2017, , 321-339.	0.5	0
207	Non-centralized Predictive Control for Drinking-Water Supply Systems. Advances in Industrial Control, 2017, , 341-360.	0.5	2
208	Coordinating Regional and Urban Water Networks. Advances in Industrial Control, 2017, , 385-400.	0.5	0
209	Set-membership parity space approach for fault detection in linear uncertain dynamic systems. International Journal of Adaptive Control and Signal Processing, 2016, 30, 186-205.	4.1	25
210	An LMI approach to robust fault estimation for a class of nonlinear systems. International Journal of Robust and Nonlinear Control, 2016, 26, 1530-1548.	3.7	78
211	Flow meter data validation and reconstruction using neural networks: Application to the Barcelona water network. , 2016, , .		5
212	Robust adaptive simultaneous state and fault estimation for nonlinear systems: Application to an aerodynamical system. , 2016, , .		0
213	Distributed fault diagnosis using minimal structurally over-determined sets: Application to a water distribution network. , 2016, , .		7
214	Prognosis of quality sensors in the Barcelona drinking water network. , 2016, , .		3
215	Reliability-based economic model predictive control for generalised flow-based networks including actuators' health-aware capabilities. International Journal of Applied Mathematics and Computer Science, 2016, 26, 641-654.	1.5	13
216	A fault hiding approach for the sliding mode fault-tolerant control of a non-holonomic mobile robot. , 2016, , .		4

#	ARTICLE	IF	CITATIONS
217	Sensor placement algorithm for distributed fault diagnosis. , 2016, , .		0
218	Analysis of set-theoretic unknown input observer and interval observer in robust fault detection. , 2016, , .		3
219	Leak localization in water distribution networks using model-based Bayesian reasoning. , 2016, , .		5
220	Robust state estimation and fault detection combining unknown input observer and set-membership approach. , 2016, , .		5
221	Characterization of the minimum detectable fault of interval observers by using set-invariance theory. , 2016, , .		6
222	Optimal sensor placement for classifier-based leak localization in drinking water networks. , 2016, , .		2
223	Guaranteed state estimation and fault detection based on zonotopes for differential-algebraic-equation systems. , 2016, , .		6
224	Fault-tolerant periodic economic model predictive control of differential-algebraic-equation systems. , 2016, , .		0
225	Virtual actuator-based FTC for LPV systems with saturating actuators and FDI delays. , 2016, , .		4
226	Decentralized fault diagnosis using analytical redundancy relations: Application to a water distribution network. , 2016, , .		3
227	Comparison of set-membership and interval observer approaches for state estimation of uncertain systems. , 2016, , .		7
228	Robust unknown input observer for state and fault estimation in discrete-time Takagi-Sugeno systems. International Journal of Systems Science, 2016, 47, 3409-3424.	5.5	68
229	Robust fault detection of singular LPV systems with multiple time-varying delays. International Journal of Applied Mathematics and Computer Science, 2016, 26, 45-61.	1.5	26
230	Gain-scheduling multivariable LPV control of an irrigation canal system. ISA Transactions, 2016, 63, 274-280.	5.7	15
231	Towards a practical reachability test for dynamic systems under process faults. , 2016, , .		1
232	Guaranteed cost estimation and control for nonlinear system using LMI optimization. , 2016, , .		0
233	Comparison of two non-linear model-based control strategies for autonomous vehicles. , 2016, , .		10
234	Leak localization in water distribution networks using a mixed model-based/data-driven approach. Control Engineering Practice, 2016, 55, 162-173.	5.5	81

#	ARTICLE	IF	CITATIONS
235	Reliable fault-tolerant model predictive control of drinking water transport networks. Control Engineering Practice, 2016, 55, 197-211.	5.5	24
236	Set-membership methods applied to FDI and FTC. International Journal of Adaptive Control and Signal Processing, 2016, 30, 150-153.	4.1	6
237	Fault tolerance evaluation of nonlinear systems using viability theory. , 2016, , .		1
238	Detection of icing and actuators faults in the longitudinal dynamics of small UAVs using an LPV proportional integral unknown input observer. , 2016, , .		7
239	Zonotopic extended Kalman filter and fault detection of discrete-time nonlinear systems applied to a quadrotor helicopter. , 2016, , .		11
240	A novel design of unknown input observers using set-theoretic methods for robust fault detection. , 2016, , .		21
241	Stochastic model predictive control based on Gaussian processes applied to drinking water networks. IET Control Theory and Applications, 2016, 10, 947-955.	2.1	46
242	Periodic economic model predictive control with nonlinear-constraint relaxation for water distribution networks. , 2016, , .		3
243	Combined holt-winters and GA trained ANN approach for sensor validation and reconstruction: Application to water demand flowmeters. , 2016, , .		4
244	State and fault estimation of singular delayed LPV systems via proportional-integral observer. , 2016, , .		2
245	Economic MPC for the energy management of hybrid vehicles including fuel cells and supercapacitors. , 2016, , .		0
246	On the analogies in control design of non-linear systems using LPV and Takagi-Sugeno models. , 2016, , .		7
247	Economic MPC with periodic terminal constraints of nonlinear differential-algebraic-equation systems: Application to drinking water networks. , 2016, , .		9
248	Actuator multiplicative fault estimation in discrete-time LPV systems using switched observers. Journal of the Franklin Institute, 2016, 353, 3176-3191.	3.4	35
249	Fault tolerant control of a proton exchange membrane fuel cell using Takagi-Sugeno virtual actuators. Journal of Process Control, 2016, 45, 12-29.	3.3	23
250	A methodology and a software tool for sensor data validation/reconstruction: Application to the Catalonia regional water network. Control Engineering Practice, 2016, 49, 159-172.	5.5	22
251	On Teaching Model-Based Fault Diagnosis in Engineering Curricula [Lecture Notes]. IEEE Control Systems, 2016, 36, 53-62.	0.8	2
252	Robust fault diagnosis of proton exchange membrane fuel cells using a Takagi-Sugeno interval observer approach. International Journal of Hydrogen Energy, 2016, 41, 2875-2886.	7.1	62

#	ARTICLE	IF	CITATIONS
253	Combining CSP and MPC for the operational control of water networks. Engineering Applications of Artificial Intelligence, 2016, 49, 126-140.	8.1	15
254	Dilated LMI characterization for the robust finite time control of discrete-time uncertain linear systems. Automatica, 2016, 63, 16-20.	5.0	12
255	Set-membership identification and fault detection using a Bayesian framework. International Journal of Systems Science, 2016, 47, 1710-1724.	5.5	11
256	UIO design for singular delayed LPV systems with application to actuator fault detection and isolation. International Journal of Systems Science, 2016, 47, 107-121.	5.5	43
257	Gaussian-Process-Based Demand Forecasting for Predictive Control of Drinking Water Networks. Lecture Notes in Computer Science, 2016, , 69-80.	1.3	12
258	Fault Detection and Isolation in Critical Infrastructure Systems. Lecture Notes in Computer Science, 2016, , 3-12.	1.3	0
259	Sensor Data Validation and Reconstruction in Water Networks: A Methodology and Software Implementation. Lecture Notes in Computer Science, 2016, , 88-93.	1.3	0
260	Shifting linear quadratic control of constrained continuous-time descriptor LPV systems**This work has been funded by the Spanish Ministry of Science and Technology through the projects CICYT ECOCIS (ref. DPI2013-48243-C2-1-R) and CICYT HARCRICS (ref. DPI2014-58104-R), by AGAUR through the contract FI-DGR 2014 (ref. 2014FI B1 00172) and by the DGR of Generalitat de Catalunya (SAC group Ref.) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	0.9	2
261	Model-based Monitoring Techniques for Leakage Localization in Distribution Water Networks. Procedia Engineering, 2015, 119, 1399-1408.	1.2	10
262	Combining Model Predictive Control with Constraint-satisfaction Formulation for the Operative Pumping Control in Water Networks. Procedia Engineering, 2015, 119, 963-972.	1.2	9
263	Predictive Fault Tolerant Control for LPV systems using model reference. IFAC-PapersOnLine, 2015, 48, 30-35.	0.9	3
264	The Software Architecture of FAST: An Agent-based FDI Tool ~... ~...This work has also been partially funded by the Spanish Ministry of Science and Technology through the Project ECOCIS (Ref.) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 302 Td (DPI2012-318556) of the European Commission.. IFAC-PapersOnLine, 2015, 48, 889-894.	0.9	0
265	Linear quadratic control of LPV systems using static and shifting specifications. , 2015, , .		12
266	Qualitative and quantitative Multi-Model forecasting with nonlinear noise filter applied to water demand. , 2015, , .		1
267	Validation of wind turbine LPV model. , 2015, , .		0
268	Health-aware Model Predictive Control of Wind Turbines using Fatigue Prognosis. IFAC-PapersOnLine, 2015, 48, 1363-1368.	0.9	16
269	Robust Model Predictive Control based on Gaussian Processes: Application to drinking water networks. , 2015, , .		14
270	Leak localization in drinking water distribution networks using structured residuals. International Journal of Adaptive Control and Signal Processing, 2015, 29, 991-1007.	4.1	3

#	ARTICLE	IF	CITATIONS
271	Model reference FTC for LPV systems using virtual actuators and set-membership fault estimation. International Journal of Robust and Nonlinear Control, 2015, 25, 735-760.	3.7	43
272	Leak Signature Space: An Original Representation for Robust Leak Location in Water Distribution Networks. Water (Switzerland), 2015, 7, 1129-1148.	2.7	19
273	Optimal Sensor Placement for Leak Location in Water Distribution Networks using Evolutionary Algorithms. Water (Switzerland), 2015, 7, 6496-6515.	2.7	28
274	Robust Quasi-LPV Model Reference FTC of a Quadrotor Uav Subject to Actuator Faults. International Journal of Applied Mathematics and Computer Science, 2015, 25, 7-22.	1.5	71
275	LPV model-based fault detection: Application to wind turbine benchmark. , 2015, , .		1
276	Icing detection in unmanned aerial vehicles with longitudinal motion using an LPV unknown input observer. , 2015, , .		12
277	Sensor Placement for Leak Location in Water Distribution Networks using the Leak Signature Space. IFAC-PapersOnLine, 2015, 48, 214-219.	0.9	7
278	Leak Localization in Water Distribution Networks using Pressure Residuals and Classifiers. IFAC-PapersOnLine, 2015, 48, 220-225.	0.9	42
279	Optimal Pressure Sensor Placement for Leak Localisation Using a Relaxed Isolation Index: Application to the Barcelona Water Network ... This work has been partially funded by the Spanish Ministry of Science and Technology through the Project ECOCIS (Ref. DPI2013-48243-C2-1-R) and Project HARCRCIS (Ref. DPI2014-58104-R), and by EFFINET grant FP7-ICT-2012-318556 of the European Commission.. IFAC PapersOnLine, 2015, 48, 1108-1113.	0.9	6
280	Fault Diagnosis and Fault Tolerant Control with Application on a Wind Turbine Low Speed Shaft Encoder. IFAC-PapersOnLine, 2015, 48, 1357-1362.	0.9	8
281	Shifting finite time stability and boundedness design for continuous-time LPV systems. , 2015, , .		3
282	Fault tolerant control of unstable LPV systems subject to actuator saturations using virtual actuators ... This work has been funded by the Spanish Ministry of Science and Technology through the projects CICYT ECOCIS (Ref. DPI2013-48243-C2-1-R) and HARCRCIS (Ref. DPI2014-58104-R), by AGAUR through the contract FIDGR 2014 (ref. 2014FI B1 00172) and by the DGR of Generalitat de Catalunya (SAC group) Tj ETQq0 0 0 rgBT /Overlock 1	0.9	6
283	A practical test for assessing the reachability of discrete-time Takagi-Sugeno fuzzy systems. Journal of the Franklin Institute, 2015, 352, 5936-5951.	3.4	13
284	Fault Tolerant Control of a PEM Fuel Cell using qLPV Virtual Actuators. IFAC-PapersOnLine, 2015, 48, 271-276.	0.9	6
285	Fault Diagnosis of Advanced Wind Turbine Benchmark using Interval-based ARRs and Observers. IEEE Transactions on Industrial Electronics, 2015, , 1-1.	7.9	51
286	Automated generation and comparison of Takagi-Sugeno and polytopic quasi-LPV models. Fuzzy Sets and Systems, 2015, 277, 44-64.	2.7	57
287	Integrated simulation and optimization scheme of real-time large-scale water supply network: applied to Catalunya case study. Simulation, 2015, 91, 59-70.	1.8	9
288	Non-linear set-membership identification approach based on the Bayesian framework. IET Control Theory and Applications, 2015, 9, 1392-1398.	2.1	6

#	ARTICLE	IF	CITATIONS
289	A virtual actuator approach for the fault tolerant control of unstable linear systems subject to actuator saturation and fault isolation delay. Annual Reviews in Control, 2015, 39, 68-80.	7.9	31
290	Control-Oriented Thermal Modeling Methodology for Water-Cooled PEM Fuel-Cell-Based Systems. IEEE Transactions on Industrial Electronics, 2015, 62, 5146-5154.	7.9	28
291	An Incremental Hybrid System Diagnoser Automaton Enhanced by Discernibility Properties. IEEE Transactions on Systems, Man, and Cybernetics: Systems, 2015, 45, 788-804.	9.3	13
292	State and fault estimation in singular delayed LPV systems. , 2015, , .		1
293	Robust neural-network-based fault detection with sequential D-optimum bounded-error input design. IFAC-PapersOnLine, 2015, 48, 434-439.	0.9	3
294	Model Predictive Control for Combined Water Supply and Navigability/Sustainability in River Systems. Operations Research/ Computer Science Interfaces Series, 2015, , 13-33.	0.3	1
295	A robust ∞ observer design for unknown input nonlinear systems: Application to fault diagnosis of a wind turbine. , 2015, , .		1
296	Fault detection and isolation for a wind turbine benchmark using a mixed Bayesian/Set-membership approach. Annual Reviews in Control, 2015, 40, 59-69.	7.9	23
297	Set-theoretic methods in robust detection and isolation of sensor faults. International Journal of Systems Science, 2015, 46, 2317-2334.	5.5	29
298	Design of parameter-scheduled state-feedback controllers using shifting specifications. Journal of the Franklin Institute, 2015, 352, 93-116.	3.4	17
299	Set-membership parity space hybrid system diagnosis. International Journal of Systems Science, 2015, 46, 790-807.	5.5	3
300	Fault tolerant control of an omnidirectional robot using a switched Takagi-Sugeno approach. , 2014, , .		0
301	A bank of virtual sensors for active Fault Tolerant Control of LPV systems. , 2014, , .		1
302	Discussion on Muskingum versus Integrator-Delay Models for Control Objectives. Journal of Applied Mathematics, 2014, 2014, 1-11.	0.9	4
303	A Fault-Hiding Approach for the Switching Quasi-LPV Fault Tolerant Control of a Four-Wheeled Omnidirectional Mobile Robot. IEEE Transactions on Industrial Electronics, 2014, , 1-1.	7.9	37
304	Temporal multi-level coordination techniques oriented to regional water networks: application to the Catalunya case study. Journal of Hydroinformatics, 2014, 16, 952-970.	2.4	5
305	FAST: A fault analysis software tool. , 2014, , .		2
306	A distributed command governor strategy for the operational control of drinking water networks. , 2014, , .		1

#	ARTICLE	IF	CITATIONS
307	Robust MPC for actuator-fault tolerance using set-based passive fault detection and active fault isolation. , 2014, , .		0
308	Inconsistent sensor data detection/correction: Application to environmental systems. , 2014, , .		2
309	Wind speed estimation in wind turbines using EKF: Application to experimental data. , 2014, , .		4
310	Fault-tolerant control design using the linear parameter varying approach. International Journal of Robust and Nonlinear Control, 2014, 24, 1969-1988.	3.7	24
311	Automatic control of pollutant on a shallow river using surface water systems: application to the Ebro River. Water Science and Technology, 2014, 69, 2210-2220.	2.5	2
312	Identification and switching quasi-LPV control of a four wheeled omnidirectional robot. , 2014, , .		3
313	An Interval NLPV Parity Equations Approach for Fault Detection and Isolation of a Wind Farm. IEEE Transactions on Industrial Electronics, 2014, , 1-1.	7.9	26
314	Gray-Box Model of Inland Navigation Channel: Application to the Cuinchy-Fontinettes Reach. Journal of Intelligent Systems, 2014, 23, 183-199.	1.6	12
315	Model reference quasi-LPV control of a quadrotor UAV. , 2014, , .		12
316	Sensor-fault tolerance using robust MPC with set-based state estimation and active fault isolation. , 2014, , .		7
317	A virtual actuator and sensor approach for fault tolerant control of LPV systems. Journal of Process Control, 2014, 24, 203-222.	3.3	107
318	Robust state-feedback control of uncertain LPV systems: An LMI-based approach. Journal of the Franklin Institute, 2014, 351, 2781-2803.	3.4	53
319	Linear parameter varying modeling and identification for real-time control of open-flow irrigation canals. Environmental Modelling and Software, 2014, 53, 87-97.	4.5	23
320	Gain-Scheduled Smith Predictor PID-Based LPV Controller for Open-Flow Canal Control. IEEE Transactions on Control Systems Technology, 2014, 22, 468-477.	5.2	36
321	FDI and FTC of wind turbines using the interval observer approach and virtual actuators/sensors. Control Engineering Practice, 2014, 24, 138-155.	5.5	111
322	Coordinating multi-layer MPC for complex water systems. , 2014, , .		0
323	Robust Fault Diagnosis of Nonlinear Systems Using Interval Constraint Satisfaction and Analytical Redundancy Relations. IEEE Transactions on Systems, Man, and Cybernetics: Systems, 2014, 44, 18-29.	9.3	39
324	Leak Localization in Water Networks: A Model-Based Methodology Using Pressure Sensors Applied to a Real Network in Barcelona [Applications of Control]. IEEE Control Systems, 2014, 34, 24-36.	0.8	106

#	ARTICLE	IF	CITATIONS
325	A decision support system for on-line leakage localization. Environmental Modelling and Software, 2014, 60, 331-345.	4.5	57
326	Actuator-fault detection and isolation based on set-theoretic approaches. Journal of Process Control, 2014, 24, 947-956.	3.3	46
327	Improved Fault Detection and Isolation Strategy using a Bank of Interval Observers. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2014, 47, 8024-8029.	0.4	2
328	Adaptive Observer for Switching Linear Parameter-Varying (LPV) Systems. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2014, 47, 1471-1476.	0.4	11
329	A Virtual Actuator Approach for Fault Tolerant Control of Switching LPV Systems. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2014, 47, 11667-11672.	0.4	5
330	Water demand forecasting for the optimal operation of large-scale drinking water networks: The Barcelona Case Study.. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2014, 47, 10457-10462.	0.4	24
331	On the Assessment of Tree-Based and Chance-Constrained Predictive Control Approaches applied to Drinking Water Networks. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2014, 47, 6240-6245.	0.4	13
332	Combining CSP and MPC for the Operational Control of Water Networks Application to the Richmond Case Study. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2014, 47, 6246-6251.	0.4	8
333	Fault Diagnosis of Advanced Wind Turbine Benchmark using Interval-based ARR and Observers. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2014, 47, 4334-4339.	0.4	8
334	Two-layer scheduling scheme for pump stations. , 2014, , .		5
335	Nonlinear set-membership identification using a Bayesian approach. , 2014, , .		0
336	Teaching Model-based Fault Detection and Isolation using Project-based Learning on a Three-tank System. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2014, 47, 9026-9031.	0.4	2
337	Model Reference Gain Scheduling Control of a PEM Fuel Cell Using Takagi-Sugeno Modelling. Communications in Computer and Information Science, 2014, , 518-527.	0.5	0
338	Adaptive threshold generation in robust fault detection using interval models: time-domain and frequency-domain approaches. International Journal of Adaptive Control and Signal Processing, 2013, 27, 873-901.	4.1	11
339	Limnimeter and rain gauge FDI in sewer networks using an interval parity equations based detection approach and an enhanced isolation scheme. Control Engineering Practice, 2013, 21, 146-170.	5.5	13
340	Application of predictive control strategies to the management of complex networks in the urban water cycle [Applications of Control]. IEEE Control Systems, 2013, 33, 15-41.	0.8	166
341	Set-membership identification: Bayesian approach vs subpavings approach. , 2013, , .		0
342	Fault tolerant control design for polytopic uncertain LPV systems. , 2013, , .		5

#	ARTICLE	IF	CITATIONS
343	Optimal Sensor Placement for Leak Location in Water Distribution Networks Using Genetic Algorithms. Sensors, 2013, 13, 14984-15005.	3.8	104
344	Optimal sensor placement for leak location in water distribution networks using genetic algorithms. , 2013, , .		4
345	Sensor-fault detection and isolation using interval observers. , 2013, , .		3
346	Robust \mathcal{H}_∞ actuator fault diagnosis and fault-tolerant control for a multi-tank system. , 2013, , .		6
347	On the relationship between interval observers and invariant sets in fault detection. , 2013, , .		5
348	An ensemble approach to estimate the fault-time instant. , 2013, , .		4
349	Fault Tolerant Control design for polytopic uncertain LPV systems: Application to a quadrotor. , 2013, , .		19
350	Quasi-LPV modeling, identification and control of a twin rotor MIMO system. Control Engineering Practice, 2013, 21, 829-846.	5.5	99
351	A fault-tolerant control strategy for non-linear discrete-time systems: application to the twin-rotor system. International Journal of Control, 2013, 86, 1788-1799.	1.9	41
352	Nonlinear set-membership identification and fault detection using a Bayesian framework: Application to the wind turbine benchmark. , 2013, , .		7
353	Robust fault detection and isolation of wind turbines using interval observers. , 2013, , .		5
354	FTC of LPV systems using a bank of virtual sensors: Application to wind turbines. , 2013, , .		2
355	Fault detection and isolation based on the combination of a bank of interval observers and invariant sets. , 2013, , .		6
356	Multi-layer model predictive control of regional water networks: Application to the catalunya case study. , 2013, , .		1
357	Set-membership identification and fault detection using a bayesian framework. , 2013, , .		2
358	Actuator-fault detection and isolation based on interval observers and invariant sets. , 2013, , .		3
359	Fault Tolerant Control for a Second Order LPV System using Adaptive Control Methods. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2013, 46, 857-862.	0.4	6
360	Model-based leakage localization in drinking water distribution networks using structured residuals. , 2013, , .		3

#	ARTICLE	IF	CITATIONS
361	A shifting pole placement approach for the design of parameter-scheduled state-feedback controllers. , 2013, , .		9
362	A Hierarchy of Change-Point Methods for Estimating the Time Instant of Leakages in Water Distribution Networks. IFIP Advances in Information and Communication Technology, 2013, , 615-624.	0.7	4
363	Extended-horizon analysis of pressure sensitivities for leak detection in water distribution networks: Application to the Barcelona network. , 2013, , .		8
364	Combining Health Monitoring and Control. , 2013, , 230-255.		1
365	Parity space hybrid system diagnosis under model uncertainty. , 2012, , .		2
366	Methodology for actuator fault tolerance evaluation of linear constrained MPC: Application to the Barcelona water network. , 2012, , .		3
367	FTC design for polytopic LPV systems subject to actuator saturations. , 2012, , .		1
368	Fault Detection and Isolation of Hybrid Systems using Diagnosers that Reason on Components*. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2012, 45, 1250-1255.	0.4	8
369	Interval LPV Identification and Fault Diagnosis of a Real Wind Turbine. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2012, 45, 1689-1694.	0.4	1
370	Robust MRAC-based Fault Tolerant Control for Additive and Multiplicative Faults in Nonlinear Systems. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2012, 45, 540-545.	0.4	2
371	Methodology to Detect and Isolate Water Losses in Water Hydraulic Networks: Application to Barcelona Water Network. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2012, 45, 922-927.	0.4	1
372	Fault Detection and Isolation of a Real PEM Fuel Cell using Interval LPV Observers ¹ and the support from the National Science and Technology Council (CONACYT) Mexico.. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2012, 45, 90-95.	0.4	2
373	Design of an unknown input observer for fault diagnosis of non-linear systems with state constraints*. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2012, 45, 1065-1070.	0.4	0
374	Set-membership Parity Space Approach for Fault Detection in Linear Uncertain Dynamic Systems. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2012, 45, 1287-1292.	0.4	1
375	Fault Tolerant Control of the Wind Turbine Benchmark using Virtual Sensors/Actuators. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2012, 45, 114-119.	0.4	20
376	Fault Estimation and Virtual Actuator FTC Approach for LPV Systems*. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2012, 45, 824-829.	0.4	7
377	Robust identification and fault diagnosis based on uncertain multiple input–multiple output linear parameter varying parity equations and zonotopes. Journal of Process Control, 2012, 22, 1890-1912.	3.3	28
378	A fault/anomaly system prognosis using a data-driven approach considering uncertainty. , 2012, , .		5

#	ARTICLE	IF	CITATIONS
379	Fault-tolerant control strategy for actuator faults using LPV techniques: Application to a two degree of freedom helicopter. International Journal of Applied Mathematics and Computer Science, 2012, 22, 161-171.	1.5	79
380	Quasi-LPV modelling and non-linear identification of a Twin Rotor System. , 2012, , .		15
381	Determination of an unknown input distribution matrix for non-linear discrete-time stochastic systems. , 2012, , .		0
382	Robust fault detection based on adaptive threshold generation using interval LPV observers. International Journal of Adaptive Control and Signal Processing, 2012, 26, 258-283.	4.1	54
383	Robust fault detection of non-linear systems using set-membership state estimation based on constraint satisfaction. Engineering Applications of Artificial Intelligence, 2012, 25, 1-10.	8.1	36
384	Leak Detection in Water Distribution Networks with Optimal Linear Regression Models. Lecture Notes in Computer Science, 2012, , 463-472.	1.3	0
385	LPV modelling and control of a Twin Rotor MIMO System. , 2011, , .		13
386	Fault estimation and virtual sensor FTC approach for LPV systems. , 2011, , .		9
387	Artificial Neural Networks, Adaptive and Classical Control for FTC of Linear Parameters Varying Systems. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2011, 44, 13540-13545.	0.4	0
388	Reliable Fault-Tolerant Control Design for LPV Systems using Admissible Model Matching. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2011, 44, 13735-13740.	0.4	2
389	Fault Detection and Isolation of a Real Wind Turbine using LPV Observers. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2011, 44, 12372-12379.	0.4	5
390	Tuning of Predictive Controllers for Drinking Water Networked Systems. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2011, 44, 14507-14512.	0.4	33
391	Fault Diagnosis of Wind Turbines using a Set-membership Approach. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2011, 44, 8316-8321.	0.4	32
392	Decentralised MPC based on a Graph Partitioning Approach applied to the Barcelona Drinking Water Network*. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2011, 44, 1577-1583.	0.4	8
393	A multi-objective optimization strategy for designing aircraft noise abatement procedures. Case study at Girona airport. Transportation Research, Part D: Transport and Environment, 2011, 16, 31-41.	6.8	36
394	Methodology for leakage isolation using pressure sensitivity analysis in water distribution networks. Control Engineering Practice, 2011, 19, 1157-1167.	5.5	170
395	Identification for passive robust fault detection using zonotope-based set-membership approaches. International Journal of Adaptive Control and Signal Processing, 2011, 25, 788-812.	4.1	57
396	Equitable Aircraft Noise-Abatement Departure Procedures. Journal of Guidance, Control, and Dynamics, 2011, 34, 192-203.	2.8	29

#	ARTICLE	IF	CITATIONS
397	Leak Detection, Isolation and Estimation in Pressurized Water Pipe Networks using LPV Models and Zonotopes. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2010, 43, 36-41.	0.4	15
398	Leakage Isolation using Pressure Sensitivity Analysis in Water Distribution Networks: Application to the Barcelona case study. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2010, 43, 578-584.	0.4	8
399	Fault detection using interval LPV models in an open-flow canal. Control Engineering Practice, 2010, 18, 460-470.	5.5	43
400	Validation and reconstruction of flow meter data in the Barcelona water distribution network. Control Engineering Practice, 2010, 18, 640-651.	5.5	114
401	Lexicographic optimisation for optimal departure aircraft trajectories. Aerospace Science and Technology, 2010, 14, 26-37.	4.8	36
402	Observer gain effect in linear interval observer-based fault detection. Journal of Process Control, 2010, 20, 944-956.	3.3	53
403	Multi-objective optimisation for aircraft departure trajectories minimising noise annoyance. Transportation Research Part C: Emerging Technologies, 2010, 18, 975-989.	7.6	62
404	Fault detection and isolation of hybrid system using diagnosers that combine discrete and continuous dynamics. , 2010, , .		13
405	A fault-tolerant control scheme for non-linear discrete-time systems: Application to the twin-rotor system. , 2010, , .		3
406	Fault diagnosis and fault tolerant control using set-membership approaches: Application to real case studies. International Journal of Applied Mathematics and Computer Science, 2010, 20, 619-635.	1.5	148
407	MRAC + H [∞] Fault Tolerant Control for Linear Parameter Varying systems. , 2010, , .		3
408	Robust fault detection using polytope-based set-membership consistency test. , 2010, , .		8
409	Fault Diagnosis Using a Timed Discrete-Event Approach Based on Interval Observers: Application to Sewer Networks. IEEE Transactions on Systems, Man and Cybernetics, Part A: Systems and Humans, 2010, 40, 900-916.	2.9	56
410	Fault-Tolerant Control design using a virtual sensor for LPV systems. , 2010, , .		18
411	LPV model-based fault diagnosis using relative fault sensitivity signature approach in a PEM fuel cell. , 2010, , .		4
412	Set computations with subpavings in MATLAB: The SCS Toolbox. , 2010, , .		6
413	Fault-Tolerant Control design using LPV Admissible Model Matching with H_{∞} performance: Application to a two-degree of freedom helicopter. , 2010, , .		3
414	Robust fault detection for LPV systems using interval observers and zonotopes. , 2009, , .		15

#	ARTICLE	IF	CITATIONS
415	Predictive optimal control of sewer networks using CORAL tool: application to Riera Blanca catchment in Barcelona. Water Science and Technology, 2009, 60, 869-878.	2.5	65
416	Optimal predictive control of water transport systems: Arrat-Darrats/Arros case study. Water Science and Technology, 2009, 60, 2125-2133.	2.5	14
417	Robust fault detection using zonotope-based set-membership consistency test. International Journal of Adaptive Control and Signal Processing, 2009, 23, 311-330.	4.1	92
418	Fault-tolerant model predictive control within the hybrid systems framework: Application to sewer networks. International Journal of Adaptive Control and Signal Processing, 2009, 23, 757-787.	4.1	28
419	MIMO Smith predictor: Global and structured robust performance analysis. Journal of Process Control, 2009, 19, 163-177.	3.3	38
420	Equitable Noise Abatement Departure Procedures. , 2009, , .		5
421	On modelling approaches for receding-horizon control design applied to large-scale sewage systems. , 2009, , .		2
422	Adaptive Threshold Generation for Robust Fault Detection using Interval LPV Observers. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2009, 42, 444-449.	0.4	0
423	Robust Fault Diagnosis of Non-linear Systems using Constraints Satisfaction. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2009, 42, 1138-1143.	0.4	4
424	Fault Isolation Module Implementation using a Timed Discrete-Event Approach based on Interval Observers. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2009, 42, 1563-1568.	0.4	1
425	ARIMA Models for Data Consistency of Flowmeters in Water Distribution Networks. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2009, 42, 480-485.	0.4	7
426	Fault Detection and Isolation in Sewer Networks. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2009, 42, 1282-1293.	0.4	1
427	Robust identification and feedback design: An active noise control case study. Control Engineering Practice, 2008, 16, 1265-1274.	5.5	7
428	Simulation of discrete linear time-invariant fuzzy dynamic systems. Fuzzy Sets and Systems, 2008, 159, 787-803.	2.7	7
429	Hierarchical and Sensitivity Analysis for Noise Abatement Departure Procedures. , 2008, , .		3
430	Fault-Tolerant Control of a two-degree of freedom helicopter using LPV techniques. , 2008, , .		6
431	Passive Robust Fault Detection of Dynamic Processes Using Interval Models. IEEE Transactions on Control Systems Technology, 2008, 16, 1083-1089.	5.2	72
432	Objective Prioritization Using Lexicographic Minimizers for MPC of Sewer Networks. IEEE Transactions on Control Systems Technology, 2008, 16, 113-121.	5.2	64

#	ARTICLE	IF	CITATIONS
433	Design of a fault-tolerant control scheme for Takagi-Sugeno fuzzy systems. , 2008, , .		16
434	Robust Fault Detection Linear Interval Observers Avoiding the Wrapping Effect. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2008, 41, 11570-11575.	0.4	9
435	Fault Diagnosis using a Timed Discrete Event Approach based on Interval Observers. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2008, 41, 6914-6919.	0.4	7
436	Suboptimal Hybrid Model Predictive Control: Application to Sewer Networks. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2008, 41, 10021-10026.	0.4	4
437	Robust Bio-regenerative Life Support Systems Control. , 2008, , 273-295.		1
438	Efficient optimal sensor placement for model-based FDI using an incremental algorithm. , 2007, , .		21
439	Fault-tolerant explicit MPC of PEM fuel cells. , 2007, , .		10
440	Optimal sensor placement for model-based fault detection and isolation. , 2007, , .		27
441	Observer gain effect in linear interval observer-based fault detection. , 2007, , .		8
442	Observer Gain Effect in Linear Interval Observer-Based Fault Detection. , 2007, , 540-545.		6
443	Observer Gain Effect in Linear Observer-Based Fault Detection. , 2007, , 699-704.		0
444	An LMI Approach to Designing Observers and Unknown Input Observers for Nonlinear Systems. , 2007, , 198-203.		1
445	Robust fault detection using interval LPV models. , 2007, , .		4
446	Robust Fault Detection with Unknown Input Set-Membership State Estimators and Interval Models Using Zonotopes. , 2007, , 1234-1239.		1
447	A GMDH neural network-based approach to passive robust fault detection using a constraint satisfaction backward test. Engineering Applications of Artificial Intelligence, 2007, 20, 886-897.	8.1	54
448	Passive Robust Fault Detection Using a Forward-Backward Test. , 2007, , 1044-1049.		1
449	Robust Fault Detection Using Inverse Images of Interval Functions. , 2007, , 1210-1215.		2
450	Actuator fault tolerance evaluation of Linear Constrained Robust Model Predictive Control. , 2007, , .		2

#	ARTICLE	IF	CITATIONS
451	Actuator Fault Tolerance Evaluation of Constrained Nonlinear MPC Using Constraints Satisfaction11This work has been supported by the CICYT of Spanish Science and Technology Ministry (DPI2002-03500) and by of DGR of Generalitat de Catalunya (SAC grup 2001/SGR/00236).. , 2007, , 1413-1418.		0
452	Robust Fault Detection Using Interval Constraints Satisfaction and Set Computations11This work has been supported by the CICYT of Spanish Science and Technology Ministry (DPI2002-03500) and by of DGR of Generalitat de Catalunya (SAC grup 2001/SGR/00236).. , 2007, , 1216-1221.		1
453	Robust Fault Detection Based on Zonotope-Based Set-Membership Parameter Consistency Test. , 2007, , 1056-1061.		0
454	Fault Tolerant Hybrid MPC Applied on Sewer Networks1. , 2007, , 144-149.		0
455	Multiple Fault Diagnosis System Design Using Reliability Analysis: Application to Barcelona Rain-Gauge Network. , 2007, , 1324-1329.		0
456	Towards a Better Integration of Passive Robust Interval-Based FDI Algorithms. , 2007, , 1050-1055.		0
457	Design of Structured Residuals Using Interval Models: Application to Multiple Sequential Fault Isolation in Sensor Networks. , 2007, , 914-919.		1
458	OBSERVER GAIN EFFECT IN LINEAR INTERVAL OBSERVER-BASED FAULT DETECTION. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2006, 39, 540-545.	0.4	5
459	PASSIVE ROBUST FAULT DETECTION USING A FORWARD-BACKWARD TEST. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2006, 39, 1044-1049.	0.4	0
460	ROBUST FAULT DETECTION USING INVERSE IMAGES OF INTERVAL FUNCTIONS. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2006, 39, 1210-1215.	0.4	3
461	ROBUST FAULT DETECTION USING INTERVAL CONSTRAINTS SATISFACTION AND SET COMPUTATIONS 1. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2006, 39, 1216-1221.	0.4	3
462	ACTUATOR FAULT TOLERANCE EVALUATION OF CONSTRAINED NONLINEAR MPC USING CONSTRAINTS SATISFACTION1. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2006, 39, 1413-1418.	0.4	1
463	Passive robust fault detection using interval observers: Application to the DAMADICS benchmark problem. Control Engineering Practice, 2006, 14, 621-633.	5.5	84
464	Diagnosis of timed automata: Theory and application to the DAMADICS actuator benchmark problem. Control Engineering Practice, 2006, 14, 609-619.	5.5	34
465	Fault-Tolerant Optimal Control of Sewer Networks: Barcelona Case Study. Measurement and Control, 2006, 39, 151-156.	1.8	1
466	FAULT DIAGNOSIS UNDER MULTIPLE SEQUENTIAL FAULTS OF THE RAIN-GAUGE NETWORK USED TO CONTROL THE BARCELONA SEWER SYSTEM. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2005, 38, 155-160.	0.4	2
467	Benchmarking on Approaches to Interval Observation Applied to Robust Fault Detection. Lecture Notes in Computer Science, 2005, , 171-191.	1.3	6
468	SIMULATION OF UNCERTAIN DYNAMIC SYSTEMS DESCRIBED BY INTERVAL MODELS: A SURVEY. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2005, 38, 1239-1250.	0.4	9

#	ARTICLE	IF	CITATIONS
469	ROBUST FAULT ISOLATION USING NON-LINEAR INTERVAL OBSERVERS: THE DAMADICS BENCHMARK CASE STUDY. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2005, 38, 293-298.	0.4	4
470	Gas Turbine Model-Based Robust Fault Detection Using a Forward “ Backward Test. Lecture Notes in Computer Science, 2005, , 154-170.	1.3	5
471	Optimal control of urban drainage systems. A case study. Control Engineering Practice, 2004, 12, 1-9.	5.5	161
472	Worst-Case Simulation of Discrete Linear Time-Invariant Interval Dynamic Systems. Reliable Computing, 2003, 9, 251-290.	0.8	64
473	Robust Fault Detection Using Linear Interval Observers. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2003, 36, 579-584.	0.4	18
474	PASSIVE ROBUST FAULT DETECTION APPROACHES USING INTERVAL MODELS. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2002, 35, 443-448.	0.4	44
475	Passive robust fault detection using fuzzy parity equations. Mathematics and Computers in Simulation, 2002, 60, 193-207.	4.4	13
476	Fault-tolerant PID controllers using a passive robust fault diagnosis approach. Control Engineering Practice, 2001, 9, 1221-1234.	5.5	28
477	Robust Fault Detection: Active Versus Passive Approaches. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2000, 33, 157-163.	0.4	13
478	A new algorithm for adaptive threshold generation in robust fault detection based on a sliding window and global optimization. , 1999, , .		18
479	Robust Fault Diagnosis using Parallelotope-based Set-membership Consistency Tests. , 0, , .		15
480	Fault Tolerant Model Predictive Control applied on the Barcelona Sewer Network. , 0, , .		10
481	Observers for Interval Systems using Set and Trajectory-based Approaches. , 0, , .		7
482	A New Fault Diagnosis Algorithm that Improves the Integration of Fault Detection and Isolation. , 0, , .		19
483	Identification and Control of an Open-flow Canal using LPV Models. , 0, , .		10