

Carol A Tamminga

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5442534/carol-a-tamminga-publications-by-citations.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

146 papers	5,796 citations	41 h-index	73 g-index
154 ext. papers	7,645 ext. citations	6.6 avg, IF	5.83 L-index

#	Paper	IF	Citations
146	The hippocampal formation in schizophrenia. <i>American Journal of Psychiatry</i> , 2010 , 167, 1178-93	11.9	403
145	Identification of Distinct Psychosis Biotypes Using Brain-Based Biomarkers. <i>American Journal of Psychiatry</i> , 2016 , 173, 373-84	11.9	396
144	Social stress induces neurovascular pathology promoting depression. <i>Nature Neuroscience</i> , 2017 , 20, 1752-1760	25.5	354
143	Neuropsychological impairments in schizophrenia and psychotic bipolar disorder: findings from the Bipolar-Schizophrenia Network on Intermediate Phenotypes (B-SNIP) study. <i>American Journal of Psychiatry</i> , 2013 , 170, 1275-84	11.9	251
142	Clinical phenotypes of psychosis in the Bipolar-Schizophrenia Network on Intermediate Phenotypes (B-SNIP). <i>American Journal of Psychiatry</i> , 2013 , 170, 1263-74	11.9	217
141	Ecaterin mediates stress resilience through Dicer1/microRNA regulation. <i>Nature</i> , 2014 , 516, 51-5	50.4	202
140	Multivariate analysis reveals genetic associations of the resting default mode network in psychotic bipolar disorder and schizophrenia. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, E2066-75	11.5	168
139	Critical Role of Histone Turnover in Neuronal Transcription and Plasticity. <i>Neuron</i> , 2015 , 87, 77-94	13.9	163
138	Medial temporal lobe structures and hippocampal subfields in psychotic disorders: findings from the Bipolar-Schizophrenia Network on Intermediate Phenotypes (B-SNIP) study. <i>JAMA Psychiatry</i> , 2014 , 71, 769-77	14.5	142
137	AKT signaling within the ventral tegmental area regulates cellular and behavioral responses to stressful stimuli. <i>Biological Psychiatry</i> , 2008 , 64, 691-700	7.9	130
136	ITI-007 for the Treatment of Schizophrenia: A 4-Week Randomized, Double-Blind, Controlled Trial. <i>Biological Psychiatry</i> , 2016 , 79, 952-61	7.9	115
135	Efficacy and Safety of Lumateperone for Treatment of Schizophrenia: A Randomized Clinical Trial. <i>JAMA Psychiatry</i> , 2020 , 77, 349-358	14.5	108
134	Bipolar and schizophrenia network for intermediate phenotypes: outcomes across the psychosis continuum. <i>Schizophrenia Bulletin</i> , 2014 , 40 Suppl 2, S131-7	1.3	102
133	Glutamate dysfunction in hippocampus: relevance of dentate gyrus and CA3 signaling. <i>Schizophrenia Bulletin</i> , 2012 , 38, 927-35	1.3	92
132	Molecular adaptations of the blood-brain barrier promote stress resilience vs. depression. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020 , 117, 3326-3336	11.5	86
131	Brain Structure Biomarkers in the Psychosis Biotypes: Findings From the Bipolar-Schizophrenia Network for Intermediate Phenotypes. <i>Biological Psychiatry</i> , 2017 , 82, 26-39	7.9	86
130	O2.3. INCREASED PROTEIN INSOLUBILITY IN BRAINS FROM A SUBSET OF PATIENTS WITH SCHIZOPHRENIA. <i>Schizophrenia Bulletin</i> , 2019 , 45, S163-S163	1.3	78

129	O9.5. EMOTIONAL SCENE PROCESSING IN PSYCHOSIS BIOTYPES: FINDINGS FROM THE BIPOLAR-SCHIZOPHRENIA NETWORK ON INTERMEDIATE PHENOTYPES (BSNIP). <i>Schizophrenia Bulletin</i> , 2019 , 45, S188-S188	1.3	78
128	O11.4. DIAGNOSIS AND BIOTYPE COMPARISON ACROSS THE PSYCHOSIS SPECTRUM: INVESTIGATING WHITE MATTER MICROSTRUCTURAL DIFFERENCES FROM THE BIPOLAR-SCHIZOPHRENIA NETWORK ON INTERMEDIATE PHENOTYPES (B-SNIP) STUDY USING FREE-WATER IMAGING. <i>Schizophrenia Bulletin</i> , 2019 , 45, S195-S195	1.3	78
127	O10.6. ANTERIOR VERSUS POSTERIOR HIPPOCAMPUS WITHIN PSYCHOSIS: A BSNIP STUDY. <i>Schizophrenia Bulletin</i> , 2020 , 46, S26-S27	1.3	78
126	9.3 PSYCHOSIS BIOTYPES VERSUS CLINICAL SYNDROMES THROUGH THE PRISM OF INTRINSIC NEURAL ACTIVITY. <i>Schizophrenia Bulletin</i> , 2018 , 44, S14-S14	1.3	78
125	T22. PITUITARY GLAND VOLUME DIFFERENCES IN INDIVIDUALS WITH PSYCHOSIS: RESULTS FROM THE BIPOLAR-SCHIZOPHRENIA NETWORK ON INTERMEDIATE PHENOTYPES (B-SNIP) STUDY. <i>Schizophrenia Bulletin</i> , 2018 , 44, S121-S121	1.3	78
124	Correlations between brain structure and symptom dimensions of psychosis in schizophrenia, schizoaffective, and psychotic bipolar I disorders. <i>Schizophrenia Bulletin</i> , 2015 , 41, 154-62	1.3	76
123	Transdiagnostic Associations Between Functional Brain Network Integrity and Cognition. <i>JAMA Psychiatry</i> , 2017 , 74, 605-613	14.5	75
122	Fluoxetine epigenetically alters the CaMKII α promoter in nucleus accumbens to regulate FosB binding and antidepressant effects. <i>Neuropsychopharmacology</i> , 2014 , 39, 1178-86	8.7	74
121	Loss of pattern separation performance in schizophrenia suggests dentate gyrus dysfunction. <i>Schizophrenia Research</i> , 2014 , 159, 193-7	3.6	71
120	Frequency-Specific Neural Signatures of Spontaneous Low-Frequency Resting State Fluctuations in Psychosis: Evidence From Bipolar-Schizophrenia Network on Intermediate Phenotypes (B-SNIP) Consortium. <i>Schizophrenia Bulletin</i> , 2015 , 41, 1336-48	1.3	69
119	Reduced levels of vasopressin and reduced behavioral modulation of oxytocin in psychotic disorders. <i>Schizophrenia Bulletin</i> , 2014 , 40, 1374-84	1.3	67
118	Resting state electroencephalogram oscillatory abnormalities in schizophrenia and psychotic bipolar patients and their relatives from the bipolar and schizophrenia network on intermediate phenotypes study. <i>Biological Psychiatry</i> , 2014 , 76, 456-65	7.9	67
117	Identifying dynamic functional connectivity biomarkers using GIG-ICA: Application to schizophrenia, schizoaffective disorder, and psychotic bipolar disorder. <i>Human Brain Mapping</i> , 2017 , 38, 2683-2708	5.9	61
116	Alterations in hippocampal connectivity across the psychosis dimension. <i>Psychiatry Research - Neuroimaging</i> , 2015 , 233, 148-57	2.9	60
115	Conserved higher-order chromatin regulates NMDA receptor gene expression and cognition. <i>Neuron</i> , 2014 , 84, 997-1008	13.9	60
114	White matter abnormalities across the lifespan of schizophrenia: a harmonized multi-site diffusion MRI study. <i>Molecular Psychiatry</i> , 2020 , 25, 3208-3219	15.1	59
113	Elevated antisaccade error rate as an intermediate phenotype for psychosis across diagnostic categories. <i>Schizophrenia Bulletin</i> , 2014 , 40, 1011-21	1.3	58
112	Transdiagnostic dimensions of psychosis in the Bipolar-Schizophrenia Network on Intermediate Phenotypes (B-SNIP). <i>World Psychiatry</i> , 2019 , 18, 67-76	14.4	58

111	Local gyrification index in probands with psychotic disorders and their first-degree relatives. <i>Biological Psychiatry</i> , 2014 , 76, 447-55	7.9	54
110	Event-related potential and time-frequency endophenotypes for schizophrenia and psychotic bipolar disorder. <i>Biological Psychiatry</i> , 2015 , 77, 127-36	7.9	52
109	Amygdala Hyperactivity at Rest in Paranoid Individuals With Schizophrenia. <i>American Journal of Psychiatry</i> , 2015 , 172, 784-92	11.9	48
108	Behavioral response inhibition in psychotic disorders: diagnostic specificity, familiarity and relation to generalized cognitive deficit. <i>Schizophrenia Research</i> , 2014 , 159, 491-8	3.6	47
107	Sex-Specific Role for the Long Non-coding RNA LINC00473 in Depression. <i>Neuron</i> , 2020 , 106, 912-926.e513	9	46
106	Evaluating glutamatergic transmission in schizophrenia. <i>Annals of the New York Academy of Sciences</i> , 2003 , 1003, 113-8	6.5	42
105	Pursuit eye movements as an intermediate phenotype across psychotic disorders: Evidence from the B-SNIP study. <i>Schizophrenia Research</i> , 2015 , 169, 326-333	3.6	41
104	Measurement and treatment research to improve cognition in schizophrenia: neuropharmacological aspects. <i>Psychopharmacology</i> , 2004 , 174, 1	4.7	40
103	Cell type-specific epigenetic links to schizophrenia risk in the brain. <i>Genome Biology</i> , 2019 , 20, 135	18.3	38
102	Association of Choroid Plexus Enlargement With Cognitive, Inflammatory, and Structural Phenotypes Across the Psychosis Spectrum. <i>American Journal of Psychiatry</i> , 2019 , 176, 564-572	11.9	36
101	Sex and diagnosis specific associations between DNA methylation of the oxytocin receptor gene with emotion processing and temporal-limbic and prefrontal brain volumes in psychotic disorders. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2016 , 1, 141-151	3.4	33
100	Aberrant H3.3 dynamics in NAc promote vulnerability to depressive-like behavior. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, 12562-12567	11.5	32
99	Impulsivity across the psychosis spectrum: Correlates of cortical volume, suicidal history, and social and global function. <i>Schizophrenia Research</i> , 2016 , 170, 80-6	3.6	31
98	Strategies for Advancing Disease Definition Using Biomarkers and Genetics: The Bipolar and Schizophrenia Network for Intermediate Phenotypes. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2017 , 2, 20-27	3.4	31
97	Frontal cortex function. <i>American Journal of Psychiatry</i> , 2004 , 161, 2178	11.9	31
96	Polygenic risk for schizophrenia and measured domains of cognition in individuals with psychosis and controls. <i>Translational Psychiatry</i> , 2018 , 8, 78	8.6	30
95	Neural complexity as a potential translational biomarker for psychosis. <i>Journal of Affective Disorders</i> , 2017 , 216, 89-99	6.6	27
94	Accelerated evolution of oligodendrocytes in the human brain. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 24334-24342	11.5	24

93	Does Biology Transcend the Symptom-based Boundaries of Psychosis?. <i>Psychiatric Clinics of North America</i> , 2016 , 39, 165-74	3.1	24
92	Diverse Non-genetic, Allele-Specific Expression Effects Shape Genetic Architecture at the Cellular Level in the Mammalian Brain. <i>Neuron</i> , 2017 , 93, 1094-1109.e7	13.9	23
91	Hippocampal novelty activations in schizophrenia: disease and medication effects. <i>Schizophrenia Research</i> , 2012 , 138, 157-63	3.6	23
90	The Wechsler ACS Social Perception Subtest: A Preliminary Comparison With Other Measures of Social Cognition. <i>Journal of Psychoeducational Assessment</i> , 2012 , 30, 455-465	1.3	23
89	Callosal Abnormalities Across the Psychosis Dimension: Bipolar Schizophrenia Network on Intermediate Phenotypes. <i>Biological Psychiatry</i> , 2016 , 80, 627-35	7.9	21
88	Polygenic risk for type 2 diabetes mellitus among individuals with psychosis and their relatives. <i>Journal of Psychiatric Research</i> , 2016 , 77, 52-8	5.2	20
87	Impaired Context Processing is Attributable to Global Neuropsychological Impairment in Schizophrenia and Psychotic Bipolar Disorder. <i>Schizophrenia Bulletin</i> , 2017 , 43, 397-406	1.3	19
86	Novel transcriptional networks regulated by CLOCK in human neurons. <i>Genes and Development</i> , 2017 , 31, 2121-2135	12.6	19
85	Working memory impairment in probands with schizoaffective disorder and first degree relatives of schizophrenia probands extend beyond deficits predicted by generalized neuropsychological impairment. <i>Schizophrenia Research</i> , 2015 , 166, 310-5	3.6	19
84	The neuropharmacology of psychosis. <i>Schizophrenia Bulletin</i> , 2007 , 33, 937-46	1.3	19
83	Large-Scale Fusion of Gray Matter and Resting-State Functional MRI Reveals Common and Distinct Biological Markers across the Psychosis Spectrum in the B-SNIP Cohort. <i>Frontiers in Psychiatry</i> , 2015 , 6, 174	5	18
82	Multivariate relationships between peripheral inflammatory marker subtypes and cognitive and brain structural measures in psychosis. <i>Molecular Psychiatry</i> , 2021 , 26, 3430-3443	15.1	18
81	Cognitive Function in Individuals With Psychosis: Moderation by Adolescent Cannabis Use. <i>Schizophrenia Bulletin</i> , 2016 , 42, 1496-1503	1.3	18
80	VGF and its C-terminal peptide TLQP-62 in ventromedial prefrontal cortex regulate depression-related behaviors and the response to ketamine. <i>Neuropsychopharmacology</i> , 2019 , 44, 971-981	8.7	18
79	Examining Functional Resting-State Connectivity in Psychosis and Its Subgroups in the Bipolar-Schizophrenia Network on Intermediate Phenotypes Cohort. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2016 , 1, 488-497	3.4	17
78	Using biomarker batteries. <i>Biological Psychiatry</i> , 2015 , 77, 90-2	7.9	14
77	Psychosis is emerging as a learning and memory disorder. <i>Neuropsychopharmacology</i> , 2013 , 38, 247	8.7	14
76	Shared Genetic Risk of Schizophrenia and Gray Matter Reduction in 6p22.1. <i>Schizophrenia Bulletin</i> , 2019 , 45, 222-232	1.3	14

75	Sex differences in associations of arginine vasopressin and oxytocin with resting-state functional brain connectivity. <i>Journal of Neuroscience Research</i> , 2017 , 95, 576-586	4.4	13
74	Regressing to Prior Response Preference After Set Switching Implicates Striatal Dysfunction Across Psychotic Disorders: Findings From the B-SNIP Study. <i>Schizophrenia Bulletin</i> , 2015 , 41, 940-50	1.3	13
73	Testing Psychosis Phenotypes From Bipolar-Schizophrenia Network for Intermediate Phenotypes for Clinical Application: Biotype Characteristics and Targets. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2020 , 5, 808-818	3.4	13
72	Multivariate Relationships Between Cognition and Brain Anatomy Across the Psychosis Spectrum. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2018 , 3, 992-1002	3.4	13
71	Peripheral oxytocin and vasopressin modulates regional brain activity differently in men and women with schizophrenia. <i>Schizophrenia Research</i> , 2018 , 202, 173-179	3.6	13
70	Characterizing functional regional homogeneity (ReHo) as a B-SNIP psychosis biomarker using traditional and machine learning approaches. <i>Schizophrenia Research</i> , 2020 , 215, 430-438	3.6	13
69	Cooperative synaptic and intrinsic plasticity in a disynaptic limbic circuit drive stress-induced anhedonia and passive coping in mice. <i>Molecular Psychiatry</i> , 2021 , 26, 1860-1879	15.1	12
68	An epigenomics approach to individual differences and its translation to neuropsychiatric conditions. <i>Dialogues in Clinical Neuroscience</i> , 2016 , 18, 289-298	5.7	12
67	Brain gray matter network organization in psychotic disorders. <i>Neuropsychopharmacology</i> , 2020 , 45, 6668-674	6.74	12
66	Reduced GluN1 in mouse dentate gyrus is associated with CA3 hyperactivity and psychosis-like behaviors. <i>Molecular Psychiatry</i> , 2020 , 25, 2832-2843	15.1	12
65	Regression dynamic causal modeling for resting-state fMRI. <i>Human Brain Mapping</i> , 2021 , 42, 2159-2180	5.9	12
64	Endophenotypes, Epigenetics, Polygenicity and More: Irv Gottesman's Dynamic Legacy. <i>Schizophrenia Bulletin</i> , 2017 , 43, 10-16	1.3	11
63	Schizophrenia Exhibits Bi-directional Brain-Wide Alterations in Cortico-Striato-Cerebellar Circuits. <i>Cerebral Cortex</i> , 2019 , 29, 4463-4487	5.1	11
62	Hippocampal subfield transcriptome analysis in schizophrenia psychosis. <i>Molecular Psychiatry</i> , 2021 , 26, 2577-2589	15.1	11
61	Brain imaging demonstrates a reduced neural impact of eating in obesity. <i>Obesity</i> , 2016 , 24, 829-36	8	11
60	Intrinsic neural activity differences among psychotic illnesses. <i>Psychophysiology</i> , 2017 , 54, 1223-1238	4.1	10
59	Retinal layer abnormalities and their association with clinical and brain measures in psychotic disorders: A preliminary study. <i>Psychiatry Research - Neuroimaging</i> , 2020 , 299, 111061	2.9	10
58	Associations between adolescent cannabis use and brain structure in psychosis. <i>Psychiatry Research - Neuroimaging</i> , 2018 , 276, 53-64	2.9	10

57	The science of antipsychotics: mechanistic insight. <i>CNS Spectrums</i> , 2003 , 8, 5-9	1.8	10
56	Alterations in intrinsic fronto-thalamo-parietal connectivity are associated with cognitive control deficits in psychotic disorders. <i>Human Brain Mapping</i> , 2019 , 40, 163-174	5.9	10
55	Molecular alterations in the medial temporal lobe in schizophrenia. <i>Schizophrenia Research</i> , 2020 , 217, 71-85	3.6	10
54	Multivariate Genetic Correlates of the Auditory Paired Stimuli-Based P2 Event-Related Potential in the Psychosis Dimension From the BSNIP Study. <i>Schizophrenia Bulletin</i> , 2016 , 42, 851-62	1.3	9
53	New approaches in psychiatric drug development. <i>European Neuropsychopharmacology</i> , 2018 , 28, 983-993	2	9
52	Machine learning reveals bilateral distribution of somatic L1 insertions in human neurons and glia. <i>Nature Neuroscience</i> , 2021 , 24, 186-196	25.5	9
51	The association between mood state and chronobiological characteristics in bipolar I disorder: a naturalistic, variable cluster analysis-based study. <i>International Journal of Bipolar Disorders</i> , 2018 , 6, 5	5.4	8
50	Joint Coupling of Awake EEG Frequency Activity and MRI Gray Matter Volumes in the Psychosis Dimension: A BSNIP Study. <i>Frontiers in Psychiatry</i> , 2015 , 6, 162	5	8
49	Cognitive Impairment and Diminished Neural Responses Constitute a Biomarker Signature of Negative Symptoms in Psychosis. <i>Schizophrenia Bulletin</i> , 2020 ,	1.3	8
48	NRXN1 is associated with enlargement of the temporal horns of the lateral ventricles in psychosis. <i>Translational Psychiatry</i> , 2019 , 9, 230	8.6	7
47	GWAS significance thresholds for deep phenotyping studies can depend upon minor allele frequencies and sample size. <i>Molecular Psychiatry</i> , 2021 , 26, 2048-2055	15.1	7
46	Genetic analysis of deep phenotyping projects in common disorders. <i>Schizophrenia Research</i> , 2018 , 195, 51-57	3.6	7
45	COMT val158met polymorphism and molecular alterations in the human dorsolateral prefrontal cortex: Differences in controls and in schizophrenia. <i>Schizophrenia Research</i> , 2016 , 173, 94-100	3.6	7
44	Investigating Sexual Dimorphism of Human White Matter in a Harmonized, Multisite Diffusion Magnetic Resonance Imaging Study. <i>Cerebral Cortex</i> , 2021 , 31, 201-212	5.1	7
43	The report of the joint WPA/CINP workgroup on the use and usefulness of antipsychotic medication in the treatment of schizophrenia. <i>CNS Spectrums</i> , 2020 , 1-25	1.8	6
42	Smooth pursuit eye movement deficits as a biomarker for psychotic features in bipolar disorder-Findings from the PARDIP study. <i>Bipolar Disorders</i> , 2020 , 22, 602-611	3.8	6
41	VEGFA GENE variation influences hallucinations and frontotemporal morphology in psychotic disorders: a B-SNIP study. <i>Translational Psychiatry</i> , 2018 , 8, 215	8.6	6
40	Approaching human neuroscience for disease understanding. <i>World Psychiatry</i> , 2014 , 13, 41-3	14.4	5

39	Relationship of prolonged acoustic startle latency to diagnosis and biotype in the bipolar-schizophrenia network on intermediate phenotypes (B-SNIP) cohort. <i>Schizophrenia Research</i> , 2020 , 216, 357-366	3.6	5
38	Electrophysiological correlates of emotional scene processing in bipolar disorder. <i>Journal of Psychiatric Research</i> , 2020 , 120, 83-90	5.2	5
37	Autism BrainNet: A network of postmortem brain banks established to facilitate autism research. <i>Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn</i> , 2018 , 150, 31-39	3	4
36	Associating Psychotic Symptoms with Altered Brain Anatomy in Psychotic Disorders Using Multidimensional Item Response Theory Models. <i>Cerebral Cortex</i> , 2020 , 30, 2939-2947	5.1	4
35	Biotyping in psychosis: using multiple computational approaches with one data set. <i>Neuropsychopharmacology</i> , 2021 , 46, 143-155	8.7	4
34	White matter microstructure across brain-based biotypes for psychosis - findings from the bipolar-schizophrenia network for intermediate phenotypes. <i>Psychiatry Research - Neuroimaging</i> , 2021 , 308, 111234	2.9	4
33	Setting Measurement-Based Care in Motion: Practical Lessons in the Implementation and Integration of Measurement-Based Care in Psychiatry Clinical Practice. <i>Neuropsychiatric Disease and Treatment</i> , 2021 , 17, 1621-1631	3.1	3
32	Genome-wide association study accounting for anticholinergic burden to examine cognitive dysfunction in psychotic disorders. <i>Neuropsychopharmacology</i> , 2021 , 46, 1802-1810	8.7	3
31	Improving the predictive potential of diffusion MRI in schizophrenia using normative models-Towards subject-level classification. <i>Human Brain Mapping</i> , 2021 , 42, 4658-4670	5.9	3
30	Altered cerebral perfusion in bipolar disorder: A pCASL MRI study. <i>Bipolar Disorders</i> , 2021 , 23, 130-140	3.8	3
29	Effects of genetic and environmental risk for schizophrenia on hippocampal activity and psychosis-like behavior in mice. <i>Behavioural Brain Research</i> , 2018 , 339, 114-123	3.4	3
28	Chromatin profiling in human neurons reveals aberrant roles for histone acetylation and BET family proteins in schizophrenia.. <i>Nature Communications</i> , 2022 , 13, 2195	17.4	3
27	NMDA receptor antibody seropositivity in psychosis: A pilot study from the Bipolar-Schizophrenia Network for Intermediate Phenotypes (B-SNIP). <i>Schizophrenia Research</i> , 2020 , 218, 318-320	3.6	2
26	Resting state auditory-language cortex connectivity is associated with hallucinations in clinical and biological subtypes of psychotic disorders. <i>NeuroImage: Clinical</i> , 2020 , 27, 102358	5.3	2
25	Gene-expression correlates of the oscillatory signatures supporting human episodic memory encoding. <i>Nature Neuroscience</i> , 2021 , 24, 554-564	25.5	2
24	Reduced white matter microstructure in bipolar disorder with and without psychosis. <i>Bipolar Disorders</i> , 2021 ,	3.8	2
23	Abnormal perfusion fluctuation and perfusion connectivity in bipolar disorder measured by dynamic arterial spin labeling. <i>Bipolar Disorders</i> , 2020 , 22, 401-410	3.8	2
22	Common Data Elements for National Institute of Mental Health-Funded Translational Early Psychosis Research. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2020 , 5, 10-22	3.4	2

21	Elucidating the relationship between white matter structure, demographic, and clinical variables in schizophrenia-a multicenter harmonized diffusion tensor imaging study. <i>Molecular Psychiatry</i> , 2021 , 26, 5357-5370	15.1	2
20	Subtyping Schizophrenia Patients Based on Patterns of Structural Brain Alterations. <i>Schizophrenia Bulletin</i> , 2021 ,	1.3	2
19	Auditory Oddball Responses Across the Schizophrenia-Bipolar Spectrum and Their Relationship to Cognitive and Clinical Features. <i>American Journal of Psychiatry</i> , 2021 , 178, 952-964	11.9	2
18	Similarities and differences among antipsychotics. <i>Journal of Clinical Psychiatry</i> , 2003 , 64 Suppl 17, 7-10	4.6	2
17	10.3 INTRINSIC NEURAL ACTIVITY AS A BIOMARKER FOR DIFFERENTIAL TREATMENT EFFICACY IN PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2019 , 45, S103-S103	1.3	1
16	Catechol-O-methyltransferase genotype differentially contributes to the flexibility and stability of cognitive sets in patients with psychotic disorders and their first-degree relatives. <i>Schizophrenia Research</i> , 2020 , 223, 236-241	3.6	1
15	185 The Safety and Tolerability of Lumateperone 42 mg for the Treatment of Schizophrenia: A Pooled Analysis of 3 Randomized Placebo-Controlled Trials. <i>CNS Spectrums</i> , 2020 , 25, 316-317	1.8	1
14	Do neurobiological differences exist between paranoid and non-paranoid schizophrenia? Findings from the bipolar schizophrenia network on intermediate phenotypes study. <i>Schizophrenia Research</i> , 2020 , 223, 96-104	3.6	1
13	Schizophrenia, I. <i>American Journal of Psychiatry</i> , 2003 , 160, 846	11.9	1
12	The human brain. <i>American Journal of Psychiatry</i> , 2004 , 161, 1169	11.9	1
11	Assessing Striatal Dopamine in Schizophrenia.. <i>Biological Psychiatry</i> , 2022 , 91, 170-172	7.9	1
10	Confirmatory Efficacy and Safety Trial of Magnetic Seizure Therapy for Depression (CREST-MST): study protocol for a randomized non-inferiority trial of magnetic seizure therapy versus electroconvulsive therapy. <i>Trials</i> , 2021 , 22, 786	2.8	1
9	Autism BrainNet: A Collaboration Between Medical Examiners, Pathologists, Researchers, and Families to Advance the Understanding and Treatment of Autism Spectrum Disorder. <i>Archives of Pathology and Laboratory Medicine</i> , 2021 , 145, 494-501	5	1
8	O3.4. PSYCHOSIS PHENOTYPES FROM B-SNIP FOR CLINICAL ADVANCES: BIOTYPE CHARACTERISTICS AND TARGETS. <i>Schizophrenia Bulletin</i> , 2020 , 46, S7-S7	1.3	1
7	Antisaccade error rates and gap effects in psychosis syndromes from bipolar-schizophrenia network for intermediate phenotypes 2 (B-SNIP2). <i>Psychological Medicine</i> , 2021 , 1-10	6.9	1
6	A Diagnosis and Biotype Comparison Across the Psychosis Spectrum: Investigating Volume and Shape Amygdala-Hippocampal Differences from the B-SNIP Study. <i>Schizophrenia Bulletin</i> , 2021 , 47, 1706-1717	1.3	1
5	Psychosis Biotypes: Replication and Validation from the B-SNIP Consortium. <i>Schizophrenia Bulletin</i> , 2021 ,	1.3	1
4	Neural Processing of Repeated Emotional Scenes in Schizophrenia, Schizoaffective Disorder, and Bipolar Disorder. <i>Schizophrenia Bulletin</i> , 2021 , 47, 1473-1481	1.3	0

- | | | | |
|---|--|-----|---|
| 3 | Desmosterol and 7-dehydrocholesterol concentrations in post mortem brains of depressed people: The role of trazodone.. <i>Translational Psychiatry</i> , 2022 , 12, 139 | 8.6 | o |
| 2 | Schizophrenia Research: the 11th Congress on Current Research. <i>Future Neurology</i> , 2007 , 2, 495-497 | 1.5 | |
| 1 | Confirmatory Efficacy and Safety Trial of Magnetic Seizure Therapy for Depression (CREST-MST): protocol for identification of novel biomarkers via neurophysiology.. <i>Trials</i> , 2021 , 22, 906 | 2.8 | |