

Chia-Hung Kao

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5443422/chia-hung-kao-publications-by-citations.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

589
papers

8,385
citations

40
h-index

55
g-index

611
ext. papers

10,182
ext. citations

4
avg, IF

6.44
L-index

#	Paper	IF	Citations
589	Paediatric head CT scan and subsequent risk of malignancy and benign brain tumour: a nation-wide population-based cohort study. <i>British Journal of Cancer</i> , 2014 , 110, 2354-60	8.7	132
588	Rheumatoid arthritis increases the risk of deep vein thrombosis and pulmonary thromboembolism: a nationwide cohort study. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 1774-80	2.4	121
587	Prevalence and risk of cancer of focal thyroid incidentaloma identified by 18F-fluorodeoxyglucose positron emission tomography for cancer screening in healthy subjects. <i>Anticancer Research</i> , 2005 , 25, 1421-6	2.3	103
586	Association Between Parkinson's Disease and Inflammatory Bowel Disease: a Nationwide Taiwanese Retrospective Cohort Study. <i>Inflammatory Bowel Diseases</i> , 2016 , 22, 1049-55	4.5	100
585	Discrepancy between regional cerebral blood flow and glucose metabolism of the brain in systemic lupus erythematosus patients with normal brain magnetic resonance imaging findings. <i>Arthritis and Rheumatism</i> , 1999 , 42, 61-8		81
584	Cancer risk in patients with Graves' disease: a nationwide cohort study. <i>Thyroid</i> , 2013 , 23, 879-84	6.2	80
583	Increased risk of dementia in patients exposed to nitrogen dioxide and carbon monoxide: a population-based retrospective cohort study. <i>PLoS ONE</i> , 2014 , 9, e103078	3.7	77
582	Effects of metformin exposure on neurodegenerative diseases in elderly patients with type 2 diabetes mellitus. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2017 , 79, 77-83	5.5	76
581	18F-FDG PET or PET/CT for detecting extrahepatic metastases or recurrent hepatocellular carcinoma: a systematic review and meta-analysis. <i>European Journal of Radiology</i> , 2012 , 81, 2417-22	4.7	74
580	Use of FDG-PET or PET/CT to detect recurrent colorectal cancer in patients with elevated CEA: a systematic review and meta-analysis. <i>International Journal of Colorectal Disease</i> , 2013 , 28, 1039-47	3	71
579	Risk of cancer in patients with polycystic kidney disease: a propensity-score matched analysis of a nationwide, population-based cohort study. <i>Lancet Oncology</i> , 2016 , 17, 1419-1425	21.7	64
578	Asthma increases pulmonary thromboembolism risk: a nationwide population cohort study. <i>European Respiratory Journal</i> , 2014 , 43, 801-7	13.6	61
577	Increased risk of dementia in patients with osteoporosis: a population-based retrospective cohort analysis. <i>Age</i> , 2014 , 36, 967-75		58
576	Air pollution exposure increases the risk of rheumatoid arthritis: A longitudinal and nationwide study. <i>Environment International</i> , 2016 , 94, 495-499	12.9	56
575	Rheumatoid arthritis and risk of acute myocardial infarction--a nationwide retrospective cohort study. <i>International Journal of Cardiology</i> , 2013 , 168, 4750-4	3.2	55
574	Irritable Bowel Syndrome Is Associated with an Increased Risk of Dementia: A Nationwide Population-Based Study. <i>PLoS ONE</i> , 2016 , 11, e0144589	3.7	54
573	Systemic lupus erythematosus increases the risks of deep vein thrombosis and pulmonary embolism: a nationwide cohort study. <i>Journal of Thrombosis and Haemostasis</i> , 2014 , 12, 452-8	15.4	53

572	Cancer risk in patients with cholelithiasis and after cholecystectomy: a nationwide cohort study. <i>Journal of Gastroenterology</i> , 2014 , 49, 923-31	6.9	53
571	Tuberculosis increases the subsequent risk of acute coronary syndrome: a nationwide population-based cohort study. <i>International Journal of Tuberculosis and Lung Disease</i> , 2014 , 18, 79-83	2.1	52
570	The role of FDG-PET, HMPAO-SPET and MRI in the detection of brain involvement in patients with systemic lupus erythematosus. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1999 , 26, 129-34	8.8	51
569	Relationship of zolpidem and cancer risk: a Taiwanese population-based cohort study. <i>Mayo Clinic Proceedings</i> , 2012 , 87, 430-6	6.4	50
568	A nationwide population-based retrospective cohort study: increased risk of acute coronary syndrome in patients with ankylosing spondylitis. <i>Scandinavian Journal of Rheumatology</i> , 2014 , 43, 132-6 ^{1.9}		48
567	Cancer risk among gingivitis and periodontitis patients: a nationwide cohort study. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2014 , 107, 283-90	2.7	48
566	Correlation between epilepsy and attention deficit hyperactivity disorder: a population-based cohort study. <i>PLoS ONE</i> , 2013 , 8, e57926	3.7	48
565	Use of pretreatment metabolic tumour volumes to predict the outcome of pharyngeal cancer treated by definitive radiotherapy. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2012 , 39, 1297-305	8.8	47
564	F-18 FDG PET for evaluation of bone marrow involvement in non-Hodgkin lymphoma: a meta-analysis. <i>Clinical Nuclear Medicine</i> , 2011 , 36, 553-9	1.7	47
563	The analysis of depression and subsequent cancer risk in Taiwan. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011 , 20, 473-5	4	47
562	Hepatitis C virus infection as a risk factor for Parkinson disease: A nationwide cohort study. <i>Neurology</i> , 2016 , 86, 840-6	6.5	46
561	Tourette syndrome and risk of depression: a population-based cohort study in Taiwan. <i>Journal of Developmental and Behavioral Pediatrics</i> , 2013 , 34, 181-5	2.4	46
560	Diabetes increases the risk of deep-vein thrombosis and pulmonary embolism. A population-based cohort study. <i>Thrombosis and Haemostasis</i> , 2015 , 114, 812-8	7	45
559	Hepatitis C virus infection increases the risk of developing peripheral arterial disease: a 9-year population-based cohort study. <i>Journal of Hepatology</i> , 2015 , 62, 519-25	13.4	45
558	Risk of epilepsy in type 1 diabetes mellitus: a population-based cohort study. <i>Diabetologia</i> , 2016 , 59, 1196-203	10.3	45
557	The association between malignancy and end-stage renal disease in Taiwan. <i>Japanese Journal of Clinical Oncology</i> , 2011 , 41, 752-7	2.8	44
556	Long-term use of zolpidem increases the risk of major injury: a population-based cohort study. <i>Mayo Clinic Proceedings</i> , 2014 , 89, 589-94	6.4	42
555	Increased risk of deep vein thrombosis and pulmonary thromboembolism in patients with spinal cord injury: a nationwide cohort prospective study. <i>Thrombosis Research</i> , 2014 , 133, 579-84	8.2	42

554	Differentiation of single solid lesions in the lungs by means of single-photon emission tomography with technetium-99m methoxyisobutylisotrile. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1993 , 20, 249-54		42
553	Osteoporosis and fractures after solid organ transplantation: a nationwide population-based cohort study. <i>Mayo Clinic Proceedings</i> , 2014 , 89, 888-95	6.4	41
552	Sex- and age-related differences in brain FDG metabolism of healthy adults: an SPM analysis. <i>Journal of Neuroimaging</i> , 2012 , 22, 21-7	2.8	40
551	Increased breast cancer risk for patients with multiple sclerosis: a nationwide population-based cohort study. <i>European Journal of Neurology</i> , 2014 , 21, 238-44	6	40
550	Association of Selective Serotonin Reuptake Inhibitor Use and Acute Angle-Closure Glaucoma. <i>Journal of Clinical Psychiatry</i> , 2016 , 77, e692-6	4.6	40
549	Incident asthma and Mycoplasma pneumoniae: A nationwide cohort study. <i>Journal of Allergy and Clinical Immunology</i> , 2016 , 137, 1017-1023.e6	11.5	39
548	Carbon monoxide poisoning and subsequent cardiovascular disease risk: a nationwide population-based cohort study. <i>Medicine (United States)</i> , 2015 , 94, e624	1.8	38
547	Comparison of acute respiratory events between asthma-COPD overlap syndrome and COPD patients: a population-based cohort study. <i>Medicine (United States)</i> , 2015 , 94, e755	1.8	38
546	Migraine and risk of dementia: a nationwide retrospective cohort study. <i>Neuroepidemiology</i> , 2013 , 41, 139-45	5.4	38
545	Prevalence of Depression and Anxiety in Colorectal Cancer Patients: A Literature Review. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	37
544	Population-based cohort study on the increase in the risk for type 2 diabetes mellitus development from nonapnea sleep disorders. <i>Sleep Medicine</i> , 2013 , 14, 913-8	4.6	37
543	Carvedilol use is associated with reduced cancer risk: A nationwide population-based cohort study. <i>International Journal of Cardiology</i> , 2015 , 184, 9-13	3.2	37
542	Detection of recurrent or persistent nasopharyngeal carcinomas after radiotherapy with technetium-99m methoxyisobutylisotrile single photon emission computed tomography and computed tomography: comparison with 18-fluoro-2-deoxyglucose positron emission tomography. <i>Cancer</i> , 2002 , 94, 1981-6	6.4	37
541	Association between obstructive sleep apnea and deep vein thrombosis / pulmonary embolism: a population-based retrospective cohort study. <i>Thrombosis Research</i> , 2014 , 134, 340-5	8.2	36
540	Exposure to air pollution increases the risk of osteoporosis: a nationwide longitudinal study. <i>Medicine (United States)</i> , 2015 , 94, e733	1.8	36
539	Benzodiazepine use possibly increases cancer risk: a population-based retrospective cohort study in Taiwan. <i>Journal of Clinical Psychiatry</i> , 2012 , 73, e555-60	4.6	36
538	Association Between the Use of Proton Pump Inhibitors and the Risk of ESRD in Renal Diseases: A Population-Based, Case-Control Study. <i>Medicine (United States)</i> , 2016 , 95, e3363	1.8	36
537	Association between Helicobacter pylori infection and dementia. <i>Journal of Clinical Neuroscience</i> , 2014 , 21, 1355-8	2.2	35

536	Attention-deficit-hyperactivity disorder increases risk of bone fracture: a population-based cohort study. <i>Developmental Medicine and Child Neurology</i> , 2014 , 56, 1111-6	3.3	34
535	Technetium-99m methoxyisobutylisonitrile chest imaging of small cell lung carcinoma: relation to patient prognosis and chemotherapy response--a preliminary report. <i>Cancer</i> , 1998 , 83, 64-8	6.4	34
534	Antidepressant treatment and risk of dementia: a population-based, retrospective case-control study. <i>Journal of Clinical Psychiatry</i> , 2016 , 77, 117-22; quiz 122	4.6	34
533	Risk of leukaemia in children infected with enterovirus: a nationwide, retrospective, population-based, Taiwanese-registry, cohort study. <i>Lancet Oncology, The</i> , 2015 , 16, 1335-43	21.7	33
532	Increased risk of varicella zoster virus infection in inflammatory bowel disease in an Asian population: a nationwide population-based cohort study. <i>International Journal of Clinical Practice</i> , 2015 , 69, 228-34	2.9	33
531	Atrial fibrillation associated with increased risk of venous thromboembolism. A population-based cohort study. <i>Thrombosis and Haemostasis</i> , 2015 , 113, 185-92	7	33
530	Cancer risk in patients with candidiasis: a nationwide population-based cohort study. <i>Oncotarget</i> , 2017 , 8, 63562-63573	3.3	32
529	Associations of Tumor PD-1 Ligands, Immunohistochemical Studies, and Textural Features in F-FDG PET in Squamous Cell Carcinoma of the Head and Neck. <i>Scientific Reports</i> , 2018 , 8, 105	4.9	32
528	Association Between Zolpidem and Suicide: A Nationwide Population-Based Case-Control Study. <i>Mayo Clinic Proceedings</i> , 2016 , 91, 308-15	6.4	32
527	Association between migraine and irritable bowel syndrome: a population-based retrospective cohort study. <i>European Journal of Neurology</i> , 2014 , 21, 1198-204	6	32
526	Interim FDG PET/CT for predicting the outcome in patients with head and neck cancer. <i>Laryngoscope</i> , 2014 , 124, 2732-8	3.6	32
525	Hyperlipidemia, statin use and the risk of developing depression: a nationwide retrospective cohort study. <i>General Hospital Psychiatry</i> , 2014 , 36, 497-501	5.6	32
524	Correlation between PET/CT parameters and KRAS expression in colorectal cancer. <i>Clinical Nuclear Medicine</i> , 2014 , 39, 685-9	1.7	32
523	The association between chronic obstructive pulmonary disease and dementia: a population-based retrospective cohort study. <i>European Journal of Neurology</i> , 2015 , 22, 334-40	6	31
522	Calcitonin nasal spray and increased cancer risk: a population-based nested case-control study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014 , 99, 4259-64	5.6	31
521	Malignancies associated with systemic lupus erythematosus in Taiwan: a nationwide population-based cohort study. <i>Rheumatology International</i> , 2012 , 32, 773-8	3.6	31
520	Risks and predictors of osteoporosis in patients with inflammatory bowel diseases in an Asian population: a nationwide population-based cohort study. <i>International Journal of Clinical Practice</i> , 2015 , 69, 235-41	2.9	30
519	Detection of acute inhalation injury in fire victims by means of technetium-99m DTPA radioaerosol inhalation lung scintigraphy. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1997 , 24, 125-9		30

518	Statins are associated with a reduced risk of cholangiocarcinoma: a population-based case-control study. <i>British Journal of Clinical Pharmacology</i> , 2015 , 80, 755-61	3.8	29
517	Risk of Obstructive Sleep Apnea in Adult Patients with Asthma: A Population-Based Cohort Study in Taiwan. <i>PLoS ONE</i> , 2015 , 10, e0128461	3.7	29
516	Association of Periodontitis and Subsequent Depression: A Nationwide Population-Based Study. <i>Medicine (United States)</i> , 2015 , 94, e2347	1.8	29
515	Chronic obstructive pulmonary disease and allied conditions is a strong independent risk factor for osteoporosis and pathologic fractures: a population-based cohort study. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2015 , 108, 633-40	2.7	29
514	Statins Attenuate Helicobacter pylori CagA Translocation and Reduce Incidence of Gastric Cancer: In Vitro and Population-Based Case-Control Studies. <i>PLoS ONE</i> , 2016 , 11, e0146432	3.7	29
513	Periodontal disease with treatment reduces subsequent cancer risks. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2014 , 107, 805-12	2.7	28
512	Sleep disorders and increased risk of subsequent acute coronary syndrome in individuals without sleep apnea: a nationwide population-based cohort study. <i>Sleep</i> , 2013 , 36, 1963-8	1.1	28
511	[18]Fluorodeoxyglucose Positron Emission Tomography for the Textural Features of Cervical Cancer Associated with Lymph Node Metastasis and Histological Type. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2017 , 44, 1721-1731	8.8	27
510	(131)I treatment for thyroid cancer and the risk of developing salivary and lacrimal gland dysfunction and a second primary malignancy: a nationwide population-based cohort study. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2015 , 42, 1172-8	8.8	27
509	Gastroesophageal reflux disease with proton pump inhibitor use is associated with an increased risk of osteoporosis: a nationwide population-based analysis. <i>Osteoporosis International</i> , 2016 , 27, 2117-26	5.3	27
508	Ankylosing spondylitis and other inflammatory spondyloarthritis increase the risk of developing type 2 diabetes in an Asian population. <i>Rheumatology International</i> , 2014 , 34, 265-70	3.6	27
507	A population-based cohort study on deep vein thrombosis and pulmonary embolism among schizophrenia patients. <i>Schizophrenia Research</i> , 2015 , 162, 248-52	3.6	27
506	Increased risks of deep vein thrombosis and pulmonary embolism in Sjögren syndrome: a nationwide cohort study. <i>Journal of Rheumatology</i> , 2014 , 41, 909-15	4.1	27
505	Non-apnea sleep disorders will increase subsequent liver cancer risk--a nationwide population-based cohort study. <i>Sleep Medicine</i> , 2012 , 13, 869-74	4.6	27
504	¹⁸ F-FDG PET/CT-based gross tumor volume definition for radiotherapy in head and neck cancer: a correlation study between suitable uptake value threshold and tumor parameters. <i>Radiation Oncology</i> , 2010 , 5, 76	4.2	27
503	Splenectomy and increased subsequent cancer risk: a nationwide population-based cohort study. <i>American Journal of Surgery</i> , 2015 , 210, 243-51	2.7	26
502	Spinal cord injury increases the risk of type 2 diabetes: a population-based cohort study. <i>Spine Journal</i> , 2014 , 14, 1957-64	4	26
501	Risk of Periodontal Diseases in Patients With Chronic Obstructive Pulmonary Disease: A Nationwide Population-based Cohort Study. <i>Medicine (United States)</i> , 2015 , 94, e2047	1.8	26

500	A population-based cohort study in Taiwan--use of insulin sensitizers can decrease cancer risk in diabetic patients?. <i>Annals of Oncology</i> , 2013 , 24, 523-530	10.3	26
499	Analysis of Parkinson's disease and subsequent cancer risk in Taiwan: a nationwide population-based cohort study. <i>Neuroepidemiology</i> , 2011 , 37, 114-9	5.4	26
498	Metformin and the incidence of cancer in patients with diabetes: a nested case-control study. <i>Diabetes Care</i> , 2013 , 36, e155-6	14.6	25
497	Correlation of pretreatment F-FDG PET tumor textural features with gene expression in pharyngeal cancer and implications for radiotherapy-based treatment outcomes. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2017 , 44, 567-580	8.8	24
496	Increased risk of tinnitus in patients with temporomandibular disorder: a retrospective population-based cohort study. <i>European Archives of Oto-Rhino-Laryngology</i> , 2016 , 273, 203-8	3.5	24
495	Increased lung cancer risk among patients with pneumococcal pneumonia: a nationwide population-based cohort study. <i>Lung</i> , 2014 , 192, 159-65	2.9	24
494	Inflammatory bowel diseases increase future ischemic stroke risk: a Taiwanese population-based retrospective cohort study. <i>European Journal of Internal Medicine</i> , 2014 , 25, 561-5	3.9	24
493	Nonapnea sleep disorders are associated with subsequent ischemic stroke risk: a nationwide, population-based, retrospective cohort study. <i>Sleep Medicine</i> , 2013 , 14, 1341-7	4.6	24
492	Carbon monoxide poisoning and risk of deep vein thrombosis and pulmonary embolism: a nationwide retrospective cohort study. <i>Journal of Epidemiology and Community Health</i> , 2015 , 69, 557-62	5.1	24
491	Neonatal jaundice and risks of childhood allergic diseases: a population-based cohort study. <i>Pediatric Research</i> , 2015 , 78, 223-30	3.2	24
490	Statin Use Reduces Prostate Cancer All-Cause Mortality: A Nationwide Population-Based Cohort Study. <i>Medicine (United States)</i> , 2015 , 94, e1644	1.8	24
489	Adult asthmatics increase the risk of acute coronary syndrome: A nationwide population-based cohort study. <i>European Journal of Internal Medicine</i> , 2014 , 25, 941-5	3.9	24
488	Comparing 18-fluoro-2-deoxyglucose positron emission tomography with a combination of technetium 99m tetrofosmin single photon emission computed tomography and computed tomography to detect recurrent or persistent nasopharyngeal carcinomas after radiotherapy. <i>Cancer</i> , 2001 , 92, 434-9	6.4	24
487	High prevalence of herpes zoster in patients with depression. <i>Journal of Clinical Psychiatry</i> , 2015 , 76, e1099-104	4.6	24
486	Sleep disorders increase the risk of burning mouth syndrome: a retrospective population-based cohort study. <i>Sleep Medicine</i> , 2014 , 15, 1405-10	4.6	23
485	Pulmonary embolism in chronic obstructive pulmonary disease: a population-based cohort study. <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , 2014 , 11, 438-43	2	23
484	Increased risk of stroke in patients with chronic kidney disease after recurrent hypoglycemia. <i>Neurology</i> , 2014 , 83, 686-94	6.5	23
483	Increased depression risk among patients with chronic osteomyelitis. <i>Journal of Psychosomatic Research</i> , 2014 , 77, 535-40	4.1	23

482	Impact of long-term gastric acid suppression on spontaneous bacterial peritonitis in patients with advanced decompensated liver cirrhosis. <i>European Journal of Internal Medicine</i> , 2016 , 32, 91-5	3.9	23
481	Reduced Risk of Parkinson Disease in Patients With Rheumatoid Arthritis: A Nationwide Population-Based Study. <i>Mayo Clinic Proceedings</i> , 2016 , 91, 1346-1353	6.4	23
480	Association between Angiotensin-Converting Enzyme Inhibitors and Lung Cancer-A Nationwide, Population-Based, Propensity Score-Matched Cohort Study. <i>Cancers</i> , 2020 , 12,	6.6	23
479	Female schizophrenia patients and risk of breast cancer: A population-based cohort study. <i>Schizophrenia Research</i> , 2017 , 188, 165-171	3.6	22
478	Increased risk of lung cancer among patients with bronchiectasis: a nationwide cohort study. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2016 , 109, 17-25	2.7	22
477	Metabolic Imaging Phenotype Using Radiomics of [F]FDG PET/CT Associated with Genetic Alterations of Colorectal Cancer. <i>Molecular Imaging and Biology</i> , 2019 , 21, 183-190	3.8	22
476	Association between irritable bowel syndrome and colorectal cancer: a nationwide population-based study. <i>European Journal of Internal Medicine</i> , 2014 , 25, 82-6	3.9	22
475	Inflammatory bowel disease increases the risks of deep vein thrombosis and pulmonary embolism in the hospitalized patients: a nationwide cohort study. <i>Thrombosis Research</i> , 2015 , 135, 492-6	8.2	22
474	Increased risk of cancer for patients with ankylosing spondylitis: a nationwide population-based retrospective cohort study. <i>Scandinavian Journal of Rheumatology</i> , 2014 , 43, 301-6	1.9	22
473	Association Between Tuberculosis and Parkinson Disease: A Nationwide, Population-Based Cohort Study. <i>Medicine (United States)</i> , 2016 , 95, e2883	1.8	22
472	Non-apnea sleep disorder increases the risk of periodontal disease: a retrospective population-based cohort study. <i>Journal of Periodontology</i> , 2014 , 85, e65-71	4.6	21
471	Systemic sclerosis increases the risks of deep vein thrombosis and pulmonary thromboembolism: a nationwide cohort study. <i>Rheumatology</i> , 2014 , 53, 1639-45	3.9	21
470	Increased risk of venous thromboembolism in patients with dermatomyositis/polymyositis: a nationwide cohort study. <i>Thrombosis Research</i> , 2014 , 134, 622-6	8.2	21
469	Genetic Alterations in Colorectal Cancer Have Different Patterns on 18F-FDG PET/CT. <i>Clinical Nuclear Medicine</i> , 2015 , 40, 621-6	1.7	21
468	Neonatal jaundice and increased risk of attention-deficit hyperactivity disorder: a population-based cohort study. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2015 , 56, 460-7	7.9	21
467	Increased risk of osteoporosis in patients with myasthenia gravis: a population-based cohort study. <i>Neurology</i> , 2014 , 83, 1075-9	6.5	21
466	Increased stroke risk among adult asthmatic patients. <i>European Journal of Clinical Investigation</i> , 2014 , 44, 1025-33	4.6	21
465	Association between colonic diverticular disease and colorectal cancer: a nationwide population-based study. <i>Clinical Gastroenterology and Hepatology</i> , 2014 , 12, 1288-94	6.9	21

464	Increased Risk of Dementia in Patients with Tension-Type Headache: A Nationwide Retrospective Population-Based Cohort Study. <i>PLoS ONE</i> , 2016 , 11, e0156097	3.7	21
463	Relationship between zolpidem use and stroke risk: a Taiwanese population-based case-control study. <i>Journal of Clinical Psychiatry</i> , 2013 , 74, e433-8	4.6	21
462	Pyogenic liver abscess in patients with inflammatory bowel disease: a nationwide cohort study. <i>Liver International</i> , 2016 , 36, 136-44	7.9	21
461	Prolong Exposure of NSAID in Patients With RA Will Decrease the Risk of Dementia: A Nationwide Population-Based Cohort Study. <i>Medicine (United States)</i> , 2016 , 95, e3056	1.8	21
460	Association between pneumococcal pneumonia and venous thromboembolism in hospitalized patients: A nationwide population-based study. <i>Respirology</i> , 2015 , 20, 799-804	3.6	20
459	Air pollutants and subsequent risk of chronic kidney disease and end-stage renal disease: A population-based cohort study. <i>Environmental Pollution</i> , 2020 , 261, 114154	9.3	20
458	Long-term use of tamoxifen reduces the risk of dementia: a nationwide population-based cohort study. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2016 , 109, 103-9	2.7	20
457	Surgical treatment for patients with periodontal disease reduces risk of end-stage renal disease: a nationwide population-based retrospective cohort study. <i>Journal of Periodontology</i> , 2014 , 85, 50-6	4.6	20
456	Sleep disorders increase the risk of osteoporosis: a nationwide population-based cohort study. <i>Sleep Medicine</i> , 2014 , 15, 1339-44	4.6	20
455	The relationship between Helicobacter pylori and cancer risk. <i>European Journal of Internal Medicine</i> , 2014 , 25, 235-40	3.9	20
454	Increased risk of Parkinson disease in patients with carbon monoxide intoxication: a population-based cohort study. <i>Medicine (United States)</i> , 2015 , 94, e869	1.8	20
453	Inverse Association of Parkinson Disease With Systemic Lupus Erythematosus: A Nationwide Population-based Study. <i>Medicine (United States)</i> , 2015 , 94, e2097	1.8	20
452	The relationship between secondary hyperparathyroidism and thyroid cancer in end stage renal disease: a population based cohort study. <i>European Journal of Internal Medicine</i> , 2014 , 25, 276-80	3.9	20
451	Risk of prostate and bladder cancers in patients with spinal cord injury: a population-based cohort study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014 , 32, 51.e1-7	2.8	20
450	Bidirectional Association between Asthma and Irritable Bowel Syndrome: Two Population-Based Retrospective Cohort Studies. <i>PLoS ONE</i> , 2016 , 11, e0153911	3.7	20
449	Septicemia is associated with increased risk for dementia: a population-based longitudinal study. <i>Oncotarget</i> , 2017 , 8, 84300-84308	3.3	20
448	Inflammatory bowel disease on the risk of acute pancreatitis: A population-based cohort study. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2016 , 31, 782-7	4	20
447	Gout is associated with organic and psychogenic erectile dysfunction. <i>European Journal of Internal Medicine</i> , 2015 , 26, 691-5	3.9	19

446	Association between ischemic stroke and carbon monoxide poisoning: A population-based retrospective cohort analysis. <i>European Journal of Internal Medicine</i> , 2016 , 29, 65-70	3.9	19
445	Increased risk of autoimmune diseases in dengue patients: A population-based cohort study. <i>Journal of Infection</i> , 2018 , 77, 212-219	18.9	19
444	Helicobacter pylori infection increases subsequent ischemic stroke risk: a nationwide population-based retrospective cohort study. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2014 , 107, 969-75	2.7	19
443	Benzodiazepine therapy in psychiatric outpatients is associated with deliberate self-poisoning events at emergency departments-a population-based nested case-control study. <i>Psychopharmacology</i> , 2013 , 229, 665-71	4.7	19
442	Increased risk of osteoporosis in patients with depression: a population-based retrospective cohort study. <i>Mayo Clinic Proceedings</i> , 2015 , 90, 63-70	6.4	19
441	Survival outcome of patients with nasopharyngeal carcinoma: a nationwide analysis of 13 407 patients in Taiwan. <i>Clinical Otolaryngology</i> , 2015 , 40, 327-34	1.8	19
440	Long-term risk of acute coronary syndrome in patients with inflammatory bowel disease: a 13-year nationwide cohort study in an Asian population. <i>Inflammatory Bowel Diseases</i> , 2014 , 20, 502-7	4.5	19
439	Technetium-99m-sestamethoxyisobutylisonitrile scan as a predictor of chemotherapy response in malignant lymphomas compared with P-glycoprotein expression, multidrug resistance-related protein expression and other prognosis factors. <i>British Journal of Haematology</i> , 2001 , 113, 369-74	4.5	19
438	A higher dosage of oral alendronate will increase the subsequent cancer risk of osteoporosis patients in Taiwan: a population-based cohort study. <i>PLoS ONE</i> , 2012 , 7, e53032	3.7	19
437	Helicobacter pylori infection and the risk of acute coronary syndrome: a nationwide retrospective cohort study. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2015 , 34, 69-74	5.3	18
436	Decreased prevalence of dementia associated with statins: a national population-based study. <i>European Journal of Neurology</i> , 2015 , 22, 912-8	6	18
435	A population-based nested case-control study: the use of 5-alpha-reductase inhibitors and the increased risk of osteoporosis diagnosis in patients with benign prostate hyperplasia. <i>Clinical Endocrinology</i> , 2015 , 82, 503-8	3.4	18
434	The use of adjunctive traditional Chinese medicine therapy and survival outcome in patients with head and neck cancer: a nationwide population-based cohort study. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2015 , 108, 959-65	2.7	18
433	Increased risk of dementia in patients hospitalized with acute kidney injury: A nationwide population-based cohort study. <i>PLoS ONE</i> , 2017 , 12, e0171671	3.7	18
432	Risk of Suicide Attempt in Poststroke Patients: A Population-Based Cohort Study. <i>Journal of the American Heart Association</i> , 2018 , 7,	6	18
431	Periodontal Treatment Reduces Risk of Adverse Respiratory Events in Patients With Chronic Obstructive Pulmonary Disease: A Propensity-Matched Cohort Study. <i>Medicine (United States)</i> , 2016 , 95, e3735	1.8	18
430	Simvastatin Therapy for Drug Repositioning to Reduce the Risk of Prostate Cancer Mortality in Patients With Hyperlipidemia. <i>Frontiers in Pharmacology</i> , 2018 , 9, 225	5.6	18
429	Textural features of cervical cancers on FDG-PET/CT associate with survival and local relapse in patients treated with definitive chemoradiotherapy. <i>Scientific Reports</i> , 2018 , 8, 11859	4.9	18

428	Nontuberculosis mycobacterium disease is a risk factor for chronic obstructive pulmonary disease: a nationwide cohort study. <i>Lung</i> , 2014 , 192, 403-11	2.9	18
427	Pneumococcal pneumonia infection is associated with end-stage renal disease in adult hospitalized patients. <i>Kidney International</i> , 2014 , 86, 1023-30	9.9	18
426	Interferon-Based Treatment of Hepatitis C Virus Infection Reduces All-Cause Mortality in Patients With End-Stage Renal Disease: An 8-Year Nationwide Cohort Study in Taiwan. <i>Medicine (United States)</i> , 2015 , 94, e2113	1.8	18
425	Enterovirus Encephalitis Increases the Risk of Attention Deficit Hyperactivity Disorder: A Taiwanese Population-based Case-control Study. <i>Medicine (United States)</i> , 2015 , 94, e707	1.8	18
424	Hepatitis C Virus Infection Associated With an Increased Risk of Deep Vein Thrombosis: A Population-Based Cohort Study. <i>Medicine (United States)</i> , 2015 , 94, e1585	1.8	18
423	Idiopathic venous thromboembolism: a potential surrogate for occult cancer. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2014 , 107, 529-36	2.7	18
422	Benzodiazepine use and risk of stroke: a retrospective population-based cohort study. <i>Psychiatry and Clinical Neurosciences</i> , 2014 , 68, 255-62	6.2	18
421	Increased risk of lichen simplex chronicus in people with anxiety disorder: a nationwide population-based retrospective cohort study. <i>British Journal of Dermatology</i> , 2014 , 170, 890-4	4	18
420	Risk of peripheral arterial occlusive disease in patients with rheumatoid arthritis. A nationwide population-based cohort study. <i>Thrombosis and Haemostasis</i> , 2016 , 115, 439-45	7	18
419	Infective Endocarditis and Cancer Risk: A Population-Based Cohort Study. <i>Medicine (United States)</i> , 2016 , 95, e3198	1.8	18
418	Angiotensin-converting enzyme inhibitors and angiotensin II receptor blockers reduced dementia risk in patients with diabetes mellitus and hypertension. <i>International Journal of Cardiology</i> , 2016 , 220, 462-6	3.2	18
417	Development of a prediction model for pancreatic cancer in patients with type 2 diabetes using logistic regression and artificial neural network models. <i>Cancer Management and Research</i> , 2018 , 10, 6317-6324	3.6	18
416	Risk of hypothyroidism among patients with nasopharyngeal carcinoma treated with radiation therapy: A Population-Based Cohort Study. <i>Radiotherapy and Oncology</i> , 2017 , 123, 394-400	5.3	17
415	Nonapnea sleep disorders and incident chronic kidney disease: a population-based retrospective cohort study. <i>Medicine (United States)</i> , 2015 , 94, e429	1.8	17
414	Risk of depressive disorder among patients with head and neck cancer: A nationwide population-based study. <i>Head and Neck</i> , 2018 , 40, 312-323	4.2	17
413	Association between Glaucoma Medication Usage and Dry Eye in Taiwan. <i>Optometry and Vision Science</i> , 2015 , 92, e227-32	2.1	17
412	A Large-Scale Study Indicates Increase in the Risk of Epilepsy in Patients With Different Risk Factors, Including Rheumatoid Arthritis. <i>Medicine (United States)</i> , 2015 , 94, e1485	1.8	17
411	Rheumatoid arthritis increases the risk of nontuberculosis mycobacterial disease and active pulmonary tuberculosis. <i>PLoS ONE</i> , 2014 , 9, e110922	3.7	17

410	Association of Herpes Zoster and Type 1 Diabetes Mellitus. <i>PLoS ONE</i> , 2016 , 11, e0155175	3.7	17
409	Association between proton pump inhibitors use and risk of gastric cancer in patients with GERD. <i>Gut</i> , 2019 , 68, 374-376	19.2	17
408	Association of Exposure to Fine-Particulate Air Pollution and Acidic Gases with Incidence of Nephrotic Syndrome. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6	17
407	Prediction of local relapse and distant metastasis in patients with definitive chemoradiotherapy-treated cervical cancer by deep learning from [F]-fluorodeoxyglucose positron emission tomography/computed tomography. <i>European Radiology</i> , 2019 , 29, 6741-6749	8	16
406	Bronchiectasis and the risk of cancer: a nationwide retrospective cohort study. <i>International Journal of Clinical Practice</i> , 2015 , 69, 682-8	2.9	16
405	Risk of acute coronary syndrome and peripheral arterial disease in chronic liver disease and cirrhosis: A nationwide population-based study. <i>Atherosclerosis</i> , 2018 , 270, 154-159	3.1	16
404	Relationship between pneumonia and cardiovascular diseases: A retrospective cohort study of the general population. <i>European Journal of Internal Medicine</i> , 2019 , 59, 39-45	3.9	16
403	Scrub typhus increases the risk of developing acute coronary syndrome: a nationwide cohort study. <i>Heart</i> , 2014 , 100, 1844-50	5.1	16
402	Adult asthma is associated with an increased risk of herpes zoster: A population-based cohort study. <i>Journal of Asthma</i> , 2017 , 54, 250-257	1.9	16
401	Increased Risk of Pyogenic Liver Abscess Among Patients With Colonic Diverticular Diseases: A Nationwide Cohort Study. <i>Medicine (United States)</i> , 2015 , 94, e2210	1.8	16
400	Risk of Peripheral Arterial Occlusive Disease in Patients With Systemic Lupus Erythematosus: A Nationwide Population-Based Cohort Study. <i>Medicine (United States)</i> , 2015 , 94, e2121	1.8	16
399	Depression and the Risk of Peptic Ulcer Disease: A Nationwide Population-Based Study. <i>Medicine (United States)</i> , 2015 , 94, e2333	1.8	16
398	High Risk of Depressive Disorders in Patients With Gout: A Nationwide Population-Based Cohort Study. <i>Medicine (United States)</i> , 2015 , 94, e2401	1.8	16
397	Herpes zoster infection associated with acute coronary syndrome: a population-based retrospective cohort study. <i>British Journal of Dermatology</i> , 2014 , 170, 1122-9	4	16
396	Pretreatment maximal standardized uptake value of the primary tumor predicts outcome to radiotherapy in patients with pharyngeal cancer. <i>Journal of Radiation Research</i> , 2012 , 53, 462-8	2.4	16
395	Risk of Parkinson's disease following zolpidem use: a retrospective, population-based cohort study. <i>Journal of Clinical Psychiatry</i> , 2015 , 76, e104-10	4.6	16
394	Analysis of Patients with Helicobacter pylori Infection and the Subsequent Risk of Developing Osteoporosis after Eradication Therapy: A Nationwide Population-Based Cohort Study. <i>PLoS ONE</i> , 2016 , 11, e0162645	3.7	16
393	Unprovoked venous thromboembolism and subsequent cancer risk: a population-based cohort study. <i>Journal of Thrombosis and Haemostasis</i> , 2016 , 14, 495-503	15.4	16

392	Subsequent risk of nasopharyngeal carcinoma among patients with allergic rhinitis: a nationwide population-based cohort study. <i>Head and Neck</i> , 2015 , 37, 413-7	4.2	15
391	Statins can increase the risk of herpes zoster infection in Asia. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2015 , 34, 1451-8	5.3	15
390	Risk of Breast Cancer in Patients with Thyroid Cancer Receiving or Not Receiving 131I Treatment: A Nationwide Population-Based Cohort Study. <i>Journal of Nuclear Medicine</i> , 2016 , 57, 685-90	8.9	15
389	Hemodialysis Is Associated With Increased Peripheral Artery Occlusive Disease Risk Among Patients With End-Stage Renal Disease: A Nationwide Population-Based Cohort Study. <i>Medicine (United States)</i> , 2015 , 94, e1164	1.8	15
388	Association between adult otitis media and nasopharyngeal cancer: a nationwide population-based cohort study. <i>Radiotherapy and Oncology</i> , 2012 , 104, 338-42	5.3	15
387	Predicting pathological complete response in rectal cancer after chemoradiotherapy with a random forest using F-fluorodeoxyglucose positron emission tomography and computed tomography radiomics. <i>Annals of Translational Medicine</i> , 2020 , 8, 207	3.2	15
386	Sleep disorders increase risk of subsequent erectile dysfunction in individuals without sleep apnea: a nationwide population-base cohort study. <i>Sleep Medicine</i> , 2016 , 17, 64-8	4.6	14
385	Atrial fibrillation is associated with increased risk of erectile dysfunction: A nationwide population-based cohort study. <i>International Journal of Cardiology</i> , 2015 , 190, 106-10	3.2	14
384	Risk of stroke in patients with dengue fever: a population-based cohort study. <i>Cmaj</i> , 2018 , 190, E285-E290	3.5	14
383	Increased risk of fracture in patients with bipolar disorder: a nationwide cohort study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016 , 51, 1331-8	4.5	14
382	Attention-deficit hyperactivity disorder increases the risk of deliberate self-poisoning: A population-based cohort. <i>European Psychiatry</i> , 2014 , 29, 523-7	6	14
381	Diabetes mellitus and increased postoperative risk of acute renal failure after hepatectomy for hepatocellular carcinoma: a nationwide population-based study. <i>Annals of Surgical Oncology</i> , 2014 , 21, 3810-6	3.1	14
380	Inflammatory Bowel Disease Increases the Risk of Peripheral Arterial Disease: A Nationwide Cohort Study. <i>Medicine (United States)</i> , 2015 , 94, e2381	1.8	14
379	Risk stratification of metastatic neck nodes by CT and PET in patients with head and neck cancer receiving definitive radiotherapy. <i>Journal of Nuclear Medicine</i> , 2015 , 56, 183-9	8.9	14
378	Risk of second primary malignancies among patients with prostate cancer: A population-based cohort study. <i>PLoS ONE</i> , 2017 , 12, e0175217	3.7	14
377	Group A Streptococcal Infections Are Associated With Increased Risk of Pediatric Neuropsychiatric Disorders: A Taiwanese Population-Based Cohort Study. <i>Journal of Clinical Psychiatry</i> , 2016 , 77, e848-54	4.6	14
376	Treating hepatocellular carcinoma with Y-bearing microspheres: a review. <i>BioMedicine (Taiwan)</i> , 2016 , 6, 19	1.1	14
375	Does Migraine Increase the Risk of Glaucoma?: A Population-Based Cohort Study. <i>Medicine (United States)</i> , 2016 , 95, e3670	1.8	14

374	Statin for Tuberculosis and Pneumonia in Patients with Asthma?Chronic Pulmonary Disease Overlap Syndrome: A Time-Dependent Population-Based Cohort Study. <i>Journal of Clinical Medicine</i> , 2018 , 7,	5.1	14
373	Risk of Periodontal Disease in Patients With Asthma: A Nationwide Population-Based Retrospective Cohort Study. <i>Journal of Periodontology</i> , 2017 , 88, 723-730	4.6	13
372	Evaluating clinical risk factors for suicide attempts in patients with epilepsy. <i>Journal of Affective Disorders</i> , 2018 , 229, 79-84	6.6	13
371	Increased osteoporosis risk in dermatomyositis or polymyositis independent of the treatments: a population-based cohort study with propensity score. <i>Endocrine</i> , 2016 , 52, 86-92	4	13
370	An association between benzodiazepine use and occurrence of benign brain tumors. <i>Journal of the Neurological Sciences</i> , 2014 , 336, 8-12	3.2	13
369	Increased risk of chronic fatigue syndrome following herpes zoster: a population-based study. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2014 , 33, 1653-9	5.3	13
368	Excessive risk of cancer and in particular lymphoid malignancy in myasthenia gravis patients: a population-based cohort study. <i>Neuromuscular Disorders</i> , 2014 , 24, 245-9	2.9	13
367	Association between Helicobacter pylori infection and the subsequent risk of end-stage renal disease: a nationwide population-based cohort study. <i>International Journal of Clinical Practice</i> , 2015 , 69, 604-10	2.9	13
366	Higher risk of myasthenia gravis in patients with thyroid and allergic diseases: a national population-based study. <i>Medicine (United States)</i> , 2015 , 94, e835	1.8	13
365	Pre-existing diabetes and risks of morbidity and mortality after liver transplantation: A nationwide database study in an Asian population. <i>European Journal of Internal Medicine</i> , 2015 , 26, 433-8	3.9	13
364	Pretreatment (18)F-FDG PET/CT in whole-body total lesion glycolysis to predict survival in patients with pharyngeal cancer treated with definitive radiotherapy. <i>Clinical Nuclear Medicine</i> , 2014 , 39, e296-300	1.7	13
363	Urinary tract infection increases subsequent urinary tract cancer risk: a population-based cohort study. <i>Cancer Science</i> , 2013 , 104, 619-23	6.9	13
362	Asthma-Chronic Obstructive Pulmonary Diseases Overlap Syndrome Increases the Risk of Incident Tuberculosis: A National Cohort Study. <i>PLoS ONE</i> , 2016 , 11, e0159012	3.7	13
361	A Nationwide Population-Based Cohort Study of Migraine and Organic-Psychogenic Erectile Dysfunction. <i>Medicine (United States)</i> , 2016 , 95, e3065	1.8	13
360	Increased risk of dementia among chronic osteomyelitis patients. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2015 , 34, 153-159	5.3	12
359	Long-term risk of acute coronary syndrome in hepatitis C virus infected patients without antiviral treatment: A cohort study from an endemic area. <i>International Journal of Cardiology</i> , 2015 , 181, 27-9	3.2	12
358	Short-term dipeptidyl peptidase-4 inhibitor use increases the risk of herpes zoster infection in Asian patients with diabetes. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2016 , 109, 91-5	2.7	12
357	Spinal cord injury is associated with an increased risk of atrial fibrillation: A population-based cohort study. <i>Heart Rhythm</i> , 2016 , 13, 416-23	6.7	12

356	Subsequent cancer risk of children receiving post voiding cystourethrography: a nationwide population-based retrospective cohort study. <i>Pediatric Nephrology</i> , 2014 , 29, 885-91	3.2	12
355	The association between chronic osteomyelitis and increased risk of diabetes mellitus: a population-based cohort study. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2014 , 33, 1647-52	5.3	12
354	Pneumoconiosis increases the risk of peripheral arterial disease: a nationwide population-based study. <i>Medicine (United States)</i> , 2015 , 94, e911	1.8	12
353	Long-term risk of mesenteric ischemia in patients with inflammatory bowel disease: a 13-year nationwide cohort study in an Asian population. <i>American Journal of Surgery</i> , 2015 , 210, 80-6	2.7	12
352	High risk of developing subsequent epilepsy in young adults with migraine: a nationwide population-based cohort study in Taiwan. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2015 , 108, 449-55	2.7	12
351	The association of peptic ulcer and schizophrenia: a population-based study. <i>Journal of Psychosomatic Research</i> , 2014 , 77, 541-6	4.1	12
350	Normal data for lumbar spine bone mineral content in healthy Chinese men. <i>Calcified Tissue International</i> , 1997 , 61, 114-6	3.9	12
349	A nationwide population-based cohort study: will anxiety disorders increase subsequent cancer risk?. <i>PLoS ONE</i> , 2012 , 7, e36370	3.7	12
348	Asthma-Chronic Obstructive Pulmonary Disease Overlap Syndrome Associated with Risk of Pulmonary Embolism. <i>PLoS ONE</i> , 2016 , 11, e0162483	3.7	12
347	Association between gallbladder stone disease and prostate cancer: A nationwide population-based study. <i>Oncotarget</i> , 2016 , 7, 64380-64389	3.3	12
346	Risk of type 2 diabetes mellitus in patients with acute critical illness: a population-based cohort study. <i>Intensive Care Medicine</i> , 2016 , 42, 38-45	14.5	11
345	Risk of mood disorders in patients with colorectal cancer. <i>Journal of Affective Disorders</i> , 2017 , 218, 59-656.6		11
344	Bidirectional association between migraine and fibromyalgia: retrospective cohort analyses of two populations. <i>BMJ Open</i> , 2019 , 9, e026581	3	11
343	Risk of acute coronary syndrome in patients with cervical spondylosis. <i>Atherosclerosis</i> , 2018 , 271, 136-143.1		11
342	Risk of osteoporosis in thyroid cancer patients using levothyroxine: a population-based study. <i>Current Medical Research and Opinion</i> , 2018 , 34, 805-812	2.5	11
341	Statin Therapy Is Associated with Reduced Risk of Peptic Ulcer Disease in the Taiwanese Population. <i>Frontiers in Pharmacology</i> , 2017 , 8, 210	5.6	11
340	Irritable Bowel Syndrome Increases the Risk of Epilepsy: A Population-Based Study. <i>Medicine (United States)</i> , 2015 , 94, e1497	1.8	11
339	Increased Risk of Herpes Zoster Following Dermatomyositis and Polymyositis: A Nationwide Population-Based Cohort Study. <i>Medicine (United States)</i> , 2015 , 94, e1138	1.8	11

338	Radiotherapy for esophageal cancer using simultaneous integrated boost techniques: dosimetric comparison of helical TomoTherapy, Volumetric-modulated Arc Therapy (RapidArc) and dynamic intensity-modulated radiotherapy. <i>Technology in Cancer Research and Treatment</i> , 2013 , 12, 485-91	2.7	11
337	Tissue polypeptide specific antigen and squamous cell carcinoma antigen for early prediction of recurrence in lung squamous cell carcinoma. <i>Lung</i> , 2000 , 178, 75-80	2.9	11
336	Gastric clearance of radiopaque markers in non-ulcer dyspepsia patients. <i>Scandinavian Journal of Gastroenterology</i> , 1996 , 31, 136-9	2.4	11
335	Risk of Nongenitourinary Cancers in Patients With Spinal Cord Injury: A Population-based Cohort Study. <i>Medicine (United States)</i> , 2016 , 95, e2462	1.8	11
334	The use of intravenous magnesium sulfate on postoperative analgesia in orthopedic surgery: A systematic review of randomized controlled trials. <i>Medicine (United States)</i> , 2018 , 97, e13583	1.8	11
333	Proton Pump Inhibitor Use is Associated With Risk of Pancreatic Cancer: A Nested Case-Control Study. <i>Dose-Response</i> , 2018 , 16, 1559325818803283	2.3	11
332	Development of a Prediction Model for Colorectal Cancer among Patients with Type 2 Diabetes Mellitus Using a Deep Neural Network. <i>Journal of Clinical Medicine</i> , 2018 , 7,	5.1	11
331	Correlation between use of simvastatin and lovastatin and female lung cancer risk: a nationwide case-control study. <i>International Journal of Clinical Practice</i> , 2015 , 69, 571-6	2.9	10
330	Increased risk of brain tumor in patients with Parkinson's disease: a nationwide cohort study in Taiwan. <i>Acta Neurologica Scandinavica</i> , 2016 , 134, 148-53	3.8	10
329	Diverticular disease and additional comorbidities associated with increased risk of dementia. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2016 , 31, 1816-1822	4	10
328	Association between Inflammatory Bowel Disease and Cholelithiasis: A Nationwide Population-Based Cohort Study. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6	10
327	Risk of Parkinson disease after organophosphate or carbamate poisoning. <i>Acta Neurologica Scandinavica</i> , 2017 , 136, 129-137	3.8	10
326	A nationwide population-based cohort study on tonsillectomy and subsequent cancer incidence. <i>Laryngoscope</i> , 2015 , 125, 134-9	3.6	10
325	Angiotensin-converting enzyme inhibitors and bacterial pneumonia in patients with Parkinson disease. <i>Movement Disorders</i> , 2015 , 30, 593-6	7	10
324	Association Between Benzodiazepine Use and Epilepsy Occurrence: A Nationwide Population-Based Case-Control Study. <i>Medicine (United States)</i> , 2015 , 94, e1571	1.8	10
323	Increased risk of chronic fatigue syndrome in patients with migraine: A retrospective cohort study. <i>Journal of Psychosomatic Research</i> , 2015 , 79, 514-8	4.1	10
322	Nontuberculous mycobacterial infection is associated with increased respiratory failure: a nationwide cohort study. <i>PLoS ONE</i> , 2014 , 9, e99260	3.7	10
321	Early changes in brain FDG metabolism during anticancer therapy in patients with pharyngeal cancer. <i>Journal of Neuroimaging</i> , 2014 , 24, 266-72	2.8	10

320	[(18)F]Fluorodeoxyglucose-positron emission tomography screening for lung cancer: a systematic review and meta-analysis. <i>Cancer Imaging</i> , 2013 , 13, 458-65	5.6	10
319	Association of systemic lupus erythematosus and sleep disorders: a nationwide population-based cohort study. <i>Lupus</i> , 2016 , 25, 382-8	2.6	10
318	Risk, Severity, and Predictors of Obstructive Sleep Apnea in Hemodialysis and Peritoneal Dialysis Patients. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6	10
317	Major depressive disorder is associated with subsequent adult-onset asthma: a population-based cohort study. <i>Epidemiology and Psychiatric Sciences</i> , 2017 , 26, 664-671	5.1	9
316	Higher risk of developing a subsequent migraine in adults with nonapnea sleep disorders: A nationwide population-based cohort study. <i>European Journal of Internal Medicine</i> , 2015 , 26, 232-6	3.9	9
315	Tamoxifen Treatment and the Reduced Risk of Hyperlipidemia in Asian Patients With Breast Cancer: A Population-Based Cohort Study. <i>Clinical Breast Cancer</i> , 2015 , 15, 294-300	3	9
314	Risk of coronary artery disease in transfusion-naïve thalassemia populations: A nationwide population-based retrospective cohort study. <i>European Journal of Internal Medicine</i> , 2015 , 26, 250-4	3.9	9
313	Pulmonary embolism is associated with current morphine treatment in patients with deep vein thrombosis. <i>Clinical Respiratory Journal</i> , 2015 , 9, 233-7	1.7	9
312	Association between Chronic Interstitial Cystitis and Herpes Zoster. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	9
311	Association between obstructive sleep apnea and atopic dermatitis in children: A nationwide, population-based cohort study. <i>Pediatric Allergy and Immunology</i> , 2018 , 29, 260-266	4.2	9
310	Association of hepatitis B virus infection with decreased ischemic stroke. <i>Acta Neurologica Scandinavica</i> , 2016 , 134, 339-345	3.8	9
309	Childhood type 1 diabetes may increase the risk of atopic dermatitis. <i>British Journal of Dermatology</i> , 2016 , 174, 88-94	4	9
308	The impact of global budgeting on health service utilization, health care expenditures, and quality of care among patients with pneumonia in Taiwan. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2016 , 35, 219-25	5.3	9
307	Increased risk of epilepsy among patients diagnosed with chronic osteomyelitis. <i>Epilepsy Research</i> , 2014 , 108, 1427-34	3	9
306	Association between herpes zoster and end stage renal disease entrance in chronic kidney disease patients: a population-based cohort study. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2014 , 33, 1809-15	5.3	9
305	Urinary tract stone raises subsequent risk for urinary tract cancer: a population-based cohort study. <i>BJU International</i> , 2013 , 112, 1150-5	5.6	9
304	Which FDG/PET parameters of the primary tumors in colon or sigmoid cancer provide the best correlation with the pathological findings?. <i>European Journal of Radiology</i> , 2013 , 82, e405-10	4.7	9
303	Pneumococcal pneumonia and the risk of acute coronary syndrome: a population-based cohort study. <i>International Journal of Cardiology</i> , 2013 , 168, 4480-1	3.2	9

302	Spironolactone and the risk of urinary tract cancer in patients with hypertension: a nationwide population-based retrospective case-control study. <i>Journal of Hypertension</i> , 2017 , 35, 170-177	1.9	9
301	Risk of Type 2 Diabetes in Patients With Nonapnea Sleep Disorders in Using Different Types of Hypnotics: A Population-Based Retrospective Cohort Study. <i>Medicine (United States)</i> , 2015 , 94, e1621	1.8	9
300	Lichen Simplex Chronicus Associated With Erectile Dysfunction: A Population-Based Retrospective Cohort Study. <i>PLoS ONE</i> , 2015 , 10, e0128869	3.7	9
299	Irritable bowel syndrome is associated not only with organic but also psychogenic erectile dysfunction. <i>International Journal of Impotence Research</i> , 2015 , 27, 233-8	2.3	9
298	The Risk of Septicemia in End-Stage Renal Disease With and Without Renal Transplantation: A Propensity-Matched Cohort Study. <i>Medicine (United States)</i> , 2015 , 94, e1437	1.8	9
297	Utility of TL-201 SPECT in clarifying false-positive FDG-PET findings due to osteoradionecrosis in head and neck cancer. <i>Head and Neck</i> , 2010 , 32, 1648-54	4.2	9
296	Detection of recurrent nasopharyngeal carcinomas with thallium-201 single-photon emission computed tomography in patients with indeterminate magnetic resonance imaging findings after radiotherapy. <i>Head and Neck</i> , 2003 , 25, 227-31	4.2	9
295	Cerebral perfusion in patients with syndrome X: a single photon emission computed tomography study. <i>Journal of Neuroimaging</i> , 2001 , 11, 148-52	2.8	9
294	Increased Risk of Acute Kidney Injury following Pneumococcal Pneumonia: A Nationwide Cohort Study. <i>PLoS ONE</i> , 2016 , 11, e0158501	3.7	9
293	Mortality Risk and Risk Factors in Patients with Posttraumatic Epilepsy: A Population-Based Cohort Study. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	9
292	Risk of Polycystic Ovary Syndrome in Women Exposed to Fine Air Pollutants and Acidic Gases: A Nationwide Cohort Analysis. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	9
291	Staging/restaging performance of F18-fluorodeoxyglucose positron emission tomography/magnetic resonance imaging in breast cancer: A review and meta-analysis. <i>European Journal of Radiology</i> , 2018 , 107, 158-165	4.7	9
290	Clinical impact of 18F-FDG-PET in the suspicion of recurrent colorectal cancer based on asymptotically elevated serum level of carcinoembryonic antigen (CEA) in Taiwan. <i>Hepato-Gastroenterology</i> , 2006 , 53, 348-50		9
289	Risk of acute kidney injury after transarterial chemoembolisation in hepatocellular carcinoma patients: A nationwide population-based cohort study. <i>European Radiology</i> , 2017 , 27, 4482-4489	8	8
288	Association between schizophrenia and urinary incontinence: A population-based study. <i>Psychiatry Research</i> , 2017 , 248, 35-39	9.9	8
287	Risk of Seizures in Patients with Organophosphate Poisoning: A Nationwide Population-Based Study. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	8
286	Effects of Aspirin or Clopidogrel on Colorectal Cancer Chemoprevention in Patients with Type 2 Diabetes Mellitus. <i>Cancers</i> , 2019 , 11,	6.6	8
285	Hospitalization for Inflammatory Bowel Disease is Associated with Increased Risk of Breast Cancer: A Nationwide Cohort Study of an Asian Population. <i>Annals of Surgical Oncology</i> , 2015 , 22, 1996-2002	3.1	8

284	Increased subsequent risk of acute coronary syndrome for patients with dermatomyositis/polymyositis: a nationwide population-based retrospective cohort study. <i>Scandinavian Journal of Rheumatology</i> , 2015 , 44, 42-7	1.9	8
283	Radiotherapy did not increase thyroid cancer risk among women with breast cancer: A nationwide population-based cohort study. <i>International Journal of Cancer</i> , 2015 , 137, 2896-903	7.5	8
282	Dementia and vagotomy in Taiwan: a population-based cohort study. <i>BMJ Open</i> , 2018 , 8, e019582	3	8
281	Association of Dementia and Peptic Ulcer Disease: A Nationwide Population-Based Study. <i>American Journal of Alzheimer's Disease and Other Dementias</i> , 2016 , 31, 389-94	2.5	8
280	Splenectomy increases the subsequent risk of systemic lupus erythematosus. <i>Rheumatology International</i> , 2016 , 36, 271-6	3.6	8
279	Intensive Periodontal Treatment Reduces Risk of Infection-Related Hospitalization in Hemodialysis Population: A Nationwide Population-Based Cohort Study. <i>Medicine (United States)</i> , 2015 , 94, e1436	1.8	8
278	Nonalcoholic Cirrhosis Increased Risk of Digestive Tract Malignancies: A Population-Based Cohort Study. <i>Medicine (United States)</i> , 2015 , 94, e2080	1.8	8
277	Dyshidrosis is a risk factor for herpes zoster. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2015 , 29, 2177-83	4.6	8
276	Risk of diabetes mellitus among patients with myasthenia gravis. <i>Acta Neurologica Scandinavica</i> , 2015 , 132, 132-8	3.8	8
275	Association Between Chronic Osteomyelitis and Risk of End-Stage Renal Disease: A Nationwide Population-Based Cohort Study. <i>Medicine (United States)</i> , 2015 , 94, e1141	1.8	8
274	Increased Risk of Chronic Fatigue Syndrome Following Atopy: A Population-Based Study. <i>Medicine (United States)</i> , 2015 , 94, e1211	1.8	8
273	Increased Subsequent Risk of Peptic Ulcer Diseases in Patients With Bipolar Disorders. <i>Medicine (United States)</i> , 2015 , 94, e1203	1.8	8
272	Sleep disorders increase the risk of venous thromboembolism in individuals without sleep apnea: a nationwide population-based cohort study in Taiwan. <i>Sleep Medicine</i> , 2015 , 16, 168-72	4.6	8
271	Increased depression, diabetes and diabetic complications in Graves' disease patients in Asia. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2014 , 107, 727-33	2.7	8
270	Modest increase in risk of acute coronary syndrome associated with morphine use in cancer patients: a population-based nested case-control study. <i>European Journal of Oncology Nursing</i> , 2014 , 18, 295-8	2.8	8
269	Increased subsequent risk of erectile dysfunction in patients with irritable bowel syndrome: a nationwide population-based cohort study. <i>Andrology</i> , 2013 , 1, 793-8	4.2	8
268	Technetium-99m tetrofosmin chest imaging related to p-glycoprotein expression for predicting the response with paclitaxel-based chemotherapy for non-small cell lung cancer. <i>Lung</i> , 2001 , 179, 197-207	2.9	8
267	Effects of smoking on pulmonary uptake of technetium-99m methoxyisobutylisonitrile during myocardial perfusion imaging. <i>Journal of Nuclear Cardiology</i> , 1999 , 6, 29-32	2.1	8

266	Erectile dysfunction and the risk of prostate cancer. <i>Oncotarget</i> , 2017 , 8, 52690-52698	3.3	8
265	Risk of venous thromboembolism in patients with splenic injury and splenectomy. A nationwide cohort study. <i>Thrombosis and Haemostasis</i> , 2016 , 115, 176-83	7	8
264	Risk of Parkinson disease in Sjögren syndrome administered ineffective immunosuppressant therapies: A nationwide population-based study. <i>Medicine (United States)</i> , 2019 , 98, e14984	1.8	8
263	Association of dementia in patients with benign paroxysmal positional vertigo. <i>Acta Neurologica Scandinavica</i> , 2017 , 135, 197-203	3.8	7
262	Reduced risk of stroke following cholecystectomy: A nationwide population-based study. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2019 , 34, 1992-1998	4	7
261	Effects of statins on anxiety and depression in patients with asthma-chronic obstructive pulmonary disease overlap syndrome. <i>Journal of Affective Disorders</i> , 2019 , 253, 277-284	6.6	7
260	Associations between statins and coronary artery disease and stroke risks in patients with asthma-chronic obstructive pulmonary disease overlap syndrome: A time-dependent regression study. <i>Atherosclerosis</i> , 2019 , 283, 61-68	3.1	7
259	Balanitis is a risk factor for herpes zoster. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2015 , 34, 985-90	5.3	7
258	Increased risk of acute coronary syndrome among leptospirosis patients: A nationwide cohort analysis. <i>International Journal of Cardiology</i> , 2015 , 184, 576-580	3.2	7
257	Long-term risk of acute coronary syndrome in splenectomized patients due to splenic injury. <i>Medicine (United States)</i> , 2015 , 94, e610	1.8	7
256	The association between spinal cord injury and acute myocardial infarction in a nationwide population-based cohort study. <i>Spine</i> , 2015 , 40, 147-52	3.3	7
255	Associations among chronic obstructive pulmonary disease with asthma, pneumonia, and corticosteroid use in the general population. <i>PLoS ONE</i> , 2020 , 15, e0229484	3.7	7
254	Prevalence of suicide attempts and their risk factors in school-aged patients with epilepsy: a population-based study. <i>European Child and Adolescent Psychiatry</i> , 2018 , 27, 1047-1053	5.5	7
253	Herpes zoster infection increases the risk of peripheral arterial disease: A nationwide cohort study. <i>Medicine (United States)</i> , 2016 , 95, e4480	1.8	7
252	New-onset Atrial Fibrillation is Associated With Polycystic Kidney Disease: A Nationwide Population-based Cohort Study. <i>Medicine (United States)</i> , 2016 , 95, e2623	1.8	7
251	A Retrospective Administrative Database Analysis of Suicide Attempts and Completed Suicide in Patients With Chronic Pancreatitis. <i>Frontiers in Psychiatry</i> , 2018 , 9, 147	5	7
250	Association between opioid use disorder and fractures: a population-based study. <i>Addiction</i> , 2019 , 114, 2008-2015	4.6	7
249	Myocardial protection in donor heart preservation: a comparison between Bretschneider's histidine-tryptophan-ketoglutarate solution and cold blood cardioplegia. <i>Transplantation Proceedings</i> , 2014 , 46, 1077-81	1.1	7

248	Increased risk of acute coronary syndrome after spinal cord injury: a nationwide 10-year follow-up cohort study. <i>International Journal of Cardiology</i> , 2013 , 168, 1681-2	3.2	7
247	Increased risk of pyogenic liver abscess in patients with alcohol intoxication: A population-based retrospective cohort study. <i>Alcohol</i> , 2017 , 64, 23-28	2.7	7
246	Type II diabetes mellitus is associated with a reduced risk of cholangiocarcinoma in patients with biliary tract diseases. <i>International Journal of Cancer</i> , 2015 , 136, 2409-17	7.5	7
245	Preexisting Diabetes and Risks of Morbidity and Mortality After Gastrectomy for Gastric Cancer: A Nationwide Database Study. <i>Medicine (United States)</i> , 2015 , 94, e1467	1.8	7
244	Increased Acquired Cholesteatoma Risk in Patients with Osteoporosis: A Retrospective Cohort Study. <i>PLoS ONE</i> , 2015 , 10, e0132447	3.7	7
243	Increased risk of peripheral arterial disease after hip replacement: an 11-year retrospective population-based cohort study. <i>Medicine (United States)</i> , 2015 , 94, e870	1.8	7
242	Association between chronic osteomyelitis and deep-vein thrombosis. Analysis of a nationwide population-based registry. <i>Thrombosis and Haemostasis</i> , 2014 , 112, 573-9	7	7
241	A population-based nested case-control study in taiwan: use of 5 α -reductase inhibitors did not decrease prostate cancer risk in patients with benign prostate hyperplasia. <i>Oncologist</i> , 2012 , 17, 986-91	5.7	7
240	Comprehensive gastric emptying study for type-II diabetes mellitus dyspeptic patients. <i>Scandinavian Journal of Gastroenterology</i> , 1997 , 32, 884-7	2.4	7
239	Evaluation of alveolar permeability and lung ventilation in patients with chronic renal failure using Tc-99m DTPA radioaerosol inhalation lung scintigraphy. <i>Lung</i> , 1996 , 174, 153-8	2.9	7
238	Evaluation of chemotherapy response using technetium-99M-sestamibi scintigraphy in untreated adult malignant lymphomas and comparison with other prognosis factors: a preliminary report. <i>International Journal of Cancer</i> , 2001 , 95, 228-31	7.5	7
237	Transient increase in alveolar epithelial permeability induced by volatile anesthesia with isoflurane. <i>Lung</i> , 2000 , 178, 129-35	2.9	7
236	The Risk of Peripheral Arterial Disease after Parathyroidectomy in Patients with End-Stage Renal Disease. <i>PLoS ONE</i> , 2016 , 11, e0156863	3.7	7
235	Risk of Herpes Zoster in Patients with Adhesive Capsulitis of the Shoulder. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	7
234	Atrial Fibrillation is Associated With Morphine Treatment in Female Breast Cancer Patients: A Retrospective Population-Based Time-Dependent Cohort Study. <i>Medicine (United States)</i> , 2016 , 95, e3102	1.8	7
233	Risk of cancer among cardiologists who frequently perform percutaneous coronary interventions: a population-based study. <i>European Journal of Clinical Investigation</i> , 2016 , 46, 527-34	4.6	7
232	Association of statin use and the risk of end-stage renal disease: A nationwide Asian population-based case-control study. <i>European Journal of Internal Medicine</i> , 2016 , 31, 68-72	3.9	7
231	Increased Risk of Polycystic Ovary Syndrome and It's Comorbidities in Women with Autoimmune Thyroid Disease. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	7

230	Lesion-Based Bone Metastasis Detection in Chest Bone Scintigraphy Images of Prostate Cancer Patients Using Pre-Train, Negative Mining, and Deep Learning. <i>Diagnostics</i> , 2021 , 11,	3.8	7
229	Impact of initial myocardial perfusion imaging versus invasive coronary angiography on outcomes in coronary artery disease: a nationwide cohort study. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2018 , 45, 567-574	8.8	7
228	Differentiating recurrent or residual nasopharyngeal carcinomas from post-radiotherapy changes with 18-fluoro-2-deoxyglucose positron emission tomography and thallium-201 single photon emission computed tomography in patients with indeterminate computed tomography findings. <i>Anticancer Research</i> , 2003 , 23, 3513-6	2.3	7
227	Antidepressants and risk of dementia in migraine patients: A population-based case-control study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2017 , 77, 83-89	5.5	6
226	Impact of periodontal treatment on hospitalization for adverse respiratory events in asthmatic adults: A propensity-matched cohort study. <i>European Journal of Internal Medicine</i> , 2017 , 46, 56-60	3.9	6
225	Risk of age-related macular degeneration in patients with prostate cancer: a nationwide, population-based cohort study. <i>Annals of Oncology</i> , 2017 , 28, 2575-2580	10.3	6
224	Increased Risks of Suicide Attempt and Suicidal Drug Overdose Following Admission for Head Injury in Patients with Depression. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	6
223	Cancer risks among the users of ergot-derived dopamine agonists for Parkinson's disease, a nationwide population-based survey. <i>Parkinsonism and Related Disorders</i> , 2015 , 21, 18-22	3.6	6
222	The relationship of depression in asthma-chronic obstructive pulmonary disease overlap syndrome. <i>PLoS ONE</i> , 2017 , 12, e0188017	3.7	6
221	Survival outcome and mortality rate in patients with migraine: a population-based cohort study. <i>Journal of Headache and Pain</i> , 2018 , 19, 57	8.8	6
220	Association between Cervical Spondylosis and Migraine: A Nationwide Retrospective Cohort Study. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6	6
219	Evidence for an Association between Macular Degeneration and Thyroid Cancer in the Aged Population. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6	6
218	Nationwide population-based cohort study on the association of acute coronary syndrome in patients with malignancies. <i>Supportive Care in Cancer</i> , 2014 , 22, 2707-13	3.9	6
217	Increased association between febrile convulsion and allergic rhinitis in children: a nationwide population-based retrospective cohort study. <i>Pediatric Neurology</i> , 2014 , 50, 329-33	2.9	6
216	Immunohistochemical studies and fluorodeoxyglucose uptake on positron emission tomography in pharyngeal cancer for predicting radiotherapy-based treatment outcomes. <i>Clinical Otolaryngology</i> , 2017 , 42, 608-619	1.8	6
215	The Association Between Barium Examination and Subsequent Appendicitis: A Nationwide Population-Based Study. <i>American Journal of Medicine</i> , 2017 , 130, 54-60.e5	2.4	6
214	Multiple sclerosis increases the risk of venous thromboembolism: a nationwide cohort analysis. <i>European Journal of Clinical Investigation</i> , 2015 , 45, 1228-33	4.6	6
213	Antiarrhythmic agents and the risk of malignant neoplasm of liver and intrahepatic bile ducts. <i>PLoS ONE</i> , 2015 , 10, e0116960	3.7	6

212	Cardiologist service volume, percutaneous coronary intervention and hospital level in relation to medical costs and mortality in patients with acute myocardial infarction: a nationwide study. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2014 , 107, 557-64	2.7	6
211	Risk of accidental injuries amongst Parkinson disease patients. <i>European Journal of Neurology</i> , 2014 , 21, 907-13	6	6
210	Increased risk of end-stage renal disease among hip fracture patients. <i>European Journal of Internal Medicine</i> , 2014 , 25, 956-61	3.9	6
209	Secondary primary cancer in patients with head and neck carcinoma: the differences among hypopharyngeal, laryngeal, and other sites of head and neck cancer. <i>European Journal of Cancer Care</i> , 2014 , 23, 36-42	2.4	6
208	Regional cerebral blood flow in patients with carbon monoxide intoxication. <i>Annals of Nuclear Medicine</i> , 2012 , 26, 771-6	2.5	6
207	A comparison of cancer incidence among physician specialists and the general population: a Taiwanese cohort study. <i>Journal of Occupational Health</i> , 2013 , 55, 158-66	2.3	6
206	Cytokeratin fragment 19 (CYFRA 21-1) and carcinoembryonic antigen for early prediction of recurrence of lung adenocarcinoma. <i>Lung</i> , 1999 , 177, 333-7	2.9	6
205	Blood Transfusion and Risk of Venous Thromboembolism: A Population-Based Cohort Study. <i>Thrombosis and Haemostasis</i> , 2020 , 120, 156-167	7	6
204	Association between lateral epicondylitis and the risk of herpes zoster development. <i>Postgraduate Medicine</i> , 2021 , 133, 96-101	3.7	6
203	Selective Serotonin Reuptake Inhibitors and Poststroke Epilepsy: A Population-Based Nationwide Study. <i>Mayo Clinic Proceedings</i> , 2017 , 92, 193-199	6.4	5
202	Increased Risk of New-Onset Fibromyalgia Among Chronic Osteomyelitis Patients: Evidence From a Taiwan Cohort Study. <i>Journal of Pain</i> , 2017 , 18, 222-227	5.2	5
201	Development of a novel radioligand for imaging 18-kD translocator protein (TSPO) in a rat model of Parkinson's disease. <i>BMC Medical Imaging</i> , 2019 , 19, 78	2.9	5
200	The effect of statins on the occurrence of peptic ulcer. <i>European Journal of Internal Medicine</i> , 2015 , 26, 731-5	3.9	5
199	Thalassemia and risk of dementia: a nationwide population-based retrospective cohort study. <i>European Journal of Internal Medicine</i> , 2015 , 26, 554-9	3.9	5
198	5 α -Reductase inhibitors increase acute coronary syndrome risk in patients with benign prostate hyperplasia. <i>Journal of Endocrinological Investigation</i> , 2015 , 38, 799-805	5.2	5
197	Increased risk of cardiovascular events in end-stage renal disease patients with osteoporosis: a nationwide population-based cohort study. <i>Osteoporosis International</i> , 2015 , 26, 785-93	5.3	5
196	Suicide attempts in patients with head and neck cancer in Taiwan. <i>Psycho-Oncology</i> , 2020 , 29, 1026-1035	3.9	5
195	Author's Reply: National Health Insurance database in Taiwan. <i>European Journal of Internal Medicine</i> , 2016 , 31, e11-2	3.9	5

194	Cancer risk in East Asian patients associated with acquired haemolytic anaemia: a nationwide population-based cohort study. <i>BMC Cancer</i> , 2016 , 16, 57	4.8	5
193	Cystectomy for bladder cancer in elderly patients is not associated with increased 30- and 90-day mortality or readmission, length of stay, and cost: propensity score matching using a population database. <i>Cancer Management and Research</i> , 2018 , 10, 1413-1418	3.6	5
192	Statin use and Vital Organ Failure in Patients With Asthma-Chronic Obstructive Pulmonary Disease Overlap: A Time-Dependent Population-Based Study. <i>Frontiers in Pharmacology</i> , 2019 , 10, 889	5.6	5
191	Long-Term Use of Tamoxifen Is Associated With a Decreased Subsequent Meningioma Risk in Patients With Breast Cancer: A Nationwide Population-Based Cohort Study. <i>Frontiers in Pharmacology</i> , 2019 , 10, 674	5.6	5
190	A high risk of hyperlipidemia in epilepsy patients: a nationwide population-based cohort study. <i>Annals of Epidemiology</i> , 2014 , 24, 910-4	6.4	5
189	Higher risk for meningioma in women with uterine myoma: a nationwide population-based retrospective cohort study. <i>Journal of Neurosurgery</i> , 2014 , 120, 655-61	3.2	5
188	A nationwide population cohort study: irritable bowel syndrome is a risk factor of osteoporosis. <i>European Journal of Internal Medicine</i> , 2014 , 25, 87-91	3.9	5
187	Long-term risk of acute coronary syndrome in patients with cholangitis: a 13-year nationwide cohort study. <i>European Journal of Internal Medicine</i> , 2014 , 25, 444-8	3.9	5
186	A nationwide population-based retrospective cohort study: decreased risk of stroke in cervical cancer patients after receiving treatment. <i>Archives of Gynecology and Obstetrics</i> , 2013 , 288, 867-71	2.5	5
185	Polycystic kidney disease is significantly associated with dementia risk. <i>Neurology</i> , 2017 , 89, 1457-1463	6.5	5
184	Risk of liver cirrhosis in patients with tuberculosis: a nationwide cohort study. <i>European Journal of Clinical Investigation</i> , 2015 , 45, 663-9	4.6	5
183	Increased risk of organic erectile dysfunction in patients with chronic fatigue syndrome: a nationwide population-based cohort study. <i>Andrology</i> , 2015 , 3, 666-71	4.2	5
182	Higher-dose uses of zolpidem will increase the subsequent risk of developing benign brain tumors. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2015 , 27, e107-11	2.7	5
181	Anti-tuberculosis treatments and risk of hepatocellular carcinoma in tuberculosis patients with liver cirrhosis: a population-based case-control study. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2015 , 34, 479-85	5.3	5
180	Risk of Peripheral Artery Disease in Patients With Carbon Monoxide Poisoning: A Population-Based Retrospective Cohort Study. <i>Medicine (United States)</i> , 2015 , 94, e1608	1.8	5
179	Risk factors associated with end-stage renal disease (ESRD) in patients with atherosclerotic renal artery stenosis: a nationwide population-based analysis. <i>Medicine (United States)</i> , 2015 , 94, e912	1.8	5
178	Increased subsequent risk of acute coronary syndrome for patients with depressive disorder: a nationwide population-based retrospective cohort study. <i>Psychiatry and Clinical Neurosciences</i> , 2014 , 68, 263-9	6.2	5
177	A nationwide population-based retrospective cohort study: increased risk of acute myocardial infarction in systemic lupus erythematosus patients. <i>International Journal of Cardiology</i> , 2014 , 174, 751-3	3.2	5

176	Using thallium-201 SPECT to detect recurrent or residual nasopharyngeal carcinoma after radiotherapy in patients with indeterminate CT findings. <i>Head and Neck</i> , 2003 , 25, 645-8	4.2	5
175	Risk of Nephrotic Syndrome following Enteroviral Infection in Children: A Nationwide Retrospective Cohort Study. <i>PLoS ONE</i> , 2016 , 11, e0161004	3.7	5
174	Lower Urinary Tract Infection and Subsequent Risk of Prostate Cancer: A Nationwide Population-Based Cohort Study. <i>PLoS ONE</i> , 2017 , 12, e0168254	3.7	5
173	Effect of acute pancreatitis on the risk of developing osteoporosis: A nationwide cohort study. <i>PLoS ONE</i> , 2017 , 12, e0179358	3.7	5
172	The association of ischaemic stroke in patients with heart failure without atrial flutter/fibrillation. <i>Heart</i> , 2020 , 106, 616-623	5.1	5
171	Intensive Periodontal Treatment Reduces Risks of Hospitalization for Cardiovascular Disease and All-Cause Mortality in the Hemodialysis Population. <i>Journal of Clinical Medicine</i> , 2018 , 7,	5.1	5
170	Risk and Predisposing Factors for Suicide Attempts in Patients with Migraine and Status Migrainosus: A Nationwide Population-Based Study. <i>Journal of Clinical Medicine</i> , 2018 , 7,	5.1	5
169	Preliminary study of detecting urothelial malignancy with FDG PET in Taiwanese ESRD patients. <i>Anticancer Research</i> , 2009 , 29, 3459-63	2.3	5
168	Traumatic intracranial haemorrhage is in association with an increased risk of subsequent atrial fibrillation. <i>Heart</i> , 2017 , 103, 1286-1291	5.1	4
167	The Different Cardiovascular Outcomes Between Long-Term Efficacy of Hydrophilic and Lipophilic Statin Therapy in Both Asian Diabetic Sexes. <i>Dose-Response</i> , 2019 , 17, 1559325819876766	2.3	4
166	The Risk of Stroke in Kidney Transplant Recipients with End-Stage Kidney Disease. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	4
165	Association of Increased Risk of Pneumonia and Using Proton Pump Inhibitors in Patients With Type II Diabetes Mellitus. <i>Dose-Response</i> , 2019 , 17, 1559325819843383	2.3	4
164	Neonatal urinary tract infection may increase the risk of childhood asthma. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2015 , 34, 1773-8	5.3	4
163	Increased risk of dementia among patients with pulmonary tuberculosis: a retrospective population-based cohort study. <i>American Journal of Alzheimer's Disease and Other Dementias</i> , 2015 , 30, 629-34	2.5	4
162	The risk of colorectal cancer is related to frequent hospitalization of IBD in an Asian population: results from a nationwide study. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2015 , 108, 457-63	3.7	4
161	The Effect of Cholecystectomy on the Risk of Colorectal Cancer in Patients with Gallbladder Stones. <i>Cancers</i> , 2020 , 12,	6.6	4
160	The effect of antibiotic prophylaxis for acute pelvic inflammatory disease after hysterosalpingography: a retrospective cohort study. <i>Current Medical Research and Opinion</i> , 2018 , 34, 1271-1276	2.5	4
159	Risk of developing pressure sore in amyotrophic lateral sclerosis patients - a nationwide cohort study. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018 , 32, 1589-1596	4.6	4

158	Clinical studies stemming from the Taiwan National Health Insurance Database. <i>European Journal of Internal Medicine</i> , 2016 , 31, e8	3.9	4
157	Increased Risk of Mesenteric Ischemia in Patients With Alcohol Use Disorder: A Population-Based Retrospective Cohort Study. <i>Mayo Clinic Proceedings</i> , 2016 , 91, 189-95	6.4	4
156	Association of Arrhythmia in Patients with Cervical Spondylosis: A Nationwide Population-Based Cohort Study. <i>Journal of Clinical Medicine</i> , 2018 , 7,	5.1	4
155	Artificial Intelligence Prediction Model for the Cost and Mortality of Renal Replacement Therapy in Aged and Super-Aged Populations in Taiwan. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	4
154	Insulin enhances and metformin reduces risk of colorectal carcinoma in type-2 diabetes. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2020 , 113, 194-200	2.7	4
153	Women with alopecia exhibit a higher risk for thyroid cancer: a nationwide cohort study. <i>Journal of Dermatological Science</i> , 2014 , 74, 18-22	4.3	4
152	Comparative risk of chronic kidney diseases in patients with urolithiasis and urological interventions: a longitudinal population-based study. <i>Urolithiasis</i> , 2017 , 45, 465-472	3.2	4
151	Risk relation between rhinitis and acute ischemic stroke. <i>Allergy and Asthma Proceedings</i> , 2015 , 36, e106-118	4	4
150	Mycoplasma pneumonia increases the risk of acute coronary syndrome: a nationwide population-based cohort study. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2015 , 108, 697-703	3.7	4
149	Risk of subsequent asthma in children with febrile seizures: a nationwide population-based retrospective cohort study. <i>Pediatric Neurology</i> , 2014 , 51, 795-9	2.9	4
148	Association between leukaemia and X-ray in children: a nationwide study. <i>Journal of Paediatrics and Child Health</i> , 2014 , 50, 615-8	1.3	4
147	Correlations between 18F-FDG PET/CT parameters and pathological findings in patients with rectal cancer. <i>Clinical Nuclear Medicine</i> , 2014 , 39, e40-5	1.7	4
146	The status of heart transplantation in Taiwan, 2005-2010. <i>Transplantation Proceedings</i> , 2014 , 46, 934-6	1.1	4
145	Findings of 2-fluoro-2-deoxy-d-glucose positron emission tomography in hemorrhoids. <i>Abdominal Imaging</i> , 2011 , 36, 548-51		4
144	Condyloma mistaken for stool contamination in a human immunodeficiency virus patient by gallium-67 scintigraphy. <i>American Journal of the Medical Sciences</i> , 2010 , 339, 83-5	2.2	4
143	Sleep apnea and risk of traumatic brain injury and associated mortality and healthcare costs: a population-based cohort study. <i>Annals of Translational Medicine</i> , 2019 , 7, 644	3.2	4
142	Risk of Urticaria in Children with Type 1 Diabetes Mellitus: A Nationwide Cohort Study. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 17,	4.6	4
141	Herpes zoster in patients with sciatica. <i>BMC Musculoskeletal Disorders</i> , 2020 , 21, 813	2.8	4

140	Bone Metastasis Detection in the Chest and Pelvis from a Whole-Body Bone Scan Using Deep Learning and a Small Dataset. <i>Electronics (Switzerland)</i> , 2021 , 10, 1201	2.6	4
139	Risk of herpes zoster infection in men with varicocele. <i>Postgraduate Medicine</i> , 2021 , 133, 599-603	3.7	4
138	Gallbladder Stone Disease Is Associated with an Increased Risk of Migraines. <i>Journal of Clinical Medicine</i> , 2018 , 7,	5.1	4
137	Is Fibromyalgia Risk Higher Among Male and Young Inflammatory Bowel Disease Patients? Evidence From a Taiwan Cohort of One Million. <i>Pain Physician</i> , 2018 , 21, E257-E264	1.8	4
136	Acute pancreatitis risk after kidney transplantation: Propensity score matching analysis of a national cohort. <i>PLoS ONE</i> , 2019 , 14, e0222169	3.7	3
135	Epilepsy is associated with higher subsequent mortality risk in patients after stroke: a population-based cohort study in Taiwan. <i>Clinical Epidemiology</i> , 2019 , 11, 247-255	5.9	3
134	Central venous catheter use increases ischemic stroke risk: a nationwide population-based study. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2019 , 112, 771-778	2.7	3
133	Erectile Dysfunction in Men With Gallbladder Stone Disease: A Nationwide Population-Based Study. <i>American Journal of Men's Health</i> , 2019 , 13, 1557988319839589	2.2	3
132	Clinical Value of 18F-FDG PET/CT in Detecting Adrenal Metastasis in Patients with Hepatocellular Carcinoma. <i>Technology in Cancer Research and Treatment</i> , 2015 , 14, 593-9	2.7	3
131	Long-Term Mortality and Medical Burden of Patients with Chronic Obstructive Pulmonary Disease with and without Subsequent Stroke Episodes. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	3
130	Risk of cancer in patients with polycystic kidney disease - Authors' reply. <i>Lancet Oncology</i> , 2016 , 17, e476	21.7	3
129	Peptic Ulcer Disease in Living Liver Donors: A Longitudinal Population-Based Study. <i>American Journal of Transplantation</i> , 2016 , 16, 2925-2931	8.7	3
128	Decreased risk of intracerebral hemorrhage among patients with milder allergic rhinitis. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2016 , 109, 161-5	2.7	3
127	Digoxin and Amiodarone on the Risk of Ischemic Stroke in Atrial Fibrillation: An Observational Study. <i>Frontiers in Pharmacology</i> , 2018 , 9, 448	5.6	3
126	Association Between Cholangiocarcinoma and Proton Pump Inhibitors Use: A Nested Case-Control Study. <i>Frontiers in Pharmacology</i> , 2018 , 9, 718	5.6	3
125	Bisphosphonate treatment may reduce osteoporosis risk in female cancer patients with morphine use: a population-based nested case-control study. <i>Osteoporosis International</i> , 2013 , 24, 2519-24	5.3	3
124	Chronic fatigue syndrome is associated with the risk of fracture: a nationwide cohort study. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2014 , 107, 635-41	2.7	3
123	Estrogen decrease coronary artery disease risk in patients with cervical cancer after treatment. <i>Gynecologic Oncology</i> , 2012 , 127, 186-90	4.9	3

122	Tl-201 SPECT in clarifying false positive FDG PET findings caused by osteoradionecrosis in a case of nasopharyngeal carcinoma. <i>Clinical Nuclear Medicine</i> , 2009 , 34, 515-7	1.7	3
121	The 'wandering' Meckel diverticulum: an unusual scintigraphic finding. <i>Pediatric Radiology</i> , 2010 , 40 Suppl 1, S103	2.8	3
120	The use of technetium-99m hexamethylpropylene amine oxime labelled white blood cells to detect subclinical inflammation of the heart after cardiopulmonary bypass in children with congenital heart disease. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1992 , 19, 960-3		3
119	Association between Sjogren's syndrome and respiratory failure: put airway, interstitia, and vessels close together: a national cohort study. <i>PLoS ONE</i> , 2014 , 9, e110783	3.7	3
118	A Population-Based Cohort Study on Peripheral Arterial Disease in Patients with Schizophrenia. <i>PLoS ONE</i> , 2016 , 11, e0148759	3.7	3
117	Prognostic Value of Functional Variables as Assessed by Gated Thallium-201 Myocardial Perfusion Single Photon Emission Computed Tomography for Major Adverse Cardiac Events in Patients with Coronary Artery Disease. <i>Acta Cardiologica Sinica</i> , 2013 , 29, 243-50	1.1	3
116	Detection of Bone Metastases on Bone Scans through Image Classification with Contrastive Learning.. <i>Journal of Personalized Medicine</i> , 2021 , 11,	3.6	3
115	Leptospirosis and Depression: A Nationwide Cohort Analysis. <i>Journal of Clinical Psychiatry</i> , 2017 , 78, e398-403	4.6	3
114	Pregnancy Incidence in Female Nasopharyngeal Carcinoma Survivors of Reproductive Age: A Population-Based Study. <i>Medicine (United States)</i> , 2016 , 95, e3729	1.8	3
113	Increased subsequent risk of erectile dysfunction among middle and old age males with chronic osteomyelitis: a nationwide population-based cohort study. <i>International Journal of Impotence Research</i> , 2016 , 28, 143-7	2.3	3
112	Sequential risk of depression in children born prematurely: A nationwide population- based analysis. <i>Journal of Affective Disorders</i> , 2019 , 243, 42-47	6.6	3
111	The effect of cholecystectomy on the risk of acute myocardial infarction in patients with gallbladder stones. <i>Postgraduate Medicine</i> , 2021 , 133, 209-216	3.7	3
110	Association of Tramadol and Hypoglycemia in Diabetic Asians. <i>Journal of Clinical Medicine</i> , 2018 , 7,	5.1	3
109	Association of Depression and Cervical Spondylosis: A Nationwide Retrospective Propensity Score-Matched Cohort Study. <i>Journal of Clinical Medicine</i> , 2018 , 7,	5.1	3
108	Association Between Migraine and Breast Cancer Risk: A Population-Based Cohort Study and Literature Review. <i>Journal of Women's Health</i> , 2018 , 27, 1499-1507	3	3
107	Cancer risk in patients with osteoporosis: a population-based cohort study. <i>Current Medical Research and Opinion</i> , 2017 , 33, 733-739	2.5	2
106	Association between Dipeptidyl Peptidase-4 Inhibitors and Allergic Rhinitis in Asian Patients with Diabetes. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	2
105	Carvedilol use and specific cancer risk in the population with hypertension: Reply. <i>International Journal of Cardiology</i> , 2015 , 190, 159-60	3.2	2

104	Risk of Ear-Associated Diseases After Zygomaticomaxillary Complex Fracture. <i>Journal of Maxillofacial and Oral Surgery</i> , 2015 , 14, 646-652	0.9	2
103	Changing roles of computed tomography in diagnosing acute appendicitis in emergency rooms. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2015 , 108, 625-31	2.7	2
102	Uterine Fibroids Increase the Risk of Thyroid Cancer. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	2
101	Dipeptidyl peptidase-4 inhibitor treatment could decrease pneumonia in patients with type 2 diabetes. <i>Postgraduate Medicine</i> , 2020 , 132, 714-719	3.7	2
100	The Risk of Venous Thromboembolism in Patients with Gallstones. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	2
99	Association between nasopharyngeal carcinoma and risk of optic neuropathy: A population-based cohort study. <i>Head and Neck</i> , 2018 , 40, 1977-1985	4.2	2
98	Does nephrotic syndrome without chronic kidney disease increase the risk of Parkinson's disease and secondary parkinsonism? A nationwide population-based study in Taiwan. <i>BMJ Open</i> , 2018 , 8, e020821	3.2	2
97	Short-Term Proton Pump Inhibitor Use and Hepatic Encephalopathy Risk in Patients with Decompensated Cirrhosis. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	2
96	Association between abdominal hernia and the risk of subsequent dementia. <i>Brain and Behavior</i> , 2019 , 9, e01434	3.4	2
95	Association between radioiodine treatment for thyroid cancer and risk of stroke. <i>Head and Neck</i> , 2017 , 39, 2311-2318	4.2	2
94	Association between pneumoconiosis and pulmonary emboli. A Nationwide Population-Based Study in Taiwan. <i>Thrombosis and Haemostasis</i> , 2015 , 113, 952-7	7	2
93	Pulmonary tuberculosis increases the risk of pulmonary thromboembolism: a nationwide population-based cohort study. <i>Thrombosis and Haemostasis</i> , 2014 , 112, 1325-7	7	2
92	Effects of statins and steroids on coronary artery disease and stroke in patients with interstitial lung disease and pulmonary fibrosis: A general population study. <i>PLoS ONE</i> , 2021 , 16, e0259153	3.7	2
91	Association of Hemorrhoids With Hashimoto's Thyroiditis and Associated Comorbidities: A Nationwide Population-Based Cohort Study. <i>Frontiers in Endocrinology</i> , 2020 , 11, 577767	5.7	2
90	Sex differences in long-term cardiovascular outcomes among patients with acute myocardial infarction: A population-based retrospective cohort study. <i>International Journal of Clinical Practice</i> , 2021 , 75, e14066	2.9	2
89	Leptospirosis and Peripheral Artery Occlusive Disease: A Nationwide Cohort Analysis. <i>Medicine (United States)</i> , 2016 , 95, e3127	1.8	2
88	First-ever stroke following hip replacement surgeries: a large population-based survey. <i>European Journal of Clinical Investigation</i> , 2016 , 46, 931-939	4.6	2
87	Differences in Incidence and Risks of Suicide Attempt and Suicidal Drug Overdose between Patients with Epilepsy with and without Comorbid Depression. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	2

86	Effect of Bronchodilator and Steroid Use on Heart Disease and Stroke Risks in a Bronchiectasis-Chronic Obstructive Pulmonary Disease Overlap Cohort: A Propensity Score Matching Study. <i>Frontiers in Pharmacology</i> , 2019 , 10, 1409	5.6	2
85	Polymyositis/dermatomyositis is a potential risk factor for acute respiratory failure: a pulmonary heart disease. <i>Annals of Translational Medicine</i> , 2020 , 8, 202	3.2	2
84	Risk of suicide attempts among colorectal cancer patients: A nationwide population-based matched cohort study. <i>Psycho-Oncology</i> , 2018 , 27, 2794-2801	3.9	2
83	Association between Hashimoto's thyroiditis and cholelithiasis: a retrospective cohort study in Taiwan. <i>BMJ Open</i> , 2018 , 8, e020798	3	2
82	Renal complications and subsequent mortality in acute critically ill patients without pre-existing renal disease. <i>Cmaj</i> , 2018 , 190, E1070-E1080	3.5	2
81	Association of Higher Migraine Risk Among Female and Younger Chronic Osteomyelitis Patients: Evidence From a Taiwan Cohort of One Million. <i>Pain Physician</i> , 2018 , 21, E149-E156	1.8	2
80	Asthma and early herniated intervertebral disc disease. <i>Current Medical Research and Opinion</i> , 2017 , 33, 2019-2025	2.5	1
79	Association Between Alcoholic Cirrhosis and Hemorrhagic Stroke: A Nationwide Population-based Study. <i>Alcohol and Alcoholism</i> , 2019 , 54, 302-309	3.5	1
78	Post-stroke dementia is associated with increased subsequent all-cause mortality: A population-based cohort study. <i>Atherosclerosis</i> , 2019 , 284, 148-152	3.1	1
77	Gynecological malignancy risk in colorectal cancer survivors: A population-based cohort study. <i>European Journal of Oncology Nursing</i> , 2015 , 19, 473-8	2.8	1
76	Reply: The association between chronic obstructive pulmonary disease and dementia: a population-based retrospective cohort study. <i>European Journal of Neurology</i> , 2015 , 22, e71	6	1
75	Association of atrial fibrillation and erectile dysfunction: Reply. <i>International Journal of Cardiology</i> , 2015 , 197, 166	3.2	1
74	Positive association of Parkinson's disease with ankylosing spondylitis: a nationwide population-based study. <i>Journal of Translational Medicine</i> , 2020 , 18, 455	8.5	1
73	Risk of biliary tract disease in living liver donors: A population-based cohort study. <i>PLoS ONE</i> , 2020 , 15, e0230840	3.7	1
72	Increased the risk of heart failure and comorbidities in patients with gout treatment: a population-based cohort study. <i>Annals of Translational Medicine</i> , 2020 , 8, 462	3.2	1
71	Disability benefits as an incentive for hysterectomy: Uterine fibroid patients in Taiwan. <i>Women and Health</i> , 2018 , 58, 866-883	1.7	1
70	The intriguing relationship between epilepsy and type 1 diabetes mellitus. Reply to Sander JW, Novy J, Keezer MR [letter]. <i>Diabetologia</i> , 2016 , 59, 1571-1572	10.3	1
69	More on gout, erectile dysfunction and depression. <i>European Journal of Internal Medicine</i> , 2016 , 31, e14	3.9	1

68	Authors' reply to radiotherapy did not increase thyroid cancer risk among women with breast cancer: A nationwide population-based cohort study. <i>International Journal of Cancer</i> , 2016 , 138, 1803-4	7.5	1
67	Young-Adult Polycystic Kidney Disease is Associated with Major Cardiovascular Complications. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6	1
66	A retrospective administrative database analysis of the association between clonorchiasis or helminthiasis and the development of cholelithiasis. <i>Current Medical Research and Opinion</i> , 2019 , 35, 489-496	2.5	1
65	Association between lumbar discectomy and subsequent cervical discectomy. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2015 , 108, 813-8	2.7	1
64	A new method for detecting urinary bladder cancer by using FDG PET/CT. <i>Technology in Cancer Research and Treatment</i> , 2014 , 13, 369-76	2.7	1
63	Customized material choice for Asian rhinoplasty: how we do it. <i>Clinical Otolaryngology</i> , 2011 , 36, 165-70	1.8	1
62	Unusual case with multiorgan gallium-avid metastases of renal cell carcinoma. <i>American Journal of the Medical Sciences</i> , 2010 , 339, 275	2.2	1
61	Unexpected cloud-like lesion on gallium-67 scintigraphy: detection of subcutaneous abscess underneath the skin with normal appearance in a comatose patient in an intensive care setting. <i>American Journal of the Medical Sciences</i> , 2009 , 338, 388	2.2	1
60	Intratonsillar Abscess: Diagnosis and Treatment of a Rare Disease. <i>European Journal of Inflammation</i> , 2012 , 10, 117-119	0.3	1
59	Role of radioisotope penile plethysmography in the evaluation of penile hemodynamics in impotent patients. <i>Abdominal Imaging</i> , 1997 , 22, 354-6		1
58	Immunohistochemical biomarkers and volumetric parameters for predicting radiotherapy-based outcomes in patients with p16-negative pharyngeal cancer. <i>Oncotarget</i> , 2017 , 8, 72342-72351	3.3	1
57	Methotrexate at middle and high accumulative doses might be associated with lower risk of new-onset cancers in patients with rheumatoid arthritis: a nationwide population-based cohort study. <i>Therapeutic Advances in Musculoskeletal Disease</i> , 2020 , 12, 1759720X20981221	3.8	1
56	Plantar fascial fibromatosis and herpes zoster. <i>PLoS ONE</i> , 2021 , 16, e0259942	3.7	1
55	Time-dependent propensity-matched general population study of the effects of statin use on cancer risk in an interstitial lung disease and pulmonary fibrosis cohort. <i>BMJ Open</i> , 2021 , 11, e047039	3	1
54	Association between angiotensin receptor blockers and suicide: nationwide population-based propensity score matching study. <i>Journal of Affective Disorders</i> , 2020 , 276, 815-821	6.6	1
53	Increased risk of pulmonary and extrapulmonary tuberculosis infection in patients with polycystic kidney disease: a nationwide population-based study with propensity score-matching analysis. <i>Journal of Translational Medicine</i> , 2021 , 19, 253	8.5	1
52	Association Between Reduced Risk of Intracerebral Hemorrhage and Pelvic Inflammatory Disease. <i>Medicine (United States)</i> , 2016 , 95, e2726	1.8	1
51	Risk of aortic dissection, congestive heart failure, pneumonia and acute respiratory distress syndrome in patients with clinical vertebral fracture: a nationwide population-based cohort study in Taiwan. <i>BMJ Open</i> , 2019 , 9, e030939	3	1

50	The Performance of Different Artificial Intelligence Models in Predicting Breast Cancer among Individuals Having Type 2 Diabetes Mellitus. <i>Cancers</i> , 2019 , 11,	6.6	1
49	Association between neurodegenerative diseases and pneumonia: a retrospective population-based study. <i>Current Medical Research and Opinion</i> , 2019 , 35, 1033-1039	2.5	1
48	Graves' disease could increase polycystic ovary syndrome and comorbidities in Taiwan. <i>Current Medical Research and Opinion</i> , 2020 , 36, 1063-1067	2.5	1
47	Association of fine-particulate and acidic-gas air pollution with premenstrual syndrome risk. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2020 , 113, 643-650	2.7	1
46	Risk of head and neck cancer after chronic pancreatitis. <i>Annals of Translational Medicine</i> , 2020 , 8, 213	3.2	1
45	Risk of idiopathic peripheral neuropathy in end-stage renal disease: A population-based cohort study. <i>International Journal of Clinical Practice</i> , 2021 , 75, e13641	2.9	1
44	Risk of severe herpes zoster infection in patients with polycystic kidney disease: A nation-wide cohort study with propensity score matching analysis. <i>International Journal of Clinical Practice</i> , 2021 , 75, e13675	2.9	1
43	Adults with inflammatory bowel disease are at a greater risk of developing chronic rhinosinusitis: A nationwide population-based study. <i>Clinical Otolaryngology</i> , 2021 , 46, 196-205	1.8	1
42	Risk of posterior circulation stroke in patients with cervical spondylosis: A nationwide, population-based study. <i>Atherosclerosis</i> , 2018 , 277, 42-46	3.1	1
41	Association between Hydroxychloroquine and bacterial pneumonia in rheumatic patients: A population-based propensity score matching cohort study. <i>International Journal of Clinical Practice</i> , 2021 , 75, e14737	2.9	1
40	Risk of aortic dissection or aneurysm in patients with gallstone disease: a retrospective cohort study in Taiwan. <i>BMJ Open</i> , 2021 , 11, e049316	3	1
39	To Investigate the Risk of Herpes Zoster in Women With Endometriosis: A Taiwan National Population-Based Cohort Study. <i>Frontiers in Medicine</i> , 2021 , 8, 584322	4.9	1
38	Modeling the Enhanced Efficacy and Curing Depth of Photo-Thermal Dual Polymerization in Metal (Fe) Polymer Composites for 3D Printing.. <i>Polymers</i> , 2022 , 14,	4.5	1
37	Association between de Quervain syndrome and herpes zoster: a population-based cohort study.. <i>BMJ Open</i> , 2021 , 11, e046891	3	1
36	Risk of Viral Infection in Patients Using Either Angiotensin-converting Enzyme Inhibitors or Angiotensin Receptor Blockers: A Nationwide Population-based Propensity Score Matching Study. <i>Clinical Infectious Diseases</i> , 2020 , 71, 2695-2701	11.6	0
35	Suicide Attempt and Suicidal Drug Overdose in Chronic Obstructive Pulmonary Disease Patients With or Without Depression. <i>Frontiers in Psychiatry</i> , 2020 , 11, 270	5	0
34	The association between bowel obstruction and the management of cholelithiasis and cholecystitis in elderly patients: A population-based cohort study. <i>European Journal of Internal Medicine</i> , 2018 , 57, 83-90	3.9	0
33	The Utilization of Stress Tests Prior to Percutaneous Coronary Intervention for Stable Coronary Artery Disease in Taiwan. <i>Acta Cardiologica Sinica</i> , 2019 , 35, 111-117	1.1	0

32	Association between topical beta-blockers and risks of cardiovascular and respiratory disease in patients with glaucoma: a retrospective cohort study. <i>BMJ Open</i> , 2020 , 10, e034361	3	○
31	Effects of dipeptidyl peptidase-4 inhibitor treatment doses on tuberculosis in patients with diabetes: a long-term nationwide population-based cohort study. <i>Annals of Palliative Medicine</i> , 2020 , 9, 2817-2825	1.7	○
30	Pyogenic Liver Abscess Risk in Patients With Newly Diagnosed Type 2 Diabetes Mellitus: A Nationwide, Population-Based Cohort Study. <i>Frontiers in Medicine</i> , 2021 , 8, 675345	4.9	○
29	Risk of diabetes mellitus in patients with prostate cancer receiving injection therapy: A nationwide population-based propensity score-matched study. <i>International Journal of Clinical Practice</i> , 2021 , 75, e14416	2.9	○
28	Gout can increase the risk of periodontal disease in Taiwan. <i>Postgraduate Medicine</i> , 2020 , 132, 521-525	3.7	○
27	Pneumococcal pneumonia in adult hospitalised solid organ transplant recipients: Nationwide, population-based surveillance. <i>International Journal of Clinical Practice</i> , 2021 , 75, e14126	2.9	○
26	Relationships Between Bronchodilators, Steroids, Antiarrhythmic Drugs, Antidepressants, and Benzodiazepines and Heart Disease and Ischemic Stroke in Patients With Predominant Bronchiectasis and Asthma.. <i>Frontiers in Cardiovascular Medicine</i> , 2022 , 9, 797623	5.4	○
25	Dipeptidyl peptidase-4 inhibitor treatment could decrease chronic rhinosinusitis in diabetic patients. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2020 , 113, 181-185	2.7	
24	Subsequent Cancer Risk of Women Receiving Hysterosalpingography: A Nationwide Population-Based Retrospective Cohort Study. <i>Women and Health</i> , 2015 , 55, 613-22	1.7	
23	Long-term risk of pancreatitis and diabetes after cholecystectomy in patients with cholelithiasis but no pancreatitis history: a 13-year follow-up study. <i>European Journal of Internal Medicine</i> , 2015 , 26, 540-4	3.9	
22	Authors' reply. <i>Heart</i> , 2018 , 104, 450	5.1	
21	Reply to the letter to the editor 'On the tumor risk from dental diagnostic X-ray exposure' by Jargin. <i>Annals of Oncology</i> , 2016 , 27, 1177-1178	10.3	
20	Chronic obstructive pulmonary disease is a strong independent risk factor for osteoporosis and pathologic fractures: a population-based cohort study. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2016 , 109, 70	2.7	
19	Risk of gallstones in patients with obstructive sleep apnea: a nationwide observational cohort study. <i>Sleep and Breathing</i> , 2019 , 23, 355-362	3.1	
18	The utilization of radionuclide myocardial perfusion imaging and cardiac catheterization under Taiwan's universal health insurance program. <i>International Journal of Cardiovascular Imaging</i> , 2013 , 29, 1039-42	2.5	
17	Does use of tetracyclic antidepressant-mirtazapine reduce cancer risk in depression patients?. <i>Pharmacoepidemiology and Drug Safety</i> , 2013 , 22, 1292-7	2.6	
16	Increased risk of liver cirrhosis for tuberculosis infection: response to Shen. <i>European Journal of Clinical Investigation</i> , 2015 , 45, 1001-2	4.6	
15	Risk of coronary artery disease is not linked to head and neck cancers: a population-based retrospective cohort study. <i>Clinical Otolaryngology</i> , 2012 , 37, 369-75	1.8	

14	A unique finding on gallium-67 scintigraphy: widespread fatal skin manifestations of <i>Pseudomonas</i> sepsis. <i>Clinical Nuclear Medicine</i> , 2011 , 36, e96-7	1.7
13	Adjuvant radiotherapy did not increase the risk of coronary heart disease in patients with non-metastatic breast cancer. <i>Postgraduate Medicine</i> , 2021 , 1-7	3.7
12	Immunohistochemical overexpression of hypoxia-induced factor 1 associated with slow reduction in fluoro-2-deoxy-D-glucose uptake for chemoradiotherapy in patients with pharyngeal cancer. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2016 , 43, 2343-2352	8.8
11	Reply: Risk of Breast Cancer in Patients with Thyroid Cancer Receiving 131I Treatment: Is There an Immortal Time Bias?. <i>Journal of Nuclear Medicine</i> , 2016 , 57, 1324-5	8.9
10	Men with nonapnea sleep disorders have a high risk of developing subsequent epilepsy: A nationwide population-based cohort study. <i>Preventive Medicine</i> , 2016 , 91, 211-216	4.3
9	Uterine myoma is associated with an increased risk of lung cancer: A nationwide population-based cohort study. <i>International Journal of Clinical Practice</i> , 2021 , 75, e14065	2.9
8	Association between angiotensin-converting enzyme inhibitors or angiotensin receptor blockers and community-acquired pneumonia: A nationwide population propensity-score matching study. <i>International Journal of Clinical Practice</i> , 2021 , 75, e14476	2.9
7	Association of antihypertensives during hospitalisation with acute respiratory failure in patients with viral pneumonia: A population-based case-control study. <i>International Journal of Clinical Practice</i> , 2021 , e14776	2.9
6	Association between systemic sclerosis and peripheral arterial disease: a nationwide observation retrospective claim records cohort study in Taiwan. <i>BMJ Open</i> , 2021 , 11, e048149	3
5	Response to: 'The effect of cholecystectomy on the risk of acute myocardial infarction in patients with gallbladder stones'.. <i>Postgraduate Medicine</i> , 2022 ,	3.7
4	Asthma Therapies on Pulmonary Tuberculosis Pneumonia in Predominant Bronchiectasis-Asthma Combination.. <i>Frontiers in Pharmacology</i> , 2022 , 13, 790031	5.6
3	Estimating the incidence rate ratio of common cold among patients with non-apnea sleep disorders: a retrospective cohort study.. <i>Psychology, Health and Medicine</i> , 2022 , 1-11	2.1
2	Association between haemorrhoids and Graves disease: a retrospective cohort study using data from Taiwan's Longitudinal Health Insurance Database. <i>BMJ Open</i> , 2021 , 11, e053442	3
1	Hydroxychloroquine on the Pulmonary Vascular Diseases in Interstitial Lung Disease: Immunologic Effects, and Virus Interplay. <i>Biomedicines</i> , 2022 , 10, 1290	4.8