Valery L Feigin

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5445236/publications.pdf

Version: 2024-02-01

		2203	213
326	145,541	99	310
papers	citations	h-index	g-index

332	332	332	161935
all docs	docs citations	times ranked	citing authors

#	Article	IF	Citations
1	Global and regional mortality from 235 causes of death for 20 age groups in 1990 and 2010: a systematic analysis for the Global Burden of Disease Study 2010. Lancet, The, 2012, 380, 2095-2128.	6.3	11,038
2	Global, regional, and national prevalence of overweight and obesity in children and adults during 1980â€“2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2014, 384, 766-781.	6.3	9,122
3	Disability-adjusted life years (DALYs) for 291 diseases and injuries in 21 regions, 1990â€“2010: a systematic analysis for the Global Burden of Disease Study 2010. Lancet, The, 2012, 380, 2197-2223.	6.3	7,061
4	Years lived with disability (YLDs) for 1160 sequelae of 289 diseases and injuries 1990â€“2010: a systematic analysis for the Global Burden of Disease Study 2010. Lancet, The, 2012, 380, 2163-2196.	6.3	6,376
5	Global, regional, and national incidence, prevalence, and years lived with disability for 328 diseases and injuries for 195 countries, 1990â€“2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1211-1259.	6.3	5,578
6	Global, regional, and national incidence, prevalence, and years lived with disability for 310 diseases and injuries, 1990â€“2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1545-1602.	6.3	5,298
7	Health Effects of Overweight and Obesity in 195 Countries over 25 Years. New England Journal of Medicine, 2017, 377, 13-27.	13.9	5,014
8	Global, regional, and national incidence, prevalence, and years lived with disability for 301 acute and chronic diseases and injuries in 188 countries, 1990â€“2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2015, 386, 743-800.	6.3	4,951
9	Global Burden of Cardiovascular Diseases and Risk Factors, 1990â€“2019. Journal of the American College of Cardiology, 2020, 76, 2982-3021.	1.2	4,468
10	Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990â€“2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1659-1724.	6.3	4,203
11	Estimates and 25-year trends of the global burden of disease attributable to ambient air pollution: an analysis of data from the Global Burden of Diseases Study 2015. Lancet, The, 2017, 389, 1907-1918.	6.3	4,187
12	Global, regional, and national age-sex specific mortality for 264 causes of death, 1980â€“2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1151-1210.	6.3	3,565
13	Health effects of dietary risks in 195 countries, 1990â€“2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2019, 393, 1958-1972.	6.3	3,062
14	Global and regional burden of stroke during 1990â€“2010: findings from the Global Burden of Disease Study 2010. Lancet, The, 2014, 383, 245-255.	6.3	3,007
15	Global, Regional, and National Burden of Cardiovascular Diseases for 10 Causes, 1990 to 2015. Journal of the American College of Cardiology, 2017, 70, 1-25.	1.2	2,705
16	Global, regional, and national burden of neurological disorders, 1990â€“2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet Neurology, The, 2019, 18, 459-480.	4.9	2,625
17	Global, regional, and national burden of stroke and its risk factors, 1990â€“2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet Neurology, The, 2021, 20, 795-820.	4.9	2,308
18	Worldwide stroke incidence and early case fatality reported in 56 population-based studies: a systematic review. Lancet Neurology, The, 2009, 8, 355-369.	4.9	2,255

#	Article	IF	Citations
19	Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks in 188 countries, 1990â€“2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2015, 386, 2287-2323.	6.3	2,184
20	Alcohol use and burden for 195 countries and territories, 1990â€“2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2018, 392, 1015-1035.	6.3	2,005
21	Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990â€“2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1345-1422.	6.3	1,879
22	Stroke epidemiology: a review of population-based studies of incidence, prevalence, and case-fatality in the late 20th century. Lancet Neurology, The, 2003, 2, 43-53.	4.9	1,612
23	Global, regional, and national disability-adjusted life-years (DALYs) for 315 diseases and injuries and healthy life expectancy (HALE), 1990â€“2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1603-1658.	6.3	1,612
24	Global, regional, and national disability-adjusted life-years (DALYs) for 333 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990â€“2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1260-1344.	6.3	1,589
25	Global, regional, and national burden of Parkinson's disease, 1990â€“2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet Neurology, The, 2018, 17, 939-953.	4.9	1,573
26	Traumatic brain injury: integrated approaches to improve prevention, clinical care, and research. Lancet Neurology, The, 2017, 16, 987-1048.	4.9	1,571
27	Global, regional, and national disability-adjusted life years (DALYs) for 306 diseases and injuries and healthy life expectancy (HALE) for 188 countries, 1990â€“2013: quantifying the epidemiological transition. Lancet, The, 2015, 386, 2145-2191.	6.3	1,544
28	Global, regional, and national burden of neurological disorders during 1990â€“2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet Neurology, The, 2017, 16, 877-897.	4.9	1,521
29	Global, regional, and national burden of Alzheimer's disease and other dementias, 1990â€“2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet Neurology, The, 2019, 18, 88-106.	4.9	1,512
30	Global Burden of Hypertension and Systolic Blood Pressure of at Least 110 to 115 mm Hg, 1990-2015. JAMA - Journal of the American Medical Association, 2017, 317, 165.	3.8	1,492
31	Prevalence, Incidence, and Mortality of Stroke in China. Circulation, 2017, 135, 759-771.	1.6	1,450
32	Global Burden of Stroke. Circulation Research, 2017, 120, 439-448.	2.0	1,446
33	Prevalence of Muscular Dystrophies: A Systematic Literature Review. Neuroepidemiology, 2014, 43, 259-268.	1.1	1,374
34	Smoking prevalence and attributable disease burden in 195 countries and territories, 1990â€“2015: a systematic analysis from the Global Burden of Disease Study 2015. Lancet, The, 2017, 389, 1885-1906.	6.3	1,281
35	Global burden of stroke and risk factors in 188 countries, during 1990â€“2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet Neurology, The, 2016, 15, 913-924.	4.9	1,107
36	Global, regional, and national burden of migraine and tension-type headache, 1990â€“2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet Neurology, The, 2018, 17, 954-976.	4.9	1,101

#	Article	IF	Citations
37	Global and regional burden of first-ever ischaemic and haemorrhagic stroke during 1990â€“2010: findings from the Global Burden of Disease Study 2010. The Lancet Global Health, 2013, 1, e259-e281.	2.9	1,051
38	Common values in assessing health outcomes from disease and injury: disability weights measurement study for the Global Burden of Disease Study 2010. Lancet, The, 2012, 380, 2129-2143.	6.3	1,013
39	Update on the Global Burden of Ischemic and Hemorrhagic Stroke in 1990-2013: The GBD 2013 Study. Neuroepidemiology, 2015, 45, 161-176.	1.1	1,002
40	Global, Regional, and Country-Specific Lifetime Risks of Stroke, 1990 and 2016. New England Journal of Medicine, 2018, 379, 2429-2437.	13.9	959
41	The Global Burden of Mental, Neurological and Substance Use Disorders: An Analysis from the Global Burden of Disease Study 2010. PLoS ONE, 2015, 10, e0116820.	1.1	908
42	The global burden of injury: incidence, mortality, disability-adjusted life years and time trends from the Global Burden of Disease study 2013. Injury Prevention, 2016, 22, 3-18.	1.2	898
43	Global age-sex-specific fertility, mortality, healthy life expectancy (HALE), and population estimates in 204 countries and territories, 1950â€“2019: a comprehensive demographic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1160-1203.	6.3	890
44	Ambient Air Pollution Exposure Estimation for the Global Burden of Disease 2013. Environmental Science & Technology, 2016, 50, 79-88.	4.6	886
45	Demographic and Epidemiologic Drivers of Global Cardiovascular Mortality. New England Journal of Medicine, 2015, 372, 1333-1341.	13.9	881
46	Global and Regional Patterns in Cardiovascular Mortality From 1990 to 2013. Circulation, 2015, 132, 1667-1678.	1.6	717
47	Global, regional, and national burden of multiple sclerosis 1990â€“2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet Neurology, The, 2019, 18, 269-285.	4.9	716
48	World Stroke Organization (WSO): Global Stroke Fact Sheet 2022. International Journal of Stroke, 2022, 17, 18-29.	2.9	649
49	Risk Factors for Subarachnoid Hemorrhage. Stroke, 2005, 36, 2773-2780.	1.0	644
50	Measuring performance on the Healthcare Access and Quality Index for 195 countries and territories and selected subnational locations: a systematic analysis from the Global Burden of Disease Study 2016. Lancet, The, 2018, 391, 2236-2271.	6.3	638
51	Global, regional, and national under-5 mortality, adult mortality, age-specific mortality, and life expectancy, 1970â€“2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1084-1150.	6.3	573
52	Incidence of traumatic brain injury in New Zealand: a population-based study. Lancet Neurology, The, 2013, 12, 53-64.	4.9	549
53	Blood Pressure and Stroke. Stroke, 2004, 35, 776-785.	1.0	535
54	Global, regional, and national burden of epilepsy, 1990â€“2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet Neurology, The, 2019, 18, 357-375.	4.9	526

#	Article	IF	Citations
55	Healthcare Access and Quality Index based on mortality from causes amenable to personal health care in 195 countries and territories, 1990â€“2015: a novel analysis from the Global Burden of Disease Study 2015. Lancet, The, 2017, 390, 231-266.	6.3	480
56	Global and National Burden of Diseases and Injuries Among Children and Adolescents Between 1990 and 2013. JAMA Pediatrics, 2016, 170, 267.	3.3	479
57	Measuring the health-related Sustainable Development Goals in 188 countries: a baseline analysis from the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1813-1850.	6.3	413
58	Global, Regional and Country-Specific Burden of Ischaemic Stroke, Intracerebral Haemorrhage and Subarachnoid Haemorrhage: A Systematic Analysis of the Global Burden of Disease Study 2017. Neuroepidemiology, 2020, 54, 171-179.	1.1	406
59	The global burden of neurological disorders: translating evidence into policy. Lancet Neurology, The, 2020, 19, 255-265.	4.9	377
60	Global, regional, and national burden of brain and other CNS cancer, 1990â€“2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet Neurology, The, 2019, 18, 376-393.	4.9	359
61	Global stroke statistics. International Journal of Stroke, 2017, 12, 13-32.	2.9	351
62	Calcium antagonists for aneurysmal subarachnoid haemorrhage. The Cochrane Library, 2007, , CD000277.	1.5	344
63	Five insights from the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1135-1159.	6.3	335
64	Stroke epidemiology in the developing world. Lancet, The, 2005, 365, 2160-2161.	6.3	330
65	Epidemiology of traumatic brain injuries in Europe: a cross-sectional analysis. Lancet Public Health, The, 2016, 1, e76-e83.	4.7	312
66	Case-mix, care pathways, and outcomes in patients with traumatic brain injury in CENTER-TBI: a European prospective, multicentre, longitudinal, cohort study. Lancet Neurology, The, 2019, 18, 923-934.	4.9	304
67	The burden of neurological diseases in Europe: an analysis for the Global Burden of Disease Study 2017. Lancet Public Health, The, 2020, 5, e551-e567.	4.7	290
68	Measuring progress and projecting attainment on the basis of past trends of the health-related Sustainable Development Goals in 188 countries: an analysis from the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1423-1459.	6.3	284
69	Epidemiology of Traumatic Brain Injury in Europe: A Living Systematic Review. Journal of Neurotrauma, 2021, 38, 1411-1440.	1.7	276
70	The Burden of Cardiovascular Diseases Among US States, 1990-2016. JAMA Cardiology, 2018, 3, 375.	3.0	271
71	Burden of Neurological Disorders Across the US From 1990-2017. JAMA Neurology, 2021, 78, 165.	4.5	262
72	Stroke Prevalence, Mortality and Disability-Adjusted Life Years in Adults Aged 20-64 Years in 1990-2013: Data from the Global Burden of Disease 2013 Study. Neuroepidemiology, 2015, 45, 190-202.	1.1	255

#	Article	IF	Citations
73	World Stroke Organization (WSO): Global Stroke Fact Sheet 2019. International Journal of Stroke, 2019, 14, 806-817.	2.9	249
74	Mortality from cardiovascular diseases in sub-Saharan Africa, 1990â€“2013: a systematic analysis of data from the Global Burden of Disease Study 2013: cardiovascular topic. Cardiovascular Journal of Africa, 2015, 26, S6-S10.	0.2	239
75	Blood Pressure and Stroke. Stroke, 2004, 35, 1024-1033.	1.0	238
76	Global Stroke Statistics 2019. International Journal of Stroke, 2020, 15, 819-838.	2.9	226
77	Global, regional, and national burden of meningitis, 1990â€“2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet Neurology, The, 2018, 17, 1061-1082.	4.9	221
78	Access to and delivery of acute ischaemic stroke treatments: A survey of national scientific societies and stroke experts in 44 European countries. European Stroke Journal, 2019, 4, 13-28.	2.7	213
79	Global Mortality From Firearms, 1990-2016. JAMA - Journal of the American Medical Association, 2018, 320, 792.	3.8	189
80	Atlas of the Global Burden of Stroke (1990-2013): The GBD 2013 Study. Neuroepidemiology, 2015, 45, 230-236.	1.1	186
81	The Epidemiology of Cardiovascular Diseases in Sub-Saharan Africa: The Global Burden of Diseases, Injuries and Risk Factors 2010 Study. Progress in Cardiovascular Diseases, 2013, 56, 234-239.	1.6	176
82	Hypertension: its prevalence and population-attributable fraction for mortality from cardiovascular disease in the Asia-Pacific region. Journal of Hypertension, 2007, 25, 73-79.	0.3	173
83	Persistent problems 1 year after mild traumatic brain injury: a longitudinal population study in New Zealand. British Journal of General Practice, 2016, 66, e16-e23.	0.7	167
84	Global, regional, and national burden of motor neuron diseases 1990â€“2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet Neurology, The, 2018, 17, 1083-1097.	4.9	163
85	The Global Burden of Hemorrhagic Stroke: A Summary of Findings From the GBD 2010 Study. Global Heart, 2014, 9, 101.	0.9	163
86	Prevention of stroke: a strategic global imperative. Nature Reviews Neurology, 2016, 12, 501-512.	4.9	162
87	Sex Differences in Stroke Incidence, Prevalence, Mortality and Disability-Adjusted Life Years: Results from the Global Burden of Disease Study 2013. Neuroepidemiology, 2015, 45, 203-214.	1.1	159
88	Primary stroke prevention worldwide: translating evidence into action. Lancet Public Health, The, 2022, 7, e74-e85.	4.7	156
89	Stroke in developing countries: can the epidemic be stopped and outcomes improved?. Lancet Neurology, The, 2007, 6, 94-97.	4.9	155
90	Auckland Stroke Outcomes Study. Neurology, 2010, 75, 1597-1607.	1.5	137

#	Article	IF	Citations
91	Ethnic disparities in incidence of stroke subtypes: Auckland Regional Community Stroke Study, 2002â€“2003. Lancet Neurology, The, 2006, 5, 130-139.	4.9	130
92	Reducing Attention Deficits After Stroke Using Attention Process Training. Stroke, 2009, 40, 3293-3298.	1.0	130
93	The Global Burden of Ischemic Stroke: Findings of the GBD 2010 Study. Global Heart, 2014, 9, 107.	0.9	129
94	Smoking and Elevated Blood Pressure Are the Most Important Risk Factors for Subarachnoid Hemorrhage in the Asia-Pacific Region. Stroke, 2005, 36, 1360-1365.	1.0	124
95	Evolving spatio-temporal data machines based on the NeuCube neuromorphic framework: Design methodology and selected applications. Neural Networks, 2016, 78, 1-14.	3.3	123
96	Trends in Stroke Incidence in Auckland, New Zealand, During 1981 to 2003. Stroke, 2005, 36, 2087-2093.	1.0	120
97	Evolving spiking neural networks for personalised modelling, classification and prediction of spatio-temporal patterns with a case study on stroke. Neurocomputing, 2014, 134, 269-279.	3.5	117
98	The Impact of Neuropsychological Deficits on Functional Stroke Outcomes. Neuropsychology Review, 2006, 16, 53-64.	2.5	114
99	Sex Differences in Long-Term Mortality After Stroke in the INSTRUCT (INternational STRoke oUtComes) Tj ETQq1 1 0.784314 rgBT /O	0.9	110
100	The Stroke Riskometerâ„¢ App: Validation of a Data Collection Tool and Stroke Risk Predictor. International Journal of Stroke, 2015, 10, 231-244.	2.9	103
101	Priorities to reduce the burden of stroke in Latin American countries. Lancet Neurology, The, 2019, 18, 674-683.	4.9	102
102	Cardiovascular, respiratory, and related disorders: key messages from Disease Control Priorities, 3rd edition. Lancet, The, 2018, 391, 1224-1236.	6.3	101
103	Falls After Stroke. Stroke, 2008, 39, 1890-1893.	1.0	100
104	Active and Passive Smoking and the Risk of Subarachnoid Hemorrhage. Stroke, 2004, 35, 633-637.	1.0	96
105	Years of life lost due to traumatic brain injury in Europe: A cross-sectional analysis of 16 countries. PLoS Medicine, 2017, 14, e1002331.	3.9	93
106	Population-based cohort study of the impacts of mild traumatic brain injury in adults four years post-injury. PLoS ONE, 2018, 13, e0191655.	1.1	92
107	How to study stroke incidence. Lancet, The, 2004, 363, 1920-1921.	6.3	90
108	Sleep difficulties one year following mild traumatic brain injury in a population-based study. Sleep Medicine, 2015, 16, 926-932.	0.8	90

#	Article	IF	Citations
109	Corticosteroids for aneurysmal subarachnoid haemorrhage and primary intracerebral haemorrhage. The Cochrane Library, 2005, , CD004583.	1.5	88
110	Cigarette Smoking, Systolic Blood Pressure, and Cardiovascular Diseases in the Asia-Pacific Region. Stroke, 2008, 39, 1694-1702.	1.0	88
111	Epidemiology of ischaemic stroke and traumatic brain injury. Bailliere's Best Practice and Research in Clinical Anaesthesiology, 2010, 24, 485-494.	1.7	87
112	Stroke Prevalence, Mortality and Disability-Adjusted Life Years in Children and Youth Aged 0-19 Years: Data from the Global and Regional Burden of Stroke 2013. Neuroepidemiology, 2015, 45, 177-189.	1.1	84
113	Cost of traumatic brain injury in New Zealand. Neurology, 2014, 83, 1645-1652.	1.5	83
114	Strategies to Improve Stroke Care Services in Low- and Middle-Income Countries: A Systematic Review. Neuroepidemiology, 2017, 49, 45-61.	1.1	81
115	Does blood pressure lowering treatment prevents dementia or cognitive decline in patients with cardiovascular and cerebrovascular disease?. Journal of the Neurological Sciences, 2005, 229-230, 151-155.	0.3	79
116	Stroke Incidence by Major Pathological Type and Ischemic Subtypes in the Auckland Regional Community Stroke Studies. Stroke, 2018, 49, 3-10.	1.0	76
117	Work Limitations 4 Years After Mild Traumatic Brain Injury: A Cohort Study. Archives of Physical Medicine and Rehabilitation, 2017, 98, 1560-1566.	0.5	74
118	Global Burden of Neurological Disorders: From Global Burden of Disease Estimates to Actions. Neuroepidemiology, 2019, 52, 1-2.	1.1	73
119	New Strategy to Reduce the Global Burden of Stroke. Stroke, 2015, 46, 1740-1747.	1.0	71
120	Prevention, management, and rehabilitation of stroke in low- and middle-income countries. ENeurologicalSci, 2016, 2, 21-30.	0.5	71
121	30-Year Trends in Stroke Rates and Outcome in Auckland, New Zealand (1981-2012): A Multi-Ethnic Population-Based Series of Studies. PLoS ONE, 2015, 10, e0134609.	1.1	70
122	The state of stroke services across the globe: Report of World Stroke Organizationâ€“World Health Organization surveys. International Journal of Stroke, 2021, 16, 889-901.	2.9	68
123	Long-Term Neuropsychological and Functional Outcomes in Stroke Survivors: Current Evidence and Perspectives for New Research. International Journal of Stroke, 2008, 3, 33-40.	2.9	66
124	Updated Criteria for Population-Based Stroke and Transient Ischemic Attack Incidence Studies for the 21st Century. Stroke, 2018, 49, 2248-2255.	1.0	66
125	Global prevention of stroke and dementia: the WSO Declaration. Lancet Neurology, The, 2020, 19, 487-488.	4.9	61
126	Neuropsychological outcome and its correlates in the first year after adult mild traumatic brain injury: A population-based New Zealand study. Brain Injury, 2015, 29, 1604-1616.	0.6	60

#	Article	IF	Citations
127	Sports-related brain injury in the general population: An epidemiological study. Journal of Science and Medicine in Sport, 2014, 17, 591-596.	0.6	59
128	Mind and body therapy for fibromyalgia. The Cochrane Library, 2015, 2015, CD001980.	1.5	59
129	Development of the Standards of Reporting of Neurological Disorders (STROND) checklist. Neurology, 2015, 85, 821-828.	1.5	57
130	Herbal Medicine in Stroke. Stroke, 2007, 38, 1734-1736.	1.0	56
131	Anthology of stroke epidemiology in the 20th and 21st centuries: Assessing the past, the present, and envisioning the future. International Journal of Stroke, 2019, 14, 223-237.	2.9	56
132	Stroke Epidemiology in Novosibirsk, Russia: A Population-Based Study. Mayo Clinic Proceedings, 1995, 70, 847-852.	1.4	55
133	The Global Burden of Stroke. Neuroepidemiology, 2015, 45, 143-145.	1.1	54
134	Sex Differences in Long-Term Quality of Life Among Survivors After Stroke in the INSTRUCT. Stroke, 2019, 50, 2299-2306.	1.0	54
135	The burden of neurological disorders across the states of India: the Global Burden of Disease Study 1990â€“2019. The Lancet Global Health, 2021, 9, e1129-e1144.	2.9	54
136	Associations between high-density lipoprotein cholesterol and both stroke and coronary heart disease in the Asia Pacific region. European Heart Journal, 2007, 28, 2653-2660.	1.0	53
137	Global mortality from dementia: Application of a new method and results from the Global Burden of Disease Study 2019. Alzheimer's and Dementia: Translational Research and Clinical Interventions, 2021, 7, e12200.	1.8	53
138	Editorial Commentâ€”Stroke Incidence Studies One Step Closer to the Elusive Gold Standard?. Stroke, 2004, 35, 2045-2047.	1.0	52
139	Incidence of Sports-Related Traumatic Brain Injury of All Severities: A Systematic Review. Neuroepidemiology, 2020, 54, 192-199.	1.1	50
140	Calcium Antagonists for Aneurysmal Subarachnoid Hemorrhage. Stroke, 2008, 39, 514-515.	1.0	49
141	Primary prevention of cardiovascular disease through population-wide motivational strategies: insights from using smartphones in stroke prevention. BMJ Global Health, 2017, 2, e000306.	2.0	49
142	Post-concussive symptoms after a mild traumatic brain injury during childhood and adolescence. Brain Injury, 2018, 32, 617-626.	0.6	49
143	Trends in Ethnic Disparities in Stroke Incidence in Auckland, New Zealand, During 1981 to 2003. Stroke, 2006, 37, 56-62.	1.0	48
144	Neuropsychological Profiles of 5-Year Ischemic Stroke Survivors by Oxfordshire Stroke Classification and Hemisphere of Lesion. Stroke, 2012, 43, 50-55.	1.0	48

#	Article	IF	Citations
145	Enzogenol for cognitive functioning in traumatic brain injury: a pilot placeboâ€controlled <scp>RCT</scp>. European Journal of Neurology, 2013, 20, 1135-1144.	1.7	48
146	A review of epidemiological research on stroke and dementia and exposure to air pollution. International Journal of Stroke, 2018, 13, 687-695.	2.9	48
147	Factors contributing to sex differences in functional outcomes and participation after stroke. Neurology, 2018, 90, e1945-e1953.	1.5	47
148	Cognitive and Functional Outcomes of 5-Year Subarachnoid Haemorrhage Survivors: Comparison to Matched Healthy Controls. Neuroepidemiology, 2011, 37, 31-38.	1.1	46
149	Improving Adherence to Secondary Stroke Prevention Strategies Through Motivational Interviewing. Stroke, 2015, 46, 3451-3458.	1.0	46
150	Is There a Temporal Pattern in the Occurrence of Subarachnoid Hemorrhage in the Southern Hemisphere?. Stroke, 2001, 32, 613-619.	1.0	45
151	Attention Deficits After Incident Stroke in the Acute Period: Frequency Across Types of Attention and Relationships to Patient Characteristics and Functional Outcomes. Topics in Stroke Rehabilitation, 2010, 17, 463-476.	1.0	45
152	Mobile Technology for Primary Stroke Prevention. Stroke, 2019, 50, 196-198.	1.0	45
153	Risk Factors for Ischemic Stroke in a Russian Community. Stroke, 1998, 29, 34-39.	1.0	43
154	Stroke Prevention Worldwide - What Could Make It Work. Neuroepidemiology, 2015, 45, 215-220.	1.1	43
155	First-Ever Stroke and Transient Ischemic Attack Incidence and 30-Day Case-Fatality Rates in a Population-Based Study in Argentina. Stroke, 2016, 47, 1640-1642.	1.0	42
156	Global stroke statistics: An update of mortality data from countries using a broad code of â€œcerebrovascular diseasesâ€• International Journal of Stroke, 2017, 12, 796-801.	2.9	42
157	The Impact of Stroke on Unpaid Caregivers: Results from the Auckland Regional Community Stroke Study, 2002â€“2003. Cerebrovascular Diseases, 2008, 25, 548-554.	0.8	41
158	Methods for Estimating the Global Burden of Cerebrovascular Diseases. Neuroepidemiology, 2015, 45, 146-151.	1.1	41
159	Fluid balance and outcome in critically ill patients with traumatic brain injury (CENTER-TBI and) Tj ETQq1 1 0.784314 rgBT /Overlock 1 20, 627-638.	4.9	40
160	Stroke Incidence and 30-Day Case-Fatality Rates in Novosibirsk, Russia, 1982 Through 1992. Stroke, 1995, 26, 924-929.	1.0	40
161	Advances in Subarachnoid Hemorrhage. Stroke, 2006, 37, 305-308.	1.0	39
162	A New Paradigm for Primary Prevention Strategy in People with Elevated Risk of Stroke. International Journal of Stroke, 2014, 9, 624-626.	2.9	39

#	Article	IF	Citations
163	Differences between Men and Women in Treatment and Outcome after Traumatic Brain Injury. Journal of Neurotrauma, 2021, 38, 235-251.	1.7	39
164	Sleep difficulties and their impact on recovery following mild traumatic brain injury in children. Brain Injury, 2016, 30, 1243-1248.	0.6	38
165	Determinants, Prevalence, and Trajectory of Long-Term Post-Stroke Cognitive Impairment: Results from a 4-Year Follow-Up of the ARCOS-IV Study. Neuroepidemiology, 2017, 49, 129-134.	1.1	38
166	The emerging role of induced hypothermia in the management of acute stroke. Journal of Clinical Neuroscience, 2002, 9, 502-507.	0.8	37
167	Stroke Prevention in the Developing World. Stroke, 2011, 42, 3655-3658.	1.0	37
168	Frequency and Impact of Recurrent Traumatic Brain Injury in a Population-Based Sample. Journal of Neurotrauma, 2015, 32, 674-681.	1.7	37
169	The Importance of Epidemiological Studies Should Not Be Downplayed. Stroke, 2008, 39, 1-2.	1.0	35
170	Prevalence and Predictors of 6-Month Fatigue in Patients With Ischemic Stroke. Stroke, 2012, 43, 2604-2609.	1.0	35
171	Development of the standards of reporting of neurological disorders (STROND) checklist: a guideline for the reporting of incidence and prevalence studies in neuroepidemiology. European Journal of Epidemiology, 2015, 30, 569-576.	2.5	35
172	Poststroke Fatigue: Does Group Education Make a Difference? A Randomized Pilot Trial. Topics in Stroke Rehabilitation, 2012, 19, 32-39.	1.0	34
173	Factor structure of the Rivermead Post-Concussion Symptoms Questionnaire over the first year following mild traumatic brain injury. Brain Injury, 2018, 32, 453-458.	0.6	34
174	A pilot randomized controlled trial of on-line interventions to improve sleep quality in adults after mild or moderate traumatic brain injury. Clinical Rehabilitation, 2018, 32, 619-629.	1.0	34
175	The burden of stroke in China: Results from a nationwide population-based epidemiological survey. PLoS ONE, 2018, 13, e0208398.	1.1	33
176	Trends in Head Injury Incidence in New Zealand: A Hospital-Based Study from 1997/1998 to 2003/2004. Neuroepidemiology, 2009, 32, 32-39.	1.1	32
177	Capturing the Spectrum: Suggested Standards for Conducting Population-Based Traumatic Brain Injury Incidence Studies. Neuroepidemiology, 2009, 32, 1-3.	1.1	32
178	Causes of Death Data in the Global Burden of Disease Estimates for Ischemic and Hemorrhagic Stroke. Neuroepidemiology, 2015, 45, 152-160.	1.1	32
179	What the COVID-19 Crisis Is Telling Humanity. Neuroepidemiology, 2020, 54, 283-286.	1.1	32
180	A Population-Based Study of Transient Ischemic Attack Incidence in Novosibirsk, Russia, 1987â€“1988 and 1996â€“1997. Stroke, 2000, 31, 9-13.	1.0	31

#	Article	IF	Citations
181	The emerging role of therapeutic hypothermia in acute stroke. Lancet Neurology, The, 2003, 2, 529.	4.9	31
182	Natural History of Attention Deficits and Their Influence on Functional Recovery from Acute Stages to 6 Months after Stroke. Neuroepidemiology, 2010, 35, 255-262.	1.1	31
183	Geomagnetic Storms Can Trigger Stroke. Stroke, 2014, 45, 1639-1645.	1.0	31
184	Depression and anxiety across the first 4 years after mild traumatic brain injury: findings from a community-based study. Brain Injury, 2018, 32, 1651-1658.	0.6	31
185	What Is the Best Mix of Populationâ€Wide and Highâ€Risk Targeted Strategies of Primary Stroke and Cardiovascular Disease Prevention?. Journal of the American Heart Association, 2020, 9, e014494.	1.6	31
186	Ethnicity and Functional Outcome After Stroke. Stroke, 2011, 42, 960-964.	1.0	30
187	Cut stroke in half: Polypill for primary prevention in stroke. International Journal of Stroke, 2018, 13, 633-647.	2.9	29
188	Serum metabolome associated with severity of acute traumatic brain injury. Nature Communications, 2022, 13, 2545.	5.8	29
189	Accuracy of an International Classification of Diseases Code Surveillance System in the Identification of Traumatic Brain Injury. Neuroepidemiology, 2016, 47, 46-52.	1.1	27
190	A Nationwide, Population-Based Prevalence Study of Genetic Muscle Disorders. Neuroepidemiology, 2019, 52, 128-135.	1.1	27
191	Community Knowledge and Awareness of Stroke in New Zealand. Journal of Stroke and Cerebrovascular Diseases, 2020, 29, 104589.	0.7	27
192	Brain health: Key to health, productivity, and wellâ€being. Alzheimer's and Dementia, 2022, 18, 1396-1407.	0.4	27
193	Telerehabilitation to improve outcomes for people with stroke: study protocol for a randomised controlled trial. Trials, 2012, 13, 233.	0.7	26
194	Surgery versus conservative treatment for traumatic acute subdural haematoma: a prospective, multicentre, observational, comparative effectiveness study. Lancet Neurology, The, 2022, 21, 620-631.	4.9	26
195	MLC 901 (NeuroAiD II â„¢) for cognition after traumatic brain injury: a pilot randomized clinical trial. European Journal of Neurology, 2018, 25, 1055.	1.7	25
196	Stroke surveillance: populationâ€based estimates and projections for New Zealand. Australian and New Zealand Journal of Public Health, 2007, 31, 520-525.	0.8	24
197	Reducing Recurrent Stroke: Methodology of the Motivational Interviewing in Stroke (MIST) Randomized Clinical Trial. International Journal of Stroke, 2014, 9, 133-139.	2.9	23
198	Status epilepticus in Auckland, New Zealand: Incidence, etiology, and outcomes. Epilepsia, 2019, 60, 1552-1564.	2.6	23

#	Article	IF	Citations
199	Biomarkers for Traumatic Brain Injury: Data Standards and Statistical Considerations. Journal of Neurotrauma, 2021, 38, 2514-2529.	1.7	23
200	Outcome Prediction after Moderate and Severe Traumatic Brain Injury: External Validation of Two Established Prognostic Models in 1742 European Patients. Journal of Neurotrauma, 2021, 38, 1377-1388.	1.7	23
201	How should stroke services be organised?. Lancet Neurology, The, 2002, 1, 62-68.	4.9	22
202	Burden of Traumatic Brain Injury in New Zealand: Incidence, Prevalence and Disability-Adjusted Life Years. Neuroepidemiology, 2015, 44, 255-261.	1.1	22
203	Brief telephone interventions for problem gambling: a randomized controlled trial. Addiction, 2018, 113, 883-895.	1.7	22
204	The burden of headache disorders in the Eastern Mediterranean Region, 1990-2016: findings from the Global Burden of Disease study 2016. Journal of Headache and Pain, 2019, 20, 40.	2.5	22
205	2022 World Hypertension League, Resolve To Save Lives and International Society of Hypertension dietary sodium (salt) global call to action. Journal of Human Hypertension, 2023, 37, 428-437.	1.0	22
206	Incidence, prevalence and disability associated with neurological disorders in Italy between 1990 and 2019: an analysis based on the Global Burden of Disease Study 2019. Journal of Neurology, 2022, 269, 2080-2098.	1.8	21
207	Fighting Against Stroke in Latin America: A Joint Effort of Medical Professional Societies and Governments. Frontiers in Neurology, 2021, 12, 743732.	1.1	21
208	Toward a New Multi-Dimensional Classification of Traumatic Brain Injury: A Collaborative European NeuroTrauma Effectiveness Research for Traumatic Brain Injury Study. Journal of Neurotrauma, 2020, 37, 1002-1010.	1.7	20
209	Prediction of Global Functional Outcome and Post-Concussive Symptoms after Mild Traumatic Brain Injury: External Validation of Prognostic Models in the Collaborative European NeuroTrauma Effectiveness Research in Traumatic Brain Injury (CENTER-TBI) Study. Journal of Neurotrauma, 2021, 38, 196-209.	1.7	20
210	Social cognition four years after mild-TBI: An age-matched prospective longitudinal cohort study.. Neuropsychology, 2019, 33, 560-567.	1.0	20
211	Post stroke fatigue--where is the evidence to guide practice?. New Zealand Medical Journal, 2007, 120, U2780.	0.5	20
212	Are Stroke Units Cost Effective? Evidence from a New Zealand Stroke Incidence and Population-Based Study. International Journal of Stroke, 2012, 7, 623-630.	2.9	19
213	Stroke is largely preventable across the globe: where to next?. Lancet, The, 2016, 388, 733-734.	6.3	19
214	Tracheal intubation in traumatic brain injury: a multicentre prospective observational study. British Journal of Anaesthesia, 2020, 125, 505-517.	1.5	19
215	Systemic Inflammation, Endothelial Dysfunction, Dietary Fatty Acids and Micronutrients as Risk Factors for Stroke: A Selective Review. Cerebrovascular Diseases, 2002, 13, 219-224.	0.8	18
216	Ethnic Disparities in Risk Factors for Stroke. Stroke, 2004, 35, 1568-1569.	1.0	18

#	Article	IF	Citations
217	Global burden of stroke: an underestimate â€“ Authors' reply. Lancet, The, 2014, 383, 1205-1206.	6.3	18
218	Distinguishing between enduring and dynamic concussion symptoms: applying Generalisability Theory to the Rivermead Post Concussion Symptoms Questionnaire (RPQ). PeerJ, 2018, 6, e5676.	0.9	18
219	Digital Health in Primordial and Primary Stroke Prevention: A Systematic Review. Stroke, 2022, 53, 1008-1019.	1.0	18
220	Incidence of Transient Ischemic Attack in Auckland, New Zealand, in 2011 to 2012. Stroke, 2016, 47, 2183-2188.	1.0	17
221	The impact of ethnicity on stroke care access and patient outcomes: a New Zealand nationwide observational study. The Lancet Regional Health - Western Pacific, 2022, 20, 100358.	1.3	17
222	Burden of Stroke in Maori and Pacific Peoples of New Zealand. International Journal of Stroke, 2007, 2, 208-210.	2.9	16
223	Methodology of a Population-Based Stroke and TIA Incidence and Outcomes Study: The Auckland Regional Community Stroke Study (ARCOS IV) 2011â€“2012. International Journal of Stroke, 2014, 9, 140-147.	2.9	16
224	Revising the ICD: stroke is a brain disease. Lancet, The, 2016, 388, 2475-2476.	6.3	16
225	Telerehabilitation After Stroke Using Readily Available Technology: A Randomized Controlled Trial. Neurorehabilitation and Neural Repair, 2021, 35, 88-97.	1.4	16
226	Quality of stroke guidelines in low- and middle-income countries: a systematic review. Bulletin of the World Health Organization, 2021, 99, 640-652E.	1.5	16
227	Global Burden of Mental, Neurological, and Substance Use Disorders: An Analysis from the Global Burden of Disease Study 2010. , 2016, , 29-40.		16
228	Stroke Epidemiology in Novosibirsk, Russia: A Population-Based Study. Mayo Clinic Proceedings, 1995, 70, 847-852.	1.4	15
229	Explanation and Elaboration of the Standards of Reporting of Neurological Disorders Checklist: A Guideline for the Reporting of Incidence and Prevalence Studies in Neuroepidemiology. Neuroepidemiology, 2015, 45, 113-137.	1.1	15
230	Primary stroke prevention in China â€“ a new approach. Neurological Research, 2015, 37, 378-380.	0.6	15
231	Methodology of the Stroke Self-Management Rehabilitation Trial: An International, Multisite Pilot Trial. Journal of Stroke and Cerebrovascular Diseases, 2015, 24, 297-303.	0.7	15
232	Longitudinal patterns of behavior, cognition, and quality of life after mild traumatic brain injury in children: BIONIC study findings. Brain Injury, 2019, 33, 884-893.	0.6	15
233	Review and prioritization of stroke research recommendations to address the mission of the World Stroke Organization: a call to action from the WSO Research Committee. International Journal of Stroke, 2015, 10, 4-9.	2.9	14
234	Trajectories in health recovery in the 12 months following a mild traumatic brain injury in children: findings from the BIONIC Study. Journal of Primary Health Care, 2018, 10, 81.	0.2	14

#	Article	IF	Citations
235	Multi-level community interventions for primary stroke prevention: A conceptual approach by the World Stroke Organization. International Journal of Stroke, 2019, 14, 818-825.	2.9	14
236	Primary stroke prevention needs overhaul. International Journal of Stroke, 2017, 12, 5-6.	2.9	13
237	Personalised predictive modelling with brain-inspired spiking neural networks of longitudinal MRI neuroimaging data and the case study of dementia. Neural Networks, 2021, 144, 522-539.	3.3	13
238	Public health strategies could reduce the global stroke epidemic. Lancet Neurology, The, 2010, 9, 847-848.	4.9	12
239	A systematic review of the worldwide prevalence of survivors of poliomyelitis reported in 31 studies. BMJ Open, 2017, 7, e015470.	0.8	12
240	Comparison of Care System and Treatment Approaches for Patients with Traumatic Brain Injury in China versus Europe: A CENTER-TBI Survey Study. Journal of Neurotrauma, 2020, 37, 1806-1817.	1.7	12
241	Frequency of fatigue and its changes in the first 6Âmonths after traumatic brain injury: results from the CENTER-TBI study. Journal of Neurology, 2021, 268, 61-73.	1.8	12
242	Environmental factors and stroke: A selective review. Journal of Stroke and Cerebrovascular Diseases, 1997, 6, 108-113.	0.7	11
243	Cross-cultural validation of the stroke riskometer using generalizability theory. Scientific Reports, 2021, 11, 19064.	1.6	11
244	Geographic Disparities in Stroke Outcomes and Service Access. Neurology, 2022, 99, .	1.5	11
245	Sex differences in outcomes from mild traumatic brain injury eight years post-injury. PLoS ONE, 2022, 17, e0269101.	1.1	11
246	Health care utilization and outcomes in older adults after Traumatic Brain Injury: A CENTER-TBI study. Injury, 2022, 53, 2774-2782.	0.7	11
247	Prevalence and Predictors of Post-traumatic Stress Disorder in Adults One Year Following Traumatic Brain Injury: A Population-based Study. Brain Impairment, 2013, 14, 425-435.	0.5	10
248	Long-term factor structure of the Rivermead Post-Concussion Symptom Questionnaire in mild traumatic brain injury and normative sample. Brain Injury, 2019, 33, 618-622.	0.6	10
249	Predicting the environmental suitability for onchocerciasis in Africa as an aid to elimination planning. PLoS Neglected Tropical Diseases, 2021, 15, e0008824.	1.3	10
250	Global Burden of Stroke. , 2016, , 165-206.		9
251	Primary prevention of stroke and cardiovascular disease in the community (PREVENTS): Methodology of a health wellness coaching intervention to reduce stroke and cardiovascular disease risk, a randomized clinical trial. International Journal of Stroke, 2018, 13, 223-232.	2.9	9
252	Reducing the burden of stroke: Opportunities and mechanisms. International Journal of Stroke, 2019, 14, 761-762.	2.9	9

#	Article	IF	Citations
253	The International comparison of Systems of care and patient outcomes In minor Stroke and Tia (InSIST) study: A community-based cohort study. International Journal of Stroke, 2019, 14, 186-190.	2.9	9
254	Program for the Epidemiological Evaluation of Stroke in Tandil, Argentina (PREVISTA) Study: Rationale and Design. International Journal of Stroke, 2013, 8, 591-597.	2.9	8
255	The Contribution of Vascular Risk Factors in Prevalence of Fatigue Four Years Following Stroke: Results from a Population-Based Study. Journal of Stroke and Cerebrovascular Diseases, 2018, 27, 2192-2199.	0.7	8
256	Slowed Information Processing Speed at Four Years Poststroke: Evidence and Predictors from a Population-Based Follow-up Study. Journal of Stroke and Cerebrovascular Diseases, 2020, 29, 104513.	0.7	8
257	Primary versus early secondary referral to a specialized neurotrauma center in patients with moderate/severe traumatic brain injury: a CENTER TBI study. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2021, 29, 113.	1.1	8
258	Case-Fatality and Functional Outcome after Subarachnoid Hemorrhage (SAH) in INternational STRoke oUtComes sTudy (INSTRUCT). Journal of Stroke and Cerebrovascular Diseases, 2022, 31, 106201.	0.7	8
259	Improved predictive personalized modelling with the use of Spiking Neural Network system and a case study on stroke occurrences data. , 2014, , .		7
260	From Data to Action: Neuroepidemiology Informs Implementation Research for Global Stroke Prevention and Treatment. Neuroepidemiology, 2015, 45, 221-229.	1.1	7
261	New Zealand Teachersâ€™ Understanding of Childhood Mild Traumatic Brain Injury: Investigating and Enhancing Teacher Knowledge and Practice. New Zealand Journal of Educational Studies, 2017, 52, 159-176.	0.6	7
262	Reducing Ethnic and Geographic Inequities to Optimise New Zealand Stroke Care (REGIONS Care): Protocol for a Nationwide Observational Study. JMIR Research Protocols, 2021, 10, e25374.	0.5	7
263	Burden of Traumatic Brain Injuries in Children and Adolescents in Europe: Hospital Discharges, Deaths and Years of Life Lost. Children, 2022, 9, 105.	0.6	7
264	Corticosteroids in Patients With Hemorrhagic Stroke. Stroke, 2006, 37, 1344-1345.	1.0	6
265	Advances in Population Studies 2007. Stroke, 2008, 39, 283-285.	1.0	6
266	Neuropsychological Outcome and its Predictors Across the First Year after Ischaemic Stroke. Brain Impairment, 2016, 17, 111-122.	0.5	6
267	Brain drawings following traumatic brain injury (TBI) and links to illness perceptions and health outcomes â€“ Findings from a population-based study. Psychology and Health, 2016, 31, 1182-1202.	1.2	6
268	The Characteristics of Patients With Possible Transient Ischemic Attack and Minor Stroke in the Hunter and Manning Valley Regions, Australia (the INSIST Study). Frontiers in Neurology, 2020, 11, 383.	1.1	6
269	Psychosocial functioning at 4-years after pediatric mild traumatic brain injury. Brain Injury, 2021, 35, 416-425.	0.6	6
270	Irampanel Boehringer Ingelheim. Current Opinion in Investigational Drugs, 2002, 3, 908-10.	2.3	6

#	Article	IF	Citations
271	Tailoring Multi-Dimensional Outcomes to Level of Functional Recovery after Traumatic Brain Injury. Journal of Neurotrauma, 2022, 39, 1363-1381.	1.7	6
272	Do Mild Traumatic Brain Injury Severity Sub-classification Systems Help to Identify People Who Go on to Experience Long-Term Symptoms?. Brain Impairment, 2018, 19, 119-132.	0.5	5
273	Return to Pre-Injury Work Following Mild Traumatic Brain Injury. Brain Impairment, 2018, 19, 153-165.	0.5	5
274	Parent and child ratings of child behaviour following mild traumatic brain injury. Brain Injury, 2018, 32, 1397-1404.	0.6	5
275	Planning of stroke care and urgent prehospital care across Europe: Results of the ESO/ESMINT/EAN/SAFE Survey. European Stroke Journal, 2019, 4, 329-336.	2.7	5
276	Sex Differences in Disease Profiles, Management, and Outcomes Among People with Atrial Fibrillation After Ischemic Stroke: Aggregated and Individual Participant Data Meta-Analyses. Women S Health Reports, 2020, 1, 190-202.	0.4	5
277	Brain Health, One Health, and COVID-19. Neuroepidemiology, 2021, 55, 425-426.	1.1	5
278	Neurocognitive correlates of probable posttraumatic stress disorder following traumatic brain injury. Brain and Spine, 2022, 2, 100854.	0.0	5
279	Primary stroke prevention: useful thresholds?. Lancet Neurology, The, 2022, 21, 116.	4.9	5
280	Incidence of stroke in women in Auckland, New Zealand. Ethnic trends over two decades: 1981-2003. New Zealand Medical Journal, 2006, 119, U2309.	0.5	5
281	Digital solutions for primary stroke and cardiovascular disease prevention: A mass individual and public health approach. The Lancet Regional Health - Western Pacific, 2022, 29, 100511.	1.3	5
282	Response to Letter Regarding Article,â€œNew Strategy to Reduce the Global Burden of Strokeâ€: Stroke, 2015, 46, e195.	1.0	4
283	Potential Gains and Costs from Increasing Access to Thrombolysis for Acute Ischemic Stroke Patients in New Zealand Hospitals. International Journal of Stroke, 2015, 10, 903-910.	2.9	4
284	Depression and Anxiety Across the First Year After Ischemic Stroke: Findings from a Population-Based New Zealand ARCOS-IV Study. Brain Impairment, 2017, 18, 265-276.	0.5	4
285	Determining the feasibility and preliminary efficacy of a stroke instructional and educational DVD in a multinational context: a randomized controlled pilot study. Clinical Rehabilitation, 2018, 32, 1086-1097.	1.0	4
286	Changes over time in family members of adults with mild traumatic brain injury. Brain Impairment, 2020, 21, 154-172.	0.5	4
287	Health-related quality of life after traumatic brain injury: deriving value sets for the QOLIBRI-OS for Italy, The Netherlands and The United Kingdom. Quality of Life Research, 2020, 29, 3095-3107.	1.5	4
288	The Incidence of Stroke in Indigenous Populations of Countries With a Very High Human Development Index: A Systematic Review Protocol. Frontiers in Neurology, 2021, 12, 661570.	1.1	4

#	Article	IF	Citations
289	Persistent postconcussive symptoms in children and adolescents with mild traumatic brain injury receiving initial head computed tomography. Journal of Neurosurgery: Pediatrics, 2021, 27, 538-547.	0.8	4
290	The Effectiveness of Stroke Riskometerâ„¢ in Improving Stroke Risk Awareness in Malaysia: A Study Protocol of a Cluster-Randomized Controlled Trial. Neuroepidemiology, 2021, 55, 436-446.	1.1	4
291	New Zealand hospital stroke service provision. New Zealand Medical Journal, 2020, 133, 18-30.	0.5	4
292	Extended Coagulation Profiling in Isolated Traumatic Brain Injury: A CENTER-TBI Analysis. Neurocritical Care, 2022, 36, 927-941.	1.2	4
293	Stroke Prevention in New Zealand: Can We Do Better?. International Journal of Stroke, 2014, 9, 61-63.	2.9	3
294	Use of the EpiNet database for observational study of status epilepticus in Auckland, New Zealand. Epilepsy and Behavior, 2015, 49, 164-169.	0.9	3
295	Global Burden of Stroke. , 2022, , 163-178.e2.		3
296	Exploring Associations between Changes in Ambient Temperature and Stroke Occurrence: Comparative Analysis Using Global and Personalised Modelling Approaches. Lecture Notes in Computer Science, 2011, , 129-137.	1.0	3
297	Vibrational Spectroscopy for the Triage of Traumatic Brain Injury Computed Tomography Priority and Hospital Admissions. Journal of Neurotrauma, 2022, 39, 773-783.	1.7	3
298	One-Year Risk of Stroke After Transient Ischemic Attack or Minor Stroke in Hunter New England, Australia (INSIST Study). Frontiers in Neurology, 2021, 12, 791193.	1.1	3
299	Can We Cluster ICU Treatment Strategies for Traumatic Brain Injury by Hospital Treatment Preferences?. Neurocritical Care, 2021, , 1.	1.2	3
300	Time to revise primary prevention guidelines for stroke and cardiovascular disease. Lancet Neurology, The, 2022, 21, 686-687.	4.9	3
301	Differences in Neuropsychological Profiles of Long-Term Intracerebral Hemorrhage and Subarachnoid Hemorrhage Survivors. International Journal of Stroke, 2013, 8, E14-E14.	2.9	2
302	Neuroepidemiology: A Brighter Look for the Future. Neuroepidemiology, 2013, 41, 1-1.	1.1	2
303	Capturing the Stories behind the Numbers: The Auckland Regional Community Stroke Study (ARCOS IV), a Qualitative Study. International Journal of Stroke, 2014, 9, 64-70.	2.9	2
304	Can we stop the stroke tsunami? Mitigating the barriers, amplifying the facilitators. Journal of the Royal Society of New Zealand, 2022, 52, 109-128.	1.0	2
305	Impact and predictors of quality of life in adults diagnosed with a genetic muscle disorder: a nationwide population-based study. Quality of Life Research, 2022, 31, 1657-1666.	1.5	2
306	Update on stroke risk factors. Journal of Stroke and Cerebrovascular Diseases, 1994, 4, 207-215.	0.7	1

#	Article	IF	Citations
307	New developments in dementia. Acta Neurologica Scandinavica, 2003, 107, 237-238.	1.0	1
308	Pragmatism and perfection in the prevention of cardiovascular disease. Lancet Neurology, The, 2007, 6, 944-945.	4.9	1
309	A Commentary on the Standards of Reporting of Neurological Disorders Checklist: A Guideline for the Reporting of Descriptive Studies in Neuroepidemiology. Neuroepidemiology, 2015, 45, 71-72.	1.1	1
310	EpiNet study of incidence of status epilepticus in Auckland, New Zealand: Methods and preliminary results. Epilepsia, 2018, 59, 144-149.	2.6	1
311	Associations between brain drawings following mild traumatic brain injury and negative illness perceptions and post-concussion symptoms at 4â€‰years. Journal of Health Psychology, 2019, 24, 1448-1458.	1.3	1
312	Methodology of the fatigue after stroke educational recovery group randomized controlled trial. International Journal of Stroke, 2021, , 174749302110062.	2.9	1
313	Determinants of major non-communicable diseases in the elderly: the pilot Freemasons health study. New Zealand Medical Journal, 2002, 115, U179.	0.5	1
314	Poststroke dementia: prevalence, incidence and risk factors. Aging Health, 2006, 2, 799-807.	0.3	0
315	Neuroepidemiology from 1982 to 2007 and Beyond. Neuroepidemiology, 2008, 30, 1-2.	1.1	0
316	Measuring and Reducing the Stroke Burden in New Zealand. International Journal of Stroke, 2014, 9, 5-5.	2.9	0
317	Final Response to Hippisley-Cox et al.. International Journal of Stroke, 2015, 10, E82-E85.	2.9	0
318	Approaches to Prevention of Cardiovascular Disease. JAMA - Journal of the American Medical Association, 2015, 314, 2306.	3.8	0
319	Driving Your Recovery Post Stroke. Neuroepidemiology, 2018, 51, 113-114.	1.1	0
320	Measuring stroke and transient ischemic attack burden in New Zealand: Protocol for the fifth Auckland Regional Community Stroke Study (ARCOS V). International Journal of Stroke, 2020, 15, 573-583.	2.9	0
321	Three methods for examining trajectories in neuropsychological performance across the first 4 years after mild Traumatic Brain Injury. Brain Impairment, 2021, 22, 20-33.	0.5	0
322	7th International Conference on Neurology and Epidemiology. Neuroepidemiology, 2021, 55, III-III.	1.1	0
323	National Estimates of Subarachnoid Hemorrhage Burden Need to Account for Within-Country Variations. Neurology, 2021, 97, 14-15.	1.5	0
324	Information Methods for Predicting Risk and Outcome of Stroke. , 2014, , 993-1001.		0

#	Article	IF	Citations
325	Randomised, double-blind, placebo-controlled study investigating Safety and efficAcy of MLC901 in post-traUmatic bRAin Injury: the SAMURAI study protocol. BMJ Open, 2022, 12, e059167.	0.8	0
326	Personalized knowledge to reduce the risk of stroke (PERKS-International): Protocol for a randomized controlled trial. International Journal of Stroke, 2023, 18, 477-483.	2.9	0