

Yiyong Mai

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5445774/yiyong-mai-publications-by-year.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

113 papers	7,253 citations	40 h-index	84 g-index
119 ext. papers	8,509 ext. citations	9.4 avg, IF	6.59 L-index

#	Paper	IF	Citations
113	Block Copolymer Self-Assembly Guided Synthesis of Mesoporous Carbons with In-Plane Holey Pores for Efficient Oxygen Reduction Reaction.. <i>Macromolecular Rapid Communications</i> , 2022 , e2100884	4.8	0
112	Two-Dimensional MXene-Polymer Heterostructure with Ordered In-Plane Mesochannels for High-Performance Capacitive Deionization. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 26528-26534	16.4	30
111	Two-Dimensional MXene-Polymer Heterostructure with Ordered In-Plane Mesochannels for High-Performance Capacitive Deionization. <i>Angewandte Chemie</i> , 2021 , 133, 26732	3.6	7
110	Near-Infrared Light-Triggered Bacterial Eradication Using a Nanowire Nanocomposite of Graphene Nanoribbons and Chitosan-Coated Silver Nanoparticles. <i>Frontiers in Chemistry</i> , 2021 , 9, 767847	5	1
109	Porphyrin-Based Conjugated Microporous Polymer Tubes: Template-Free Synthesis and A Photocatalyst for Visible-Light-Driven Thiocyanation of Anilines. <i>Macromolecules</i> , 2021 , 54, 3543-3553	5.5	6
108	Controlled Synthesis of Porous Carbon Nanostructures with Tunable Closed Mesopores via a Silica-Assisted Coassembly Strategy. <i>CCS Chemistry</i> , 2021 , 3, 1410-1422	7.2	9
107	Emulsion-Guided Controllable Construction of Anisotropic Particles: Droplet Size Determines Particle Structure. <i>Advanced Materials</i> , 2021 , 33, e2102930	24	6
106	Single-Metal-Atom Polymeric Unimolecular Micelles for Switchable Photocatalytic H ₂ Evolution. <i>CCS Chemistry</i> , 2021 , 3, 1963-1971	7.2	13
105	The ordered mesoporous carbon coated graphene as a high-performance broadband microwave absorbent. <i>Carbon</i> , 2021 , 179, 435-444	10.4	13
104	Fabrication of sulfur-doped cove-edged graphene nanoribbons on Au(111)*. <i>Chinese Physics B</i> , 2021 , 30, 077306	1.2	0
103	Double diamond structured bicontinuous mesoporous titania templated by a block copolymer for anode material of lithium-ion battery. <i>Nano Research</i> , 2021 , 14, 992-997	10	12
102	Graphene nanoribbon-based supramolecular ensembles with dual-receptor targeting function for targeted photothermal tumor therapy. <i>Chemical Science</i> , 2021 , 12, 11089-11097	9.4	4
101	A supramolecular single-site photocatalyst based on multi-to-one Förster resonance energy transfer. <i>Chemical Communications</i> , 2021 , 57, 4174-4177	5.8	5
100	Sulfur-Doped Nanographenes Containing Multiple Subhelicenes. <i>Organic Letters</i> , 2021 , 23, 2069-2073	6.2	4
99	Graphene, other carbon nanomaterials and the immune system: toward nanoimmunity-by-design. <i>JPhys Materials</i> , 2020 , 3, 034009	4.2	20
98	Resolving Quinoid Structure in Poly(-phenylene) Chains. <i>Journal of the American Chemical Society</i> , 2020 , 142, 10034-10041	16.4	8
97	Azobenzene-functionalized graphene nanoribbons: bottom-up synthesis, photoisomerization behaviour and self-assembled structures. <i>Journal of Materials Chemistry C</i> , 2020 , 8, 10837-10843	7.1	3

96	Self-assembly of block copolymers towards mesoporous materials for energy storage and conversion systems. <i>Chemical Society Reviews</i> , 2020 , 49, 4681-4736	58.5	136
95	Poly(ionic liquid)-based polymer composites as high-performance solid-state electrolytes: benefiting from nanophase separation and alternating polymer architecture. <i>Chemical Communications</i> , 2020 , 56, 7929-7932	5.8	8
94	Experimental Observation of Strong Exciton Effects in Graphene Nanoribbons. <i>Nano Letters</i> , 2020 , 20, 2993-3002	11.5	24
93	Degradation of Structurally Defined Graphene Nanoribbons by Myeloperoxidase and the Photo-Fenton Reaction. <i>Angewandte Chemie - International Edition</i> , 2020 , 59, 18515-18521	16.4	15
92	Water-Insensitive Synthesis of Poly- β -Peptides with Defined Architecture. <i>Angewandte Chemie</i> , 2020 , 132, 7307-7311	3.6	0
91	Water-Insensitive Synthesis of Poly- β -Peptides with Defined Architecture. <i>Angewandte Chemie - International Edition</i> , 2020 , 59, 7240-7244	16.4	26
90	A Supramolecular-Based Dual-Wavelength Phototherapeutic Agent with Broad-Spectrum Antimicrobial Activity Against Drug-Resistant Bacteria. <i>Angewandte Chemie</i> , 2020 , 132, 3687-3693	3.6	9
89	A Supramolecular-Based Dual-Wavelength Phototherapeutic Agent with Broad-Spectrum Antimicrobial Activity Against Drug-Resistant Bacteria. <i>Angewandte Chemie - International Edition</i> , 2020 , 59, 3658-3664	16.4	50
88	Tunable low-dimensional self-assembly of H-shaped bichromophoric perylenediimide Gemini in solution. <i>Nanoscale</i> , 2020 , 12, 3058-3067	7.7	6
87	A Curved Graphene Nanoribbon with Multi-Edge Structure and High Intrinsic Charge Carrier Mobility. <i>Journal of the American Chemical Society</i> , 2020 , 142, 18293-18298	16.4	16
86	Ordered Bicontinuous Mesoporous Polymeric Semiconductor Photocatalyst. <i>ACS Nano</i> , 2020 , 14, 13652-13662	16.6	19
85	Degradation of Structurally Defined Graphene Nanoribbons by Myeloperoxidase and the Photo-Fenton Reaction. <i>Angewandte Chemie</i> , 2020 , 132, 18673-18679	3.6	0
84	Bis-Anthracene Fused Porphyrin as an Efficient Photocatalyst: Facile Synthesis and Visible-Light-Driven Oxidative Coupling of Amines. <i>Chemistry - A European Journal</i> , 2020 , 26, 16497-16505	4.8	2
83	Bowl-shaped NiCo ₂ O ₄ nanosheet clusters as electrode materials for high-performance asymmetric supercapacitors. <i>Science China Materials</i> , 2020 , 63, 2456-2464	7.1	7
82	Two-dimensional electronic spectroscopy of graphene nanoribbons in organic solution. <i>EPJ Web of Conferences</i> , 2019 , 205, 05005	0.3	
81	Block copolymers get self-assembled in solution. <i>Materials Chemistry Frontiers</i> , 2019 , 3, 2283-2307	7.8	21
80	General Interfacial Self-Assembly Engineering for Patterning Two-Dimensional Polymers with Cylindrical Mesopores on Graphene. <i>Angewandte Chemie - International Edition</i> , 2019 , 58, 10173-10178	16.4	53
79	General Interfacial Self-Assembly Engineering for Patterning Two-Dimensional Polymers with Cylindrical Mesopores on Graphene. <i>Angewandte Chemie</i> , 2019 , 131, 10279-10284	3.6	15

78	Ultrathin Metal-Organic Framework Nanosheets with Ultrahigh Loading of Single Pt Atoms for Efficient Visible-Light-Driven Photocatalytic H ₂ Evolution. <i>Angewandte Chemie</i> , 2019 , 131, 10304-10309	3.6	56
77	Ultrathin Metal-Organic Framework Nanosheets with Ultrahigh Loading of Single Pt Atoms for Efficient Visible-Light-Driven Photocatalytic H Evolution. <i>Angewandte Chemie - International Edition</i> , 2019 , 58, 10198-10203	16.4	239
76	A single-ion conducting hyperbranched polymer as a high performance solid-state electrolyte for lithium ion batteries. <i>Chemical Communications</i> , 2019 , 55, 6715-6718	5.8	37
75	On-Surface Synthesis of Iron Phthalocyanine Using Metal-Organic Coordination Templates. <i>ChemPhysChem</i> , 2019 , 20, 2394-2397	3.2	3
74	Solution Self-Assembly of an Alternating Copolymer toward Hollow Carbon Nanospheres with Uniform Micropores. <i>ACS Macro Letters</i> , 2019 , 8, 331-336	6.6	20
73	Synthetic Engineering of Graphene Nanoribbons with Excellent Liquid-Phase Processability. <i>Trends in Chemistry</i> , 2019 , 1, 549-558	14.8	26
72	Multiwavelength Raman spectroscopy of ultranarrow nanoribbons made by solution-mediated bottom-up approach. <i>Physical Review B</i> , 2019 , 100,	3.3	5
71	Two-Dimensional Interface Engineering of Mesoporous Polydopamine on Graphene for Novel Organic Cathodes. <i>ACS Applied Energy Materials</i> , 2019 , 2, 5816-5823	6.1	21
70	Tunable Superstructures of Dendronized Graphene Nanoribbons in Liquid Phase. <i>Journal of the American Chemical Society</i> , 2019 , 141, 10972-10977	16.4	28
69	Pore Engineering of 2D Mesoporous Nitrogen-Doped Carbon on Graphene through Block Copolymer Self-Assembly. <i>Advanced Materials Interfaces</i> , 2019 , 6, 1901476	4.6	15
68	Porous carbon nanosheets: Synthetic strategies and electrochemical energy related applications. <i>Nano Today</i> , 2019 , 24, 103-119	17.9	241
67	All-organic covalent organic framework/polyaniline composites as stable electrode for high-performance supercapacitors. <i>Materials Letters</i> , 2019 , 236, 354-357	3.3	51
66	Supramolecular Nanostructures of Structurally Defined Graphene Nanoribbons in the Aqueous Phase. <i>Angewandte Chemie</i> , 2018 , 130, 3424-3429	3.6	8
65	High-performance lithium sulfur batteries based on nitrogen-doped graphitic carbon derived from covalent organic frameworks. <i>Materials Today Energy</i> , 2018 , 7, 141-148	7	24
64	Supramolecular Nanostructures of Structurally Defined Graphene Nanoribbons in the Aqueous Phase. <i>Angewandte Chemie - International Edition</i> , 2018 , 57, 3366-3371	16.4	34
63	Effect of Side Chains on the Low-Dimensional Self-Assembly of Polyphenylene-Based Rod-Coil Graft Copolymers in Solution. <i>Macromolecules</i> , 2018 , 51, 161-172	5.5	21
62	Patterning Graphene Surfaces with Iron-Oxide-Embedded Mesoporous Polypyrrole and Derived N-Doped Carbon of Tunable Pore Size. <i>Small</i> , 2018 , 14, 1702755	11	61
61	Nitrogen-doped carbon nanosheets and nanoflowers with holey mesopores for efficient oxygen reduction catalysis. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 10354-10360	13	55

60	Janus quantum dot vesicles generated through membrane fusion. <i>Materials Chemistry Frontiers</i> , 2018 , 2, 1040-1045	7.8	6
59	Intrinsic Properties of Single Graphene Nanoribbons in Solution: Synthetic and Spectroscopic Studies. <i>Journal of the American Chemical Society</i> , 2018 , 140, 10416-10420	16.4	31
58	Mesoporous MoC/Carbon Hybrid Nanotubes Synthesized by a Dual-Template Self-Assembly Approach for an Efficient Hydrogen Production Electrocatalyst. <i>Langmuir</i> , 2018 , 34, 10924-10931	4	20
57	Crystallization-Driven Two-Dimensional Self-Assembly of Amphiphilic PCL-b-PEO Coated Gold Nanoparticles in Aqueous Solution. <i>ACS Macro Letters</i> , 2018 , 7, 1062-1067	6.6	17
56	Synthesis of core-shell covalent organic frameworks/multi-walled carbon nanotubes nanocomposite and application in lithium-sulfur batteries. <i>Materials Letters</i> , 2018 , 213, 143-147	3.3	49
55	Two-Dimensional Sandwich-Structured Mesoporous MoC/Carbon/Graphene Nanohybrids for Efficient Hydrogen Production Electrocatalysts. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 40800-40807	9.5	35
54	Formation of Diverse Ordered Structures in ABC Triblock Terpolymer Templated Macroporous Silicas. <i>Macromolecules</i> , 2018 , 51, 4381-4396	5.5	18
53	Soft-Template Construction of 3D Macroporous Polypyrrole Scaffolds. <i>Small</i> , 2017 , 13, 1604099	11	28
52	Recent advances in the solution self-assembly of amphiphilic Rod-coil Copolymers. <i>Journal of Polymer Science Part A</i> , 2017 , 55, 1459-1477	2.5	29
51	Bipolar nitrogen-doped graphene frameworks as high-performance cathodes for lithium ion batteries. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 1588-1594	13	17
50	Tunable Self-Assembly of Diblock Copolymers into Colloidal Particles with Triply Periodic Minimal Surfaces. <i>Angewandte Chemie - International Edition</i> , 2017 , 56, 7135-7140	16.4	83
49	Tunable Self-Assembly of Diblock Copolymers into Colloidal Particles with Triply Periodic Minimal Surfaces. <i>Angewandte Chemie</i> , 2017 , 129, 7241-7246	3.6	26
48	Highly Crumpled Hybrids of Nitrogen/Sulfur Dual-Doped Graphene and CoS Nanoplates as Efficient Bifunctional Oxygen Electrocatalysts. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 12340-12347	9.5	87
47	Multi-Dimensional Self-Assembly of a Dual-Responsive ABC Miktoarm Star Terpolymer. <i>ACS Macro Letters</i> , 2017 , 6, 426-430	6.6	28
46	Growth of 2D Mesoporous Polyaniline with Controlled Pore Structures on Ultrathin MoS ₂ Nanosheets by Block Copolymer Self-Assembly in Solution. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 43975-43982	9.5	35
45	Core-shell nanostructure of single-wall carbon nanotubes and covalent organic frameworks for supercapacitors. <i>Chinese Chemical Letters</i> , 2017 , 28, 2269-2273	8.1	40
44	Two-Dimensional Mesoscale-Ordered Conducting Polymers. <i>Angewandte Chemie</i> , 2016 , 128, 12704-12709	9.6	13
43	Multi-template synthesis of hierarchically porous carbon spheres with potential application in supercapacitors. <i>RSC Advances</i> , 2016 , 6, 111406-111414	3.7	7

42	Three-dimensional Carbon Nitride/Graphene Framework as a High-Performance Cathode for Lithium-Ion Batteries. <i>Chemistry - an Asian Journal</i> , 2016 , 11, 1194-8	4.5	4
41	Facile template-free synthesis of vertically aligned polypyrrole nanosheets on nickel foams for flexible all-solid-state asymmetric supercapacitors. <i>Nanoscale</i> , 2016 , 8, 8650-7	7.7	55
40	Disk-like micelles with cylindrical pores from amphiphilic polypeptide block copolymers. <i>Polymer Chemistry</i> , 2016 , 7, 2815-2820	4.9	18
39	Facile synthesis of bowl-shaped nitrogen-doped carbon hollow particles templated by block copolymer vesicles for high performance supercapacitors. <i>Polymer Chemistry</i> , 2016 , 7, 2092-2098	4.9	52
38	Ultra-large sheet formation by 1D to 2D hierarchical self-assembly of a rod-coil graft copolymer with a polyphenylene backbone. <i>Polymer Chemistry</i> , 2016 , 7, 1234-1238	4.9	11
37	Quantitative Control of Pore Size of Mesoporous Carbon Nanospheres through the Self-Assembly of Diblock Copolymer Micelles in Solution. <i>Small</i> , 2016 , 12, 3155-63	11	92
36	Two-Dimensional Mesoscale-Ordered Conducting Polymers. <i>Angewandte Chemie - International Edition</i> , 2016 , 55, 12516-21	16.4	74
35	Poly(ethylene oxide) Functionalized Graphene Nanoribbons with Excellent Solution Processability. <i>Journal of the American Chemical Society</i> , 2016 , 138, 10136-9	16.4	63
34	A BODIPY extended luminogen with colorimetric and off/on fluorescent multi-channel detection for Cu ²⁺ with extremely high selectivity and sensitivity via nonarylamine-based organic mixed valence. <i>RSC Advances</i> , 2016 , 6, 76691-76695	3.7	2
33	Dual-Template Synthesis of 2D Mesoporous Polypyrrole Nanosheets with Controlled Pore Size. <i>Advanced Materials</i> , 2016 , 28, 8365-8370	24	119
32	Superhydrophobic and superoleophilic graphene aerogel prepared by facile chemical reduction. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 7498-7504	13	132
31	Cross-linked polymer-derived B/N co-doped carbon materials with selective capture of CO ₂ . <i>Journal of Materials Chemistry A</i> , 2015 , 3, 23352-23359	13	27
30	Temperature-Dependent Multidimensional Self-Assembly of Polyphenylene-Based "Rod-Coil" Graft Polymers. <i>Journal of the American Chemical Society</i> , 2015 , 137, 11602-5	16.4	57
29	A dual-boron-cored luminogen capable of sensing and imaging. <i>Chemical Communications</i> , 2015 , 51, 5298-301	9.801	35
28	Nitrogen-enriched hierarchically porous carbon materials fabricated by graphene aerogel templated Schiff-base chemistry for high performance electrochemical capacitors. <i>Polymer Chemistry</i> , 2015 , 6, 1088-1095	4.9	46
27	Two-dimensional soft nanomaterials: a fascinating world of materials. <i>Advanced Materials</i> , 2015 , 27, 4032-47	27	374
26	Nonplanar Ladder-Type Polycyclic Conjugated Molecules: Structures and Solid-State Properties. <i>Crystal Growth and Design</i> , 2015 , 15, 3332-3338	3.5	7
25	Patterning two-dimensional free-standing surfaces with mesoporous conducting polymers. <i>Nature Communications</i> , 2015 , 6, 8817	17.4	151

24	Highly oriented macroporous graphene hybrid monoliths for lithium ion battery electrodes with ultrahigh capacity and rate capability. <i>Nano Energy</i> , 2015 , 12, 287-295	17.1	45
23	Polymer-directed synthesis of metal oxide-containing nanomaterials for electrochemical energy storage. <i>Nanoscale</i> , 2014 , 6, 106-21	7.7	36
22	A two-dimensional hybrid with molybdenum disulfide nanocrystals strongly coupled on nitrogen-enriched graphene via mild temperature pyrolysis for high performance lithium storage. <i>Nanoscale</i> , 2014 , 6, 14679-85	7.7	59
21	Metal-nitrogen doping of mesoporous carbon/graphene nanosheets by self-templating for oxygen reduction electrocatalysts. <i>ChemSusChem</i> , 2014 , 7, 3002-6	8.3	49
20	Synthesis and Characterization of Macroporous Photonic Structure that Consists of Azimuthally Shifted Double-Diamond Silica Frameworks. <i>Chemistry of Materials</i> , 2014 , 26, 7020-7028	9.6	34
19	Morphological Control in Aggregates of Amphiphilic Cylindrical MetalPolymer Brushes□ <i>Macromolecules</i> , 2013 , 46, 3183-3189	5.5	24
18	Bio-based green composites with high performance from poly(lactic acid) and surface-modified microcrystalline cellulose. <i>Journal of Materials Chemistry</i> , 2012 , 22, 15732		76
17	Selective localization of preformed nanoparticles in morphologically controllable block copolymer aggregates in solution. <i>Accounts of Chemical Research</i> , 2012 , 45, 1657-66	24.3	128
16	Self-assembly of block copolymers. <i>Chemical Society Reviews</i> , 2012 , 41, 5969-85	58.5	2318
15	Controlled Incorporation of Particles into the Central Portion of Block Copolymer Rods and Micelles. <i>Macromolecules</i> , 2011 , 44, 3179-3183	5.5	71
14	Controlled incorporation of particles into the central portion of vesicle walls. <i>Journal of the American Chemical Society</i> , 2010 , 132, 10078-84	16.4	141
13	Honeycomb-structured microporous films made from hyperbranched polymers by the breath figure method. <i>Langmuir</i> , 2009 , 25, 173-8	4	84
12	Synthesis and supramolecular self-assembly of thermosensitive amphiphilic star copolymers based on a hyperbranched polyether core. <i>Journal of Polymer Science Part A</i> , 2008 , 46, 668-681	2.5	95
11	Control of pore size in mesoporous silica templated by a multiarm hyperbranched copolyether in water and cosolvent. <i>Microporous and Mesoporous Materials</i> , 2008 , 114, 222-228	5.3	10
10	Multicompartment micelles from hyperbranched star-block copolymers containing polycations and fluoropolymer segment. <i>Langmuir</i> , 2007 , 23, 5127-34	4	106
9	Self-Assembly of Large Multimolecular Micelles from Hyperbranched Star Copolymers. <i>Macromolecular Rapid Communications</i> , 2007 , 28, 591-596	4.8	178
8	Real-time hierarchical self-assembly of large compound vesicles from an amphiphilic hyperbranched multiarm copolymer. <i>Small</i> , 2007 , 3, 1170-3	11	75
7	Effect of the Degree of Branching on Atomic-Scale Free Volume in Hyperbranched Poly[3-ethyl-3-(hydroxymethyl)oxetane]. A Positron Study. <i>Macromolecules</i> , 2005 , 38, 9644-9649	5.5	51

6	Quantitative dependence of crystallinity on degree of branching for hyperbranched poly[3-ethyl-3-(hydroxymethyl)oxetane]. <i>New Journal of Physics</i> , 2005 , 7, 42-42	2.9	20
5	Synthesis and Size-Controllable Self-Assembly of a Novel Amphiphilic Hyperbranched Multiarm Copolyether. <i>Macromolecules</i> , 2005 , 38, 8679-8686	5.5	119
4	Synthesis of novel multi-arm star azobenzene side-chain liquid crystalline copolymers with a hyperbranched core. <i>European Polymer Journal</i> , 2004 , 40, 1759-1765	5.2	31
3	One-Pot Synthesis of Amphiphilic Core-Shell Suprabranched Macromolecules. <i>Macromolecules</i> , 2004 , 37, 6264-6267	5.5	43
2	Preparation and characterization of the crystalline inclusion complexes of β - and γ -cyclodextrins with poly(butylene carbonate). <i>Colloid and Polymer Science</i> , 2003 , 281, 267-274	2.4	15
1	Effect of Reaction Temperature on Degree of Branching in Cationic Polymerization of 3-Ethyl-3-(hydroxymethyl)oxetane. <i>Macromolecules</i> , 2003 , 36, 9667-9669	5.5	62