

Holly J Kramer

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5446524/holly-j-kramer-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

175
papers

8,213
citations

45
h-index

87
g-index

191
ext. papers

9,981
ext. citations

6.9
avg, IF

5.75
L-index

#	Paper	IF	Citations
175	Metabolic syndrome and kidney disease 2022 , 763-777		
174	Kidney Function Decline in Young Adulthood and Subsequent 24-Hour Ambulatory Blood Pressure in Midlife: The CARDIA Study.. <i>Kidney Medicine</i> , 2022 , 4, 100404	2.8	
173	Differential and shared genetic effects on kidney function between diabetic and non-diabetic individuals. <i>Communications Biology</i> , 2022 , 5,	6.7	1
172	Epigenome-wide association study of kidney function identifies trans-ethnic and ethnic-specific loci. <i>Genome Medicine</i> , 2021 , 13, 74	14.4	3
171	Association of Overactive Bladder With Hypertension and Blood Pressure Control: The Multi-Ethnic Study of Atherosclerosis (MESA). <i>American Journal of Hypertension</i> , 2021 ,	2.3	1
170	State-of-the-Art Management of Hyperphosphatemia in Patients With CKD: An NKF-KDOQI Controversies Perspective. <i>American Journal of Kidney Diseases</i> , 2021 , 77, 132-141	7.4	6
169	Racial differences in urinary incontinence prevalence and associated bother: the Multi-Ethnic Study of Atherosclerosis. <i>American Journal of Obstetrics and Gynecology</i> , 2021 , 224, 80.e1-80.e9	6.4	1
168	Medical Nutrition Therapy Access in CKD: A Cross-sectional Survey of Patients and Providers. <i>Kidney Medicine</i> , 2021 , 3, 31-41.e1	2.8	4
167	Meta-analysis uncovers genome-wide significant variants for rapid kidney function decline. <i>Kidney International</i> , 2021 , 99, 926-939	9.9	6
166	Whole genome sequence analyses of eGFR in 23,732 people representing multiple ancestries in the NHLBI trans-omics for precision medicine (TOPMed) consortium. <i>EBioMedicine</i> , 2021 , 63, 103157	8.8	3
165	Lower Urinary Tract Symptoms Should Be Queried When Initiating Sodium Glucose Co-Transporter 2 Inhibitors.. <i>Kidney360</i> , 2021 , 2, 751-754	1.8	
164	Racial Differences in Urinary Incontinence Prevalence, Overactive Bladder and Associated Bother among Men: The Multi-Ethnic Study of Atherosclerosis. <i>Journal of Urology</i> , 2021 , 205, 524-531	2.5	2
163	Biologically plausible trends suggesting that a low-protein diet may enhance the effect of flozination caused by the sodium-glucose cotransporter-2 inhibitor dapagliflozin on albuminuria. <i>Diabetes, Obesity and Metabolism</i> , 2021 , 23, 2825-2826	6.7	1
162	Kidney-Related Research in the United States: A Position Statement From the National Kidney Foundation and the American Society of Nephrology. <i>American Journal of Kidney Diseases</i> , 2021 , 78, 161-167	7.4	0
161	A Roadmap for Innovation to Advance Transplant Access and Outcomes: A Position Statement From the National Kidney Foundation. <i>American Journal of Kidney Diseases</i> , 2021 , 78, 319-332	7.4	3
160	Age and sex disparities in hypertension control: The multi-ethnic study of atherosclerosis (MESA). <i>American Journal of Preventive Cardiology</i> , 2021 , 8, 100230	1.9	6
159	A Mobile App to Support Self-management of Chronic Kidney Disease: Development Study.. <i>JMIR Human Factors</i> , 2021 , 8, e29197	2.5	1

158	Meta-analyses identify DNA methylation associated with kidney function and damage. <i>Nature Communications</i> , 2021 , 12, 7174	17.4	0
157	Association of Educational Attainment With Incidence of CKD in Young Adults. <i>Kidney International Reports</i> , 2020 , 5, 2256-2263	4.1	2
156	High-protein diet is bad for kidney health: unleashing the taboo. <i>Nephrology Dialysis Transplantation</i> , 2020 , 35, 1-4	4.3	17
155	Baseline Diastolic Blood Pressure and Cardiovascular Outcomes in SPRINT Participants with Chronic Kidney Disease.. <i>Kidney360</i> , 2020 , 1, 368-375	1.8	3
154	The Status of Nutritional Management Guidelines for Head and Neck Cancer Patients. <i>Cureus</i> , 2020 , 12, e11309	1.2	6
153	Urinary incontinence and chronic conditions in the US population age 50 years and older. <i>International Urogynecology Journal</i> , 2020 , 31, 1013-1020	2	6
152	Blood Pressure Measurement: A KDOQI Perspective. <i>American Journal of Kidney Diseases</i> , 2020 , 75, 426-434	4.4	13
151	Rationing Scarce Resources: The Potential Impact of COVID-19 on Patients with Chronic Kidney Disease. <i>Journal of the American Society of Nephrology: JASN</i> , 2020 , 31, 1926-1928	12.7	8
150	Effects of Intensive Blood Pressure Control in Patients with and without Albuminuria: Analyses from SPRINT. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2020 , 15, 1121-1128	6.9	5
149	Coronary artery calcium progresses rapidly and discriminates incident cardiovascular events in chronic kidney disease regardless of diabetes: The Multi-Ethnic Study of Atherosclerosis (MESA). <i>Atherosclerosis</i> , 2020 , 310, 75-82	3.1	2
148	Association of Genotypes With Measures of Microvascular and Endothelial Function, and Blood Pressure in MESA. <i>Journal of the American Heart Association</i> , 2020 , 9, e017039	6	3
147	Dialysis, COVID-19, Poverty, and Race in Greater Chicago: An Ecological Analysis. <i>Kidney Medicine</i> , 2020 , 2, 552-558.e1	2.8	9
146	Decline in kidney function over the course of adulthood and cognitive function in midlife. <i>Neurology</i> , 2020 , 95, e2389-e2397	6.5	4
145	The Association between Cardiovascular Disease Risk Factors and 25-Hydroxivitamin D and Related Analytes among Hispanic/Latino Adults: A Pilot Study. <i>Nutrients</i> , 2019 , 11,	6.7	4
144	Genome-wide association meta-analyses and fine-mapping elucidate pathways influencing albuminuria. <i>Nature Communications</i> , 2019 , 10, 4130	17.4	43
143	Spot Urine Sodium-to-Potassium Ratio Is a Predictor of Stroke. <i>Stroke</i> , 2019 , 50, 321-327	6.7	12
142	A catalog of genetic loci associated with kidney function from analyses of a million individuals. <i>Nature Genetics</i> , 2019 , 51, 957-972	36.3	217
141	Genome-wide association study identifies novel loci for type 2 diabetes-attributed end-stage kidney disease in African Americans. <i>Human Genomics</i> , 2019 , 13, 21	6.8	18

140	KDOQI US Commentary on the 2017 ACC/AHA Hypertension Guideline. <i>American Journal of Kidney Diseases</i> , 2019 , 73, 437-458	7.4	16
139	Relationship of fibroblast growth factor 21 with kidney function and albuminuria: multi-ethnic study of atherosclerosis. <i>Nephrology Dialysis Transplantation</i> , 2019 , 34, 1009-1016	4.3	11
138	Low statin use in nondialysis-dependent chronic kidney disease in the absence of clinical atherosclerotic cardiovascular disease or diabetes. <i>CKJ: Clinical Kidney Journal</i> , 2019 , 12, 530-537	4.5	1
137	Influence of Prediabetes on the Effects of Intensive Systolic Blood Pressure Control on Kidney Events. <i>American Journal of Hypertension</i> , 2019 , 32, 1170-1177	2.3	2
136	CKD Progression. <i>Nephrology Self-assessment Program: NephSAP</i> , 2019 , 18, 202-209	0	
135	Statin use among Veterans with dialysis-dependent chronic kidney disease. <i>Hemodialysis International</i> , 2019 , 23, 206-213	1.7	0
134	Diet and Chronic Kidney Disease. <i>Advances in Nutrition</i> , 2019 , 10, S367-S379	10	14
133	Obesity, preterm birth and kidney disease: a global epidemic. <i>Nephrology Dialysis Transplantation</i> , 2019 , 34, 1653-1656	4.3	1
132	Trans-ethnic kidney function association study reveals putative causal genes and effects on kidney-specific disease aetiologies. <i>Nature Communications</i> , 2019 , 10, 29	17.4	51
131	Pros and Cons of Intensive Systolic Blood Pressure Lowering. <i>Current Hypertension Reports</i> , 2018 , 20, 16	4.7	2
130	Metabolically Healthy Obesity and Risk of Kidney Function Decline. <i>Obesity</i> , 2018 , 26, 762-768	8	13
129	Changes in Blood Pressure During Young Adulthood and Subsequent Kidney Function Decline: Findings From the Coronary Artery Risk Development in Young Adulthood (CARDIA) Study. <i>American Journal of Kidney Diseases</i> , 2018 , 72, 243-250	7.4	4
128	Intensive systolic blood pressure control and incident chronic kidney disease in people with and without diabetes mellitus: secondary analyses of two randomised controlled trials. <i>Lancet Diabetes and Endocrinology</i> , 2018 , 6, 555-563	18.1	56
127	Diversity of the midstream urine microbiome in adults with chronic kidney disease. <i>International Urology and Nephrology</i> , 2018 , 50, 1123-1130	2.3	25
126	Increasing Mortality in Adults With Diabetes and Low Estimated Glomerular Filtration Rate in the Absence of Albuminuria. <i>Diabetes Care</i> , 2018 , 41, 775-781	14.6	29
125	Longitudinal Blood Pressure Changes and Kidney Function Decline in Persons Without Chronic Kidney Disease: Findings From the MESA Study. <i>American Journal of Hypertension</i> , 2018 , 31, 600-608	2.3	12
124	Relationship of Aortic Wall Distensibility to Mitral and Aortic Valve Calcification: The Multi-Ethnic Study of Atherosclerosis. <i>Angiology</i> , 2018 , 69, 443-448	2.1	6
123	APOL1 nephropathy risk variants do not associate with subclinical atherosclerosis or left ventricular mass in middle-aged black adults. <i>Kidney International</i> , 2018 , 93, 727-732	9.9	10

122	Medical Nutrition Therapy for Patients with Non-Dialysis-Dependent Chronic Kidney Disease: Barriers and Solutions. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2018 , 118, 1958-1965	3.9	23
121	Association between N-terminal Pro-Brain Natriuretic Peptide levels, glomerular filtration rate, and heart failure in the Multi-Ethnic Study of Atherosclerosis. <i>Journal of Integrative Cardiology</i> , 2018 , 4,	1.3	1
120	Effects of Intensive Systolic Blood Pressure Lowering on Cardiovascular Events and Mortality in Patients With Type 2 Diabetes Mellitus on Standard Glycemic Control and in Those Without Diabetes Mellitus: Reconciling Results From ACCORD BP and SPRINT. <i>Journal of the American Heart Association</i> , 2018 , 7, e009326	6	45
119	Kidney disease and obesity: epidemiology, mechanisms and treatment. <i>Nature Reviews Nephrology</i> , 2017 , 13, 181-190	14.9	85
118	Kidney Disease and the Westernization and Industrialization of Food. <i>American Journal of Kidney Diseases</i> , 2017 , 70, 111-121	7.4	10
117	Admixture Mapping Identifies an Amerindian Ancestry Locus Associated with Albuminuria in Hispanics in the United States. <i>Journal of the American Society of Nephrology: JASN</i> , 2017 , 28, 2211-2220	12.7	17
116	Potential Deaths Averted and Serious Adverse Events Incurred From Adoption of the SPRINT (Systolic Blood Pressure Intervention Trial) Intensive Blood Pressure Regimen in the United States: Projections From NHANES (National Health and Nutrition Examination Survey). <i>Circulation</i> , 2017 , 135, 1617-1628	16.7	69
115	Non-dialysis dependent chronic kidney disease is associated with high total and out-of-pocket healthcare expenditures. <i>BMC Nephrology</i> , 2017 , 18, 3	2.7	11
114	25-Hydroxyvitamin D and blood pressure: a plateau effect in adults with African ancestry living at different latitudes. <i>Journal of Hypertension</i> , 2017 , 35, 968-974	1.9	5
113	APOL1 genetic variants are not associated with longitudinal blood pressure in young black adults. <i>Kidney International</i> , 2017 , 92, 964-971	9.9	12
112	The Reverse J-Shaped Association Between Serum Total 25-Hydroxyvitamin D Concentration and All-Cause Mortality: The Impact of Assay Standardization. <i>American Journal of Epidemiology</i> , 2017 , 185, 720-726	3.8	33
111	Dietary factors and fibroblast growth factor-23 levels in young adults with African ancestry. <i>Journal of Bone and Mineral Metabolism</i> , 2017 , 35, 666-674	2.9	7
110	Response by Bress et al to Letters Regarding Article, "Potential Deaths Averted and Serious Adverse Events Incurred From Adoption of the SPRINT (Systolic Blood Pressure Intervention Trial) Intensive Blood Pressure Regimen in the United States: Projections from NHANES (National Health and Nutrition Examination Survey)". <i>Circulation</i> , 2017 , 136, 1174-1175	16.7	
109	Oral Anticoagulants to Prevent Stroke in Nonvalvular Atrial Fibrillation in Patients With CKD Stage 5D: An NKF-KDOQI Controversies Report. <i>American Journal of Kidney Diseases</i> , 2017 , 70, 859-868	7.4	21
108	Genome-Wide Association Study of Blood Pressure Traits by Hispanic/Latino Background: the Hispanic Community Health Study/Study of Latinos. <i>Scientific Reports</i> , 2017 , 7, 10348	4.9	13
107	African Ancestry-Specific Alleles and Kidney Disease Risk in Hispanics/Latinos. <i>Journal of the American Society of Nephrology: JASN</i> , 2017 , 28, 915-922	12.7	37
106	Cumulative Exposure to Systolic Blood Pressure During Young Adulthood Through Midlife and the Urine Albumin-to-Creatinine Ratio at Midlife. <i>American Journal of Hypertension</i> , 2017 , 30, 502-509	2.3	8
105	Association Between Genotypes and Risk of Cardiovascular Disease in MESA (Multi-Ethnic Study of Atherosclerosis). <i>Journal of the American Heart Association</i> , 2017 , 6,	6	11

104	Estimated GFR and Subsequent Higher Left Ventricular Mass in Young and Middle-Aged Adults With Normal Kidney Function: The Coronary Artery Risk Development in Young Adults (CARDIA) Study. <i>American Journal of Kidney Diseases</i> , 2016 , 67, 227-34	7.4	12
103	Waist Circumference, Body Mass Index, and ESRD in the REGARDS (Reasons for Geographic and Racial Differences in Stroke) Study. <i>American Journal of Kidney Diseases</i> , 2016 , 67, 62-9	7.4	54
102	Ultrafiltration Rate Thresholds in Maintenance Hemodialysis: An NKF-KDOQI Controversies Report. <i>American Journal of Kidney Diseases</i> , 2016 , 68, 522-532	7.4	18
101	Genome-wide Association Studies Identify Genetic Loci Associated With Albuminuria in Diabetes. <i>Diabetes</i> , 2016 , 65, 803-17	0.9	96
100	Genetic associations at 53 loci highlight cell types and biological pathways relevant for kidney function. <i>Nature Communications</i> , 2016 , 7, 10023	17.4	295
99	Kidney Disease in Obesity and Metabolic Syndrome 2016 , 761-780		
98	Abdominal Obesity, Race and Chronic Kidney Disease in Young Adults: Results from NHANES 1999-2010. <i>PLoS ONE</i> , 2016 , 11, e0153588	3.7	23
97	Urinary incontinence and diuretic avoidance among adults with chronic kidney disease. <i>International Urology and Nephrology</i> , 2016 , 48, 1321-1326	2.3	7
96	Controversies Regarding Lipid Management and Statin Use for Cardiovascular Risk Reduction in Patients With CKD. <i>American Journal of Kidney Diseases</i> , 2016 , 67, 965-77	7.4	15
95	Fibroblast Growth Factor-23 (FGF-23) Levels Differ Across Populations by Degree of Industrialization. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016 , 101, 2246-53	5.6	15
94	Bariatric surgery is associated with improvement in kidney outcomes. <i>Kidney International</i> , 2016 , 90, 164-71	9.9	104
93	Smoking patterns and chronic kidney disease in US Hispanics: Hispanic Community Health Study/Study of Latinos. <i>Nephrology Dialysis Transplantation</i> , 2016 , 31, 1670-6	4.3	8
92	Time trends in the association of ESRD incidence with area-level poverty in the US population. <i>Hemodialysis International</i> , 2016 , 20, 78-83	1.7	37
91	Diabetes and Clinical and Subclinical CVD. <i>Global Heart</i> , 2016 , 11, 337-342	2.9	16
90	The Western Diet and Chronic Kidney Disease. <i>Current Hypertension Reports</i> , 2015 , 17, 16	4.7	48
89	The effects of weight change on glomerular filtration rate. <i>Nephrology Dialysis Transplantation</i> , 2015 , 30, 1870-7	4.3	15
88	Impact of westernization on fibroblast growth factor 23 levels among individuals of African ancestry. <i>Nephrology Dialysis Transplantation</i> , 2015 , 30, 630-5	4.3	16
87	KDOQI Clinical Practice Guideline for Hemodialysis Adequacy: 2015 update. <i>American Journal of Kidney Diseases</i> , 2015 , 66, 884-930	7.4	549

86 Kidney Disease in Obesity and Metabolic Syndrome **2015**, 1-24

85 Association of albumin-creatinine ratio and cystatin C with change in ankle-brachial index: the Multi-Ethnic Study of Atherosclerosis (MESA). *American Journal of Kidney Diseases*, **2015**, 65, 33-40 7.4 9

84 Genome-wide association study of kidney function decline in individuals of European descent. *Kidney International*, **2015**, 87, 1017-29 9.9 83

83 Subclinical atherosclerosis measures for cardiovascular prediction in CKD. *Journal of the American Society of Nephrology: JASN*, **2015**, 26, 439-47 12.7 81

82 Validation of an Albuminuria Self-assessment Tool in the Multi-Ethnic Study of Atherosclerosis. *Ethnicity and Disease*, **2015**, 25, 427-34 1.8

81 The Association between the PR Interval and Left Ventricular Measurements in the Multiethnic Study of Atherosclerosis. *Cardiology Research and Practice*, **2015**, 2015, 193698 1.9 4

80 Long-Term Blood Pressure Variability, New-Onset Diabetes Mellitus, and New-Onset Chronic Kidney Disease in the Japanese General Population. *Hypertension*, **2015**, 66, 30-6 8.5 44

79 Obesity, metabolic health, and the risk of end-stage renal disease. *Kidney International*, **2015**, 87, 1216-23 9.9 58

78 Kidney Disease in Obesity and Metabolic Syndrome **2015**, 1-24

77 25-Hydroxyvitamin D testing and supplementation in CKD: an NKF-KDOQI controversies report. *American Journal of Kidney Diseases*, **2014**, 64, 499-509 7.4 27

76 Bariatric surgery: the solution to a big problem?. *American Journal of Kidney Diseases*, **2014**, 64, 332-4 7.4 1

75 Association between anxiety levels and weight change in the multiethnic study of atherosclerosis. *Journal of Obesity*, **2014**, 2014, 894627 3.7 1

74 Prevalence of risk of deficiency and inadequacy of 25-hydroxyvitamin D in US children: NHANES 2003-2006. *Journal of Pediatric Endocrinology and Metabolism*, **2014**, 27, 461-6 1.6 16

73 Cumulative systolic BP and changes in urine albumin-to-creatinine ratios in nondiabetic participants of the multi-ethnic study of atherosclerosis. *Clinical Journal of the American Society of Nephrology: CJASN*, **2014**, 9, 1922-9 6.9 28

72 Obesity and kidney disease: potential mechanisms. *Seminars in Nephrology*, **2013**, 33, 14-22 4.8 138

71 Trajectories of kidney function decline in young black and white adults with preserved GFR: results from the Coronary Artery Risk Development in Young Adults (CARDIA) study. *American Journal of Kidney Diseases*, **2013**, 62, 261-6 7.4 41

70 Influence of urine creatinine concentrations on the relation of albumin-creatinine ratio with cardiovascular disease events: the Multi-Ethnic Study of Atherosclerosis (MESA). *American Journal of Kidney Diseases*, **2013**, 62, 722-9 7.4 14

69 Lifestyle-related factors, obesity, and incident microalbuminuria: the CARDIA (Coronary Artery Risk Development in Young Adults) study. *American Journal of Kidney Diseases*, **2013**, 62, 267-75 7.4 92

68	Dietary patterns, calories, and kidney disease. <i>Advances in Chronic Kidney Disease</i> , 2013 , 20, 135-40	4.7	13
67	Is there a reverse J-shaped association between 25-hydroxyvitamin D and all-cause mortality? Results from the U.S. nationally representative NHANES. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013 , 98, 3001-9	5.6	106
66	Genetic variation in APOL1 and MYH9 genes is associated with chronic kidney disease among Nigerians. <i>International Urology and Nephrology</i> , 2013 , 45, 485-94	2.3	45
65	Race and the insulin resistance syndrome. <i>Seminars in Nephrology</i> , 2013 , 33, 457-67	4.8	6
64	Obesity as an effect modifier of the risk of death in chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2013 , 28 Suppl 4, iv65-72	4.3	9
63	Effect of Obesity and the Metabolic Syndrome on Incident Kidney Disease and the Progression to Chronic Kidney Failure 2013 , 445-456		0
62	Metabolic subtypes and risk of mortality in normal weight, overweight, and obese individuals with CKD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2013 , 8, 2064-71	6.9	19
61	Moving dietary management of diabetes forward. <i>JAMA Internal Medicine</i> , 2013 , 173, 1692-3	11.5	
60	Association of Obesity and Kidney Function Decline among Non-Diabetic Adults with eGFR > 60 ml/min/1.73m: Results from the Multi-Ethnic Study of Atherosclerosis (MESA). <i>Open Journal of Endocrine and Metabolic Diseases</i> , 2013 , 3, 103-112	0.1	12
59	Association of pulse pressure, arterial elasticity, and endothelial function with kidney function decline among adults with estimated GFR >60 mL/min/1.73 m(2): the Multi-Ethnic Study of Atherosclerosis (MESA). <i>American Journal of Kidney Diseases</i> , 2012 , 59, 41-9	7.4	84
58	Cis-vaccenic acid and the Framingham risk score predict chronic kidney disease: the multi-ethnic study of atherosclerosis (MESA). <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2012 , 86, 175-82	2.8	13
57	Mortality rates across 25-hydroxyvitamin D (25[OH]D) levels among adults with and without estimated glomerular filtration rate . <i>PLoS ONE</i> , 2012 , 7, e47458	3.7	13
56	Racial differences in the incidence of chronic kidney disease. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2012 , 7, 101-7	6.9	47
55	Medium and long-term outcomes after pneumatic dilation or laparoscopic Heller myotomy for achalasia: a meta-analysis. <i>Surgical Laparoscopy, Endoscopy and Percutaneous Techniques</i> , 2012 , 22, 289-96	1.3	55
54	The association of chronic kidney disease and metabolic syndrome with incident cardiovascular events: multiethnic study of atherosclerosis. <i>Cardiology Research and Practice</i> , 2012 , 2012, 806102	1.9	24
53	Association of carotid intima-media thickness with progression of urine albumin-creatinine ratios in The Multi-Ethnic Study of Atherosclerosis (MESA). <i>American Journal of Kidney Diseases</i> , 2011 , 57, 62-70	7.4	12
52	Cystatin C and albuminuria as risk factors for development of CKD stage 3: the Multi-Ethnic Study of Atherosclerosis (MESA). <i>American Journal of Kidney Diseases</i> , 2011 , 57, 832-40	7.4	23
51	Retinal arteriolar narrowing and subsequent development of CKD Stage 3: the Multi-Ethnic Study of Atherosclerosis (MESA). <i>American Journal of Kidney Diseases</i> , 2011 , 58, 39-46	7.4	57

50	Association of waist circumference and body mass index with all-cause mortality in CKD: The REGARDS (Reasons for Geographic and Racial Differences in Stroke) Study. <i>American Journal of Kidney Diseases</i> , 2011 , 58, 177-85	7.4	87
49	CUBN is a gene locus for albuminuria. <i>Journal of the American Society of Nephrology: JASN</i> , 2011 , 22, 555-70	17.0	170
48	Racial and ethnic differences in kidney function decline among persons without chronic kidney disease. <i>Journal of the American Society of Nephrology: JASN</i> , 2011 , 22, 1327-34	12.7	77
47	The effect of including cystatin C or creatinine in a cardiovascular risk model for asymptomatic individuals: the multi-ethnic study of atherosclerosis. <i>American Journal of Epidemiology</i> , 2011 , 174, 949-57 ^{3,8}	3.8	20
46	Should eGFR and albuminuria be added to the Framingham risk score? Chronic kidney disease and cardiovascular disease risk prediction. <i>Nephron Clinical Practice</i> , 2011 , 119, c171-7; discussion c177-8		39
45	Retinal arteriolar caliber and urine albumin excretion: the Multi-Ethnic Study of Atherosclerosis. <i>Nephrology Dialysis Transplantation</i> , 2011 , 26, 3523-8	4.3	23
44	Genetic association for renal traits among participants of African ancestry reveals new loci for renal function. <i>PLoS Genetics</i> , 2011 , 7, e1002264	6	91
43	Baseline depressive symptoms are not associated with clinically important levels of incident hypertension during two years of follow-up: the multi-ethnic study of atherosclerosis. <i>Hypertension</i> , 2010 , 55, 408-14	8.5	41
42	Associations between genetic variants in the ACE, AGT, AGTR1 and AGTR2 genes and renal function in the Multi-ethnic Study of Atherosclerosis. <i>American Journal of Nephrology</i> , 2010 , 32, 156-62	4.6	18
41	Mortality among living kidney donors and comparison populations. <i>New England Journal of Medicine</i> , 2010 , 363, 797-8	59.2	23
40	Association between coronary artery calcification progression and microalbuminuria: the MESA study. <i>JACC: Cardiovascular Imaging</i> , 2010 , 3, 595-604	8.4	41
39	The National Kidney Foundation's Kidney Disease Outcomes Quality Initiative (KDOQI) Grant Initiative: moving clinical practice forward. <i>American Journal of Kidney Diseases</i> , 2010 , 55, 411-4	7.4	6
38	Obesity, glomerular hyperfiltration, and the surface area correction. <i>American Journal of Kidney Diseases</i> , 2010 , 56, 255-8	7.4	37
37	In Reply to "The Importance of Considering Metabolism When Indexing the GFR" <i>American Journal of Kidney Diseases</i> , 2010 , 56, 1218-1219	7.4	
36	Increasing BMI and waist circumference and prevalence of obesity among adults with Type 2 diabetes: the National Health and Nutrition Examination Surveys. <i>Journal of Diabetes and Its Complications</i> , 2010 , 24, 368-74	3.2	56
35	Obesity and albuminuria among adults with type 2 diabetes: the Look AHEAD (Action for Health in Diabetes) Study. <i>Diabetes Care</i> , 2009 , 32, 851-3	14.6	49
34	The association of cell cycle checkpoint 2 variants and kidney function: findings of the Family Blood Pressure Program and the Atherosclerosis Risk In Communities study. <i>American Journal of Hypertension</i> , 2009 , 22, 552-8	2.3	1
33	The differential association of kidney dysfunction with small and large arterial elasticity: the multiethnic study of atherosclerosis. <i>American Journal of Epidemiology</i> , 2009 , 169, 740-8	3.8	25

32	Obesity management in adults with CKD. <i>American Journal of Kidney Diseases</i> , 2009 , 53, 151-65	7.4	35
31	Can comprehensive lifestyle change alter the course of chronic kidney disease?. <i>Seminars in Nephrology</i> , 2009 , 29, 512-23	4.8	9
30	Metabolic syndrome and self-reported history of kidney stones: the National Health and Nutrition Examination Survey (NHANES III) 1988-1994. <i>American Journal of Kidney Diseases</i> , 2008 , 51, 741-7	7.4	202
29	Urinary incontinence prevalence: results from the National Health and Nutrition Examination Survey. <i>Journal of Urology</i> , 2008 , 179, 656-61	2.5	119
28	Mild elevations of urine albumin excretion are associated with atherogenic lipoprotein abnormalities in the Multi-Ethnic Study of Atherosclerosis (MESA). <i>Atherosclerosis</i> , 2008 , 197, 407-14	3.1	27
27	Lipoprotein abnormalities associated with mild impairment of kidney function in the multi-ethnic study of atherosclerosis. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2008 , 3, 125-32	6.9	46
26	Adverse renal consequences of obesity. <i>American Journal of Physiology - Renal Physiology</i> , 2008 , 294, F685-96	4.3	177
25	Association of mild to moderate kidney dysfunction and coronary calcification. <i>Journal of the American Society of Nephrology: JASN</i> , 2008 , 19, 579-85	12.7	57
24	Chronic kidney disease prevalence estimates among racial/ethnic groups: the Multi-Ethnic Study of Atherosclerosis. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2008 , 3, 1391-7	6.9	37
23	Sugary soda consumption and albuminuria: results from the National Health and Nutrition Examination Survey, 1999-2004. <i>PLoS ONE</i> , 2008 , 3, e3431	3.7	80
22	Ethnicity and sex modify the association of serum c-reactive protein with microalbuminuria. <i>Ethnicity and Disease</i> , 2008 , 18, 324-9	1.8	5
21	Prevalence and impact of nocturia in a urogynecologic population. <i>International Urogynecology Journal</i> , 2007 , 18, 1049-52	2	17
20	Ethnicity, energy expenditure and obesity: are the observed black/white differences meaningful?. <i>Current Opinion in Endocrinology, Diabetes and Obesity</i> , 2007 , 14, 370-3	4	23
19	Obesity and kidney disease: a big dilemma. <i>Current Opinion in Nephrology and Hypertension</i> , 2007 , 16, 237-41	3.5	39
18	Regional left ventricular function in individuals with mild to moderate renal insufficiency: the Multi-Ethnic Study of Atherosclerosis. <i>American Heart Journal</i> , 2007 , 153, 545-51	4.9	22
17	Acculturation is associated with hypertension in a multiethnic sample. <i>American Journal of Hypertension</i> , 2007 , 20, 354-63	2.3	77
16	Obesity and chronic kidney disease. <i>Contributions To Nephrology</i> , 2006 , 151, 1-18	1.6	45
15	Increasing body mass index and obesity in the incident ESRD population. <i>Journal of the American Society of Nephrology: JASN</i> , 2006 , 17, 1453-9	12.7	225

14	Dyslipidemia prevalence, treatment, and control in the Multi-Ethnic Study of Atherosclerosis (MESA): gender, ethnicity, and coronary artery calcium. <i>Circulation</i> , 2006 , 113, 647-56	16.7	235
13	Screening for kidney disease in adults with diabetes and prediabetes. <i>Current Opinion in Nephrology and Hypertension</i> , 2005 , 14, 249-52	3.5	14
12	Angiotensin-converting enzyme gene polymorphisms and obesity: an examination of three black populations. <i>Obesity</i> , 2005 , 13, 823-8		19
11	Obesity and prevalent and incident CKD: the Hypertension Detection and Follow-Up Program. <i>American Journal of Kidney Diseases</i> , 2005 , 46, 587-94	7.4	276
10	Progression of kidney disease in type 2 diabetes - beyond blood pressure control: an observational study. <i>BMC Nephrology</i> , 2005 , 6, 8	2.7	36
9	Urine albumin excretion and subclinical cardiovascular disease. The Multi-Ethnic Study of Atherosclerosis. <i>Hypertension</i> , 2005 , 46, 38-43	8.5	127
8	Screening for kidney disease in adults with diabetes. <i>Diabetes Care</i> , 2005 , 28, 1813-6	14.6	84
7	Association between chronic kidney disease and coronary artery calcification: the Dallas Heart Study. <i>Journal of the American Society of Nephrology: JASN</i> , 2005 , 16, 507-13	12.7	213
6	Association between blood pressure and resting energy expenditure independent of body size. <i>Hypertension</i> , 2004 , 43, 555-60	8.5	37
5	Hypertension treatment and control in five European countries, Canada, and the United States. <i>Hypertension</i> , 2004 , 43, 10-7	8.5	814
4	Racial/ethnic differences in hypertension and hypertension treatment and control in the multi-ethnic study of atherosclerosis (MESA). <i>American Journal of Hypertension</i> , 2004 , 17, 963-70	2.3	233
3	Comparison of three tacrolimus-based immunosuppressive regimens in lung transplantation. <i>American Journal of Transplantation</i> , 2003 , 3, 1570-5	8.7	16
2	The association between gout and nephrolithiasis in men: The Health Professionals' Follow-Up Study. <i>Kidney International</i> , 2003 , 64, 1022-6	9.9	71
1	Renal insufficiency in the absence of albuminuria and retinopathy among adults with type 2 diabetes mellitus. <i>JAMA - Journal of the American Medical Association</i> , 2003 , 289, 3273-7	27.4	394