

Murat Inan

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5447330/murat-inanc-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

147
papers

10,538
citations

41
h-index

102
g-index

165
ext. papers

13,112
ext. citations

3.9
avg, IF

4.82
L-index

#	Paper	IF	Citations
147	Description of damage in different clusters of patients with antiphospholipid syndrome.. <i>Lupus</i> , 2022 , 9612033221079781	2.6	1
146	A Case of Takayasu Arteritis with Thrombotic Microangiopathy Secondary to Malignant Hypertension Due to Bilateral Renal Artery Stenosis.. <i>Open Access Rheumatology: Research and Reviews</i> , 2022 , 14, 39-42	2.4	0
145	The relationship between serum A proliferation-inducing ligand and B-cell activating factor levels with disease activity and organ involvement in systemic lupus erythematosus.. <i>Lupus</i> , 2022 , 9612033221086123	2.6	13
144	A Case of Budd-Chiari Syndrome Associated With Antiphospholipid Syndrome Treated Successfully by Transjugular Intrahepatic Portosystemic Shunt. <i>Clinical Medicine Insights: Case Reports</i> , 2022 , 15, 117954762211005	0.8	1
143	Comparison of the 2019 European Alliance of Associations for Rheumatology/American College of Rheumatology Systemic Lupus Erythematosus Classification Criteria With Two Sets of Earlier Systemic Lupus Erythematosus Classification Criteria. <i>Arthritis Care and Research</i> , 2021 , 73, 1231-1235	4.7	10
142	Flares after hydroxychloroquine reduction or discontinuation: results from the Systemic Lupus International Collaborating Clinics (SLICC) inception cohort.. <i>Annals of the Rheumatic Diseases</i> , 2021 , ,	2.4	4
141	2021 DORIS definition of remission in SLE: final recommendations from an international task force. <i>Lupus Science and Medicine</i> , 2021 , 8,	4.6	7
140	Biologic treatments in Takayasu's Arteritis: A comparative study of tumor necrosis factor inhibitors and tocilizumab. <i>Seminars in Arthritis and Rheumatism</i> , 2021 , 51, 1224-1229	5.3	2
139	Development of a New International Antiphospholipid Syndrome Classification Criteria Phase I/II Report: Generation and Reduction of Candidate Criteria. <i>Arthritis Care and Research</i> , 2021 , 73, 1490-1504	4.7	13
138	Cancer Risk in a Large Inception Systemic Lupus Erythematosus Cohort: Effects of Demographic Characteristics, Smoking, and Medications. <i>Arthritis Care and Research</i> , 2021 , 73, 1789-1795	4.7	2
137	The neurology of lupus. <i>Journal of the Neurological Sciences</i> , 2021 , 424, 117419	3.2	3
136	Anti-beta 2 glycoprotein I IgA in the SLICC classification criteria dataset. <i>Lupus</i> , 2021 , 30, 1283-1288	2.6	2
135	Neuropsychiatric Events in Systemic Lupus Erythematosus: Predictors of Occurrence and Resolution in a Longitudinal Analysis of an International Inception Cohort. <i>Arthritis and Rheumatology</i> , 2021 , 73, 2293-2302	9.5	2
134	Chronic oxcarbazepine intoxication in a patient with primary antiphospholipid syndrome on maintenance haemodialysis. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2021 ,	2.2	1
133	Symptomatic osteonecrosis of the hip and knee in patients with systemic lupus erythematosus: Prevalence, pattern, and comparison of natural course. <i>Lupus</i> , 2021 , 30, 1603-1608	2.6	1
132	Validation of the adjusted global antiphospholipid syndrome score in a single centre cohort of APS patients from Turkey. <i>Journal of Thrombosis and Thrombolysis</i> , 2021 , 51, 466-474	5.1	1
131	Long-term follow-up of 89 patients with giant cell arteritis: a retrospective observational study on disease characteristics, flares and organ damage. <i>Rheumatology International</i> , 2021 , 41, 439-448	3.6	0

130	Identification of susceptibility loci for Takayasu arteritis through a large multi-ancestral genome-wide association study. <i>American Journal of Human Genetics</i> , 2021 , 108, 84-99	11	8
129	A shared motif of hla-dpb1 affecting the susceptibility to pr3-anca positive granulomatosis with polyangiitis: comparative analysis of a Turkish cohort with matched healthy controls. <i>Rheumatology International</i> , 2021 , 41, 1667-1672	3.6	1
128	Lower vitamin D is associated with metabolic syndrome and insulin resistance in systemic lupus: data from an international inception cohort. <i>Rheumatology</i> , 2021 , 60, 4737-4747	3.9	5
127	A single center survey study of systemic vasculitis and COVID-19 during the first months of pandemic. <i>Turkish Journal of Medical Sciences</i> , 2021 , 51, 2243-2247	2.7	1
126	Impact of glucocorticoids on the incidence of lupus-related major organ damage: a systematic literature review and meta-regression analysis of longitudinal observational studies.. <i>Lupus Science and Medicine</i> , 2021 , 8,	4.6	5
125	Prediction of hospitalizations in systemic lupus erythematosus using the Systemic Lupus International Collaborating Clinics Frailty Index (SLICC-FI). <i>Arthritis Care and Research</i> , 2020 ,	4.7	2
124	Accrual of Atherosclerotic Vascular Events in a Multicenter Inception Systemic Lupus Erythematosus Cohort. <i>Arthritis and Rheumatology</i> , 2020 , 72, 1734-1740	9.5	7
123	Economic Evaluation of Damage Accrual in an International Systemic Lupus Erythematosus Inception Cohort Using a Multistate Model Approach. <i>Arthritis Care and Research</i> , 2020 , 72, 1800-1808	4.7	7
122	Prediction of Damage Accrual in Systemic Lupus Erythematosus Using the Systemic Lupus International Collaborating Clinics Frailty Index. <i>Arthritis and Rheumatology</i> , 2020 , 72, 658-666	9.5	11
121	Soluble urokinase plasminogen activator receptor (suPAR) levels predict damage accrual in patients with recent-onset systemic lupus erythematosus. <i>Journal of Autoimmunity</i> , 2020 , 106, 102340	15.5	15
120	Neuropsychiatric events in systemic lupus erythematosus: a longitudinal analysis of outcomes in an international inception cohort using a multistate model approach. <i>Annals of the Rheumatic Diseases</i> , 2020 , 79, 356-362	2.4	18
119	Monogenic lupus due to spondyloenchondrodysplasia with spastic paraparesis and intracranial calcification: case-based review. <i>Rheumatology International</i> , 2020 , 40, 1903-1910	3.6	5
118	High risk of systemic lupus erythematosus development in patients with ITP: antiphospholipid syndrome is also a concern. <i>Annals of the Rheumatic Diseases</i> , 2020 ,	2.4	1
117	Construction of a Frailty Index as a Novel Health Measure in Systemic Lupus Erythematosus. <i>Journal of Rheumatology</i> , 2020 , 47, 72-81	4.1	21
116	Peripheral Nervous System Disease in Systemic Lupus Erythematosus: Results From an International Inception Cohort Study. <i>Arthritis and Rheumatology</i> , 2020 , 72, 67-77	9.5	18
115	Osteopontin and Disease Activity in Patients with Recent-onset Systemic Lupus Erythematosus: Results from the SLICC Inception Cohort. <i>Journal of Rheumatology</i> , 2019 , 46, 492-500	4.1	7
114	Phenotypes Determined by Cluster Analysis and Their Survival in the Prospective European Scleroderma Trials and Research Cohort of Patients With Systemic Sclerosis. <i>Arthritis and Rheumatology</i> , 2019 , 71, 1553-1570	9.5	31
113	Evaluating the Properties of a Frailty Index and Its Association With Mortality Risk Among Patients With Systemic Lupus Erythematosus. <i>Arthritis and Rheumatology</i> , 2019 , 71, 1297-1307	9.5	15

112	Use of combined hormonal contraceptives among women with systemic lupus erythematosus with and without medical contraindications to oestrogen. <i>Rheumatology</i> , 2019 , 58, 1259-1267	3.9	5
111	Antinuclear Antibody-Negative Systemic Lupus Erythematosus in an International Inception Cohort. <i>Arthritis Care and Research</i> , 2019 , 71, 893-902	4.7	46
110	Low aspirin use and high prevalence of pre-eclampsia risk factors among pregnant women in a multinational SLE inception cohort. <i>Annals of the Rheumatic Diseases</i> , 2019 , 78, 1010-1012	2.4	4
109	Psychosis in Systemic Lupus Erythematosus: Results From an International Inception Cohort Study. <i>Arthritis and Rheumatology</i> , 2019 , 71, 281-289	9.5	31
108	Glucocorticoid use and factors associated with variability in this use in the Systemic Lupus International Collaborating Clinics Inception Cohort. <i>Rheumatology</i> , 2018 , 57, 677-687	3.9	20
107	Cerebrovascular Events in Systemic Lupus Erythematosus: Results From an International Inception Cohort Study. <i>Arthritis Care and Research</i> , 2018 , 70, 1478-1487	4.7	36
106	Patterns and predictors of skin score change in early diffuse systemic sclerosis from the European Scleroderma Observational Study. <i>Annals of the Rheumatic Diseases</i> , 2018 , 77, 563-570	2.4	31
105	Disability, fatigue, pain and their associates in early diffuse cutaneous systemic sclerosis: the European Scleroderma Observational Study. <i>Rheumatology</i> , 2018 , 57, 370-381	3.9	36
104	Study of Flare Assessment in Systemic Lupus Erythematosus Based on Paper Patients. <i>Arthritis Care and Research</i> , 2018 , 70, 98-103	4.7	18
103	Economic Evaluation of Lupus Nephritis in the Systemic Lupus International Collaborating Clinics Inception Cohort Using a Multistate Model Approach. <i>Arthritis Care and Research</i> , 2018 , 70, 1294-1302	4.7	13
102	Increased serum leptin levels are associated with metabolic syndrome and carotid intima media thickness in premenopausal systemic lupus erythematosus patients without clinical atherosclerotic vascular events. <i>Lupus</i> , 2018 , 27, 1509-1516	2.6	8
101	A framework for remission in SLE: consensus findings from a large international task force on definitions of remission in SLE (DORIS). <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, 554-561	2.4	175
100	The prevalence and determinants of anti-DFS70 autoantibodies in an international inception cohort of systemic lupus erythematosus patients. <i>Lupus</i> , 2017 , 26, 1051-1059	2.6	37
99	Treatment outcome in early diffuse cutaneous systemic sclerosis: the European Scleroderma Observational Study (ESOS). <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, 1207-1218	2.4	71
98	Comparison of Disease Characteristics, Organ Damage, and Survival in Patients with Juvenile-onset and Adult-onset Systemic Lupus Erythematosus in a Combined Cohort from 2 Tertiary Centers in Turkey. <i>Journal of Rheumatology</i> , 2017 , 44, 619-625	4.1	27
97	Nitrated nucleosome levels and neuropsychiatric events in systemic lupus erythematosus; a multi-center retrospective case-control study. <i>Arthritis Research and Therapy</i> , 2017 , 19, 287	5.7	1
96	Remarkable damage along with poor quality of life in Takayasu arteritis: cross-sectional results of a long-term followed-up multicentre cohort. <i>Clinical and Experimental Rheumatology</i> , 2017 , 35 Suppl 103, 77-82	2.2	6
95	Metabolic syndrome is not only a risk factor for cardiovascular diseases in systemic lupus erythematosus but is also associated with cumulative organ damage: a cross-sectional analysis of 311 patients. <i>Lupus</i> , 2016 , 25, 177-84	2.6	32

94	The frequency and outcome of lupus nephritis: results from an international inception cohort study. <i>Rheumatology</i> , 2016 , 55, 252-62	3.9	210
93	Capillaroscopic findings and vascular biomarkers in systemic sclerosis: Association of low CD40L levels with late scleroderma pattern. <i>Microvascular Research</i> , 2016 , 108, 17-21	3.7	9
92	Microscopic colitis in patients with Takayasu's arteritis: a potential association between the two disease entities. <i>Clinical Rheumatology</i> , 2016 , 35, 2495-9	3.9	6
91	Viral hepatitis screening guideline before biological drug use in rheumatic patients. <i>European Journal of Rheumatology</i> , 2016 , 3, 25-28	1.7	11
90	A Longitudinal Analysis of Outcomes of Lupus Nephritis in an International Inception Cohort Using a Multistate Model Approach. <i>Arthritis and Rheumatology</i> , 2016 , 68, 1932-44	9.5	27
89	Reply. <i>Arthritis Care and Research</i> , 2016 , 68, 1053-4	4.7	1
88	Off-label use of rituximab for systemic lupus erythematosus in Europe. <i>Lupus Science and Medicine</i> , 2016 , 3, e000163	4.6	34
87	Multicentric reticulohistiocytosis: Rheumatology perspective. <i>Best Practice and Research in Clinical Rheumatology</i> , 2016 , 30, 250-260	5.3	13
86	Nailfold Videocapillaroscopic Features and Other Clinical Risk Factors for Digital Ulcers in Systemic Sclerosis: A Multicenter, Prospective Cohort Study. <i>Arthritis and Rheumatology</i> , 2016 , 68, 2527-39	9.5	92
85	Direct and indirect healthcare costs of rheumatoid arthritis patients in Turkey. <i>Clinical and Experimental Rheumatology</i> , 2016 , 34, 1033-1037	2.2	4
84	The relationship between vascular biomarkers and disease characteristics in systemic sclerosis: elevated MCP-1 is predominantly associated with fibrotic manifestations. <i>Clinical and Experimental Rheumatology</i> , 2016 , 34 Suppl 100, 110-114	2.2	2
83	Assessment of Patients with Takayasu Arteritis in Routine Practice with Indian Takayasu Clinical Activity Score. <i>Journal of Rheumatology</i> , 2015 , 42, 1443-7	4.1	14
82	Mood Disorders in Systemic Lupus Erythematosus: Results From an International Inception Cohort Study. <i>Arthritis and Rheumatology</i> , 2015 , 67, 1837-47	9.5	77
81	Treatment Algorithms in Systemic Lupus Erythematosus. <i>Arthritis Care and Research</i> , 2015 , 67, 1237-1245	7.7	67
80	The significance and management of thrombocytopenia in antiphospholipid syndrome. <i>Current Rheumatology Reports</i> , 2015 , 17, 14	4.9	34
79	Impact of early disease factors on metabolic syndrome in systemic lupus erythematosus: data from an international inception cohort. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 1530-6	2.4	51
78	Factors associated with damage accrual in patients with systemic lupus erythematosus: results from the Systemic Lupus International Collaborating Clinics (SLICC) Inception Cohort. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 1706-13	2.4	250
77	Anti-C1q antibodies in systemic lupus erythematosus. <i>Lupus</i> , 2015 , 24, 42-9	2.6	86

76	Identification of Susceptibility Loci in IL6, RPS9/LILRB3, and an Intergenic Locus on Chromosome 21q22 in Takayasu Arteritis in a Genome-Wide Association Study. <i>Arthritis and Rheumatology</i> , 2015 , 67, 1361-8	9.5	60
75	The relationship between nailfold capillaroscopic assessment and telangiectasia score with severity of peripheral vascular involvement in systemic sclerosis. <i>Clinical and Experimental Rheumatology</i> , 2015 , 33, S92-7	2.2	8
74	Treat-to-target in systemic lupus erythematosus: recommendations from an international task force. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 958-67	2.4	388
73	Cluster analysis of autoantibodies in 852 patients with systemic lupus erythematosus from a single center. <i>Journal of Rheumatology</i> , 2014 , 41, 1304-10	4.1	60
72	MEFV gene variations in patients with systemic lupus erythematosus. <i>Modern Rheumatology</i> , 2014 , 24, 93-6	3.3	6
71	The Relationship between P-Selectin Polymorphisms and Thrombosis in Antiphospholipid Syndrome: A Pilot Case-Control Study. <i>Turkish Journal of Haematology</i> , 2014 , 31, 357-62	0.9	8
70	Comparing female-based contraceptive methods in patients with systemic lupus erythematosus, rheumatoid arthritis and a healthy population. <i>International Journal of Rheumatic Diseases</i> , 2014 , 17, 653-7	2.3	9
69	Identification of multiple genetic susceptibility loci in Takayasu arteritis. <i>American Journal of Human Genetics</i> , 2013 , 93, 298-305	11	115
68	2013 classification criteria for systemic sclerosis: an American College of Rheumatology/European League against Rheumatism collaborative initiative. <i>Arthritis and Rheumatism</i> , 2013 , 65, 2737-47		1636
67	Headache in systemic lupus erythematosus: results from a prospective, international inception cohort study. <i>Arthritis and Rheumatism</i> , 2013 , 65, 2887-97		65
66	2013 classification criteria for systemic sclerosis: an American college of rheumatology/European league against rheumatism collaborative initiative. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, 1747-55	2.4	1109
65	Clinical associations of the metabolic syndrome in systemic lupus erythematosus: data from an international inception cohort. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, 1308-14	2.4	65
64	Comparison of ultraviolet B-induced cutaneous inflammation and skin pathergy test in Behçet disease. <i>International Journal of Clinical Rheumatology</i> , 2013 , 8, 205-211	1.5	
63	Items for developing revised classification criteria in systemic sclerosis: Results of a consensus exercise. <i>Arthritis Care and Research</i> , 2012 , 64, 351-7	4.7	41
62	Serologic response to Epstein-Barr virus antigens in patients with systemic lupus erythematosus: a controlled study. <i>Rheumatology International</i> , 2012 , 32, 79-83	3.6	48
61	Risk factors for avascular bone necrosis in patients with systemic lupus erythematosus. <i>Rheumatology International</i> , 2012 , 32, 177-82	3.6	54
60	Re-evaluation of 129 patients with systemic necrotizing vasculitides by using classification algorithm according to consensus methodology. <i>Clinical Rheumatology</i> , 2012 , 31, 325-8	3.9	13
59	Takayasu's arteritis is associated with HLA-B*52, but not with HLA-B*51, in Turkey. <i>Arthritis Research and Therapy</i> , 2012 , 14, R27	5.7	50

58	Derivation and validation of the Systemic Lupus International Collaborating Clinics classification criteria for systemic lupus erythematosus. <i>Arthritis and Rheumatism</i> , 2012 , 64, 2677-86		2688
57	Seizure disorders in systemic lupus erythematosus results from an international, prospective, inception cohort study. <i>Annals of the Rheumatic Diseases</i> , 2012 , 71, 1502-9	2.4	115
56	Biologics use in sle in 23 centers Data from the international registry for biologics in SLE. <i>Annals of the Rheumatic Diseases</i> , 2012 , 71, A9.1-A9	2.4	1
55	An assessment of disease flare in patients with systemic lupus erythematosus: a comparison of BILAG 2004 and the flare version of SELENA. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, 54-9	2.4	68
54	Pulmonary hypertension in systemic lupus erythematosus: relationship with antiphospholipid antibodies and severe disease outcome. <i>Rheumatology International</i> , 2011 , 31, 183-9	3.6	41
53	Clinical prediction of 5-year survival in systemic sclerosis: validation of a simple prognostic model in EUSTAR centres. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, 1788-92	2.4	82
52	Assessment of disease activity and progression in Takayasu's arteritis with Disease Extent Index-Takayasu. <i>Rheumatology</i> , 2010 , 49, 1889-93	3.9	76
51	Predictors of damage and survival in patients with Wegener's granulomatosis: analysis of 50 patients. <i>Journal of Rheumatology</i> , 2010 , 37, 374-8	4.1	25
50	Recurrent anterior uveitis in Henoch Schonlein's vasculitis. <i>Rheumatology International</i> , 2010 , 30, 1377-93.6		6
49	The prevalence and clinical significance of inherited thrombophilic risk factors in patients with antiphospholipid syndrome. <i>Journal of Thrombosis and Thrombolysis</i> , 2010 , 29, 303-9	5.1	18
48	Rosai-Dorfman disease with factor XII deficiency. <i>Clinical Rheumatology</i> , 2009 , 28, 733-6	3.9	4
47	Clinical evaluation and comparison of different criteria for classification in Turkish patients with psoriatic arthritis. <i>Rheumatology International</i> , 2009 , 29, 365-70	3.6	3
46	Low frequency of HLA-B27 in ankylosing spondylitis patients from Turkey. <i>Joint Bone Spine</i> , 2008 , 75, 299-302	2.9	45
45	Clinical evaluation and comparison of different criteria for classification in Turkish patients with psoriatic arthritis. <i>Rheumatology International</i> , 2008 , 28, 959-64	3.6	3
44	Faible fréquence d'HLA-B27 chez des patients atteints de spondylarthrite ankylosante en Turquie. <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2008 , 75, 433-437	0.1	1
43	Anti-CCP antibodies in rheumatoid arthritis and psoriatic arthritis. <i>Clinical Rheumatology</i> , 2007 , 26, 17-23.9	3.9	62
42	Safety of high-dose intravenous immunoglobulin in systemic autoimmune diseases. <i>Clinical Rheumatology</i> , 2007 , 26, 1913-5	3.9	21
41	Very early 'Rheumatoid' arthritis cohorts: limited by selection. <i>Rheumatology</i> , 2007 , 46, 185-7	3.9	7

40	P-selectin glycoprotein ligand-1 VNTR polymorphisms and risk of thrombosis in the antiphospholipid syndrome. <i>Annals of the Rheumatic Diseases</i> , 2007 , 66, 1378-80	2.4	18
39	Development of hairy cell leukemia in a patient with antiphospholipid syndrome. <i>Lupus</i> , 2007 , 16, 286-8	2.6	8
38	P-Selectin Glycoprotein Ligand-1 VNTR Polymorphisms in Systemic Sclerosis.. <i>Blood</i> , 2007 , 110, 3914-3914	4.2	4
37	Outcome measurements in scleroderma: results from a delphi exercise. <i>Journal of Rheumatology</i> , 2007 , 34, 501-9	4.1	38
36	Accuracy of anti-ribosomal P protein antibody testing for the diagnosis of neuropsychiatric systemic lupus erythematosus: an international meta-analysis. <i>Arthritis and Rheumatism</i> , 2006 , 54, 312-24	2.6	166
35	Takayasu arteritis associated with systemic sclerosis. <i>Modern Rheumatology</i> , 2006 , 16, 120-121	3.3	6
34	Interleukin (IL)-12, IL-2, and IL-6 gene polymorphisms in Takayasu's arteritis from Turkey. <i>Human Immunology</i> , 2006 , 67, 735-40	2.3	40
33	Takayasu arteritis associated with systemic sclerosis. <i>Modern Rheumatology</i> , 2006 , 16, 120-1	3.3	4
32	Assessment of cardiac structure and left atrial appendage functions in primary antiphospholipid syndrome: a transesophageal echocardiographic study. <i>Stroke</i> , 2005 , 36, 592-6	6.7	43
31	Bilateral acquired Brown syndrome in systemic scleroderma. <i>Journal of AAPOS</i> , 2005 , 9, 195-7	1.3	6
30	Impaired endothelium-dependent flow-mediated dilation in Behçet's disease: more prominent endothelial dysfunction in patients with vascular involvement. <i>International Journal of Clinical Practice</i> , 2005 , 59, 777-81	2.9	30
29	Efficacy of infliximab in the treatment of uveitis that is resistant to treatment with the combination of azathioprine, cyclosporine, and corticosteroids in Behçet's disease: an open-label trial. <i>Arthritis and Rheumatism</i> , 2005 , 52, 2478-84	2.6	235
28	Experience with monthly, high-dose, intravenous immunoglobulin therapy in patients with different connective tissue diseases. <i>Rheumatology International</i> , 2005 , 25, 211-4	3.6	20
27	A comparison of clinical findings of familial Mediterranean fever patients with and without amyloidosis. <i>Rheumatology International</i> , 2005 , 25, 442-6	3.6	32
26	Systemic necrotizing vasculitides in Turkey: a comparative analysis of 40 consecutive patients. <i>Rheumatology International</i> , 2005 , 26, 16-20	3.6	5
25	Anti-CCP and antikeratin antibodies in rheumatoid arthritis, primary Sjögren's syndrome, and Wegener's granulomatosis. <i>Clinical Rheumatology</i> , 2005 , 24, 673-6	3.9	33
24	Antiphospholipid Syndrome Presenting As Massive Pulmonary Embolism in a Patient With Sarcoidosis. <i>Electronic Journal of General Medicine</i> , 2005 , 2,	2.1	4
23	An unusual overdose of leflunomide in a patient with rheumatoid arthritis. <i>Annals of Pharmacotherapy</i> , 2004 , 38, 1320-1	2.9	4

22	Factor XIII Val34Leu polymorphism does not contribute to the prevention of thrombotic complications in patients with antiphospholipid syndrome. <i>Lupus</i> , 2004 , 13, 32-5	2.6	13
21	Impaired brachial endothelial function in patients with primary anti-phospholipid syndrome. <i>International Journal of Clinical Practice</i> , 2004 , 58, 1003-7	2.9	21
20	Tuberculosis in Turkish patients with systemic lupus erythematosus: increased frequency of extrapulmonary localization. <i>Lupus</i> , 2004 , 13, 274-8	2.6	74
19	Thrombotic risk in patients submitted to splenectomy for systemic lupus erythematosus and antiphospholipid antibody syndrome-related thrombocytopenia. <i>European Journal of Internal Medicine</i> , 2004 , 15, 162-167	3.9	21
18	The Prevalence and Clinical Significance of Inherited Thrombophilic Risk Factors in Patients with Antiphospholipid Syndrome.. <i>Blood</i> , 2004 , 104, 4050-4050	2.2	
17	Fc receptor gamma subunit polymorphisms and systemic lupus erythematosus. <i>Journal of King Abdulaziz University, Islamic Economics</i> , 2004 , 25, 1445-8	1.1	3
16	Eosinophilia and hyperimmunoglobulinemia E as the presenting manifestations of Wegener's granulomatosis. <i>Clinical Rheumatology</i> , 2003 , 22, 333-5	3.9	14
15	A patient with classical polyarteritis nodosa evolving into end stage renal failure. <i>Renal Failure</i> , 2003 , 25, 1037-41	2.9	3
14	A weak association of HLA-B*2702 with Behçet's disease. <i>Genes and Immunity</i> , 2002 , 3, 368-72	4.4	55
13	Coexistence of homozygous factor V Leiden mutation and antiphospholipid antibodies in two patients presented with Budd-Chiari syndrome. <i>Haematologia</i> , 2002 , 32, 73-7		9
12	Transforming growth factor-12 polymorphism and systemic lupus erythematosus. <i>Journal of Rheumatology</i> , 2002 , 29, 1189-91	4.1	1
11	Antiphospholipid antibodies and antiphospholipid syndrome in patients presenting with immune thrombocytopenic purpura: a prospective cohort study. <i>Blood</i> , 2001 , 98, 1760-4	2.2	157
10	Amyopathic dermatomyositis associated with cervical cancer. <i>Clinical Rheumatology</i> , 2001 , 20, 438-40	3.9	10
9	European multicentre study to define disease activity criteria for systemic sclerosis. II. Identification of disease activity variables and development of preliminary activity indexes. <i>Annals of the Rheumatic Diseases</i> , 2001 , 60, 592-8	2.4	223
8	European multicentre study to define disease activity criteria for systemic sclerosis. I. Clinical and epidemiological features of 290 patients from 19 centres. <i>Annals of the Rheumatic Diseases</i> , 2001 , 60, 585-91	2.4	65
7	Familial aggregation of Behçet's disease in Turkey. <i>Annals of the Rheumatic Diseases</i> , 2000 , 59, 622-5	2.4	134
6	The use of two different Health Assessment Questionnaires in Turkish rheumatoid arthritis population and assessment of the associations with disability. <i>Clinical Rheumatology</i> , 1999 , 18, 33-7	3.9	12
5	Predictors of lymphoma development in primary Sjögren's syndrome. <i>Seminars in Arthritis and Rheumatism</i> , 1998 , 28, 80-7	5.3	105

4	Antibodies to beta2-glycoprotein I in patients with systemic lupus erythematosus: comment on the articles by Tsutsumi et al and Roubey et al. <i>Arthritis and Rheumatism</i> , 1997 , 40, 1366-8		
3	Antibodies reactive with HIV-1 antigens in systemic lupus erythematosus. <i>Lupus</i> , 1996 , 5, 120-2	2.6	14
2	Primary antiphospholipid syndrome associated with mesenteric inflammatory veno-occlusive disease. <i>Clinical Rheumatology</i> , 1996 , 15, 207-10	3.9	25
1	Comparative study of the skin pathergy test with blunt and sharp needles in Behçet's disease: confirmed specificity but decreased sensitivity with sharp needles. <i>Annals of the Rheumatic Diseases</i> , 1993 , 52, 823-5	2.4	71