Fabio Montagnaro

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5447722/publications.pdf

Version: 2024-02-01

117 3,807 3
papers citations h-in

35 h-index

117 3019
times ranked citing authors

161849

54

g-index

117 all docs 117 docs citations

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Coal fly ash as raw material for the manufacture of geopolymer-based products. Waste Management, 2008, 28, 416-423. | 7.4 | 266 |
| 2 | Soluble salt removal from MSWI fly ash and its stabilization for safer disposal and recovery as road basement material. Waste Management, 2012, 32, 1179-1185. | 7.4 | 149 |
| 3 | Manufacture of artificial aggregate using MSWI bottom ash. Waste Management, 2011, 31, 281-288. | 7.4 | 133 |
| 4 | Flue gas desulfurization gypsum and coal fly ash as basic components of prefabricated building materials. Waste Management, 2013, 33, 628-633. | 7.4 | 102 |
| 5 | Mechanical Performances of Weathered Coal Fly Ash Based Geopolymer Bricks. Procedia Engineering, 2011, 21, 745-752. | 1.2 | 86 |
| 6 | Simultaneous adsorption of chlorophenol and heavy metal ions on organophilic bentonite. Applied Clay Science, 2006, 31, 126-133. | 5.2 | 84 |
| 7 | Attrition of Limestone by Impact Loading in Fluidized Beds. Energy & Energy & 2007, 21, 2566-2572. | 5.1 | 84 |
| 8 | Synergic effect of Zn and Cu oxides dispersed on activated carbon during reactive adsorption of H2S at room temperature. Microporous and Mesoporous Materials, 2018, 257, 135-146. | 4.4 | 78 |
| 9 | An experimental characterization of Calcium Looping integrated with concentrated solar power. Chemical Engineering Journal, 2018, 331, 794-802. | 12.7 | 65 |
| 10 | Carbon-supported ionic liquids as innovative adsorbents for CO2 separation from synthetic flue-gas. Journal of Colloid and Interface Science, 2015, 448, 41-50. | 9.4 | 62 |
| 11 | Analysis of char–slag interaction and near-wall particle segregation in entrained-flow gasification of coal. Combustion and Flame, 2010, 157, 874-883. | 5.2 | 61 |
| 12 | Heat transfer in directly irradiated fluidized beds. Solar Energy, 2016, 129, 85-100. | 6.1 | 60 |
| 13 | A New Generation of Surface Active Carbon Textiles As Reactive Adsorbents of Indoor Formaldehyde. ACS Applied Materials & Distribution (1988) 10, 8066-8076. | 8.0 | 60 |
| 14 | Fluidized bed calcium looping: The effect of SO 2 on sorbent attrition and CO 2 capture capacity. Chemical Engineering Journal, 2012, 207-208, 445-449. | 12.7 | 58 |
| 15 | A model of integrated calcium looping for CO 2 capture and concentrated solar power. Solar Energy, 2015, 120, 208-220. | 6.1 | 57 |
| 16 | Fluidized bed calcium looping cycles for CO2 capture under oxy-firing calcination conditions: Part 1. Assessment of six limestones. Chemical Engineering Journal, 2013, 231, 537-543. | 12.7 | 54 |
| 17 | Post-combustion CO2 adsorption on activated carbons with different textural properties. Microporous and Mesoporous Materials, 2015, 209, 157-164. | 4.4 | 54 |
| 18 | Further studies of the hydration of MgO-hydromagnesite blends. Cement and Concrete Research, 2019, 126, 105912. | 11.0 | 54 |

| # | Article | IF | Citations |
|----|--|------|-----------|
| 19 | Spent limestone sorbent from calcium looping cycle as a raw material for the cement industry. Fuel, 2014, 118, 202-205. | 6.4 | 51 |
| 20 | The influence of temperature on limestone sulfation and attrition under fluidized bed combustion conditions. Experimental Thermal and Fluid Science, 2010, 34, 352-358. | 2.7 | 50 |
| 21 | Cadmium adsorption by coal combustion ashes-based sorbentsâ€"Relationship between sorbent properties and adsorption capacity. Journal of Hazardous Materials, 2011, 187, 371-378. | 12.4 | 49 |
| 22 | Techno-economic analysis of sorption-enhanced steam methane reforming in a fixed bed reactor network integrated with fuel cell. Journal of Power Sources, 2017, 364, 41-51. | 7.8 | 49 |
| 23 | Reactivation by water hydration of the CO2 capture capacity of a calcium looping sorbent. Fuel, 2014, 127, 109-115. | 6.4 | 48 |
| 24 | Char–Wall Interaction and Properties of Slag Waste in Entrained-Flow Gasification of Coal. Energy & Fuels, 2011, 25, 3671-3677. | 5.1 | 47 |
| 25 | Adsorption of chlorophenol, chloroaniline and methylene blue on fuel oil fly ash. Journal of Hazardous Materials, 2008, 157, 599-604. | 12.4 | 46 |
| 26 | Modelling of sorption-enhanced steam methane reforming in a fixed bed reactor network integrated with fuel cell. Applied Energy, 2018, 210, 1-15. | 10.1 | 46 |
| 27 | Attrition of Limestone During Fluidized Bed Calcium Looping Cycles for CO ₂ Capture. Combustion Science and Technology, 2012, 184, 929-941. | 2.3 | 45 |
| 28 | Post-combustion CO2 capture: On the potentiality of amino acid ionic liquid as modifying agent of mesoporous solids. Fuel, 2018, 218, 155-161. | 6.4 | 44 |
| 29 | Liquid–Solid Mass Transfer in Adsorption Systems—An Overlooked Resistance?. Industrial & Engineering Chemistry Research, 2020, 59, 22007-22016. | 3.7 | 44 |
| 30 | Directly irradiated fluidized bed reactor for thermochemical energy storage and solar fuels production. Powder Technology, 2020, 366, 460-469. | 4.2 | 42 |
| 31 | Fluidized Beds for Concentrated Solar Thermal Technologies—A Review. Frontiers in Energy Research, 2021, 9, . | 2.3 | 42 |
| 32 | Arsenate removal from synthetic wastewater by adsorption onto fly ash. Desalination, 2010, 263, 58-63. | 8.2 | 40 |
| 33 | Reuse of coal combustion ashes as dyes and heavy metal adsorbents: Effect of sieving and demineralization on waste properties and adsorption capacity. Chemical Engineering Journal, 2009, 150, 174-180. | 12.7 | 38 |
| 34 | Enhancement of Sulfur Uptake by Hydration of Spent Limestone for Fluidized-Bed Combustion Application. Industrial & Description (2001), 40, 2495-2501. | 3.7 | 37 |
| 35 | Sustainable management of water potabilization sludge by means of geopolymers production. Journal of Cleaner Production, 2019, 229, 1-9. | 9.3 | 37 |
| 36 | Calcium Looping Spent Sorbent as a Limestone Replacement in the Manufacture of Portland and Calcium Sulfoaluminate Cements. Environmental Science & En | 10.0 | 36 |

| # | Article | lF | CITATIONS |
|----|--|------|-----------|
| 37 | Improving the performance of calcium looping for solar thermochemical energy storage and CO2 capture. Fuel, 2021, 298, 120791. | 6.4 | 36 |
| 38 | Reactivation by Steam Hydration of Sorbents for Fluidized-Bed Calcium Looping. Energy & Energ | 5.1 | 35 |
| 39 | Solar-driven production of lime for ordinary Portland cement formulation. Solar Energy, 2018, 173, 759-768. | 6.1 | 35 |
| 40 | Sewage Sludge Gasification in a Fluidized Bed: Experimental Investigation and Modeling. Industrial & Samp; Engineering Chemistry Research, 2021, 60, 5034-5047. | 3.7 | 35 |
| 41 | Hydration-induced reactivation of spent sorbents for fluidized bed calcium looping (double looping). Fuel Processing Technology, 2014, 120, 71-78. | 7.2 | 34 |
| 42 | Fractal-like Vermeulen Kinetic Equation for the Description of Diffusion-Controlled Adsorption Dynamics. Journal of Physical Chemistry C, 2015, 119, 8781-8785. | 3.1 | 34 |
| 43 | Sulphation of limestones in a fluidized bed combustor: The relationship between particle attrition and microstructure. Canadian Journal of Chemical Engineering, 2008, 86, 347-355. | 1.7 | 33 |
| 44 | Mechanochemistry of ibuprofen pharmaceutical. Chemosphere, 2012, 88, 548-553. | 8.2 | 33 |
| 45 | Highly efficient iron(III) molecular catalysts for solketal production. Fuel Processing Technology, 2017, 167, 670-673. | 7.2 | 33 |
| 46 | Modelling of a concentrated solar power – photovoltaics hybrid plant for carbon dioxide capture and utilization via calcium looping and methanation. Energy Conversion and Management, 2021, 230, 113792. | 9.2 | 32 |
| 47 | An assessment of water and steam reactivation of a fluidized bed spent sorbent for enhanced SO2 capture. Powder Technology, 2008, 180, 129-134. | 4.2 | 31 |
| 48 | Performance of Natural Sorbents during Calcium Looping Cycles: A Comparison between Fluidized Bed and Thermo-Gravimetric Tests. Energy & Energy & 2013, 27, 6048-6054. | 5.1 | 31 |
| 49 | Fluidized bed calcium looping cycles for CO2 capture under oxy-firing calcination conditions: Part 2. Assessment of dolomite vs. limestone. Chemical Engineering Journal, 2013, 231, 544-549. | 12.7 | 31 |
| 50 | Utilization of Coal Combustion Ashes for the Synthesis of Ordinary and Special Cements. Combustion Science and Technology, 2010, 182, 588-599. | 2.3 | 30 |
| 51 | Highlighting the Role of Activated Carbon Particle Size on CO ₂ Capture from Model Flue Gas. Industrial & Day Engineering Chemistry Research, 2013, 52, 12183-12191. | 3.7 | 30 |
| 52 | The influence of sorbent properties and reaction temperature on sorbent attrition, sulfur uptake, and particle sulfation pattern during fluidized-bed desulfurization. Combustion Science and Technology, 2002, 174, 151-169. | 2.3 | 29 |
| 53 | Effect of steam on the performance of Ca-based sorbents in calcium looping processes. Powder Technology, 2017, 316, 578-584. | 4.2 | 29 |
| 54 | Butanol Production from Leftover Beverages and Sport Drinks. Bioenergy Research, 2015, 8, 369-379. | 3.9 | 28 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 55 | Role of Ettringite in the Reuse of Hydrated Fly Ash from Fluidized-Bed Combustion as a Sulfur Sorbent:Â A Hydration Study. Industrial & Engineering Chemistry Research, 2004, 43, 4054-4059. | 3.7 | 27 |
| 56 | Low-CO ₂ Cements from Fluidized Bed Process Wastes and Other Industrial By-Products. Combustion Science and Technology, 2016, 188, 492-503. | 2.3 | 27 |
| 57 | <i>110th Anniversary: </i> Calcium Looping Coupled with Concentrated Solar Power for Carbon Capture and Thermochemical Energy Storage. Industrial & Engineering Chemistry Research, 2019, 58, 21262-21272. | 3.7 | 27 |
| 58 | Steam hydration–reactivation of FBC ashes for enhanced in situ desulphurization. Fuel, 2009, 88, 1092-1098. | 6.4 | 26 |
| 59 | Steam- and carbon dioxide-gasification of coal combustion ash for liquid phase cadmium removal by adsorption. Chemical Engineering Journal, 2012, 207-208, 66-71. | 12.7 | 26 |
| 60 | Multiphase flow patterns in entrained-flow slagging gasifiers: Physical modelling of particle–wall impact at near-ambient conditions. Fuel Processing Technology, 2016, 141, 106-116. | 7.2 | 25 |
| 61 | Assessment of ettringite from hydrated FBC residues as a sorbent for fluidized bed desulphurizationâ [*] †. Fuel, 2003, 82, 2299-2307. | 6.4 | 24 |
| 62 | Reuse of Fly Ash from a Fluidized Bed Combustor for Sulfur Uptake:  The Role of Ettringite in Hydration-Induced Reactivation. Energy & Samp; Fuels, 2005, 19, 1822-1827. | 5.1 | 24 |
| 63 | Directly irradiated fluidized bed reactors for thermochemical processing and energy storage: Application to calcium looping. AIP Conference Proceedings, 2017, , . | 0.4 | 24 |
| 64 | Feasibility of CaO/CuO/NiO sorption-enhanced steam methane reforming integrated with solid-oxide fuel cell for near-zero-CO2 emissions cogeneration system. Applied Energy, 2018, 230, 241-256. | 10.1 | 24 |
| 65 | The combined effect of H2O and SO2 on CO2 uptake and sorbent attrition during fluidised bed calcium looping. Proceedings of the Combustion Institute, 2019, 37, 4379-4387. | 3.9 | 23 |
| 66 | Reactivation by Water Hydration of Spent Sorbent for Fluidized-Bed Combustion Application: Influence of Hydration Time. Industrial & Engineering Chemistry Research, 2004, 43, 5692-5701. | 3.7 | 22 |
| 67 | The effect of steam on CO2 uptake and sorbent attrition in fluidised bed calcium looping: The influence of process conditions and sorbent properties. Separation and Purification Technology, 2017, 189, 101-107. | 7.9 | 22 |
| 68 | A Population Balance Model on Sorbent in CFB Combustors: The Influence of Particle Attrition. Industrial & Description of the Particle Attrition of the Industrial & Description of the Indust | 3.7 | 21 |
| 69 | Impact of the charge density on the behaviour of polycarboxylate ethers as cement dispersants. Construction and Building Materials, 2018, 180, 477-490. | 7.2 | 21 |
| 70 | Deeper insights into fractal concepts applied to liquid-phase adsorption dynamics. Fuel Processing Technology, 2014, 128, 412-416. | 7.2 | 19 |
| 71 | Selective-exhaust gas recirculation for CO2 capture using membrane technology. Journal of Membrane Science, 2018, 549, 649-659. | 8.2 | 19 |
| 72 | Modelling oxy-pyrolysis of sewage sludge in a rotary kiln reactor. Fuel, 2018, 231, 468-478. | 6.4 | 19 |

| # | Article | IF | Citations |
|----|--|------|-----------|
| 73 | Effect of exposure to SO2 and H2O during the carbonation stage of fluidised bed calcium looping on the performance of sorbents of different nature. Chemical Engineering Journal, 2019, 377, 120626. | 12.7 | 19 |
| 74 | Solar-Driven Torrefaction of a Lignin-Rich Biomass Residue in a Directly Irradiated Fluidized Bed Reactor. Combustion Science and Technology, 2019, 191, 1609-1627. | 2.3 | 18 |
| 75 | Wall effects in entrained particle-laden flows: The role of particle stickiness on solid segregation and build-up of wall deposits. Powder Technology, 2014, 266, 282-291. | 4.2 | 17 |
| 76 | Clay sediment geopolymerization by means of alkali metal aluminate activation. RSC Advances, 2015, 5, 107662-107669. | 3.6 | 17 |
| 77 | A single particle model of lime sulphation with a fractal formulation of product layer diffusion. Chemical Engineering Science, 2016, 156, 115-120. | 3.8 | 17 |
| 78 | Cyclic Oxygen Release Characteristics of Bifunctional Copper Oxide/Calcium Oxide Composites. Energy Technology, 2016, 4, 1171-1178. | 3.8 | 17 |
| 79 | Impact experiments of char and ash particles relevant to entrained-flow coal gasifiers. Fuel, 2017, 202, 665-674. | 6.4 | 17 |
| 80 | Characterization of Geopolymer Materials Containing MSWI Fly Ash and Coal Fly Ash. Advances in Science and Technology, 0, , . | 0.2 | 16 |
| 81 | Gasification of coal combustion ash for its reuse as adsorbent. Fuel, 2013, 106, 147-151. | 6.4 | 16 |
| 82 | Steam reactivation of a spent sorbent for enhanced SO2 capture in FBC. AICHE Journal, 2006, 52, 4090-4098. | 3.6 | 15 |
| 83 | Entrained-flow gasification of coal under slagging conditions: Relevance of fuel–wall interaction and char segregation to the properties of solid wastes. Fuel, 2013, 114, 44-55. | 6.4 | 15 |
| 84 | Modelling entrained-flow slagging gasification of solid fuels with near-wall particle segregation. Chemical Engineering Journal, 2019, 377, 119962. | 12.7 | 15 |
| 85 | Char/ash deposition and near-wall segregation in slagging entrained-flow gasification of solid fuels: from experiments to closure equations. Fuel, 2020, 264, 116864. | 6.4 | 15 |
| 86 | A preliminary investigation on the use of organic ionic liquids as green solvents for acylation and oxidation reactions. Journal of Cleaner Production, 2007, 15, 1797-1805. | 9.3 | 14 |
| 87 | Investigation of Char–Slag Interaction Regimes in Entrained-Flow Gasifiers: Linking Experiments with Numerical Simulations. Combustion Science and Technology, 2012, 184, 871-887. | 2.3 | 14 |
| 88 | Assessment of Sorbent Reactivation by Water Hydration for Fluidized Bed Combustion Application. Journal of Energy Resources Technology, Transactions of the ASME, 2006, 128, 90-98. | 2.3 | 13 |
| 89 | A lab-scale cold flow model reactor to investigate near-wall particle segregation relevant to entrained-flow slagging coal gasifiers. Fuel, 2014, 117, 1267-1273. | 6.4 | 13 |
| 90 | Liquid–solid adsorption processes interpreted by fractal-like kinetic models. Environmental Chemistry Letters, 2019, 17, 1067-1075. | 16.2 | 13 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 91 | Hydration products of FBC wastes as SO2 sorbents: comparison between ettringite and calcium hydroxide. Fuel Processing Technology, 2008, 89, 47-54. | 7.2 | 12 |
| 92 | Study of the hydrothermal treatments of residues from fluidized bed combustors for the manufacture of ettringite-based building elements. Fuel Processing Technology, 2014, 126, 188-191. | 7.2 | 12 |
| 93 | Experimental characterization of particle-wall interaction relevant to entrained-flow gasification of biomass. Fuel, 2017, 209, 674-684. | 6.4 | 12 |
| 94 | Impact fragmentation of limestone-based sorbents for calcium looping: The effect of steam and sulphur dioxide. Fuel Processing Technology, 2020, 208, 106499. | 7.2 | 12 |
| 95 | Looping cycles for low carbon technologies: A survey of recent research activities in Naples. Fuel, 2020, 268, 117371. | 6.4 | 12 |
| 96 | Particle–wall interaction in entrained-flow slagging coal gasifiers: Granular flow simulation and experiments in a cold flow model reactor. International Journal of Multiphase Flow, 2017, 91, 142-154. | 3.4 | 11 |
| 97 | Modelling CO2 adsorption dynamics onto amine-functionalised sorbents: A fractal-like kinetic perspective. Chemical Engineering Science, 2018, 192, 603-612. | 3.8 | 10 |
| 98 | The influence of reactivation by hydration of spent SO2 sorbents on their impact fragmentation in fluidized bed combustors. Chemical Engineering Journal, 2010, 162, 1067-1074. | 12.7 | 9 |
| 99 | Effect of Mechanochemical Processing on Adsorptive Properties of Blast Furnace Slag. Journal of Environmental Engineering, ASCE, 2013, 139, 1446-1453. | 1.4 | 9 |
| 100 | The extent of sorbent attrition and degradation of ethanol-treated CaO sorbents for CO2 capture within a fluidised bed reactor. Fuel Processing Technology, 2018, 171, 198-204. | 7.2 | 9 |
| 101 | TG, FT-IR and NMR characterization of n-C16H34 contaminated alumina and silica after mechanochemical treatment. Chemosphere, 2008, 70, 1068-1076. | 8.2 | 8 |
| 102 | Reuse of Coal Combustion Ash as Sorbent: The Effect of Gasification Treatments. Combustion Science and Technology, 2012, 184, 956-965. | 2.3 | 8 |
| 103 | Performance of limestoneâ€based sorbent for sorptionâ€enhanced gasification in dual interconnected fluidized bed reactors. AICHE Journal, 2023, 69, e17588. | 3.6 | 8 |
| 104 | Experimental and Modeling Studies of Sr ²⁺ and Cs ⁺ Sorption on Cryogels and Comparison to Commercial Adsorbents. Industrial & Engineering Chemistry Research, 2022, 61, 8204-8219. | 3.7 | 8 |
| 105 | Enhancement of selectivity toward ettringite during hydrothermal processes on fluidized bed combustion wastes for the manufacture of preformed building components. RSC Advances, 2015, 5, 101887-101893. | 3.6 | 5 |
| 106 | A Fractal-Based Correlation for Time-Dependent Surface Diffusivity in Porous Adsorbents. Processes, 2020, 8, 689. | 2.8 | 4 |
| 107 | Dolomite-based binders manufactured using concentrated solar energy in a fluidised bed reactor. Solar Energy, 2022, 232, 471-482. | 6.1 | 4 |
| 108 | Salt Hydrates for Thermochemical Storage of Solar Energy: Modeling the Case Study of Calcium Oxalate Monohydrate Dehydration/Rehydration under Suspension Reactor Conditions. Industrial & Engineering Chemistry Research, 2021, 60, 11357-11372. | 3.7 | 3 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Advantages in the Use of Membrane Contactors for the Study of Gasâ ⁻ 'Liquid and Gasâ ⁻ 'Liquidâ ⁻ 'Solid Reactions. Industrial & Engineering Chemistry Research, 2005, 44, 9451-9460. | 3.7 | 2 |
| 110 | Limestone calcination–carbonation in a fluidized bed reactor/receiver for thermochemical energy storage applications. AIP Conference Proceedings, 2019, , . | 0.4 | 2 |
| 111 | Steam Reactivation of FB Spent Sorbent for Enhanced SO2 Capture: The Relationship Between Microstructural Properties and Sulphur Uptake. , 2005, , . | | 2 |
| 112 | Performance of Ca-Based Sorbents for Calcium Looping Processes: Role of Steam. Advanced Science Letters, 2017, 23, 5920-5922. | 0.2 | 2 |
| 113 | Fractal-like random pore model applied to CO2 capture by CaO sorbent. Chemical Engineering Science, 2022, 254, 117649. | 3.8 | 2 |
| 114 | Assessment of Sorbent Reactivation by Water Hydration for Fluidized Bed Combustion Application. , 2003, , 429. | | 1 |
| 115 | Confocal microscopy and imaging profilometry: A new tool aimed to evaluate aesthetic procedures. Journal of Cosmetic and Laser Therapy, 2017, 19, 59-63. | 0.9 | 1 |
| 116 | Fractal-Like Kinetic Models for Fluid–Solid Adsorption. Environmental Chemistry for A Sustainable World, 2018, , 135-161. | 0.5 | 1 |
| 117 | On the performance of continuous stirred tank reactor and plug flow reactor for chemical reactions characterised by non-elementary kinetics. Reaction Kinetics, Mechanisms and Catalysis, 2018, 125, 449-469. | 1.7 | 0 |