

# Morten Hylander MÃ¸ller

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5448470/publications.pdf>

Version: 2024-02-01

224  
papers

16,588  
citations

53660

45  
h-index

17546

121  
g-index

227  
all docs

227  
docs citations

227  
times ranked

17942  
citing authors

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | Association Between Administration of Systemic Corticosteroids and Mortality Among Critically Ill Patients With COVID-19. JAMA - Journal of the American Medical Association, 2020, 324, 1330.               | 3.8  | 1,855     |
| 2  | Hydroxyethyl Starch 130/0.42 versus Ringer's Acetate in Severe Sepsis. New England Journal of Medicine, 2012, 367, 124-134.  | 13.9 | 1,594     |
| 3  | Surviving Sepsis Campaign: guidelines on the management of critically ill adults with Coronavirus Disease 2019 (COVID-19). Intensive Care Medicine, 2020, 46, 854-887.                                       | 3.9  | 1,536     |
| 4  | Surviving sepsis campaign: international guidelines for management of sepsis and septic shock 2021. Intensive Care Medicine, 2021, 47, 1181-1247.  | 3.9  | 1,503     |
| 5  | Surviving Sepsis Campaign: International Guidelines for Management of Sepsis and Septic Shock 2021. Critical Care Medicine, 2021, 49, e1063-e1143.   | 0.4  | 927       |
| 6  | Surviving Sepsis Campaign: Guidelines on the Management of Critically Ill Adults with Coronavirus Disease 2019 (COVID-19). Critical Care Medicine, 2020, 48, e440-e469.                                      | 0.4  | 816       |
| 7  | Lower versus Higher Hemoglobin Threshold for Transfusion in Septic Shock. New England Journal of Medicine, 2014, 371, 1381-1391.   | 13.9 | 717       |
| 8  | Surviving Sepsis Campaign International Guidelines for the Management of Septic Shock and Sepsis-Associated Organ Dysfunction in Children. Pediatric Critical Care Medicine, 2020, 21, e52-e106.             | 0.2  | 567       |
| 9  | Surviving sepsis campaign international guidelines for the management of septic shock and sepsis-associated organ dysfunction in children. Intensive Care Medicine, 2020, 46, 10-67.                         | 3.9  | 331       |
| 10 | Surviving Sepsis Campaign Guidelines on the Management of Adults With Coronavirus Disease 2019 (COVID-19) in the ICU: First Update. Critical Care Medicine, 2021, 49, e219-e234.                             | 0.4  | 289       |
| 11 | Managing ICU surge during the COVID-19 crisis: rapid guidelines. Intensive Care Medicine, 2020, 46, 1303-1325.   | 3.9  | 281       |
| 12 | Perforated peptic ulcer. Lancet, The, 2015, 386, 1288-1298.  | 6.3  | 240       |
| 13 | Pantoprazole in Patients at Risk for Gastrointestinal Bleeding in the ICU. New England Journal of Medicine, 2018, 379, 2199-2208.  | 13.9 | 232       |
| 14 | Executive Summary: Surviving Sepsis Campaign: International Guidelines for the Management of Sepsis and Septic Shock 2021. Critical Care Medicine, 2021, 49, 1974-1982.                                      | 0.4  | 209       |
| 15 | Prevalence and outcome of gastrointestinal bleeding and use of acid suppressants in acutely ill adult intensive care patients. Intensive Care Medicine, 2015, 41, 833-845.                                   | 3.9  | 208       |
| 16 | Early goal-directed nutrition versus standard of care in adult intensive care patients: the single-centre, randomised, outcome assessor-blinded EAT-ICU trial. Intensive Care Medicine, 2017, 43, 1637-1647. | 3.9  | 204       |
| 17 | Lower or Higher Oxygenation Targets for Acute Hypoxemic Respiratory Failure. New England Journal of Medicine, 2021, 384, 1301-1311.  | 13.9 | 190       |
| 18 | Effect of 12 mg vs 6 mg of Dexamethasone on the Number of Days Alive Without Life Support in Adults With COVID-19 and Severe Hypoxemia. JAMA - Journal of the American Medical Association, 2021, 326, 1807. | 3.8  | 174       |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 19 | Use of the GRADE approach in systematic reviews and guidelines. <i>British Journal of Anaesthesia</i> , 2019, 123, 554-559.  | 1.5  | 156       |
| 20 | Restriction of Intravenous Fluid in ICU Patients with Septic Shock. <i>New England Journal of Medicine</i> , 2022, 386, 2459-2470.   | 13.9 | 154       |
| 21 | Surgical delay is a critical determinant of survival in perforated peptic ulcer. <i>British Journal of Surgery</i> , 2013, 100, 1045-1049.   | 0.1  | 148       |
| 22 | Mortality and postoperative care pathways after emergency gastrointestinal surgery in 2904 patients: a population-based cohort study. <i>British Journal of Anaesthesia</i> , 2014, 112, 860-870.                                    | 1.5  | 142       |
| 23 | Low-dose corticosteroids for adult patients with septic shock: a systematic review with meta-analysis and trial sequential analysis. <i>Intensive Care Medicine</i> , 2018, 44, 1003-1016.   | 3.9  | 141       |
| 24 | Multicentre trial of a perioperative protocol to reduce mortality in patients with peptic ulcer perforation. <i>British Journal of Surgery</i> , 2011, 98, 802-810.  | 0.1  | 138       |
| 25 | Stress ulcer prophylaxis versus placebo or no prophylaxis in critically ill patients. <i>Intensive Care Medicine</i> , 2014, 40, 11-22.  | 3.9  | 138       |
| 26 | Efficacy and safety of stress ulcer prophylaxis in critically ill patients: a network meta-analysis of randomized trials. <i>Intensive Care Medicine</i> , 2018, 44, 1-11.   | 3.9  | 120       |
| 27 | Relationship between timing of endoscopy and mortality in patients with peptic ulcer bleeding: a nationwide cohort study. <i>Gastrointestinal Endoscopy</i> , 2017, 85, 936-944.e3.  | 0.5  | 107       |
| 28 | Association between biomarkers of endothelial injury and hypocoagulability in patients with severe sepsis: a prospective study. <i>Critical Care</i> , 2015, 19, 191.  | 2.5  | 106       |
| 29 | Preoperative prognostic factors for mortality in peptic ulcer perforation: a systematic review. <i>Scandinavian Journal of Gastroenterology</i> , 2010, 45, 785-805.   | 0.6  | 87        |
| 30 | The peptic ulcer perforation (PULP) score: a predictor of mortality following peptic ulcer perforation. A cohort study. <i>Acta Anaesthesiologica Scandinavica</i> , 2012, 56, 655-662.  | 0.7  | 85        |
| 31 | Stress ulcer prophylaxis in the intensive care unit: an international survey of 97 units in 11 countries. <i>Acta Anaesthesiologica Scandinavica</i> , 2015, 59, 576-585.  | 0.7  | 80        |
| 32 | Improving Quality of Care in Peptic Ulcer Bleeding: Nationwide Cohort Study of 13,498 Consecutive Patients in the Danish Clinical Register of Emergency Surgery. <i>American Journal of Gastroenterology</i> , 2013, 108, 1449-1457. | 0.2  | 78        |
| 33 | Neuromuscular blockade in patients with ARDS: a rapid practice guideline. <i>Intensive Care Medicine</i> , 2020, 46, 1977-1986.  | 3.9  | 78        |
| 34 | Corticosteroid therapy for sepsis: a clinical practice guideline. <i>BMJ: British Medical Journal</i> , 2018, 362, k3284.  | 2.4  | 76        |
| 35 | Perforated peptic ulcer: How to improve outcome?. <i>Scandinavian Journal of Gastroenterology</i> , 2009, 44, 15-22.   | 0.6  | 74        |
| 36 | Thromboelastography in patients with severe sepsis: a prospective cohort study. <i>Intensive Care Medicine</i> , 2015, 41, 77-85.  | 3.9  | 74        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Lower vs Higher Fluid Volumes During Initial Management of Sepsis. <i>Chest</i> , 2020, 157, 1478-1496.   | 0.4 | 73        |
| 38 | Executive summary: surviving sepsis campaign international guidelines for the management of septic shock and sepsis-associated organ dysfunction in children. <i>Intensive Care Medicine</i> , 2020, 46, 1-9.                                       | 3.9 | 70        |
| 39 | Dexamethasone 12 mg versus 6 mg for patients with COVID-19 and severe hypoxaemia: a pre-planned, secondary Bayesian analysis of the COVID STEROID 2 trial. <i>Intensive Care Medicine</i> , 2022, 48, 45-55.  | 3.9 | 70        |
| 40 | New-onset atrial fibrillation in adult critically ill patients: a scoping review. <i>Intensive Care Medicine</i> , 2019, 45, 928-938.   | 3.9 | 65        |
| 41 | Effect of Awake Prone Positioning on Endotracheal Intubation in Patients With COVID-19 and Acute Respiratory Failure. <i>JAMA - Journal of the American Medical Association</i> , 2022, 327, 2104.  | 3.8 | 63        |
| 42 | Are systematic reviews and meta-analyses still useful research? We are not sure. <i>Intensive Care Medicine</i> , 2018, 44, 518-520.  | 3.9 | 62        |
| 43 | Predictors of gastrointestinal bleeding in adult ICU patients: a systematic review and meta-analysis. <i>Intensive Care Medicine</i> , 2019, 45, 1347-1359.   | 3.9 | 49        |
| 44 | Dexmedetomidine vs other sedatives in critically ill mechanically ventilated adults: a systematic review and meta-analysis of randomized trials. <i>Intensive Care Medicine</i> , 2022, 48, 811-840.  | 3.9 | 49        |
| 45 | Post-operative urinary retention in a general surgical population. <i>European Journal of Anaesthesiology</i> , 2011, 28, 190-194.  | 0.7 | 48        |
| 46 | Stress ulcer prophylaxis in the intensive care unit: is it indicated? A topical systematic review. <i>Acta Anaesthesiologica Scandinavica</i> , 2013, 57, 835-847.  | 0.7 | 48        |
| 47 | Executive Summary: Surviving Sepsis Campaign International Guidelines for the Management of Septic Shock and Sepsis-Associated Organ Dysfunction in Children. <i>Pediatric Critical Care Medicine</i> , 2020, 21, 186-195.                          | 0.2 | 48        |
| 48 | Surgical complications after open and laparoscopic surgery for perforated peptic ulcer in a nationwide cohort. <i>British Journal of Surgery</i> , 2015, 102, 382-387.  | 0.1 | 47        |
| 49 | Scandinavian clinical practice guideline on fluid and drug therapy in adults with acute respiratory distress syndrome. <i>Acta Anaesthesiologica Scandinavica</i> , 2016, 60, 697-709.  | 0.7 | 47        |
| 50 | Stress ulcer prophylaxis with proton pump inhibitors or histamin-2 receptor antagonists in adult intensive care patients: a systematic review with meta-analysis and trial sequential analysis. <i>Intensive Care Medicine</i> , 2019, 45, 143-158. | 3.9 | 47        |
| 51 | Randomised clinical trials in critical care: past, present and future. <i>Intensive Care Medicine</i> , 2022, 48, 164-178.  | 3.9 | 46        |
| 52 | Scandinavian clinical practice guideline on choice of first-line vasopressor for patients with acute circulatory failure. <i>Acta Anaesthesiologica Scandinavica</i> , 2016, 60, 1347-1366.   | 0.7 | 45        |
| 53 | Epidural analgesia in patients with traumatic rib fractures: a systematic review of randomised controlled trials. <i>Acta Anaesthesiologica Scandinavica</i> , 2015, 59, 698-709.   | 0.7 | 43        |
| 54 | Prevention of rhabdomyolysis-induced acute kidney injury – A DASAIM/DSIT clinical practice guideline. <i>Acta Anaesthesiologica Scandinavica</i> , 2019, 63, 576-586.   | 0.7 | 43        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | The Danish Intensive Care Database. <i>Clinical Epidemiology</i> , 2016, Volume 8, 525-530.   | 1.5 | 42        |
| 56 | Efficacy and safety of gastrointestinal bleeding prophylaxis in critically ill patients: systematic review and network meta-analysis. <i>BMJ</i> , The, 2020, 368, l6744.   | 3.0 | 42        |
| 57 | Predictive Performance of the Simplified Acute Physiology Score (SAPS) II and the Initial Sequential Organ Failure Assessment (SOFA) Score in Acutely Ill Intensive Care Patients: Post-Hoc Analyses of the SUP-ICU Inception Cohort Study. <i>PLoS ONE</i> , 2016, 11, e0168948. | 1.1 | 41        |
| 58 | Risk factors in patients surgically treated for peptic ulcer perforation. <i>Scandinavian Journal of Gastroenterology</i> , 2009, 44, 145-152.  | 0.6 | 39        |
| 59 | Quality-of-care initiative in patients treated surgically for perforated peptic ulcer. <i>British Journal of Surgery</i> , 2013, 100, 543-552.  | 0.1 | 39        |
| 60 | Stress ulcer prophylaxis with a proton pump inhibitor versus placebo in critically ill patients (SUP-ICU) Tj ETQq0 0 0 rgBT /Overlock 10 Tf   | 0.7 | 38        |
| 61 | Mortality prediction models in the adult critically ill: A scoping review. <i>Acta Anaesthesiologica Scandinavica</i> , 2020, 64, 424-442.  | 0.7 | 38        |
| 62 | Predictive value of <sc>NGAL</sc> for use of renal replacement therapy in patients with severe sepsis. <i>Acta Anaesthesiologica Scandinavica</i> , 2015, 59, 25-34.  | 0.7 | 37        |
| 63 | Empirical mono- versus combination antibiotic therapy in adult intensive care patients with severe sepsis â€” A systematic review with meta-analysis and trial sequential analysis. <i>Journal of Infection</i> , 2017, 74, 331-344.  | 1.7 | 37        |
| 64 | Conservative vs liberal fluid therapy in septic shock (CLASSIC) trialâ€™ Protocol and statistical analysis plan. <i>Acta Anaesthesiologica Scandinavica</i> , 2019, 63, 1262-1271.  | 0.7 | 37        |
| 65 | Development and internal validation of the Simplified Mortality Score for the Intensive Care Unit (<sc>SMS</sc>â€<sc>ICU</sc>). <i>Acta Anaesthesiologica Scandinavica</i> , 2018, 62, 336-346.   | 0.7 | 36        |
| 66 | New-onset atrial fibrillation and associated outcomes and resource use among critically ill adultsâ€™a multicenter retrospective cohort study. <i>Critical Care</i> , 2020, 24, 15.   | 2.5 | 36        |
| 67 | Guideline for stress ulcer prophylaxis in the intensive care unit. <i>Danish Medical Journal</i> , 2014, 61, C4811.   | 0.5 | 35        |
| 68 | Early vasopressor use following traumatic injury: a systematic review. <i>BMJ Open</i> , 2017, 7, e017559.  | 0.8 | 33        |
| 69 | Efficacy and safety of gastrointestinal bleeding prophylaxis in critically ill patients: an updated systematic review and network meta-analysis of randomized trials. <i>Intensive Care Medicine</i> , 2020, 46, 1987-2000.   | 3.9 | 33        |
| 70 | Influence of body mass index on mortality after surgery for perforated peptic ulcer. <i>British Journal of Surgery</i> , 2014, 101, 993-999.  | 0.1 | 32        |
| 71 | Lowâ€dose hydrocortisone in patients with COVIDâ€19 and severe hypoxia: The COVID STEROID randomised, placeboâ€controlled trial. <i>Acta Anaesthesiologica Scandinavica</i> , 2021, 65, 1421-1430.  | 0.7 | 31        |
| 72 | Association between surgical delay and survival in high-risk emergency abdominal surgery. A population-based Danish cohort study. <i>Scandinavian Journal of Gastroenterology</i> , 2016, 51, 121-128.  | 0.6 | 29        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | No firm evidence that lack of blinding affects estimates of mortality in randomized clinical trials of intensive care interventions: a systematic review and meta-analysis. <i>Journal of Clinical Epidemiology</i> , 2018, 100, 71-81. | 2.4 | 29        |
| 74 | Scandinavian SSAI clinical practice guideline on choice of inotropic agent for patients with acute circulatory failure. <i>Acta Anaesthesiologica Scandinavica</i> , 2018, 62, 420-450.   | 0.7 | 28        |
| 75 | Pantoprazole prophylaxis in ICU patients with high severity of disease: a post hoc analysis of the placebo-controlled SUP-ICU trial. <i>Intensive Care Medicine</i> , 2019, 45, 609-618.  | 3.9 | 28        |
| 76 | Scandinavian clinical practice guideline on choice of fluid in resuscitation of critically ill patients with acute circulatory failure. <i>Acta Anaesthesiologica Scandinavica</i> , 2015, 59, 274-285.                                 | 0.7 | 27        |
| 77 | VTE Prophylaxis in Critically Ill Adults. <i>Chest</i> , 2022, 161, 418-428.  | 0.4 | 27        |
| 78 | Accuracy of clinical prediction rules in peptic ulcer perforation: an observational study. <i>Scandinavian Journal of Gastroenterology</i> , 2012, 47, 28-35.   | 0.6 | 26        |
| 79 | Low-dose hydrocortisone in patients with COVID-19 and severe hypoxia (COVID STEROID) trial—Protocol and statistical analysis plan. <i>Acta Anaesthesiologica Scandinavica</i> , 2020, 64, 1365-1375.                                    | 0.7 | 26        |
| 80 | Thrombocytopenia in intensive care unit patients: A scoping review. <i>Acta Anaesthesiologica Scandinavica</i> , 2021, 65, 2-14.  | 0.7 | 26        |
| 81 | Neuromuscular blocking agents in acute respiratory distress syndrome: updated systematic review and meta-analysis of randomized trials. <i>Intensive Care Medicine Experimental</i> , 2020, 8, 61.                                      | 0.9 | 26        |
| 82 | Stress ulcer prophylaxis in the intensive care unit. <i>Current Opinion in Critical Care</i> , 2016, 22, 1.   | 1.6 | 25        |
| 83 | Randomized multicentre feasibility trial of intermediate care <i>versus</i> standard ward care after emergency abdominal surgery (InCare trial). <i>British Journal of Surgery</i> , 2015, 102, 619-629.                                | 0.1 | 24        |
| 84 | A new tool to assess Clinical Diversity In Meta-analyses (CDIM) of interventions. <i>Journal of Clinical Epidemiology</i> , 2021, 135, 29-41.   | 2.4 | 24        |
| 85 | Stress ulcer prophylaxis in the intensive care unit trial: detailed statistical analysis plan. <i>Acta Anaesthesiologica Scandinavica</i> , 2017, 61, 859-868.  | 0.7 | 23        |
| 86 | Conflicts of interest disclosure forms and management in critical care clinical practice guidelines. <i>Intensive Care Medicine</i> , 2018, 44, 1691-1698.  | 3.9 | 23        |
| 87 | Long-term mortality following peptic ulcer perforation in the PULP trial. A nationwide follow-up study. <i>Scandinavian Journal of Gastroenterology</i> , 2013, 48, 168-175.  | 0.6 | 22        |
| 88 | Atraumatic (pencil-point) versus conventional needles for lumbar puncture: a clinical practice guideline. <i>BMJ: British Medical Journal</i> , 2018, 361, k1920.   | 2.4 | 21        |
| 89 | Higher vs lower doses of dexamethasone in patients with COVID-19 and severe hypoxia (COVID STEROID) Tj ETQg1.1 0.784314 rgB   | 0.7 | 21        |
| 90 | Use of dexmedetomidine for sedation in mechanically ventilated adult ICU patients: a rapid practice guideline. <i>Intensive Care Medicine</i> , 2022, 48, 801-810.  | 3.9 | 21        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | Heterogeneity of treatment effect of prophylactic pantoprazole in adult ICU patients: a post hoc analysis of the SUP-ICU trial. <i>Intensive Care Medicine</i> , 2020, 46, 717-726.   | 3.9 | 20        |
| 92  | Sucralfate versus histamine 2 receptor antagonists for stress ulcer prophylaxis in adult critically ill patients: A meta-analysis and trial sequential analysis of randomized trials. <i>Journal of Critical Care</i> , 2017, 40, 21-30.  | 1.0 | 18        |
| 93  | The SSAI fully supports the suspension of hydroxyethylstarch solutions commissioned by the European Medicines Agency. <i>Acta Anaesthesiologica Scandinavica</i> , 2018, 62, 874-875.   | 0.7 | 18        |
| 94  | Long-term outcomes of dexamethasone 12Âmg versus 6Âmg in patients with COVID-19 and severe hypoxaemia. <i>Intensive Care Medicine</i> , 2022, 48, 580-589.  | 3.9 | 17        |
| 95  | Whatâ€™s new with stress ulcer prophylaxis in the ICU?. <i>Intensive Care Medicine</i> , 2017, 43, 1132-1134.   | 3.9 | 16        |
| 96  | The effect of systemic corticosteroids on the incidence of gastrointestinal bleeding in critically ill adults: a systematic review with meta-analysis. <i>Intensive Care Medicine</i> , 2019, 45, 1540-1549.  | 3.9 | 16        |
| 97  | Intensive care medicine rapid practice guidelines (ICM-RPG): paving the road of the future. <i>Intensive Care Medicine</i> , 2019, 45, 1639-1641.   | 3.9 | 16        |
| 98  | Lower versus higher oxygenation targets in critically ill patients with severe hypoxaemia: secondary Bayesian analysis to explore heterogeneous treatment effects in the Handling Oxygenation Targets in the Intensive Care Unit (HOT-ICU) trial. <i>British Journal of Anaesthesia</i> , 2022, 128, 55-64. | 1.5 | 16        |
| 99  | Canadian Critical Care Society clinical practice guideline: The use of vasopressin and vasopressin analogues in critically ill adults with distributive shock. <i>Canadian Journal of Anaesthesia</i> , 2020, 67, 369-376.  | 0.7 | 14        |
| 100 | Simplified Mortality Score for the Intensive Care Unit (SMS-ICU): protocol for the development and validation of a bedside clinical prediction rule. <i>BMJ Open</i> , 2017, 7, e015339.  | 0.8 | 13        |
| 101 | Patient-important outcomes and core outcome sets: increased attention needed!. <i>British Journal of Anaesthesia</i> , 2019, 122, 408-410.  | 1.5 | 13        |
| 102 | Endorsement of clinical practice guidelines by the Scandinavian Society of Anaesthesiology and Intensive Care Medicine. <i>Acta Anaesthesiologica Scandinavica</i> , 2019, 63, 161-163.   | 0.7 | 13        |
| 103 | APACHE II score validation in emergency abdominal surgery. A post hoc analysis of the InCare trial. <i>Acta Anaesthesiologica Scandinavica</i> , 2020, 64, 180-187.   | 0.7 | 13        |
| 104 | Higher vs Lower Doses of Dexamethasone in Patients with COVID-19 and Severe Hypoxia (COVID STEROID) Tj ETQq0 0 0 rgBT /Overlo<br>702-710.   | 0.7 | 13        |
| 105 | Nebulised dornase alfa versus placebo or hypertonic saline in adult critically ill patients: a systematic review of randomised clinical trials with meta-analysis and trial sequential analysis. <i>Systematic Reviews</i> , 2015, 4, 153.  | 2.5 | 12        |
| 106 | Association between ulcer site and outcome in complicated peptic ulcer disease: a Danish nationwide cohort study. <i>Scandinavian Journal of Gastroenterology</i> , 2016, 51, 1165-1171.  | 0.6 | 12        |
| 107 | Stress ulcer prophylaxis versus placebo or no prophylaxis in adult hospitalised acutely ill patientsâ€™ protocol for a systematic review with meta-analysis and trial sequential analysis. <i>Systematic Reviews</i> , 2017, 6, 118.  | 2.5 | 12        |
| 108 | Lactate versus acetate buffered intravenous crystalloid solutions: a scoping review. <i>British Journal of Anaesthesia</i> , 2020, 125, 693-703.  | 1.5 | 12        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 109 | Anaesthesia care with and without tracheal intubation during emergency endoscopy for peptic ulcer bleeding: a population-based cohort study. <i>British Journal of Anaesthesia</i> , 2015, 114, 901-908.   | 1.5 | 11        |
| 110 | The association between epidural analgesia and mortality in emergency abdominal surgery: A population-based cohort study. <i>Acta Anaesthesiologica Scandinavica</i> , 2020, 64, 104-111.  | 0.7 | 11        |
| 111 | Surviving sepsis campaign: International guidelines for management of sepsis and septic shock in adults 2021 – endorsement by the Scandinavian society of anaesthesiology and intensive care medicine. <i>Acta Anaesthesiologica Scandinavica</i> , 2022, 66, 634-635. | 0.7 | 11        |
| 112 | Effect of intermediate care on mortality following emergency abdominal surgery. The InCare trial: study protocol, rationale and feasibility of a randomised multicentre trial. <i>Trials</i> , 2013, 14, 37.   | 0.7 | 10        |
| 113 | Pantoprazole in ICU patients at risk for gastrointestinal bleeding – 1-year mortality in the SUP-ICU trial. <i>Acta Anaesthesiologica Scandinavica</i> , 2019, 63, 1184-1190.  | 0.7 | 10        |
| 114 | Focus on sepsis. <i>Intensive Care Medicine</i> , 2019, 45, 1459-1461.   | 3.9 | 10        |
| 115 | External validation of the Simplified Mortality Score for the Intensive Care Unit (SMS-ICU). <i>Acta Anaesthesiologica Scandinavica</i> , 2019, 63, 1216-1224.   | 0.7 | 10        |
| 116 | Overall bias and sample sizes were unchanged in ICU trials over time: a meta-epidemiological study. <i>Journal of Clinical Epidemiology</i> , 2019, 113, 189-199.  | 2.4 | 9         |
| 117 | Prophylactic use of acid suppressants in adult acutely ill hospitalised patients: A systematic review with meta-analysis and trial sequential analysis. <i>Acta Anaesthesiologica Scandinavica</i> , 2020, 64, 714-728.  | 0.7 | 9         |
| 118 | Management of acute atrial fibrillation in the intensive care unit: An international survey. <i>Acta Anaesthesiologica Scandinavica</i> , 2022, 66, 375-385.   | 0.7 | 9         |
| 119 | Risk factors for reintervention after surgery for perforated gastroduodenal ulcer. <i>British Journal of Surgery</i> , 2016, 103, 1676-1682.   | 0.1 | 8         |
| 120 | CCCS-SSAI WikiRecs clinical practice guideline: vasopressor blood pressure targets in critically ill adults with hypotension and vasopressor use in early traumatic shock. <i>Intensive Care Medicine</i> , 2017, 43, 1062-1064.                                       | 3.9 | 8         |
| 121 | Broken science and the failure of academics – resignation or reaction?. <i>Acta Anaesthesiologica Scandinavica</i> , 2018, 62, 1038-1040.  | 0.7 | 8         |
| 122 | Association of mortality with out-of-hours admission in patients with perforated peptic ulcer. <i>Acta Anaesthesiologica Scandinavica</i> , 2015, 59, 248-254.   | 0.7 | 7         |
| 123 | Is research from databases reliable? No. <i>Intensive Care Medicine</i> , 2019, 45, 115-117.   | 3.9 | 7         |
| 124 | Bleeding and thrombosis in intensive care patients with thrombocytopenia – Protocol for a topical systematic review. <i>Acta Anaesthesiologica Scandinavica</i> , 2019, 63, 270-273.   | 0.7 | 7         |
| 125 | Bayesian and heterogeneity of treatment effect analyses of the HOT-ICU trial – A secondary analysis protocol. <i>Acta Anaesthesiologica Scandinavica</i> , 2020, 64, 1376-1381.  | 0.7 | 7         |
| 126 | Patient-important outcomes other than mortality in recent ICU trials: Protocol for a scoping review. <i>Acta Anaesthesiologica Scandinavica</i> , 2021, 65, 1002-1007.   | 0.7 | 7         |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 127 | Lower vs. higher fluid volumes in sepsis protocol for a systematic review with meta-analysis. Acta Anaesthesiologica Scandinavica, 2017, 61, 942-951.  | 0.7 | 6         |
| 128 | Understanding conflicts of interest. Intensive Care Medicine, 2018, 44, 1738-1740.   | 3.9 | 6         |
| 129 | Heterogeneity of treatment effect of stress ulcer prophylaxis in ICU patients: A secondary analysis protocol. Acta Anaesthesiologica Scandinavica, 2019, 63, 1251-1256.                              | 0.7 | 6         |
| 130 | Performance of SAPS II according to ICU length of stay: A Danish nationwide cohort study. Acta Anaesthesiologica Scandinavica, 2019, 63, 1200-1209.  | 0.7 | 6         |
| 131 | Effects of postoperative furosemide in adult surgical patients: A systematic review and meta-analysis of randomised clinical trials. Acta Anaesthesiologica Scandinavica, 2020, 64, 282-291.         | 0.7 | 6         |
| 132 | The effect of blinding on estimates of mortality in randomised clinical trials of intensive care interventions: protocol for a systematic review and meta-analysis. BMJ Open, 2017, 7, e016187.      | 0.8 | 5         |
| 133 | Stress ulcer prophylaxis in adult intensive care unit patients – a protocol for a systematic review. Acta Anaesthesiologica Scandinavica, 2018, 62, 744-755.   | 0.7 | 5         |
| 134 | Out-of-hours intensive care unit admission and 90-day mortality: a Danish nationwide cohort study. Acta Anaesthesiologica Scandinavica, 2018, 62, 974-982.   | 0.7 | 5         |
| 135 | Corticosteroids and risk of gastrointestinal bleeding in critically ill adults: Protocol for a systematic review. Acta Anaesthesiologica Scandinavica, 2018, 62, 1321-1326.                          | 0.7 | 5         |
| 136 | Long-term patient-important outcomes after septic shock: A protocol for 1-year follow-up of the CLASSIC trial. Acta Anaesthesiologica Scandinavica, 2020, 64, 410-416.                               | 0.7 | 5         |
| 137 | A policy for diversity, equity, inclusion and anti-racism in the Scandinavian Society of Anaesthesiology and Intensive Care Medicine (SSAI). Acta Anaesthesiologica Scandinavica, 2022, 66, 141-144. | 0.7 | 5         |
| 138 | Development of a core outcome set for general intensive care unit patients – A protocol. Acta Anaesthesiologica Scandinavica, 2022, 66, 415-424.   | 0.7 | 5         |
| 139 | Stress ulcer prophylaxis in adult neurocritical care patients – no firm evidence for benefit or harm. Critical Care, 2015, 20, 22.   | 2.5 | 4         |
| 140 | Trials on stress ulcer prophylaxis: finding the balance between benefit and harm. Intensive Care Medicine, 2015, 41, 1367-1368.  | 3.9 | 4         |
| 141 | Timing of onset of gastrointestinal bleeding in the ICU: Protocol for a preplanned observational study. Acta Anaesthesiologica Scandinavica, 2018, 62, 1165-1170.                                    | 0.7 | 4         |
| 142 | Effects of stress ulcer prophylaxis in adult ICU patients receiving renal replacement therapy (Sup-icu) Tj ETQq0 0 0 rgBT /Overlock 10 Tf  | 0.7 | 4         |
| 143 | Outcomes of Prophylactic Pantoprazole in Adult Intensive Care Unit Patients Receiving Dialysis: Results of a Randomized Trial. American Journal of Nephrology, 2019, 50, 312-319.                    | 1.4 | 4         |
| 144 | Transparent and systematic reporting of meta-epidemiological studies. Journal of Clinical Epidemiology, 2019, 112, 93-95.  | 2.4 | 4         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 145 | Stress ulcer prophylaxis in critically ill children: Protocol for a systematic review. <i>Acta Anaesthesiologica Scandinavica</i> , 2019, 63, 966-972.   | 0.7 | 4         |
| 146 | Important methodological flaws in the recently published clinical prediction model the REMEMBER score. <i>Critical Care</i> , 2019, 23, 71.  | 2.5 | 4         |
| 147 | Lactate versus acetate buffered crystalloid solutions: Protocol for a scoping review. <i>Acta Anaesthesiologica Scandinavica</i> , 2019, 63, 537-539.  | 0.7 | 4         |
| 148 | Coffee consumption and work satisfaction among Scandinavian anaesthesiologists: A survey. <i>Acta Anaesthesiologica Scandinavica</i> , 2019, 63, 414-417.  | 0.7 | 4         |
| 149 | Prophylactic acid suppressants in children in the intensive care unit: a systematic review with meta-analysis and trial sequential analysis. <i>Acta Anaesthesiologica Scandinavica</i> , 2021, 65, 292-301.   | 0.7 | 4         |
| 150 | Predictors of gastrointestinal bleeding in adult ICU patients in the SUP-ICU trial. <i>Acta Anaesthesiologica Scandinavica</i> , 2021, 65, 792-800.  | 0.7 | 4         |
| 151 | New-onset atrial fibrillation in the intensive care unit: Protocol for an international inception cohort study (AFIB-ICU). <i>Acta Anaesthesiologica Scandinavica</i> , 2021, 65, 846-851.   | 0.7 | 4         |
| 152 | Use of hydroxyethyl starch in sepsis research: A systematic review with meta-analysis. <i>Acta Anaesthesiologica Scandinavica</i> , 2021, 65, 1355-1364.   | 0.7 | 4         |
| 153 | Treatments of new-onset atrial fibrillation in critically ill patients: a systematic review with meta-analysis. <i>Acta Anaesthesiologica Scandinavica</i> , 2022, 66, 432-446.  | 0.7 | 4         |
| 154 | Regional anaesthesia in patients on antithrombotic drugs – a joint <sc>ESAIC</sc>/<sc>ESRA</sc> guideline: Endorsement by the Scandinavian Society of Anaesthesiology and Intensive Care Medicine. <i>Acta Anaesthesiologica Scandinavica</i> , 2022, 66, 887-889. | 0.7 | 4         |
| 155 | Therapeutic bronchoscopy vs. standard of care in acute respiratory failure: a systematic review. <i>Acta Anaesthesiologica Scandinavica</i> , 2017, 61, 1240-1252.   | 0.7 | 3         |
| 156 | ICM focus on thrombosis and bleeding. <i>Intensive Care Medicine</i> , 2017, 43, 1910-1911.  | 3.9 | 3         |
| 157 | The Magic Bullet in Sepsis or the Inflation of Chance Findings?. <i>Chest</i> , 2017, 152, 222-223.  | 0.4 | 3         |
| 158 | Empirical metronidazole for patients with severe bacterial infection: protocol for a systematic review. <i>Acta Anaesthesiologica Scandinavica</i> , 2018, 62, 724-730.  | 0.7 | 3         |
| 159 | Common Sense Approach to Managing Sepsis. <i>Critical Care Clinics</i> , 2018, 34, 127-138.  | 1.0 | 3         |
| 160 | Focus on extracorporeal life support. <i>Intensive Care Medicine</i> , 2018, 44, 2251-2253.  | 3.9 | 3         |
| 161 | Piperacillin/tazobactam vs carbapenems for patients with bacterial infection: Protocol for a systematic review. <i>Acta Anaesthesiologica Scandinavica</i> , 2019, 63, 973-978.  | 0.7 | 3         |
| 162 | Clinical practice guideline on atraumatic (pencil-point) vs conventional needles for lumbar puncture: Endorsement by the Scandinavian Society of Anaesthesiology and Intensive Care Medicine. <i>Acta Anaesthesiologica Scandinavica</i> , 2019, 63, 438-439.      | 0.7 | 3         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 163 | Foresight over hindsight: Mandatory publication of clinical research protocols prior to conduct. <i>Acta Anaesthesiologica Scandinavica</i> , 2019, 63, 267-269.  | 0.7 | 3         |
| 164 | Effects of magnesium, phosphate and zinc supplementation in ICU patientsâ€™ Protocol for a systematic review. <i>Acta Anaesthesiologica Scandinavica</i> , 2020, 64, 131-136.   | 0.7 | 3         |
| 165 | Treatment strategies for new-onset atrial fibrillation in critically ill patients: Protocol for a systematic review. <i>Acta Anaesthesiologica Scandinavica</i> , 2020, 64, 1343-1349.  | 0.7 | 3         |
| 166 | Customization and external validation of the Simplified Mortality Score for the Intensive Care Unit (SMS-ICU) in Brazilian critically ill patients. <i>Journal of Critical Care</i> , 2020, 59, 94-100.   | 1.0 | 3         |
| 167 | Spontaneous versus controlled mechanical ventilation in patients with acute respiratory distress syndrome â€“ Protocol for a scoping review. <i>Acta Anaesthesiologica Scandinavica</i> , 2020, 64, 857-860.  | 0.7 | 3         |
| 168 | The cuff leak test in critically ill patients: An international survey of intensivists. <i>Acta Anaesthesiologica Scandinavica</i> , 2021, 65, 1087-1094.   | 0.7 | 3         |
| 169 | The long-term effects of lower versus higher oxygenation levels in adult ICU patients â€“ protocol for a systematic review. <i>Acta Anaesthesiologica Scandinavica</i> , 2022, 66, 145-151.   | 0.7 | 3         |
| 170 | Health-related quality of life and days alive without life support or out of hospital: Protocol. <i>Acta Anaesthesiologica Scandinavica</i> , 2021, , .   | 0.7 | 3         |
| 171 | Therapeutics and COVID-19â€™ A living WHO guideline: Endorsement by the Scandinavian Society of Anaesthesiology and Intensive Care Medicine. <i>Acta Anaesthesiologica Scandinavica</i> , 2022, , .   | 0.7 | 3         |
| 172 | Conservative vs. liberal fluid therapy in septic shock â€“ Protocol for secondary Bayesian analyses of the CLASSIC trial. <i>Acta Anaesthesiologica Scandinavica</i> , 2022, 66, 767-771.   | 0.7 | 3         |
| 173 | Patients' experiences of postoperative intermediate care and standard surgical ward care after emergency abdominal surgery: a qualitative sub-study of the Incare trial. <i>Journal of Clinical Nursing</i> , 2015, 24, 1280-1288.                  | 1.4 | 2         |
| 174 | Early goal-directed therapy: from discovery through enthusiasm to equipoise?. <i>Intensive Care Medicine</i> , 2015, 41, 1676-1678.   | 3.9 | 2         |
| 175 | Anaesthesia care for emergency endoscopy for peptic ulcer bleeding. A nationwide population-based cohort study. <i>Scandinavian Journal of Gastroenterology</i> , 2016, 51, 1000-1006.  | 0.6 | 2         |
| 176 | Venous-to-arterial carbon dioxide difference: an experimental model or a bedside clinical tool?. <i>Intensive Care Medicine</i> , 2016, 42, 287-289.  | 3.9 | 2         |
| 177 | Statistical process control in healthcare improvement â€“ new kid on the block?. <i>Acta Anaesthesiologica Scandinavica</i> , 2018, 62, 736-738.  | 0.7 | 2         |
| 178 | Reply to the letter regarding our manuscript â€“ Development and internal validation of the Simplified Mortality Score for the Intensive Care Unit (<sc>SMS</sc>â€™<sc>ICU</sc>â€™. <i>Acta Anaesthesiologica Scandinavica</i> , 2018, 62, 409-410. | 0.7 | 2         |
| 179 | Performance of <sc>SAPS II</sc> according to <sc>ICU</sc> length of stay: Protocol for an observational study. <i>Acta Anaesthesiologica Scandinavica</i> , 2019, 63, 122-127.  | 0.7 | 2         |
| 180 | Lower vs higher transfusion threshold in septic shock patients of different ages: A study protocol. <i>Acta Anaesthesiologica Scandinavica</i> , 2019, 63, 1247-1250.   | 0.7 | 2         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 181 | Time to onset of gastrointestinal bleeding in the SUP-ICU trial: A pre-planned substudy. Acta Anaesthesiologica Scandinavica, 2019, 63, 1346-1356.   | 0.7 | 2         |
| 182 | Reporting and interpreting missing health-related quality of life data in intensive care trials: Protocol for a systematic review. Acta Anaesthesiologica Scandinavica, 2019, 63, 796-801.   | 0.7 | 2         |
| 183 | Bias and sample size in intensive care unit trials: Protocol for a meta-epidemiological study. Acta Anaesthesiologica Scandinavica, 2019, 63, 117-121.   | 0.7 | 2         |
| 184 | Long-term mortality in the Intermediate care after emergency abdominal surgery (InCare) trial: A post-hoc follow-up study. Acta Anaesthesiologica Scandinavica, 2020, 64, 1100-1105.   | 0.7 | 2         |
| 185 | Focus on clinical trial interpretation. Intensive Care Medicine, 2020, 46, 790-792.  | 3.9 | 2         |
| 186 | The wicked path of causal inference in observational studies. Intensive Care Medicine, 2020, 46, 799-801.  | 3.9 | 2         |
| 187 | Acetate-vs lactate-buffered crystalloid solutions: Protocol for a systematic review with meta-analysis and trial sequential analysis. Acta Anaesthesiologica Scandinavica, 2021, 65, 123-127.  | 0.7 | 2         |
| 188 | Patient and public involvement in contemporary large intensive care trials: Protocol for a meta-epidemiological study. Acta Anaesthesiologica Scandinavica, 2021, 65, 1351-1354.   | 0.7 | 2         |
| 189 | The effects of pantoprazole vs. placebo on 1-year outcomes, resource use and employment status in ICU patients at risk for gastrointestinal bleeding: a secondary analysis of the SUP-ICU trial. Intensive Care Medicine, 2022, 48, 426.       | 3.9 | 2         |
| 190 | Patient characteristics, management and outcomes in a Nordic subset of the "Large observational study to understand the global impact of severe acute respiratory failure" ( LUNG SAFE ) study. Acta Anaesthesiologica Scandinavica, 2022, , . | 0.7 | 2         |
| 191 | Acetate-versus lactate-buffered crystalloid solutions: A systematic review with meta-analysis and trial sequential analysis. Acta Anaesthesiologica Scandinavica, 2022, 66, 782-794.   | 0.7 | 2         |
| 192 | Use of prokinetic agents in hospitalised adult patients: Protocol for a scoping review. Acta Anaesthesiologica Scandinavica, 2022, 66, 1024-1026.  | 0.7 | 2         |
| 193 | Stress Ulcer Prophylaxis "Friend or Foe?*. Critical Care Medicine, 2017, 45, 1241-1242.  | 0.4 | 1         |
| 194 | Untargeted antifungal therapy in adult patients with complicated intra-abdominal infection: protocol for a systematic review with meta-analysis. BMJ Open, 2017, 7, e015900.   | 0.8 | 1         |
| 195 | Use of life support in acutely admitted ICU patients. An international cohort study. Acta Anaesthesiologica Scandinavica, 2017, 61, 513-522.   | 0.7 | 1         |
| 196 | Clinical practice guideline on prevention of rhabdomyolysis induced acute kidney injury: Endorsement by the Scandinavian Society of Anaesthesiology and Intensive Care Medicine. Acta Anaesthesiologica Scandinavica, 2019, 63, 1280-1281.     | 0.7 | 1         |
| 197 | Routine vs on-demand blood sampling in critically ill patients "Protocol for a scoping review. Acta Anaesthesiologica Scandinavica, 2019, 63, 1109-1112.   | 0.7 | 1         |
| 198 | Effects of simulated sample sizes on mortality estimates "Protocol for a study in 3 randomised ICU trials. Acta Anaesthesiologica Scandinavica, 2019, 63, 1098-1101.   | 0.7 | 1         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 199 | Use of hydroxyethyl starch in sepsis research: Protocol for a systematic review. <i>Acta Anaesthesiologica Scandinavica</i> , 2019, 63, 814-818.   | 0.7 | 1         |
| 200 | Empirical metronidazole for patients with severe bacterial infection: A systematic review with meta-analysis and trial sequential analysis. <i>Acta Anaesthesiologica Scandinavica</i> , 2019, 63, 802-813.  | 0.7 | 1         |
| 201 | Ten things ICU specialists need to know about direct oral anticoagulants (DOACs). <i>Intensive Care Medicine</i> , 2019, 45, 89-92.  | 3.9 | 1         |
| 202 | Use of Hydrocortisone Based on Plasma Biomarkers in Patients with Septic Shock: Another One Bites the Dust?. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2020, 202, 644-646.   | 2.5 | 1         |
| 203 | Clinical practice guideline on gastrointestinal bleeding prophylaxis for critically ill patients: Endorsement by the Scandinavian Society of Anaesthesiology and Intensive Care Medicine. <i>Acta Anaesthesiologica Scandinavica</i> , 2021, 65, 549-550.                                    | 0.7 | 1         |
| 204 | Prophylactic platelet transfusions in hospitalised patients with thrombocytopenia—Protocol for a systematic review with meta-analysis. <i>Acta Anaesthesiologica Scandinavica</i> , 2021, 65, 988-994.   | 0.7 | 1         |
| 205 | Clinical practice guideline on spinal stabilisation of adult trauma patients: Endorsement by the Scandinavian Society of Anaesthesiology and Intensive Care Medicine. <i>Acta Anaesthesiologica Scandinavica</i> , 2021, 65, 986-987.  | 0.7 | 1         |
| 206 | Use of crystalloids and colloids in Europe per year from 2010 to 2019: Protocol for an international descriptive study. <i>Acta Anaesthesiologica Scandinavica</i> , 2021, 65, 1514-1517.  | 0.7 | 1         |
| 207 | Clinical practice guideline on the management of septic shock and sepsis-associated organ dysfunction in children: Endorsement by the Scandinavian Society of Anaesthesiology and Intensive Care Medicine. <i>Acta Anaesthesiologica Scandinavica</i> , 2021, 65, 1365-1366.                 | 0.7 | 1         |
| 208 | Interactions in clinical trials: Protocol and statistical analysis plan for an explorative study of four randomized ICU trials on use of pantoprazole, oxygenation targets, haloperidol and intravenous fluids. <i>Acta Anaesthesiologica Scandinavica</i> , 2021, 66, 156.                  | 0.7 | 1         |
| 209 | Choice of priors: how much scepticism is appropriate?. <i>Intensive Care Medicine</i> , 2022, 48, 372.   | 3.9 | 1         |
| 210 | Transfusion strategies in bleeding critically ill adults: A clinical practice guideline from the European Society of Intensive Care Medicine: Endorsement by the Scandinavian Society of Anaesthesiology and Intensive Care Medicine. <i>Acta Anaesthesiologica Scandinavica</i> , 2022, , . | 0.7 | 1         |
| 211 | Author's reply: Surgical delay is a critical determinant of survival in perforated peptic ulcer (<i>Br J Tj ETQq1 1 0.784314 rgBT <sub>0</sub> /Overlo   | 0.1 | 0         |
| 212 | Reply to the letter "A brief comment about predictive models for mortality in intensive care units"™. <i>Acta Anaesthesiologica Scandinavica</i> , 2018, 62, 405-406.  | 0.7 | 0         |
| 213 | Trustworthy or flawed clinical prediction rule?. <i>Critical Care</i> , 2018, 22, 31.  | 2.5 | 0         |
| 214 | Untargeted antifungal therapy in adult patients with complicated intra-abdominal infection: a systematic review. <i>Acta Anaesthesiologica Scandinavica</i> , 2018, 62, 6-18.  | 0.7 | 0         |
| 215 | Use of red blood cells in Danish intensive care units: A population-based register study. <i>Acta Anaesthesiologica Scandinavica</i> , 2019, 63, 1357-1365.  | 0.7 | 0         |
| 216 | Is prophylaxis worse than treatment in the ICU?. <i>Intensive Care Medicine</i> , 2019, 45, 1279-1282.   | 3.9 | 0         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 217 | Continued licensing of hydroxyethyl starch despite high-quality data documenting harm in vulnerable patient populations: A sad day for patient safety. <i>Acta Anaesthesiologica Scandinavica</i> , 2019, 63, 131-132. | 0.7 | 0         |
| 218 | Heterogenous treatment effects of transfusion thresholds by patient age: Post-hoc analysis of the TRISS trial. <i>Acta Anaesthesiologica Scandinavica</i> , 2020, 64, 641-647.   | 0.7 | 0         |
| 219 | Response. <i>Chest</i> , 2020, 158, 428.   | 0.4 | 0         |
| 220 | Effects of simulated sample sizes on the mortality effect estimates in three randomized intensive care unit trials. <i>Acta Anaesthesiologica Scandinavica</i> , 2020, 64, 976-981.                                    | 0.7 | 0         |
| 221 | Pre-procedural platelet transfusion thresholds in hospitalised children – Protocol for a scoping review. <i>Acta Anaesthesiologica Scandinavica</i> , 2021, 65, 558-561.   | 0.7 | 0         |
| 222 | Ischaemic vascular disease and long-term mortality in emergency abdominal surgical patients: A population-based cohort study. <i>Acta Anaesthesiologica Scandinavica</i> , 2021, 65, 1213-1220.                        | 0.7 | 0         |
| 223 | Fluid Management. , 2020, , 75-85.   |     | 0         |
| 224 | Early postoperative complications were common in non-ambulant paediatric patients with neuromuscular scoliosis. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2021, , .                              | 0.7 | 0         |