

Morten Hylander Mller

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5448470/morten-hylander-moller-publications-by-citations.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

197
papers

8,858
citations

36
h-index

92
g-index

227
ext. papers

12,807
ext. citations

6.7
avg, IF

5.94
L-index

#	Paper	IF	Citations
197	Hydroxyethyl starch 130/0.42 versus Ringer's acetate in severe sepsis. <i>New England Journal of Medicine</i> , 2012 , 367, 124-34	59.2	1250
196	Association Between Administration of Systemic Corticosteroids and Mortality Among Critically Ill Patients With COVID-19: A Meta-analysis. <i>JAMA - Journal of the American Medical Association</i> , 2020 , 324, 1330-1341	27.4	1083
195	Surviving Sepsis Campaign: guidelines on the management of critically ill adults with Coronavirus Disease 2019 (COVID-19). <i>Intensive Care Medicine</i> , 2020 , 46, 854-887	14.5	1011
194	Surviving Sepsis Campaign: Guidelines on the Management of Critically Ill Adults with Coronavirus Disease 2019 (COVID-19). <i>Critical Care Medicine</i> , 2020 , 48, e440-e469	1.4	566
193	Lower versus higher hemoglobin threshold for transfusion in septic shock. <i>New England Journal of Medicine</i> , 2014 , 371, 1381-91	59.2	553
192	Surviving Sepsis Campaign International Guidelines for the Management of Septic Shock and Sepsis-Associated Organ Dysfunction in Children. <i>Pediatric Critical Care Medicine</i> , 2020 , 21, e52-e106	3	241
191	Surviving sepsis campaign: international guidelines for management of sepsis and septic shock 2021. <i>Intensive Care Medicine</i> , 2021 , 47, 1181-1247	14.5	199
190	Perforated peptic ulcer. <i>Lancet, The</i> , 2015 , 386, 1288-1298	40	158
189	Managing ICU surge during the COVID-19 crisis: rapid guidelines. <i>Intensive Care Medicine</i> , 2020 , 46, 1303-1335	14.5	153
188	Prevalence and outcome of gastrointestinal bleeding and use of acid suppressants in acutely ill adult intensive care patients. <i>Intensive Care Medicine</i> , 2015 , 41, 833-45	14.5	134
187	Early goal-directed nutrition versus standard of care in adult intensive care patients: the single-centre, randomised, outcome assessor-blinded EAT-ICU trial. <i>Intensive Care Medicine</i> , 2017 , 43, 1637-1647	14.5	131
186	Surviving Sepsis Campaign: International Guidelines for Management of Sepsis and Septic Shock 2021. <i>Critical Care Medicine</i> , 2021 , 49, e1063-e1143	1.4	131
185	Pantoprazole in Patients at Risk for Gastrointestinal Bleeding in the ICU. <i>New England Journal of Medicine</i> , 2018 , 379, 2199-2208	59.2	131
184	Surviving sepsis campaign international guidelines for the management of septic shock and sepsis-associated organ dysfunction in children. <i>Intensive Care Medicine</i> , 2020 , 46, 10-67	14.5	130
183	Surviving Sepsis Campaign Guidelines on the Management of Adults With Coronavirus Disease 2019 (COVID-19) in the ICU: First Update. <i>Critical Care Medicine</i> , 2021 , 49, e219-e234	1.4	119
182	Surgical delay is a critical determinant of survival in perforated peptic ulcer. <i>British Journal of Surgery</i> , 2013 , 100, 1045-9	5.3	113
181	Stress ulcer prophylaxis versus placebo or no prophylaxis in critically ill patients. A systematic review of randomised clinical trials with meta-analysis and trial sequential analysis. <i>Intensive Care Medicine</i> , 2014 , 40, 11-22	14.5	110

180	Mortality and postoperative care pathways after emergency gastrointestinal surgery in 2904 patients: a population-based cohort study. <i>British Journal of Anaesthesia</i> , 2014 , 112, 860-70	5.4	106
179	Multicentre trial of a perioperative protocol to reduce mortality in patients with peptic ulcer perforation. <i>British Journal of Surgery</i> , 2011 , 98, 802-10	5.3	101
178	Low-dose corticosteroids for adult patients with septic shock: a systematic review with meta-analysis and trial sequential analysis. <i>Intensive Care Medicine</i> , 2018 , 44, 1003-1016	14.5	95
177	Efficacy and safety of stress ulcer prophylaxis in critically ill patients: a network meta-analysis of randomized trials. <i>Intensive Care Medicine</i> , 2018 , 44, 1-11	14.5	83
176	Association between biomarkers of endothelial injury and hypocoagulability in patients with severe sepsis: a prospective study. <i>Critical Care</i> , 2015 , 19, 191	10.8	78
175	Preoperative prognostic factors for mortality in peptic ulcer perforation: a systematic review. <i>Scandinavian Journal of Gastroenterology</i> , 2010 , 45, 785-805	2.4	71
174	Relationship between timing of endoscopy and mortality in patients with peptic ulcer bleeding: a nationwide cohort study. <i>Gastrointestinal Endoscopy</i> , 2017 , 85, 936-944.e3	5.2	66
173	The Peptic Ulcer Perforation (PULP) score: a predictor of mortality following peptic ulcer perforation. A cohort study. <i>Acta Anaesthesiologica Scandinavica</i> , 2012 , 56, 655-62	1.9	62
172	Stress ulcer prophylaxis in the intensive care unit: an international survey of 97 units in 11 countries. <i>Acta Anaesthesiologica Scandinavica</i> , 2015 , 59, 576-85	1.9	60
171	Perforated peptic ulcer: how to improve outcome?. <i>Scandinavian Journal of Gastroenterology</i> , 2009 , 44, 15-22	2.4	60
170	Thromboelastography in patients with severe sepsis: a prospective cohort study. <i>Intensive Care Medicine</i> , 2015 , 41, 77-85	14.5	58
169	Corticosteroid therapy for sepsis: a clinical practice guideline. <i>BMJ, The</i> , 2018 , 362, k3284	5.9	56
168	Improving quality of care in peptic ulcer bleeding: nationwide cohort study of 13,498 consecutive patients in the Danish Clinical Register of Emergency Surgery. <i>American Journal of Gastroenterology</i> , 2013 , 108, 1449-57	0.7	56
167	Lower or Higher Oxygenation Targets for Acute Hypoxemic Respiratory Failure. <i>New England Journal of Medicine</i> , 2021 , 384, 1301-1311	59.2	56
166	Effect of 12 mg vs 6 mg of Dexamethasone on the Number of Days Alive Without Life Support in Adults With COVID-19 and Severe Hypoxemia: The COVID STEROID 2 Randomized Trial. <i>JAMA - Journal of the American Medical Association</i> , 2021 , 326, 1807-1817	27.4	46
165	Executive summary: surviving sepsis campaign international guidelines for the management of septic shock and sepsis-associated organ dysfunction in children. <i>Intensive Care Medicine</i> , 2020 , 46, 1-9	14.5	41
164	Scandinavian clinical practice guideline on fluid and drug therapy in adults with acute respiratory distress syndrome. <i>Acta Anaesthesiologica Scandinavica</i> , 2016 , 60, 697-709	1.9	39
163	Stress ulcer prophylaxis in the intensive care unit: is it indicated? A topical systematic review. <i>Acta Anaesthesiologica Scandinavica</i> , 2013 , 57, 835-47	1.9	37

162	New-onset atrial fibrillation in adult critically ill patients: a scoping review. <i>Intensive Care Medicine</i> , 2019 , 45, 928-938	14.5	36
161	Scandinavian SSAI clinical practice guideline on choice of first-line vasopressor for patients with acute circulatory failure. <i>Acta Anaesthesiologica Scandinavica</i> , 2016 , 60, 1347-1366	1.9	35
160	The Danish Intensive Care Database. <i>Clinical Epidemiology</i> , 2016 , 8, 525-530	5.9	34
159	Stress ulcer prophylaxis with proton pump inhibitors or histamin-2 receptor antagonists in adult intensive care patients: a systematic review with meta-analysis and trial sequential analysis. <i>Intensive Care Medicine</i> , 2019 , 45, 143-158	14.5	33
158	Surgical complications after open and laparoscopic surgery for perforated peptic ulcer in a nationwide cohort. <i>British Journal of Surgery</i> , 2015 , 102, 382-7	5.3	33
157	Quality-of-care initiative in patients treated surgically for perforated peptic ulcer. <i>British Journal of Surgery</i> , 2013 , 100, 543-52	5.3	33
156	Post-operative urinary retention in a general surgical population. <i>European Journal of Anaesthesiology</i> , 2011 , 28, 190-4	2.3	33
155	Executive Summary: Surviving Sepsis Campaign: International Guidelines for the Management of Sepsis and Septic Shock 2021. <i>Critical Care Medicine</i> , 2021 , 49, 1974-1982	1.4	31
154	Stress ulcer prophylaxis with a proton pump inhibitor versus placebo in critically ill patients (SUP-ICU trial): study protocol for a randomised controlled trial. <i>Trials</i> , 2016 , 17, 205	2.8	30
153	Guideline for stress ulcer prophylaxis in the intensive care unit. <i>Danish Medical Journal</i> , 2014 , 61, C4811	3.8	30
152	Risk factors in patients surgically treated for peptic ulcer perforation. <i>Scandinavian Journal of Gastroenterology</i> , 2009 , 44, 145-52, 2 p following 152	2.4	29
151	Neuromuscular blockade in patients with ARDS: a rapid practice guideline. <i>Intensive Care Medicine</i> , 2020 , 46, 1977-1986	14.5	29
150	Epidural analgesia in patients with traumatic rib fractures: a systematic review of randomised controlled trials. <i>Acta Anaesthesiologica Scandinavica</i> , 2015 , 59, 698-709	1.9	28
149	Predictive value of NGAL for use of renal replacement therapy in patients with severe sepsis. <i>Acta Anaesthesiologica Scandinavica</i> , 2015 , 59, 25-34	1.9	28
148	Lower vs Higher Fluid Volumes During Initial Management of Sepsis: A Systematic Review With Meta-Analysis and Trial Sequential Analysis. <i>Chest</i> , 2020 , 157, 1478-1496	5.3	28
147	Early vasopressor use following traumatic injury: a systematic review. <i>BMJ Open</i> , 2017 , 7, e017559	3	26
146	Predictive Performance of the Simplified Acute Physiology Score (SAPS) II and the Initial Sequential Organ Failure Assessment (SOFA) Score in Acutely Ill Intensive Care Patients: Post-Hoc Analyses of the SUP-ICU Inception Cohort Study. <i>PLoS ONE</i> , 2016 , 11, e0168948	3.7	25
145	Predictors of gastrointestinal bleeding in adult ICU patients: a systematic review and meta-analysis. <i>Intensive Care Medicine</i> , 2019 , 45, 1347-1359	14.5	24

144	Scandinavian clinical practice guideline on choice of fluid in resuscitation of critically ill patients with acute circulatory failure. <i>Acta Anaesthesiologica Scandinavica</i> , 2015 , 59, 274-85	1.9	24
143	Influence of body mass index on mortality after surgery for perforated peptic ulcer. <i>British Journal of Surgery</i> , 2014 , 101, 993-9	5.3	24
142	Association between surgical delay and survival in high-risk emergency abdominal surgery. A population-based Danish cohort study. <i>Scandinavian Journal of Gastroenterology</i> , 2016 , 51, 121-8	2.4	23
141	Accuracy of clinical prediction rules in peptic ulcer perforation: an observational study. <i>Scandinavian Journal of Gastroenterology</i> , 2012 , 47, 28-35	2.4	23
140	Prevention of rhabdomyolysis-induced acute kidney injury - A DASAIM/DSIT clinical practice guideline. <i>Acta Anaesthesiologica Scandinavica</i> , 2019 , 63, 576-586	1.9	22
139	Scandinavian SSAI clinical practice guideline on choice of inotropic agent for patients with acute circulatory failure. <i>Acta Anaesthesiologica Scandinavica</i> , 2018 , 62, 420-450	1.9	22
138	Low-dose hydrocortisone in patients with COVID-19 and severe hypoxia (COVID STEROID) trial-Protocol and statistical analysis plan. <i>Acta Anaesthesiologica Scandinavica</i> , 2020 , 64, 1365-1375	1.9	22
137	Empirical mono- versus combination antibiotic therapy in adult intensive care patients with severe sepsis - A systematic review with meta-analysis and trial sequential analysis. <i>Journal of Infection</i> , 2017 , 74, 331-344	18.9	21
136	Efficacy and safety of gastrointestinal bleeding prophylaxis in critically ill patients: systematic review and network meta-analysis. <i>BMJ, The</i> , 2020 , 368, l6744	5.9	21
135	Stress ulcer prophylaxis in the intensive care unit. <i>Current Opinion in Critical Care</i> , 2016 , 22, 186-90	3.5	21
134	Development and internal validation of the Simplified Mortality Score for the Intensive Care Unit (SMS-ICU). <i>Acta Anaesthesiologica Scandinavica</i> , 2018 , 62, 336-346	1.9	21
133	Stress ulcer prophylaxis in the intensive care unit trial: detailed statistical analysis plan. <i>Acta Anaesthesiologica Scandinavica</i> , 2017 , 61, 859-868	1.9	20
132	Pantoprazole prophylaxis in ICU patients with high severity of disease: a post hoc analysis of the placebo-controlled SUP-ICU trial. <i>Intensive Care Medicine</i> , 2019 , 45, 609-618	14.5	19
131	Randomized multicentre feasibility trial of intermediate care versus standard ward care after emergency abdominal surgery (InCare trial). <i>British Journal of Surgery</i> , 2015 , 102, 619-29	5.3	19
130	Executive Summary: Surviving Sepsis Campaign International Guidelines for the Management of Septic Shock and Sepsis-Associated Organ Dysfunction in Children. <i>Pediatric Critical Care Medicine</i> , 2020 , 21, 186-195	3	19
129	Long-term mortality following peptic ulcer perforation in the PULP trial. A nationwide follow-up study. <i>Scandinavian Journal of Gastroenterology</i> , 2013 , 48, 168-75	2.4	19
128	No firm evidence that lack of blinding affects estimates of mortality in randomized clinical trials of intensive care interventions: a systematic review and meta-analysis. <i>Journal of Clinical Epidemiology</i> , 2018 , 100, 71-81	5.7	18
127	Mortality prediction models in the adult critically ill: A scoping review. <i>Acta Anaesthesiologica Scandinavica</i> , 2020 , 64, 424-442	1.9	17

126	New-onset atrial fibrillation and associated outcomes and resource use among critically ill adults-a multicenter retrospective cohort study. <i>Critical Care</i> , 2020 , 24, 15	10.8	16
125	Conservative vs liberal fluid therapy in septic shock (CLASSIC) trial-Protocol and statistical analysis plan. <i>Acta Anaesthesiologica Scandinavica</i> , 2019 , 63, 1262-1271	1.9	16
124	Low-dose hydrocortisone in patients with COVID-19 and severe hypoxia: The COVID STEROID randomised, placebo-controlled trial. <i>Acta Anaesthesiologica Scandinavica</i> , 2021 , 65, 1421-1430	1.9	15
123	Efficacy and safety of gastrointestinal bleeding prophylaxis in critically ill patients: an updated systematic review and network meta-analysis of randomized trials. <i>Intensive Care Medicine</i> , 2020 , 46, 1987-2000	14.5	14
122	What's new with stress ulcer prophylaxis in the ICU?. <i>Intensive Care Medicine</i> , 2017 , 43, 1132-1134	14.5	12
121	Higher vs lower doses of dexamethasone in patients with COVID-19 and severe hypoxia (COVID STEROID 2) trial: Protocol and statistical analysis plan. <i>Acta Anaesthesiologica Scandinavica</i> , 2021 , 65, 834-845	1.9	12
120	The effect of systemic corticosteroids on the incidence of gastrointestinal bleeding in critically ill adults: a systematic review with meta-analysis. <i>Intensive Care Medicine</i> , 2019 , 45, 1540-1549	14.5	11
119	Neuromuscular blocking agents in acute respiratory distress syndrome: updated systematic review and meta-analysis of randomized trials. <i>Intensive Care Medicine Experimental</i> , 2020 , 8, 61	3.7	11
118	Dexamethasone 12mg versus 6mg for patients with COVID-19 and severe hypoxaemia: a pre-planned, secondary Bayesian analysis of the COVID STEROID 2 trial. <i>Intensive Care Medicine</i> , 2021 , 48, 45	14.5	11
117	Conflicts of interest disclosure forms and management in critical care clinical practice guidelines. <i>Intensive Care Medicine</i> , 2018 , 44, 1691-1698	14.5	11
116	Atraumatic (pencil-point) versus conventional needles for lumbar puncture: a clinical practice guideline. <i>BMJ, The</i> , 2018 , 361, k1920	5.9	11
115	Sucralfate versus histamine 2 receptor antagonists for stress ulcer prophylaxis in adult critically ill patients: A meta-analysis and trial sequential analysis of randomized trials. <i>Journal of Critical Care</i> , 2017 , 40, 21-30	4	10
114	Heterogeneity of treatment effect of prophylactic pantoprazole in adult ICU patients: a post hoc analysis of the SUP-ICU trial. <i>Intensive Care Medicine</i> , 2020 , 46, 717-726	14.5	10
113	Association between ulcer site and outcome in complicated peptic ulcer disease: a Danish nationwide cohort study. <i>Scandinavian Journal of Gastroenterology</i> , 2016 , 51, 1165-71	2.4	10
112	Stress ulcer prophylaxis versus placebo or no prophylaxis in adult hospitalised acutely ill patients-protocol for a systematic review with meta-analysis and trial sequential analysis. <i>Systematic Reviews</i> , 2017 , 6, 118	3	10
111	Anaesthesia care with and without tracheal intubation during emergency endoscopy for peptic ulcer bleeding: a population-based cohort study. <i>British Journal of Anaesthesia</i> , 2015 , 114, 901-8	5.4	9
110	The SSAI fully supports the suspension of hydroxyethyl-starch solutions commissioned by the European Medicines Agency. <i>Acta Anaesthesiologica Scandinavica</i> , 2018 , 62, 874-875	1.9	9
109	Effect of intermediate care on mortality following emergency abdominal surgery. The InCare trial: study protocol, rationale and feasibility of a randomised multicentre trial. <i>Trials</i> , 2013 , 14, 37	2.8	9

108	Nebulised dornase alfa versus placebo or hypertonic saline in adult critically ill patients: a systematic review of randomised clinical trials with meta-analysis and trial sequential analysis. <i>Systematic Reviews</i> , 2015 , 4, 153	3	9
107	A new tool to assess Clinical Diversity In Meta-analyses (CDIM) of interventions. <i>Journal of Clinical Epidemiology</i> , 2021 , 135, 29-41	5.7	9
106	Randomised clinical trials in critical care: past, present and future. <i>Intensive Care Medicine</i> , 2021 , 1	14.5	8
105	Higher vs Lower Doses of Dexamethasone in Patients with COVID-19 and Severe Hypoxia (COVID STEROID 2) trial: Protocol for a secondary Bayesian analysis. <i>Acta Anaesthesiologica Scandinavica</i> , 2021 , 65, 702-710	1.9	8
104	Simplified Mortality Score for the Intensive Care Unit (SMS-ICU): protocol for the development and validation of a bedside clinical prediction rule. <i>BMJ Open</i> , 2017 , 7, e015339	3	7
103	Canadian Critical Care Society clinical practice guideline: The use of vasopressin and vasopressin analogues in critically ill adults with distributive shock. <i>Canadian Journal of Anaesthesia</i> , 2020 , 67, 369-376	3	7
102	CCCS-SSAI WikiRecs clinical practice guideline: vasopressor blood pressure targets in critically ill adults with hypotension and vasopressor use in early traumatic shock. <i>Intensive Care Medicine</i> , 2017 , 43, 1062-1064	14.5	6
101	Association of mortality with out-of-hours admission in patients with perforated peptic ulcer. <i>Acta Anaesthesiologica Scandinavica</i> , 2015 , 59, 248-54	1.9	6
100	Restriction of Intravenous Fluid in ICU Patients with Septic Shock. <i>New England Journal of Medicine</i> ,	59.2	6
99	Prophylactic use of acid suppressants in adult acutely ill hospitalised patients: A systematic review with meta-analysis and trial sequential analysis. <i>Acta Anaesthesiologica Scandinavica</i> , 2020 , 64, 714-728	1.9	5
98	Pantoprazole in ICU patients at risk for gastrointestinal bleeding-1-year mortality in the SUP-ICU trial. <i>Acta Anaesthesiologica Scandinavica</i> , 2019 , 63, 1184-1190	1.9	5
97	Overall bias and sample sizes were unchanged in ICU trials over time: a meta-epidemiological study. <i>Journal of Clinical Epidemiology</i> , 2019 , 113, 189-199	5.7	5
96	Bleeding and thrombosis in intensive care patients with thrombocytopenia-Protocol for a topical systematic review. <i>Acta Anaesthesiologica Scandinavica</i> , 2019 , 63, 270-273	1.9	5
95	Endorsement of clinical practice guidelines by the Scandinavian Society of Anaesthesiology and Intensive Care Medicine. <i>Acta Anaesthesiologica Scandinavica</i> , 2019 , 63, 161-163	1.9	5
94	The association between epidural analgesia and mortality in emergency abdominal surgery: A population-based cohort study. <i>Acta Anaesthesiologica Scandinavica</i> , 2020 , 64, 104-111	1.9	5
93	Thrombocytopenia in intensive care unit patients: A scoping review. <i>Acta Anaesthesiologica Scandinavica</i> , 2021 , 65, 2-14	1.9	5
92	Effect of Awake Prone Positioning on Endotracheal Intubation in Patients With COVID-19 and Acute Respiratory Failure: A Randomized Clinical Trial.. <i>JAMA - Journal of the American Medical Association</i> , 2022 ,	27.4	5
91	Transparent and systematic reporting of meta-epidemiological studies. <i>Journal of Clinical Epidemiology</i> , 2019 , 112, 93-95	5.7	4

90	Trials on stress ulcer prophylaxis: finding the balance between benefit and harm. <i>Intensive Care Medicine</i> , 2015 , 41, 1367-8	14.5	4
89	Out-of-hours intensive care unit admission and 90-day mortality: a Danish nationwide cohort study. <i>Acta Anaesthesiologica Scandinavica</i> , 2018 , 62, 974-982	1.9	4
88	Heterogeneity of treatment effect of stress ulcer prophylaxis in ICU patients: A secondary analysis protocol. <i>Acta Anaesthesiologica Scandinavica</i> , 2019 , 63, 1251-1256	1.9	4
87	The effect of blinding on estimates of mortality in randomised clinical trials of intensive care interventions: protocol for a systematic review and meta-analysis. <i>BMJ Open</i> , 2017 , 7, e016187	3	4
86	Lower vs. higher fluid volumes in sepsis-protocol for a systematic review with meta-analysis. <i>Acta Anaesthesiologica Scandinavica</i> , 2017 , 61, 942-951	1.9	4
85	Stress ulcer prophylaxis in adult neurocritical care patients--no firm evidence for benefit or harm. <i>Critical Care</i> , 2016 , 20, 22	10.8	4
84	APACHE II score validation in emergency abdominal surgery. A post hoc analysis of the InCare trial. <i>Acta Anaesthesiologica Scandinavica</i> , 2020 , 64, 180-187	1.9	4
83	Patient-important outcomes other than mortality in recent ICU trials: Protocol for a scoping review. <i>Acta Anaesthesiologica Scandinavica</i> , 2021 , 65, 1002-1007	1.9	4
82	Corticosteroids and risk of gastrointestinal bleeding in critically ill adults: Protocol for a systematic review. <i>Acta Anaesthesiologica Scandinavica</i> , 2018 , 62, 1321-1326	1.9	4
81	Venous Thromboembolism Prophylaxis in Critically Ill Adults: A Systematic Review and Network Meta-analysis. <i>Chest</i> , 2021 ,	5.3	4
80	Outcomes of Prophylactic Pantoprazole in Adult Intensive Care Unit Patients Receiving Dialysis: Results of a Randomized Trial. <i>American Journal of Nephrology</i> , 2019 , 50, 312-319	4.6	3
79	Common Sense Approach to Managing Sepsis. <i>Critical Care Clinics</i> , 2018 , 34, 127-138	4.5	3
78	Risk factors for reintervention after surgery for perforated gastroduodenal ulcer. <i>British Journal of Surgery</i> , 2016 , 103, 1676-1682	5.3	3
77	External validation of the Simplified Mortality Score for the Intensive Care Unit (SMS-ICU). <i>Acta Anaesthesiologica Scandinavica</i> , 2019 , 63, 1216-1224	1.9	3
76	Bayesian and heterogeneity of treatment effect analyses of the HOT-ICU trial-A secondary analysis protocol. <i>Acta Anaesthesiologica Scandinavica</i> , 2020 , 64, 1376-1381	1.9	3
75	Lactate versus acetate buffered intravenous crystalloid solutions: a scoping review. <i>British Journal of Anaesthesia</i> , 2020 , 125, 693-703	5.4	3
74	Lactate versus acetate buffered crystalloid solutions: Protocol for a scoping review. <i>Acta Anaesthesiologica Scandinavica</i> , 2019 , 63, 537-539	1.9	3
73	Timing of onset of gastrointestinal bleeding in the ICU: Protocol for a preplanned observational study. <i>Acta Anaesthesiologica Scandinavica</i> , 2018 , 62, 1165	1.9	3

72	Therapeutic bronchoscopy vs. standard of care in acute respiratory failure: a systematic review. <i>Acta Anaesthesiologica Scandinavica</i> , 2017 , 61, 1240-1252	1.9	2
71	Performance of SAPS II according to ICU length of stay: A Danish nationwide cohort study. <i>Acta Anaesthesiologica Scandinavica</i> , 2019 , 63, 1200-1209	1.9	2
70	Piperacillin/tazobactam vs carbapenems for patients with bacterial infection: Protocol for a systematic review. <i>Acta Anaesthesiologica Scandinavica</i> , 2019 , 63, 973-978	1.9	2
69	Stress ulcer prophylaxis in critically ill children: Protocol for a systematic review. <i>Acta Anaesthesiologica Scandinavica</i> , 2019 , 63, 966-972	1.9	2
68	Important methodological flaws in the recently published clinical prediction model the REMEMBER score. <i>Critical Care</i> , 2019 , 23, 71	10.8	2
67	Stress ulcer prophylaxis in adult intensive care unit patients - a protocol for a systematic review. <i>Acta Anaesthesiologica Scandinavica</i> , 2018 , 62, 744-755	1.9	2
66	Reply to the letter regarding our manuscript Development and internal validation of the Simplified Mortality Score for the Intensive Care Unit (SMS-ICU)S <i>Acta Anaesthesiologica Scandinavica</i> , 2018 , 62, 409-410	1.9	2
65	Understanding conflicts of interest. <i>Intensive Care Medicine</i> , 2018 , 44, 1738-1740	14.5	2
64	Effects of stress ulcer prophylaxis in adult ICU patients receiving renal replacement therapy (Sup-icu RENal, SIREN): Study protocol for a pre-planned observational study. <i>Trials</i> , 2018 , 19, 26	2.8	2
63	Lower vs higher transfusion threshold in septic shock patients of different ages: A study protocol. <i>Acta Anaesthesiologica Scandinavica</i> , 2019 , 63, 1247-1250	1.9	2
62	Health-related quality of life and days alive without life support or out of hospital: Protocol. <i>Acta Anaesthesiologica Scandinavica</i> , 2021 ,	1.9	2
61	Lower versus higher oxygenation targets in critically ill patients with severe hypoxaemia: secondary Bayesian analysis to explore heterogeneous treatment effects in the Handling Oxygenation Targets in the Intensive Care Unit (HOT-ICU) trial. <i>British Journal of Anaesthesia</i> , 2021 ,	5.4	2
60	Effects of post-operative furosemide in adult surgical patients: A systematic review and meta-analysis of randomised clinical trials. <i>Acta Anaesthesiologica Scandinavica</i> , 2020 , 64, 282-291	1.9	2
59	The cuff leak test in critically ill patients: An international survey of intensivists. <i>Acta Anaesthesiologica Scandinavica</i> , 2021 , 65, 1087-1094	1.9	2
58	Dexamethasone 12 mg versus 6 mg for patients with COVID-19 and severe hypoxia: an international, randomized, blinded trial		2
57	Bias and sample size in intensive care unit trials: Protocol for a meta-epidemiological study. <i>Acta Anaesthesiologica Scandinavica</i> , 2019 , 63, 117-121	1.9	2
56	Clinical practice guideline on atraumatic (pencil-point) vs conventional needles for lumbar puncture: Endorsement by the Scandinavian Society of Anaesthesiology and Intensive Care Medicine. <i>Acta Anaesthesiologica Scandinavica</i> , 2019 , 63, 438-439	1.9	2
55	Coffee consumption and work satisfaction among Scandinavian anaesthesiologists: A survey. <i>Acta Anaesthesiologica Scandinavica</i> , 2019 , 63, 414-417	1.9	2

54	Use of hydroxyethyl starch in sepsis research: A systematic review with meta-analysis. <i>Acta Anaesthesiologica Scandinavica</i> , 2021 , 65, 1355-1364	1.9	2
53	Dexmedetomidine vs other sedatives in critically ill mechanically ventilated adults: a systematic review and meta-analysis of randomized trials. <i>Intensive Care Medicine</i> ,	14.5	2
52	Untargeted antifungal therapy in adult patients with complicated intra-abdominal infection: protocol for a systematic review with meta-analysis. <i>BMJ Open</i> , 2017 , 7, e015900	3	1
51	Use of life support in acutely admitted ICU patients. An international cohort study. <i>Acta Anaesthesiologica Scandinavica</i> , 2017 , 61, 513-522	1.9	1
50	Time to onset of gastrointestinal bleeding in the SUP-ICU trial: A pre-planned substudy. <i>Acta Anaesthesiologica Scandinavica</i> , 2019 , 63, 1346-1356	1.9	1
49	Reporting and interpreting missing health-related quality of life data in intensive care trials: Protocol for a systematic review. <i>Acta Anaesthesiologica Scandinavica</i> , 2019 , 63, 796-801	1.9	1
48	Effects of simulated sample sizes on mortality estimates-Protocol for a study in 3 randomised ICU trials. <i>Acta Anaesthesiologica Scandinavica</i> , 2019 , 63, 1098-1101	1.9	1
47	Use of hydroxyethyl starch in sepsis research: Protocol for a systematic review. <i>Acta Anaesthesiologica Scandinavica</i> , 2019 , 63, 814-818	1.9	1
46	Patients' experiences of postoperative intermediate care and standard surgical ward care after emergency abdominal surgery: a qualitative sub-study of the Incare trial. <i>Journal of Clinical Nursing</i> , 2015 , 24, 1280-8	3.2	1
45	Customization and external validation of the Simplified Mortality Score for the Intensive Care Unit (SMS-ICU) in Brazilian critically ill patients. <i>Journal of Critical Care</i> , 2020 , 59, 94-100	4	1
44	Spontaneous versus controlled mechanical ventilation in patients with acute respiratory distress syndrome - Protocol for a scoping review. <i>Acta Anaesthesiologica Scandinavica</i> , 2020 , 64, 857-860	1.9	1
43	Empirical metronidazole for patients with severe bacterial infection: protocol for a systematic review. <i>Acta Anaesthesiologica Scandinavica</i> , 2018 , 62, 724-730	1.9	1
42	Performance of SAPS II according to ICU length of stay: Protocol for an observational study. <i>Acta Anaesthesiologica Scandinavica</i> , 2019 , 63, 122-127	1.9	1
41	The Magic Bullet in Sepsis or the Inflation of Chance Findings?. <i>Chest</i> , 2017 , 152, 222-223	5.3	1
40	Development of a core outcome set for general intensive care unit patients - a protocol.. <i>Acta Anaesthesiologica Scandinavica</i> , 2021 ,	1.9	1
39	The effects of pantoprazole vs. placebo on 1-year outcomes, resource use and employment status in ICU patients at risk for gastrointestinal bleeding: a secondary analysis of the SUP-ICU trial.. <i>Intensive Care Medicine</i> , 2022 , 48, 426	14.5	1
38	Effects of magnesium, phosphate and zinc supplementation in ICU patients-Protocol for a systematic review. <i>Acta Anaesthesiologica Scandinavica</i> , 2020 , 64, 131-136	1.9	1
37	Treatment strategies for new-onset atrial fibrillation in critically ill patients: Protocol for a systematic review. <i>Acta Anaesthesiologica Scandinavica</i> , 2020 , 64, 1343-1349	1.9	1

36	Predictors of gastrointestinal bleeding in adult ICU patients in the SUP-ICU trial. <i>Acta Anaesthesiologica Scandinavica</i> , 2021 , 65, 792-800	1.9	1
35	New-onset atrial fibrillation in the intensive care unit: Protocol for an international inception cohort study (AFIB-ICU). <i>Acta Anaesthesiologica Scandinavica</i> , 2021 , 65, 846-851	1.9	1
34	Anaesthesia care for emergency endoscopy for peptic ulcer bleeding. A nationwide population-based cohort study. <i>Scandinavian Journal of Gastroenterology</i> , 2016 , 51, 1000-6	2.4	1
33	Foresight over hindsight: Mandatory publication of clinical research protocols prior to conduct. <i>Acta Anaesthesiologica Scandinavica</i> , 2019 , 63, 267-269	1.9	1
32	Prophylactic acid suppressants in children in the intensive care unit: a systematic review with meta-analysis and trial sequential analysis. <i>Acta Anaesthesiologica Scandinavica</i> , 2021 , 65, 292-301	1.9	1
31	Acetate- vs lactate-buffered crystalloid solutions: Protocol for a systematic review with meta-analysis and trial sequential analysis. <i>Acta Anaesthesiologica Scandinavica</i> , 2021 , 65, 123-127	1.9	1
30	Clinical practice guideline on gastrointestinal bleeding prophylaxis for critically ill patients: Endorsement by the Scandinavian Society of Anaesthesiology and Intensive Care Medicine. <i>Acta Anaesthesiologica Scandinavica</i> , 2020 , 65, 549	1.9	1
29	The long-term effects of lower versus higher oxygenation levels in adult ICU patients - protocol for a systematic review. <i>Acta Anaesthesiologica Scandinavica</i> , 2021 ,	1.9	1
28	Therapeutics and COVID-19 - a living WHO guideline: Endorsement by the Scandinavian Society of Anaesthesiology and Intensive Care Medicine.. <i>Acta Anaesthesiologica Scandinavica</i> , 2022 ,	1.9	1
27	Long-term outcomes of dexamethasone 12mg versus 6mg in patients with COVID-19 and severe hypoxaemia.. <i>Intensive Care Medicine</i> , 2022 , 1	14.5	1
26	Routine vs on-demand blood sampling in critically ill patients-Protocol for a scoping review. <i>Acta Anaesthesiologica Scandinavica</i> , 2019 , 63, 1109-1112	1.9	0
25	Long-term mortality in the Intermediate care after emergency abdominal surgery (InCare) trial-A post-hoc follow-up study. <i>Acta Anaesthesiologica Scandinavica</i> , 2020 , 64, 1100-1105	1.9	0
24	Clinical practice guideline on prevention of rhabdomyolysis induced acute kidney injury: Endorsement by the Scandinavian Society of Anaesthesiology and Intensive Care Medicine. <i>Acta Anaesthesiologica Scandinavica</i> , 2019 , 63, 1280-1281	1.9	0
23	Choice of priors: how much scepticism is appropriate?. <i>Intensive Care Medicine</i> , 2022 , 48, 372	14.5	0
22	Interactions in clinical trials: Protocol and statistical analysis plan for an explorative study of four randomized ICU trials on use of pantoprazole, oxygenation targets, haloperidol and intravenous fluids. <i>Acta Anaesthesiologica Scandinavica</i> , 2021 , 66, 156	1.9	0
21	Long-term patient-important outcomes after septic shock: A protocol for 1-year follow-up of the CLASSIC trial. <i>Acta Anaesthesiologica Scandinavica</i> , 2020 , 64, 410-416	1.9	0
20	Prophylactic platelet transfusions in hospitalised patients with thrombocytopenia-Protocol for a systematic review with meta-analysis. <i>Acta Anaesthesiologica Scandinavica</i> , 2021 , 65, 988-994	1.9	0
19	Ten things ICU specialists need to know about direct oral anticoagulants (DOACs). <i>Intensive Care Medicine</i> , 2019 , 45, 89-92	14.5	0

18	Patient and public involvement in contemporary large intensive care trials: Protocol for a meta-epidemiological study. <i>Acta Anaesthesiologica Scandinavica</i> , 2021 , 65, 1351-1354	1.9	0
17	Empirical metronidazole for patients with severe bacterial infection: A systematic review with meta-analysis and trial sequential analysis. <i>Acta Anaesthesiologica Scandinavica</i> , 2019 , 63, 802-813	1.9	
16	Reply to the letter S A brief comment about predictive models for mortality in intensive care units <i>Acta Anaesthesiologica Scandinavica</i> , 2018 , 62, 405-406	1.9	
15	Trustworthy or flawed clinical prediction rule?. <i>Critical Care</i> , 2018 , 22, 31	10.8	
14	Use of red blood cells in Danish intensive care units: A population-based register study. <i>Acta Anaesthesiologica Scandinavica</i> , 2019 , 63, 1357-1365	1.9	
13	Is prophylaxis worse than treatment in the ICU?. <i>Intensive Care Medicine</i> , 2019 , 45, 1279-1282	14.5	
12	Author's reply: Surgical delay is a critical determinant of survival in perforated peptic ulcer (Br J Surg 2013; 100: 1045-1049). <i>British Journal of Surgery</i> , 2013 , 100, 1541-2	5.3	
11	Fluid Management 2020 , 75-85		
10	Heterogenous treatment effects of transfusion thresholds by patient age: Post-hoc analysis of the TRISS trial. <i>Acta Anaesthesiologica Scandinavica</i> , 2020 , 64, 641-647	1.9	
9	Response. <i>Chest</i> , 2020 , 158, 428	5.3	
8	Ischaemic vascular disease and long-term mortality in emergency abdominal surgical patients: A population-based cohort study. <i>Acta Anaesthesiologica Scandinavica</i> , 2021 , 65, 1213-1220	1.9	
7	Clinical practice guideline on spinal stabilisation of adult trauma patients: Endorsement by the Scandinavian Society of Anaesthesiology and Intensive Care Medicine. <i>Acta Anaesthesiologica Scandinavica</i> , 2021 , 65, 986-987	1.9	
6	Continued licensing of hydroxyethyl starch despite high-quality data documenting harm in vulnerable patient populations: A sad day for patient safety. <i>Acta Anaesthesiologica Scandinavica</i> , 2019 , 63, 131-132	1.9	
5	Effects of simulated sample sizes on the mortality effect estimates in three randomized intensive care unit trials. <i>Acta Anaesthesiologica Scandinavica</i> , 2020 , 64, 976-981	1.9	
4	Pre-procedural platelet transfusion thresholds in hospitalised children - Protocol for a scoping review. <i>Acta Anaesthesiologica Scandinavica</i> , 2020 , 65, 558	1.9	
3	Untargeted antifungal therapy in adult patients with complicated intra-abdominal infection: a systematic review. <i>Acta Anaesthesiologica Scandinavica</i> , 2018 , 62, 6-18	1.9	
2	Use of crystalloids and colloids in Europe per year from 2010 to 2019: Protocol for an international descriptive study. <i>Acta Anaesthesiologica Scandinavica</i> , 2021 , 65, 1514-1517	1.9	
1	Clinical practice guideline on the management of septic shock and sepsis-associated organ dysfunction in children: Endorsement by the Scandinavian Society of Anaesthesiology and Intensive Care Medicine. <i>Acta Anaesthesiologica Scandinavica</i> , 2021 , 65, 1365-1366	1.9	

