

Morten Hylander Mller

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5448470/morten-hylander-moller-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

197
papers

8,858
citations

36
h-index

92
g-index

227
ext. papers

12,807
ext. citations

6.7
avg, IF

5.94
L-index

#	Paper	IF	Citations
197	Choice of priors: how much scepticism is appropriate?. <i>Intensive Care Medicine</i> , 2022 , 48, 372	14.5	0
196	The effects of pantoprazole vs. placebo on 1-year outcomes, resource use and employment status in ICU patients at risk for gastrointestinal bleeding: a secondary analysis of the SUP-ICU trial.. <i>Intensive Care Medicine</i> , 2022 , 48, 426	14.5	1
195	Therapeutics and COVID-19 - a living WHO guideline: Endorsement by the Scandinavian Society of Anaesthesiology and Intensive Care Medicine.. <i>Acta Anaesthesiologica Scandinavica</i> , 2022 ,	1.9	1
194	Long-term outcomes of dexamethasone 12mg versus 6mg in patients with COVID-19 and severe hypoxaemia.. <i>Intensive Care Medicine</i> , 2022 , 1	14.5	1
193	Effect of Awake Prone Positioning on Endotracheal Intubation in Patients With COVID-19 and Acute Respiratory Failure: A Randomized Clinical Trial.. <i>JAMA - Journal of the American Medical Association</i> , 2022 ,	27.4	5
192	Development of a core outcome set for general intensive care unit patients - a protocol.. <i>Acta Anaesthesiologica Scandinavica</i> , 2021 ,	1.9	1
191	Dexamethasone 12mg versus 6mg for patients with COVID-19 and severe hypoxaemia: a pre-planned, secondary Bayesian analysis of the COVID STEROID 2 trial. <i>Intensive Care Medicine</i> , 2021 , 48, 45	14.5	11
190	Health-related quality of life and days alive without life support or out of hospital: Protocol. <i>Acta Anaesthesiologica Scandinavica</i> , 2021 ,	1.9	2
189	Randomised clinical trials in critical care: past, present and future. <i>Intensive Care Medicine</i> , 2021 , 1	14.5	8
188	Interactions in clinical trials: Protocol and statistical analysis plan for an explorative study of four randomized ICU trials on use of pantoprazole, oxygenation targets, haloperidol and intravenous fluids. <i>Acta Anaesthesiologica Scandinavica</i> , 2021 , 66, 156	1.9	0
187	Surviving Sepsis Campaign: International Guidelines for Management of Sepsis and Septic Shock 2021. <i>Critical Care Medicine</i> , 2021 , 49, e1063-e1143	1.4	131
186	Executive Summary: Surviving Sepsis Campaign: International Guidelines for the Management of Sepsis and Septic Shock 2021. <i>Critical Care Medicine</i> , 2021 , 49, 1974-1982	1.4	31
185	Lower versus higher oxygenation targets in critically ill patients with severe hypoxaemia: secondary Bayesian analysis to explore heterogeneous treatment effects in the Handling Oxygenation Targets in the Intensive Care Unit (HOT-ICU) trial. <i>British Journal of Anaesthesia</i> , 2021 ,	5.4	2
184	Effect of 12 mg vs 6 mg of Dexamethasone on the Number of Days Alive Without Life Support in Adults With COVID-19 and Severe Hypoxemia: The COVID STEROID 2 Randomized Trial. <i>JAMA - Journal of the American Medical Association</i> , 2021 , 326, 1807-1817	27.4	46
183	Surviving sepsis campaign: international guidelines for management of sepsis and septic shock 2021. <i>Intensive Care Medicine</i> , 2021 , 47, 1181-1247	14.5	199
182	Higher vs lower doses of dexamethasone in patients with COVID-19 and severe hypoxia (COVID STEROID 2) trial: Protocol and statistical analysis plan. <i>Acta Anaesthesiologica Scandinavica</i> , 2021 , 65, 834-845	1.9	12
181	Predictors of gastrointestinal bleeding in adult ICU patients in the SUP-ICU trial. <i>Acta Anaesthesiologica Scandinavica</i> , 2021 , 65, 792-800	1.9	1

180	Prophylactic platelet transfusions in hospitalised patients with thrombocytopenia-Protocol for a systematic review with meta-analysis. <i>Acta Anaesthesiologica Scandinavica</i> , 2021 , 65, 988-994	1.9	0
179	Lower or Higher Oxygenation Targets for Acute Hypoxemic Respiratory Failure. <i>New England Journal of Medicine</i> , 2021 , 384, 1301-1311	59.2	56
178	New-onset atrial fibrillation in the intensive care unit: Protocol for an international inception cohort study (AFIB-ICU). <i>Acta Anaesthesiologica Scandinavica</i> , 2021 , 65, 846-851	1.9	1
177	Ischaemic vascular disease and long-term mortality in emergency abdominal surgical patients: A population-based cohort study. <i>Acta Anaesthesiologica Scandinavica</i> , 2021 , 65, 1213-1220	1.9	
176	Patient-important outcomes other than mortality in recent ICU trials: Protocol for a scoping review. <i>Acta Anaesthesiologica Scandinavica</i> , 2021 , 65, 1002-1007	1.9	4
175	Clinical practice guideline on spinal stabilisation of adult trauma patients: Endorsement by the Scandinavian Society of Anaesthesiology and Intensive Care Medicine. <i>Acta Anaesthesiologica Scandinavica</i> , 2021 , 65, 986-987	1.9	
174	The cuff leak test in critically ill patients: An international survey of intensivists. <i>Acta Anaesthesiologica Scandinavica</i> , 2021 , 65, 1087-1094	1.9	2
173	Prophylactic acid suppressants in children in the intensive care unit: a systematic review with meta-analysis and trial sequential analysis. <i>Acta Anaesthesiologica Scandinavica</i> , 2021 , 65, 292-301	1.9	1
172	Acetate- vs lactate-buffered crystalloid solutions: Protocol for a systematic review with meta-analysis and trial sequential analysis. <i>Acta Anaesthesiologica Scandinavica</i> , 2021 , 65, 123-127	1.9	1
171	Thrombocytopenia in intensive care unit patients: A scoping review. <i>Acta Anaesthesiologica Scandinavica</i> , 2021 , 65, 2-14	1.9	5
170	Surviving Sepsis Campaign Guidelines on the Management of Adults With Coronavirus Disease 2019 (COVID-19) in the ICU: First Update. <i>Critical Care Medicine</i> , 2021 , 49, e219-e234	1.4	119
169	Higher vs Lower Doses of Dexamethasone in Patients with COVID-19 and Severe Hypoxia (COVID STEROID 2) trial: Protocol for a secondary Bayesian analysis. <i>Acta Anaesthesiologica Scandinavica</i> , 2021 , 65, 702-710	1.9	8
168	A new tool to assess Clinical Diversity In Meta-analyses (CDIM) of interventions. <i>Journal of Clinical Epidemiology</i> , 2021 , 135, 29-41	5.7	9
167	Patient and public involvement in contemporary large intensive care trials: Protocol for a meta-epidemiological study. <i>Acta Anaesthesiologica Scandinavica</i> , 2021 , 65, 1351-1354	1.9	0
166	Use of crystalloids and colloids in Europe per year from 2010 to 2019: Protocol for an international descriptive study. <i>Acta Anaesthesiologica Scandinavica</i> , 2021 , 65, 1514-1517	1.9	
165	Clinical practice guideline on the management of septic shock and sepsis-associated organ dysfunction in children: Endorsement by the Scandinavian Society of Anaesthesiology and Intensive Care Medicine. <i>Acta Anaesthesiologica Scandinavica</i> , 2021 , 65, 1365-1366	1.9	
164	Venous Thromboembolism Prophylaxis in Critically Ill Adults: A Systematic Review and Network Meta-analysis. <i>Chest</i> , 2021 ,	5.3	4
163	Low-dose hydrocortisone in patients with COVID-19 and severe hypoxia: The COVID STEROID randomised, placebo-controlled trial. <i>Acta Anaesthesiologica Scandinavica</i> , 2021 , 65, 1421-1430	1.9	15

162	The long-term effects of lower versus higher oxygenation levels in adult ICU patients - protocol for a systematic review. <i>Acta Anaesthesiologica Scandinavica</i> , 2021 ,	1.9	1
161	Use of hydroxyethyl starch in sepsis research: A systematic review with meta-analysis. <i>Acta Anaesthesiologica Scandinavica</i> , 2021 , 65, 1355-1364	1.9	2
160	Customization and external validation of the Simplified Mortality Score for the Intensive Care Unit (SMS-ICU) in Brazilian critically ill patients. <i>Journal of Critical Care</i> , 2020 , 59, 94-100	4	1
159	Long-term mortality in the Intermediate care after emergency abdominal surgery (InCare) trial-A post-hoc follow-up study. <i>Acta Anaesthesiologica Scandinavica</i> , 2020 , 64, 1100-1105	1.9	0
158	Managing ICU surge during the COVID-19 crisis: rapid guidelines. <i>Intensive Care Medicine</i> , 2020 , 46, 1303-1325	13.5	153
157	Spontaneous versus controlled mechanical ventilation in patients with acute respiratory distress syndrome - Protocol for a scoping review. <i>Acta Anaesthesiologica Scandinavica</i> , 2020 , 64, 857-860	1.9	1
156	Surviving Sepsis Campaign: guidelines on the management of critically ill adults with Coronavirus Disease 2019 (COVID-19). <i>Intensive Care Medicine</i> , 2020 , 46, 854-887	14.5	1011
155	Surviving Sepsis Campaign International Guidelines for the Management of Septic Shock and Sepsis-Associated Organ Dysfunction in Children. <i>Pediatric Critical Care Medicine</i> , 2020 , 21, e52-e106	3	241
154	Executive summary: surviving sepsis campaign international guidelines for the management of septic shock and sepsis-associated organ dysfunction in children. <i>Intensive Care Medicine</i> , 2020 , 46, 1-9	14.5	41
153	Executive Summary: Surviving Sepsis Campaign International Guidelines for the Management of Septic Shock and Sepsis-Associated Organ Dysfunction in Children. <i>Pediatric Critical Care Medicine</i> , 2020 , 21, 186-195	3	19
152	Prophylactic use of acid suppressants in adult acutely ill hospitalised patients: A systematic review with meta-analysis and trial sequential analysis. <i>Acta Anaesthesiologica Scandinavica</i> , 2020 , 64, 714-728	1.9	5
151	Lower vs Higher Fluid Volumes During Initial Management of Sepsis: A Systematic Review With Meta-Analysis and Trial Sequential Analysis. <i>Chest</i> , 2020 , 157, 1478-1496	5.3	28
150	New-onset atrial fibrillation and associated outcomes and resource use among critically ill adults-a multicenter retrospective cohort study. <i>Critical Care</i> , 2020 , 24, 15	10.8	16
149	Heterogeneity of treatment effect of prophylactic pantoprazole in adult ICU patients: a post hoc analysis of the SUP-ICU trial. <i>Intensive Care Medicine</i> , 2020 , 46, 717-726	14.5	10
148	Surviving sepsis campaign international guidelines for the management of septic shock and sepsis-associated organ dysfunction in children. <i>Intensive Care Medicine</i> , 2020 , 46, 10-67	14.5	130
147	Efficacy and safety of gastrointestinal bleeding prophylaxis in critically ill patients: systematic review and network meta-analysis. <i>BMJ, The</i> , 2020 , 368, l6744	5.9	21
146	Neuromuscular blocking agents in acute respiratory distress syndrome: updated systematic review and meta-analysis of randomized trials. <i>Intensive Care Medicine Experimental</i> , 2020 , 8, 61	3.7	11
145	Fluid Management 2020 , 75-85		

144	Surviving Sepsis Campaign: Guidelines on the Management of Critically Ill Adults with Coronavirus Disease 2019 (COVID-19). <i>Critical Care Medicine</i> , 2020 , 48, e440-e469	1.4	566
143	Effects of magnesium, phosphate and zinc supplementation in ICU patients-Protocol for a systematic review. <i>Acta Anaesthesiologica Scandinavica</i> , 2020 , 64, 131-136	1.9	1
142	APACHE II score validation in emergency abdominal surgery. A post hoc analysis of the InCare trial. <i>Acta Anaesthesiologica Scandinavica</i> , 2020 , 64, 180-187	1.9	4
141	Heterogenous treatment effects of transfusion thresholds by patient age: Post-hoc analysis of the TRISS trial. <i>Acta Anaesthesiologica Scandinavica</i> , 2020 , 64, 641-647	1.9	
140	Effects of post-operative furosemide in adult surgical patients: A systematic review and meta-analysis of randomised clinical trials. <i>Acta Anaesthesiologica Scandinavica</i> , 2020 , 64, 282-291	1.9	2
139	Long-term patient-important outcomes after septic shock: A protocol for 1-year follow-up of the CLASSIC trial. <i>Acta Anaesthesiologica Scandinavica</i> , 2020 , 64, 410-416	1.9	0
138	Mortality prediction models in the adult critically ill: A scoping review. <i>Acta Anaesthesiologica Scandinavica</i> , 2020 , 64, 424-442	1.9	17
137	Canadian Critical Care Society clinical practice guideline: The use of vasopressin and vasopressin analogues in critically ill adults with distributive shock. <i>Canadian Journal of Anaesthesia</i> , 2020 , 67, 369-376	7	7
136	Response. <i>Chest</i> , 2020 , 158, 428	5.3	
135	Treatment strategies for new-onset atrial fibrillation in critically ill patients: Protocol for a systematic review. <i>Acta Anaesthesiologica Scandinavica</i> , 2020 , 64, 1343-1349	1.9	1
134	Bayesian and heterogeneity of treatment effect analyses of the HOT-ICU trial-A secondary analysis protocol. <i>Acta Anaesthesiologica Scandinavica</i> , 2020 , 64, 1376-1381	1.9	3
133	Low-dose hydrocortisone in patients with COVID-19 and severe hypoxia (COVID STEROID) trial-Protocol and statistical analysis plan. <i>Acta Anaesthesiologica Scandinavica</i> , 2020 , 64, 1365-1375	1.9	22
132	Neuromuscular blockade in patients with ARDS: a rapid practice guideline. <i>Intensive Care Medicine</i> , 2020 , 46, 1977-1986	14.5	29
131	Association Between Administration of Systemic Corticosteroids and Mortality Among Critically Ill Patients With COVID-19: A Meta-analysis. <i>JAMA - Journal of the American Medical Association</i> , 2020 , 324, 1330-1341	27.4	1083
130	Lactate versus acetate buffered intravenous crystalloid solutions: a scoping review. <i>British Journal of Anaesthesia</i> , 2020 , 125, 693-703	5.4	3
129	Efficacy and safety of gastrointestinal bleeding prophylaxis in critically ill patients: an updated systematic review and network meta-analysis of randomized trials. <i>Intensive Care Medicine</i> , 2020 , 46, 1987-2000	14.5	14
128	The association between epidural analgesia and mortality in emergency abdominal surgery: A population-based cohort study. <i>Acta Anaesthesiologica Scandinavica</i> , 2020 , 64, 104-111	1.9	5
127	Effects of simulated sample sizes on the mortality effect estimates in three randomized intensive care unit trials. <i>Acta Anaesthesiologica Scandinavica</i> , 2020 , 64, 976-981	1.9	

126	Pre-procedural platelet transfusion thresholds in hospitalised children - Protocol for a scoping review. <i>Acta Anaesthesiologica Scandinavica</i> , 2020 , 65, 558	1.9	
125	Clinical practice guideline on gastrointestinal bleeding prophylaxis for critically ill patients: Endorsement by the Scandinavian Society of Anaesthesiology and Intensive Care Medicine. <i>Acta Anaesthesiologica Scandinavica</i> , 2020 , 65, 549	1.9	1
124	Prevention of rhabdomyolysis-induced acute kidney injury - A DASAIM/DSIT clinical practice guideline. <i>Acta Anaesthesiologica Scandinavica</i> , 2019 , 63, 576-586	1.9	22
123	Time to onset of gastrointestinal bleeding in the SUP-ICU trial: A pre-planned substudy. <i>Acta Anaesthesiologica Scandinavica</i> , 2019 , 63, 1346-1356	1.9	1
122	Predictors of gastrointestinal bleeding in adult ICU patients: a systematic review and meta-analysis. <i>Intensive Care Medicine</i> , 2019 , 45, 1347-1359	14.5	24
121	Outcomes of Prophylactic Pantoprazole in Adult Intensive Care Unit Patients Receiving Dialysis: Results of a Randomized Trial. <i>American Journal of Nephrology</i> , 2019 , 50, 312-319	4.6	3
120	The effect of systemic corticosteroids on the incidence of gastrointestinal bleeding in critically ill adults: a systematic review with meta-analysis. <i>Intensive Care Medicine</i> , 2019 , 45, 1540-1549	14.5	11
119	Transparent and systematic reporting of meta-epidemiological studies. <i>Journal of Clinical Epidemiology</i> , 2019 , 112, 93-95	5.7	4
118	Stress ulcer prophylaxis with proton pump inhibitors or histamin-2 receptor antagonists in adult intensive care patients: a systematic review with meta-analysis and trial sequential analysis. <i>Intensive Care Medicine</i> , 2019 , 45, 143-158	14.5	33
117	Reporting and interpreting missing health-related quality of life data in intensive care trials: Protocol for a systematic review. <i>Acta Anaesthesiologica Scandinavica</i> , 2019 , 63, 796-801	1.9	1
116	Performance of SAPS II according to ICU length of stay: A Danish nationwide cohort study. <i>Acta Anaesthesiologica Scandinavica</i> , 2019 , 63, 1200-1209	1.9	2
115	Routine vs on-demand blood sampling in critically ill patients-Protocol for a scoping review. <i>Acta Anaesthesiologica Scandinavica</i> , 2019 , 63, 1109-1112	1.9	0
114	Effects of simulated sample sizes on mortality estimates-Protocol for a study in 3 randomised ICU trials. <i>Acta Anaesthesiologica Scandinavica</i> , 2019 , 63, 1098-1101	1.9	1
113	New-onset atrial fibrillation in adult critically ill patients: a scoping review. <i>Intensive Care Medicine</i> , 2019 , 45, 928-938	14.5	36
112	Piperacillin/tazobactam vs carbapenems for patients with bacterial infection: Protocol for a systematic review. <i>Acta Anaesthesiologica Scandinavica</i> , 2019 , 63, 973-978	1.9	2
111	Use of hydroxyethyl starch in sepsis research: Protocol for a systematic review. <i>Acta Anaesthesiologica Scandinavica</i> , 2019 , 63, 814-818	1.9	1
110	Stress ulcer prophylaxis in critically ill children: Protocol for a systematic review. <i>Acta Anaesthesiologica Scandinavica</i> , 2019 , 63, 966-972	1.9	2
109	Important methodological flaws in the recently published clinical prediction model the REMEMBER score. <i>Critical Care</i> , 2019 , 23, 71	10.8	2

108	Pantoprazole prophylaxis in ICU patients with high severity of disease: a post hoc analysis of the placebo-controlled SUP-ICU trial. <i>Intensive Care Medicine</i> , 2019 , 45, 609-618	14.5	19
107	Empirical metronidazole for patients with severe bacterial infection: A systematic review with meta-analysis and trial sequential analysis. <i>Acta Anaesthesiologica Scandinavica</i> , 2019 , 63, 802-813	1.9	
106	Performance of SAPS II according to ICU length of stay: Protocol for an observational study. <i>Acta Anaesthesiologica Scandinavica</i> , 2019 , 63, 122-127	1.9	1
105	Clinical practice guideline on prevention of rhabdomyolysis induced acute kidney injury: Endorsement by the Scandinavian Society of Anaesthesiology and Intensive Care Medicine. <i>Acta Anaesthesiologica Scandinavica</i> , 2019 , 63, 1280-1281	1.9	0
104	Use of red blood cells in Danish intensive care units: A population-based register study. <i>Acta Anaesthesiologica Scandinavica</i> , 2019 , 63, 1357-1365	1.9	
103	Pantoprazole in ICU patients at risk for gastrointestinal bleeding-1-year mortality in the SUP-ICU trial. <i>Acta Anaesthesiologica Scandinavica</i> , 2019 , 63, 1184-1190	1.9	5
102	Lower vs higher transfusion threshold in septic shock patients of different ages: A study protocol. <i>Acta Anaesthesiologica Scandinavica</i> , 2019 , 63, 1247-1250	1.9	2
101	Heterogeneity of treatment effect of stress ulcer prophylaxis in ICU patients: A secondary analysis protocol. <i>Acta Anaesthesiologica Scandinavica</i> , 2019 , 63, 1251-1256	1.9	4
100	Is prophylaxis worse than treatment in the ICU?. <i>Intensive Care Medicine</i> , 2019 , 45, 1279-1282	14.5	
99	Overall bias and sample sizes were unchanged in ICU trials over time: a meta-epidemiological study. <i>Journal of Clinical Epidemiology</i> , 2019 , 113, 189-199	5.7	5
98	Conservative vs liberal fluid therapy in septic shock (CLASSIC) trial-Protocol and statistical analysis plan. <i>Acta Anaesthesiologica Scandinavica</i> , 2019 , 63, 1262-1271	1.9	16
97	External validation of the Simplified Mortality Score for the Intensive Care Unit (SMS-ICU). <i>Acta Anaesthesiologica Scandinavica</i> , 2019 , 63, 1216-1224	1.9	3
96	Bias and sample size in intensive care unit trials: Protocol for a meta-epidemiological study. <i>Acta Anaesthesiologica Scandinavica</i> , 2019 , 63, 117-121	1.9	2
95	Continued licensing of hydroxyethyl starch despite high-quality data documenting harm in vulnerable patient populations: A sad day for patient safety. <i>Acta Anaesthesiologica Scandinavica</i> , 2019 , 63, 131-132	1.9	
94	Lactate versus acetate buffered crystalloid solutions: Protocol for a scoping review. <i>Acta Anaesthesiologica Scandinavica</i> , 2019 , 63, 537-539	1.9	3
93	Clinical practice guideline on atraumatic (pencil-point) vs conventional needles for lumbar puncture: Endorsement by the Scandinavian Society of Anaesthesiology and Intensive Care Medicine. <i>Acta Anaesthesiologica Scandinavica</i> , 2019 , 63, 438-439	1.9	2
92	Bleeding and thrombosis in intensive care patients with thrombocytopenia-Protocol for a topical systematic review. <i>Acta Anaesthesiologica Scandinavica</i> , 2019 , 63, 270-273	1.9	5
91	Endorsement of clinical practice guidelines by the Scandinavian Society of Anaesthesiology and Intensive Care Medicine. <i>Acta Anaesthesiologica Scandinavica</i> , 2019 , 63, 161-163	1.9	5

90	Foresight over hindsight: Mandatory publication of clinical research protocols prior to conduct. <i>Acta Anaesthesiologica Scandinavica</i> , 2019 , 63, 267-269	1.9	1
89	Coffee consumption and work satisfaction among Scandinavian anaesthesiologists: A survey. <i>Acta Anaesthesiologica Scandinavica</i> , 2019 , 63, 414-417	1.9	2
88	Ten things ICU specialists need to know about direct oral anticoagulants (DOACs). <i>Intensive Care Medicine</i> , 2019 , 45, 89-92	14.5	0
87	Empirical metronidazole for patients with severe bacterial infection: protocol for a systematic review. <i>Acta Anaesthesiologica Scandinavica</i> , 2018 , 62, 724-730	1.9	1
86	Scandinavian SSAI clinical practice guideline on choice of inotropic agent for patients with acute circulatory failure. <i>Acta Anaesthesiologica Scandinavica</i> , 2018 , 62, 420-450	1.9	22
85	The SSAI fully supports the suspension of hydroxyethyl-starch solutions commissioned by the European Medicines Agency. <i>Acta Anaesthesiologica Scandinavica</i> , 2018 , 62, 874-875	1.9	9
84	Stress ulcer prophylaxis in adult intensive care unit patients - a protocol for a systematic review. <i>Acta Anaesthesiologica Scandinavica</i> , 2018 , 62, 744-755	1.9	2
83	Out-of-hours intensive care unit admission and 90-day mortality: a Danish nationwide cohort study. <i>Acta Anaesthesiologica Scandinavica</i> , 2018 , 62, 974-982	1.9	4
82	Reply to the letter A brief comment about predictive models for mortality in intensive care units <i>Acta Anaesthesiologica Scandinavica</i> , 2018 , 62, 405-406	1.9	
81	Reply to the letter regarding our manuscript D Development and internal validation of the Simplified Mortality Score for the Intensive Care Unit (SMS-ICU) <i>Acta Anaesthesiologica Scandinavica</i> , 2018 , 62, 409-410	1.9	2
80	Trustworthy or flawed clinical prediction rule?. <i>Critical Care</i> , 2018 , 22, 31	10.8	
79	No firm evidence that lack of blinding affects estimates of mortality in randomized clinical trials of intensive care interventions: a systematic review and meta-analysis. <i>Journal of Clinical Epidemiology</i> , 2018 , 100, 71-81	5.7	18
78	Common Sense Approach to Managing Sepsis. <i>Critical Care Clinics</i> , 2018 , 34, 127-138	4.5	3
77	Understanding conflicts of interest. <i>Intensive Care Medicine</i> , 2018 , 44, 1738-1740	14.5	2
76	Effects of stress ulcer prophylaxis in adult ICU patients receiving renal replacement therapy (Sup-ICU RENal, SIREN): Study protocol for a pre-planned observational study. <i>Trials</i> , 2018 , 19, 26	2.8	2
75	Efficacy and safety of stress ulcer prophylaxis in critically ill patients: a network meta-analysis of randomized trials. <i>Intensive Care Medicine</i> , 2018 , 44, 1-11	14.5	83
74	Corticosteroid therapy for sepsis: a clinical practice guideline. <i>BMJ, The</i> , 2018 , 362, k3284	5.9	56
73	Development and internal validation of the Simplified Mortality Score for the Intensive Care Unit (SMS-ICU). <i>Acta Anaesthesiologica Scandinavica</i> , 2018 , 62, 336-346	1.9	21

72	Untargeted antifungal therapy in adult patients with complicated intra-abdominal infection: a systematic review. <i>Acta Anaesthesiologica Scandinavica</i> , 2018 , 62, 6-18	1.9	
71	Conflicts of interest disclosure forms and management in critical care clinical practice guidelines. <i>Intensive Care Medicine</i> , 2018 , 44, 1691-1698	14.5	11
70	Pantoprazole in Patients at Risk for Gastrointestinal Bleeding in the ICU. <i>New England Journal of Medicine</i> , 2018 , 379, 2199-2208	59.2	131
69	Corticosteroids and risk of gastrointestinal bleeding in critically ill adults: Protocol for a systematic review. <i>Acta Anaesthesiologica Scandinavica</i> , 2018 , 62, 1321-1326	1.9	4
68	Atraumatic (pencil-point) versus conventional needles for lumbar puncture: a clinical practice guideline. <i>BMJ, The</i> , 2018 , 361, k1920	5.9	11
67	Timing of onset of gastrointestinal bleeding in the ICU: Protocol for a preplanned observational study. <i>Acta Anaesthesiologica Scandinavica</i> , 2018 , 62, 1165	1.9	3
66	Low-dose corticosteroids for adult patients with septic shock: a systematic review with meta-analysis and trial sequential analysis. <i>Intensive Care Medicine</i> , 2018 , 44, 1003-1016	14.5	95
65	Sucralfate versus histamine 2 receptor antagonists for stress ulcer prophylaxis in adult critically ill patients: A meta-analysis and trial sequential analysis of randomized trials. <i>Journal of Critical Care</i> , 2017 , 40, 21-30	4	10
64	What's new with stress ulcer prophylaxis in the ICU?. <i>Intensive Care Medicine</i> , 2017 , 43, 1132-1134	14.5	12
63	CCCS-SSAI WikiRecs clinical practice guideline: vasopressor blood pressure targets in critically ill adults with hypotension and vasopressor use in early traumatic shock. <i>Intensive Care Medicine</i> , 2017 , 43, 1062-1064	14.5	6
62	Simplified Mortality Score for the Intensive Care Unit (SMS-ICU): protocol for the development and validation of a bedside clinical prediction rule. <i>BMJ Open</i> , 2017 , 7, e015339	3	7
61	Empirical mono- versus combination antibiotic therapy in adult intensive care patients with severe sepsis - A systematic review with meta-analysis and trial sequential analysis. <i>Journal of Infection</i> , 2017 , 74, 331-344	18.9	21
60	Untargeted antifungal therapy in adult patients with complicated intra-abdominal infection: protocol for a systematic review with meta-analysis. <i>BMJ Open</i> , 2017 , 7, e015900	3	1
59	Stress ulcer prophylaxis in the intensive care unit trial: detailed statistical analysis plan. <i>Acta Anaesthesiologica Scandinavica</i> , 2017 , 61, 859-868	1.9	20
58	Use of life support in acutely admitted ICU patients. An international cohort study. <i>Acta Anaesthesiologica Scandinavica</i> , 2017 , 61, 513-522	1.9	1
57	Therapeutic bronchoscopy vs. standard of care in acute respiratory failure: a systematic review. <i>Acta Anaesthesiologica Scandinavica</i> , 2017 , 61, 1240-1252	1.9	2
56	Early goal-directed nutrition versus standard of care in adult intensive care patients: the single-centre, randomised, outcome assessor-blinded EAT-ICU trial. <i>Intensive Care Medicine</i> , 2017 , 43, 1637-1647	14.5	131
55	The effect of blinding on estimates of mortality in randomised clinical trials of intensive care interventions: protocol for a systematic review and meta-analysis. <i>BMJ Open</i> , 2017 , 7, e016187	3	4

54	Lower vs. higher fluid volumes in sepsis-protocol for a systematic review with meta-analysis. <i>Acta Anaesthesiologica Scandinavica</i> , 2017 , 61, 942-951	1.9	4
53	Early vasopressor use following traumatic injury: a systematic review. <i>BMJ Open</i> , 2017 , 7, e017559	3	26
52	The Magic Bullet in Sepsis or the Inflation of Chance Findings?. <i>Chest</i> , 2017 , 152, 222-223	5.3	1
51	Stress ulcer prophylaxis versus placebo or no prophylaxis in adult hospitalised acutely ill patients-protocol for a systematic review with meta-analysis and trial sequential analysis. <i>Systematic Reviews</i> , 2017 , 6, 118	3	10
50	Relationship between timing of endoscopy and mortality in patients with peptic ulcer bleeding: a nationwide cohort study. <i>Gastrointestinal Endoscopy</i> , 2017 , 85, 936-944.e3	5.2	66
49	Association between surgical delay and survival in high-risk emergency abdominal surgery. A population-based Danish cohort study. <i>Scandinavian Journal of Gastroenterology</i> , 2016 , 51, 121-8	2.4	23
48	Scandinavian SSAI clinical practice guideline on choice of first-line vasopressor for patients with acute circulatory failure. <i>Acta Anaesthesiologica Scandinavica</i> , 2016 , 60, 1347-1366	1.9	35
47	Risk factors for reintervention after surgery for perforated gastroduodenal ulcer. <i>British Journal of Surgery</i> , 2016 , 103, 1676-1682	5.3	3
46	Scandinavian clinical practice guideline on fluid and drug therapy in adults with acute respiratory distress syndrome. <i>Acta Anaesthesiologica Scandinavica</i> , 2016 , 60, 697-709	1.9	39
45	Association between ulcer site and outcome in complicated peptic ulcer disease: a Danish nationwide cohort study. <i>Scandinavian Journal of Gastroenterology</i> , 2016 , 51, 1165-71	2.4	10
44	Stress ulcer prophylaxis in adult neurocritical care patients--no firm evidence for benefit or harm. <i>Critical Care</i> , 2016 , 20, 22	10.8	4
43	Predictive Performance of the Simplified Acute Physiology Score (SAPS) II and the Initial Sequential Organ Failure Assessment (SOFA) Score in Acutely Ill Intensive Care Patients: Post-Hoc Analyses of the SUP-ICU Inception Cohort Study. <i>PLoS ONE</i> , 2016 , 11, e0168948	3.7	25
42	The Danish Intensive Care Database. <i>Clinical Epidemiology</i> , 2016 , 8, 525-530	5.9	34
41	Stress ulcer prophylaxis in the intensive care unit. <i>Current Opinion in Critical Care</i> , 2016 , 22, 186-90	3.5	21
40	Anaesthesia care for emergency endoscopy for peptic ulcer bleeding. A nationwide population-based cohort study. <i>Scandinavian Journal of Gastroenterology</i> , 2016 , 51, 1000-6	2.4	1
39	Stress ulcer prophylaxis with a proton pump inhibitor versus placebo in critically ill patients (SUP-ICU trial): study protocol for a randomised controlled trial. <i>Trials</i> , 2016 , 17, 205	2.8	30
38	Association of mortality with out-of-hours admission in patients with perforated peptic ulcer. <i>Acta Anaesthesiologica Scandinavica</i> , 2015 , 59, 248-54	1.9	6
37	Patients' Experiences of postoperative intermediate care and standard surgical ward care after emergency abdominal surgery: a qualitative sub-study of the Incare trial. <i>Journal of Clinical Nursing</i> , 2015 , 24, 1280-8	3.2	1

36	Trials on stress ulcer prophylaxis: finding the balance between benefit and harm. <i>Intensive Care Medicine</i> , 2015 , 41, 1367-8	14.5	4
35	Randomized multicentre feasibility trial of intermediate care versus standard ward care after emergency abdominal surgery (InCare trial). <i>British Journal of Surgery</i> , 2015 , 102, 619-29	5.3	19
34	Prevalence and outcome of gastrointestinal bleeding and use of acid suppressants in acutely ill adult intensive care patients. <i>Intensive Care Medicine</i> , 2015 , 41, 833-45	14.5	134
33	Anaesthesia care with and without tracheal intubation during emergency endoscopy for peptic ulcer bleeding: a population-based cohort study. <i>British Journal of Anaesthesia</i> , 2015 , 114, 901-8	5.4	9
32	Epidural analgesia in patients with traumatic rib fractures: a systematic review of randomised controlled trials. <i>Acta Anaesthesiologica Scandinavica</i> , 2015 , 59, 698-709	1.9	28
31	Perforated peptic ulcer. <i>Lancet, The</i> , 2015 , 386, 1288-1298	4.0	158
30	Thromboelastography in patients with severe sepsis: a prospective cohort study. <i>Intensive Care Medicine</i> , 2015 , 41, 77-85	14.5	58
29	Scandinavian clinical practice guideline on choice of fluid in resuscitation of critically ill patients with acute circulatory failure. <i>Acta Anaesthesiologica Scandinavica</i> , 2015 , 59, 274-85	1.9	24
28	Predictive value of NGAL for use of renal replacement therapy in patients with severe sepsis. <i>Acta Anaesthesiologica Scandinavica</i> , 2015 , 59, 25-34	1.9	28
27	Association between biomarkers of endothelial injury and hypocoagulability in patients with severe sepsis: a prospective study. <i>Critical Care</i> , 2015 , 19, 191	10.8	78
26	Stress ulcer prophylaxis in the intensive care unit: an international survey of 97 units in 11 countries. <i>Acta Anaesthesiologica Scandinavica</i> , 2015 , 59, 576-85	1.9	60
25	Nebulised dornase alfa versus placebo or hypertonic saline in adult critically ill patients: a systematic review of randomised clinical trials with meta-analysis and trial sequential analysis. <i>Systematic Reviews</i> , 2015 , 4, 153	3	9
24	Surgical complications after open and laparoscopic surgery for perforated peptic ulcer in a nationwide cohort. <i>British Journal of Surgery</i> , 2015 , 102, 382-7	5.3	33
23	Influence of body mass index on mortality after surgery for perforated peptic ulcer. <i>British Journal of Surgery</i> , 2014 , 101, 993-9	5.3	24
22	Lower versus higher hemoglobin threshold for transfusion in septic shock. <i>New England Journal of Medicine</i> , 2014 , 371, 1381-91	59.2	553
21	Mortality and postoperative care pathways after emergency gastrointestinal surgery in 2904 patients: a population-based cohort study. <i>British Journal of Anaesthesia</i> , 2014 , 112, 860-70	5.4	106
20	Stress ulcer prophylaxis versus placebo or no prophylaxis in critically ill patients. A systematic review of randomised clinical trials with meta-analysis and trial sequential analysis. <i>Intensive Care Medicine</i> , 2014 , 40, 11-22	14.5	110
19	Guideline for stress ulcer prophylaxis in the intensive care unit. <i>Danish Medical Journal</i> , 2014 , 61, C4811	3.8	30

18	Effect of intermediate care on mortality following emergency abdominal surgery. The InCare trial: study protocol, rationale and feasibility of a randomised multicentre trial. <i>Trials</i> , 2013 , 14, 37	2.8	9
17	Improving quality of care in peptic ulcer bleeding: nationwide cohort study of 13,498 consecutive patients in the Danish Clinical Register of Emergency Surgery. <i>American Journal of Gastroenterology</i> , 2013 , 108, 1449-57	0.7	56
16	Stress ulcer prophylaxis in the intensive care unit: is it indicated? A topical systematic review. <i>Acta Anaesthesiologica Scandinavica</i> , 2013 , 57, 835-47	1.9	37
15	Surgical delay is a critical determinant of survival in perforated peptic ulcer. <i>British Journal of Surgery</i> , 2013 , 100, 1045-9	5.3	113
14	Quality-of-care initiative in patients treated surgically for perforated peptic ulcer. <i>British Journal of Surgery</i> , 2013 , 100, 543-52	5.3	33
13	Long-term mortality following peptic ulcer perforation in the PULP trial. A nationwide follow-up study. <i>Scandinavian Journal of Gastroenterology</i> , 2013 , 48, 168-75	2.4	19
12	Author's reply: Surgical delay is a critical determinant of survival in perforated peptic ulcer (Br J Surg 2013; 100: 1045-1049). <i>British Journal of Surgery</i> , 2013 , 100, 1541-2	5.3	
11	The Peptic Ulcer Perforation (PULP) score: a predictor of mortality following peptic ulcer perforation. A cohort study. <i>Acta Anaesthesiologica Scandinavica</i> , 2012 , 56, 655-62	1.9	62
10	Hydroxyethyl starch 130/0.42 versus Ringer's acetate in severe sepsis. <i>New England Journal of Medicine</i> , 2012 , 367, 124-34	59.2	1250
9	Accuracy of clinical prediction rules in peptic ulcer perforation: an observational study. <i>Scandinavian Journal of Gastroenterology</i> , 2012 , 47, 28-35	2.4	23
8	Post-operative urinary retention in a general surgical population. <i>European Journal of Anaesthesiology</i> , 2011 , 28, 190-4	2.3	33
7	Multicentre trial of a perioperative protocol to reduce mortality in patients with peptic ulcer perforation. <i>British Journal of Surgery</i> , 2011 , 98, 802-10	5.3	101
6	Preoperative prognostic factors for mortality in peptic ulcer perforation: a systematic review. <i>Scandinavian Journal of Gastroenterology</i> , 2010 , 45, 785-805	2.4	71
5	Perforated peptic ulcer: how to improve outcome?. <i>Scandinavian Journal of Gastroenterology</i> , 2009 , 44, 15-22	2.4	60
4	Risk factors in patients surgically treated for peptic ulcer perforation. <i>Scandinavian Journal of Gastroenterology</i> , 2009 , 44, 145-52, 2 p following 152	2.4	29
3	Dexamethasone 12 mg versus 6 mg for patients with COVID-19 and severe hypoxia: an international, randomized, blinded trial		2
2	Dexmedetomidine vs other sedatives in critically ill mechanically ventilated adults: a systematic review and meta-analysis of randomized trials. <i>Intensive Care Medicine</i> ,	14.5	2
1	Restriction of Intravenous Fluid in ICU Patients with Septic Shock. <i>New England Journal of Medicine</i> ,	59.2	6

