

Kamel Mohammedi

List of Publications by Citations

Source: <https://exaly.com/author-pdf/545133/kamel-mohammedi-publications-by-citations.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

60
papers

991
citations

19
h-index

30
g-index

62
ext. papers

1,205
ext. citations

8.6
avg, IF

3.98
L-index

#	Paper	IF	Citations
60	Use and utility of ankle brachial index in patients with diabetes. <i>European Journal of Vascular and Endovascular Surgery</i> , 2011 , 41, 110-6	2.3	161
59	Plasma copeptin and renal outcomes in patients with type 2 diabetes and albuminuria. <i>Diabetes Care</i> , 2013 , 36, 3639-45	14.6	59
58	Lower extremity arterial disease in patients with diabetes: a contemporary narrative review. <i>Cardiovascular Diabetology</i> , 2018 , 17, 138	8.7	58
57	Microvascular and Macrovascular Disease and Risk for Major Peripheral Arterial Disease in Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2016 , 39, 1796-803	14.6	55
56	Comparative effects of microvascular and macrovascular disease on the risk of major outcomes in patients with type 2 diabetes. <i>Cardiovascular Diabetology</i> , 2017 , 16, 95	8.7	52
55	Plasma Copeptin, AVP Gene Variants, and Incidence of Type 2 Diabetes in a Cohort From the Community. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016 , 101, 2432-9	5.6	52
54	Presentations of major peripheral arterial disease and risk of major outcomes in patients with type 2 diabetes: results from the ADVANCE-ON study. <i>Cardiovascular Diabetology</i> , 2016 , 15, 129	8.7	52
53	Plasma Copeptin, Kidney Outcomes, Ischemic Heart Disease, and All-Cause Mortality in People With Long-standing Type 1 Diabetes. <i>Diabetes Care</i> , 2016 , 39, 2288-2295	14.6	41
52	Plasma extracellular superoxide dismutase concentration, allelic variations in the SOD3 gene and risk of myocardial infarction and all-cause mortality in people with type 1 and type 2 diabetes. <i>Cardiovascular Diabetology</i> , 2015 , 14, 845	8.7	34
51	Association of Circulating Biomarkers (Adrenomedullin, TNFR1, and NT-proBNP) With Renal Function Decline in Patients With Type 2 Diabetes: A French Prospective Cohort. <i>Diabetes Care</i> , 2017 , 40, 367-374	14.6	30
50	Plasma Copeptin and Decline in Renal Function in a Cohort from the Community: The Prospective D.E.S.I.R. Study. <i>American Journal of Nephrology</i> , 2015 , 42, 107-14	4.6	28
49	A novel device for measuring arterial stiffness using finger-toe pulse wave velocity: Validation study of the pOpmire. <i>Archives of Cardiovascular Diseases</i> , 2015 , 108, 227-34	2.7	27
48	Lower limb events in individuals with type 2 diabetes: evidence for an increased risk associated with diuretic use. <i>Diabetologia</i> , 2019 , 62, 939-947	10.3	27
47	Glutathione peroxidase-1 gene (GPX1) variants, oxidative stress and risk of kidney complications in people with type 1 diabetes. <i>Metabolism: Clinical and Experimental</i> , 2016 , 65, 12-9	12.7	25
46	Manganese superoxide dismutase (SOD2) polymorphisms, plasma advanced oxidation protein products (AOPP) concentration and risk of kidney complications in subjects with type 1 diabetes. <i>PLoS ONE</i> , 2014 , 9, e96916	3.7	23
45	Plasma concentrations of 8-hydroxy-2Sdeoxyguanosine and risk of kidney disease and death in individuals with type 1 diabetes. <i>Diabetologia</i> , 2018 , 61, 977-984	10.3	22
44	Relationship between cardiac microvascular dysfunction measured with ⁸² Rubidium-PET and albuminuria in patients with diabetes mellitus. <i>Cardiovascular Diabetology</i> , 2018 , 17, 11	8.7	21

43	Plasma copeptin and chronic kidney disease risk in 3 European cohorts from the general population. <i>JCI Insight</i> , 2018 , 3,	9.9	20
42	Plasma copeptin, kidney disease, and risk for cardiovascular morbidity and mortality in two cohorts of type 2 diabetes. <i>Cardiovascular Diabetology</i> , 2018 , 17, 110	8.7	19
41	Absence of Peripheral Pulses and Risk of Major Vascular Outcomes in Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2016 , 39, 2270-2277	14.6	19
40	Lower-extremity amputation as a marker for renal and cardiovascular events and mortality in patients with long standing type 1 diabetes. <i>Cardiovascular Diabetology</i> , 2016 , 15, 5	8.7	15
39	Allelic variations in the CYBA gene of NADPH oxidase and risk of kidney complications in patients with type 1 diabetes. <i>Free Radical Biology and Medicine</i> , 2015 , 86, 16-24	7.8	12
38	Lifestyle intervention enhances high-density lipoprotein function among patients with metabolic syndrome only at normal low-density lipoprotein cholesterol plasma levels. <i>Journal of Clinical Lipidology</i> , 2016 , 10, 1172-81	4.9	12
37	Type B insulin resistance syndrome associated with an immune reconstitution inflammatory syndrome in an HIV-infected woman. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011 , 96, E653-7	5.6	11
36	Plasma Copeptin and Risk of Lower-Extremity Amputation in Type 1 and Type 2 Diabetes. <i>Diabetes Care</i> , 2019 , 42, 2290-2297	14.6	10
35	Prognostic Values of Inflammatory and Redox Status Biomarkers on the Risk of Major Lower-Extremity Artery Disease in Individuals With Type 2 Diabetes. <i>Diabetes Care</i> , 2018 , 41, 2162-2169	14.6	10
34	Catalase activity, allelic variations in the catalase gene and risk of kidney complications in patients with type 1 diabetes. <i>Diabetologia</i> , 2013 , 56, 2733-42	10.3	9
33	Plasma proprotein-convertase-subtilisin/kexin type 9 (PCSK9) and cardiovascular events in type 2 diabetes. <i>Diabetes, Obesity and Metabolism</i> , 2018 , 20, 943-953	6.7	9
32	Skin Autofluorescence of Pregnant Women With Diabetes Predicts the Macrosomia of Their Children. <i>Diabetes</i> , 2019 , 68, 1663-1669	0.9	7
31	Plasma Adrenomedullin and Allelic Variation in the ADM Gene and Kidney Disease in People With Type 2 Diabetes. <i>Diabetes</i> , 2015 , 64, 3262-72	0.9	7
30	Leukocyte Telomere Length, DNA Oxidation, and Risk of Lower-Extremity Amputation in Patients With Long-standing Type 1 Diabetes. <i>Diabetes Care</i> , 2020 , 43, 828-834	14.6	7
29	The evaluation of off-loading using a new removable oRTHOsis in DIABetic foot (ORTHODIAB) randomized controlled trial: study design and rationale. <i>Journal of Foot and Ankle Research</i> , 2016 , 9, 34	3.2	7
28	Prognostic value of plasma MR-proADM vs NT-proBNP for heart failure in people with type 2 diabetes: the SURDIAGENE prospective study. <i>Diabetologia</i> , 2018 , 61, 2643-2653	10.3	6
27	Euglycemic ketoacidosis induced by therapeutic fasting in a non-diabetic patient. <i>Nutrition</i> , 2020 , 72, 110668	4.8	5
26	Plasma concentrations of lipoproteins and risk of lower-limb peripheral artery disease in people with type 2 diabetes: the SURDIAGENE study. <i>Diabetologia</i> , 2021 , 64, 668-680	10.3	5

25	History of lower-limb complications and risk of cancer death in people with type 2 diabetes. <i>Cardiovascular Diabetology</i> , 2021 , 20, 3	8.7	4
24	Relationship Between Diabetic Retinopathy Stages and Risk of Major Lower-Extremity Arterial Disease in Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2020 , 43, 2751-2759	14.6	3
23	I/D Polymorphism, Plasma ACE Levels, and Long-term Kidney Outcomes or All-Cause Death in Patients With Type 1 Diabetes. <i>Diabetes Care</i> , 2021 , 44, 1377-1384	14.6	3
22	SGLT2 inhibitors and lower limb complications: the diuretic-induced hypovolemia hypothesis. <i>Cardiovascular Diabetology</i> , 2021 , 20, 107	8.7	3
21	Predicting severe hypoglycaemia with self-monitoring of blood glucose in type 1 diabetes. <i>Diabetes and Metabolism</i> , 2017 , 43, 392-394	5.4	2
20	T-cadherin gene variants are associated with nephropathy in subjects with type 1 diabetes. <i>Nephrology Dialysis Transplantation</i> , 2017 , 32, 1987-1993	4.3	2
19	A parental history of diabetes is associated with a high risk of retinopathy in patients with type 2 diabetes. <i>Diabetes and Metabolism</i> , 2017 , 43, 557-559	5.4	2
18	Early Worsening of Diabetic Nephropathy in Type 2 Diabetes After Rapid Improvement in Chronic Severe Hyperglycemia. <i>Diabetes Care</i> 2021;44:e55-e56. <i>Diabetes Care</i> , 2021 , 44, e110-e111	14.6	2
17	Comment on Law et al. Suboptimal Nocturnal Glucose Control Is Associated With Large for Gestational Age in Treated Gestational Diabetes Mellitus. <i>Diabetes Care</i> 2019;42:810-815. <i>Diabetes Care</i> , 2019 , 42, e122	14.6	2
16	Longitudinal trends in HbA1c in diabetes: Stable means can hide meaningful long-term changes. <i>Diabetes/Metabolism Research and Reviews</i> , 2018 , 34, e3065	7.5	2
15	Comment on Pongrac Barlovic et al. The Association of Severe Diabetic Retinopathy With Cardiovascular Outcomes in Long-standing Type 1 Diabetes: A Longitudinal Follow-up. <i>Diabetes Care</i> 2018;41:2487-2494. <i>Diabetes Care</i> , 2019 , 42, e48	14.6	1
14	Coronary artery disease screening using coronary computed tomography angiography. <i>JAMA - Journal of the American Medical Association</i> , 2015 , 313, 1267	27.4	1
13	Relationship between renal capacity to reabsorb glucose and renal status in patients with diabetes. <i>Diabetes and Metabolism</i> , 2020 , 46, 488-495	5.4	1
12	Short-term effect of severe hypoglycaemia on glycaemic control in the Diabetes Control and Complications Trial. <i>Diabetes and Metabolism</i> , 2017 , 43, 187-190	5.4	1
11	Comment on Ipp and Kumar. A Clinical Conundrum: Intensifying Glucose Control in the Presence of Advanced Diabetic Retinopathy. <i>Diabetes Care</i> 2021;44:2192-2193.. <i>Diabetes Care</i> , 2022 , 45, e39	14.6	1
10	Association Between the Insertion/Deletion Polymorphism and Risk of Lower-Limb Amputation in Patients With Long-Standing Type 1 Diabetes. <i>Diabetes Care</i> , 2021 ,	14.6	1
9	Cost-effectiveness of screening of coronary artery disease in patients with type 2 DIABetes at a very high cardiovascular risk (SCADIAB study) rational and design. <i>Cardiovascular Diabetology</i> , 2021 , 20, 63	8.7	1
8	Comment on Kelly et al. Subclinical First Trimester Renal Abnormalities Are Associated With Preeclampsia in Normoalbuminuric Women With Type 1 Diabetes. <i>Diabetes Care</i> 2018;41:120-127. <i>Diabetes Care</i> , 2018 , 41, e101	14.6	1

7	Nerve action potential amplitude, a robust marker of diabetic peripheral neuropathy. <i>Diabetic Medicine</i> , 2018 , 35, 1460-1461	3.5	o
6	Differential prognostic burden of cardiovascular disease and lower-limb amputation on the risk of all-cause death in people with long-standing type 1 diabetes.. <i>Cardiovascular Diabetology</i> , 2022 , 21, 71	8.7	o
5	Response to Comment on Foussard et al. Skin Autofluorescence of Pregnant Women With Diabetes Predicts the Macrosomia of Their Children. <i>Diabetes</i> 2019;68:1663-1669. <i>Diabetes</i> , 2020 , 69, e5-e6	0.9	
4	Markers of glycation and neonatal hypoglycaemia in gestational diabetes mellitus. <i>Diabetic Medicine</i> , 2020 , 37, 160-162	3.5	
3	Re: "Timing of Gestational Diabetes Diagnosis by Maternal Obesity Status: Impact on Gestational Weight Gain in a Diverse Population" by Hillier et al. <i>Journal of Women's Health</i> , 2020 , 29, 1234	3	
2	Lung cancer and diabetes: A role for advanced glycation end-products?. <i>European Journal of Clinical Investigation</i> , 2021 , 51, e13389	4.6	
1	Diabetic retinopathy is also an important marker of cardiovascular risk in type 2 diabetes, with practical implications.. <i>Diabetic Medicine</i> , 2022 , e14845	3.5	