

Kamel Mohammedi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/545133/publications.pdf>

Version: 2024-02-01

62
papers

1,404
citations

361045

20
h-index

344852

36
g-index

62
all docs

62
docs citations

62
times ranked

2092
citing authors

#	ARTICLE	IF	CITATIONS
1	Association Between the <i>ACE</i> Insertion/Deletion Polymorphism and Risk of Lower-Limb Amputation in Patients With Long-Standing Type 1 Diabetes. <i>Diabetes Care</i> , 2022, 45, 407-415.	4.3	3
2	Comment on Ipp and Kumar. A Clinical Conundrum: Intensifying Glucose Control in the Presence of Advanced Diabetic Retinopathy. <i>Diabetes Care</i> 2021;44:2192â€“2193. <i>Diabetes Care</i> , 2022, 45, e39-e39.	4.3	1
3	Strengthening a Study of Diabetes Progression After Statins Use. <i>JAMA Internal Medicine</i> , 2022, 182, 458.	2.6	0
4	Diabetic retinopathy is also an important marker of cardiovascular risk in type 2 diabetes, with practical implications. <i>Diabetic Medicine</i> , 2022, , e14845.	1.2	0
5	Differential prognostic burden of cardiovascular disease and lower-limb amputation on the risk of all-cause death in people with long-standing type 1 diabetes. <i>Cardiovascular Diabetology</i> , 2022, 21, 71.	2.7	2
6	Lung cancer and diabetes: A role for advanced glycation endâ€“products?. <i>European Journal of Clinical Investigation</i> , 2021, 51, e13389.	1.7	0
7	Plasma concentrations of lipoproteins and risk of lower-limb peripheral artery disease in people with type 2 diabetes: the SURDIAGENE study. <i>Diabetologia</i> , 2021, 64, 668-680.	2.9	12
8	History of lower-limb complications and risk of cancer death in people with type 2 diabetes. <i>Cardiovascular Diabetology</i> , 2021, 20, 3.	2.7	11
9	Cost-effectiveness of screening of coronary artery disease in patients with type 2 DIABetes at a very high cardiovascular risk (SCADIAB study) rational and design. <i>Cardiovascular Diabetology</i> , 2021, 20, 63.	2.7	3
10	<i>ACE</i> I/D Polymorphism, Plasma ACE Levels, and Long-term Kidney Outcomes or All-Cause Death in Patients With Type 1 Diabetes. <i>Diabetes Care</i> , 2021, 44, 1377-1384.	4.3	6
11	Comment on Cundy et al. Early Worsening of Diabetic Nephropathy in Type 2 Diabetes After Rapid Improvement in Chronic Severe Hyperglycemia. <i>Diabetes Care</i> 2021;44:e55â€“e56. <i>Diabetes Care</i> , 2021, 44, e110-e111.	4.3	3
12	SGLT2 inhibitors and lower limb complications: the diuretic-induced hypovolemia hypothesis. <i>Cardiovascular Diabetology</i> , 2021, 20, 107.	2.7	13
13	Gut Microbiota and Mycobiota Evolution Is Linked to Memory Improvement after Bariatric Surgery in Obese Patients: A Pilot Study. <i>Nutrients</i> , 2021, 13, 4061.	1.7	5
14	Markers of glycation and neonatal hypoglycaemia in gestational diabetes mellitus. <i>Diabetic Medicine</i> , 2020, 37, 160-162.	1.2	0
15	Euglycemic ketoacidosis induced by therapeutic fasting in a non-diabetic patient. <i>Nutrition</i> , 2020, 72, 110668.	1.1	9
16	Re: â€œTiming of Gestational Diabetes Diagnosis by Maternal Obesity Status: Impact on Gestational Weight Gain in a Diverse Populationâ€“by Hillier et al.. <i>Journal of Women's Health</i> , 2020, 29, 1234-1234.	1.5	0
17	Relationship Between Diabetic Retinopathy Stages and Risk of Major Lower-Extremity Arterial Disease in Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2020, 43, 2751-2759.	4.3	10
18	Response to Comment on Foussard et al. Skin Autofluorescence of Pregnant Women With Diabetes Predicts the Macrosomia of Their Children. <i>Diabetes</i> 2019;68:1663â€“1669. <i>Diabetes</i> , 2020, 69, e5-e6.	0.3	0

#	ARTICLE	IF	CITATIONS
19	Leukocyte Telomere Length, DNA Oxidation, and Risk of Lower-Extremity Amputation in Patients With Long-standing Type 1 Diabetes. <i>Diabetes Care</i> , 2020, 43, 828-834.	4.3	11
20	Relationship between renal capacity to reabsorb glucose and renal status in patients with diabetes. <i>Diabetes and Metabolism</i> , 2020, 46, 488-495.	1.4	1
21	Plasma Copeptin and Risk of Lower-Extremity Amputation in Type 1 and Type 2 Diabetes. <i>Diabetes Care</i> , 2019, 42, 2290-2297.	4.3	15
22	Skin Autofluorescence of Pregnant Women With Diabetes Predicts the Macrosomia of Their Children. <i>Diabetes</i> , 2019, 68, 1663-1669.	0.3	7
23	Comment on Pongrac Barlovic et al. The Association of Severe Diabetic Retinopathy With Cardiovascular Outcomes in Long-standing Type 1 Diabetes: A Longitudinal Follow-up. <i>Diabetes Care</i> 2018;41:2487-2494. <i>Diabetes Care</i> , 2019, 42, e48-e48.	4.3	2
24	Lower limb events in individuals with type 2 diabetes: evidence for an increased risk associated with diuretic use. <i>Diabetologia</i> , 2019, 62, 939-947.	2.9	36
25	Comment on Law et al. Suboptimal Nocturnal Glucose Control Is Associated With Large for Gestational Age in Treated Gestational Diabetes Mellitus. <i>Diabetes Care</i> 2019;42:810-815. <i>Diabetes Care</i> , 2019, 42, e122-e122.	4.3	2
26	Plasma concentrations of 8-hydroxy-2-deoxyguanosine and risk of kidney disease and death in individuals with type 1 diabetes. <i>Diabetologia</i> , 2018, 61, 977-984.	2.9	28
27	Longitudinal trends in HbA1c in diabetes: Stable means can hide meaningful long-term changes. <i>Diabetes/Metabolism Research and Reviews</i> , 2018, 34, e3065.	1.7	2
28	Prognostic value of plasma MR-proADM vs NT-proBNP for heart failure in people with type 2 diabetes: the SURDIAGENE prospective study. <i>Diabetologia</i> , 2018, 61, 2643-2653.	2.9	15
29	Lower extremity arterial disease in patients with diabetes: a contemporary narrative review. <i>Cardiovascular Diabetology</i> , 2018, 17, 138.	2.7	104
30	Nerve action potential amplitude, a robust marker of diabetic peripheral neuropathy. <i>Diabetic Medicine</i> , 2018, 35, 1460-1461.	1.2	1
31	Comment on Kelly et al. Subclinical First Trimester Renal Abnormalities Are Associated With Preeclampsia in Normoalbuminuric Women With Type 1 Diabetes. <i>Diabetes Care</i> 2018;41:120-127. <i>Diabetes Care</i> , 2018, 41, e101-e101.	4.3	1
32	Plasma copeptin, kidney disease, and risk for cardiovascular morbidity and mortality in two cohorts of type 2 diabetes. <i>Cardiovascular Diabetology</i> , 2018, 17, 110.	2.7	35
33	Prognostic Values of Inflammatory and Redox Status Biomarkers on the Risk of Major Lower-Extremity Artery Disease in Individuals With Type 2 Diabetes. <i>Diabetes Care</i> , 2018, 41, 2162-2169.	4.3	14
34	Relationship between cardiac microvascular dysfunction measured with ⁸² Rubidium-PET and albuminuria in patients with diabetes mellitus. <i>Cardiovascular Diabetology</i> , 2018, 17, 11.	2.7	28
35	Plasma proproteinase convertase subtilisin/kexin type 9 (PCSK9) and cardiovascular events in type 2 diabetes. <i>Diabetes, Obesity and Metabolism</i> , 2018, 20, 943-953.	2.2	17
36	Plasma copeptin and chronic kidney disease risk in 3 European cohorts from the general population. <i>JCI Insight</i> , 2018, 3, .	2.3	32

#	ARTICLE	IF	CITATIONS
37	Predicting severe hypoglycaemia with self-monitoring of blood glucose in type 1 diabetes. <i>Diabetes and Metabolism</i> , 2017, 43, 392-394.	1.4	2
38	T-cadherin gene variants are associated with nephropathy in subjects with type 1 diabetes. <i>Nephrology Dialysis Transplantation</i> , 2017, 32, 1987-1993.	0.4	2
39	A parental history of diabetes is associated with a high risk of retinopathy in patients with type 2 diabetes. <i>Diabetes and Metabolism</i> , 2017, 43, 557-559.	1.4	4
40	Association of Circulating Biomarkers (Adrenomedullin, TNFR1, and NT-proBNP) With Renal Function Decline in Patients With Type 2 Diabetes: A French Prospective Cohort. <i>Diabetes Care</i> , 2017, 40, 367-374.	4.3	43
41	Short-term effect of severe hypoglycaemia on glycaemic control in the Diabetes Control and Complications Trial. <i>Diabetes and Metabolism</i> , 2017, 43, 187-190.	1.4	1
42	Comparative effects of microvascular and macrovascular disease on the risk of major outcomes in patients with type 2 diabetes. <i>Cardiovascular Diabetology</i> , 2017, 16, 95.	2.7	71
43	Plasma Copeptin, <i>AVP</i> Gene Variants, and Incidence of Type 2 Diabetes in a Cohort From the Community. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016, 101, 2432-2439.	1.8	58
44	Presentations of major peripheral arterial disease and risk of major outcomes in patients with type 2 diabetes: results from the ADVANCE-ON study. <i>Cardiovascular Diabetology</i> , 2016, 15, 129.	2.7	73
45	Plasma Copeptin, Kidney Outcomes, Ischemic Heart Disease, and All-Cause Mortality in People With Long-standing Type 1 Diabetes. <i>Diabetes Care</i> , 2016, 39, 2288-2295.	4.3	51
46	Absence of Peripheral Pulses and Risk of Major Vascular Outcomes in Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2016, 39, 2270-2277.	4.3	26
47	Microvascular and Macrovascular Disease and Risk for Major Peripheral Arterial Disease in Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2016, 39, 1796-1803.	4.3	79
48	The evaluation of offloading using a new removable ORTHOSis in DIABetic foot (ORTHODIAB) randomized controlled trial: study design and rationale. <i>Journal of Foot and Ankle Research</i> , 2016, 9, 34.	0.7	8
49	Lifestyle intervention enhances high-density lipoprotein function among patients with metabolic syndrome only at normal low-density lipoprotein cholesterol plasma levels. <i>Journal of Clinical Lipidology</i> , 2016, 10, 1172-1181.	0.6	13
50	Lower-extremity amputation as a marker for renal and cardiovascular events and mortality in patients with long standing type 1 diabetes. <i>Cardiovascular Diabetology</i> , 2016, 15, 5.	2.7	20
51	Glutathione peroxidase-1 gene (GPX1) variants, oxidative stress and risk of kidney complications in people with type 1 diabetes. <i>Metabolism: Clinical and Experimental</i> , 2016, 65, 12-19.	1.5	37
52	Plasma Copeptin and Decline in Renal Function in a Cohort from the Community: The Prospective D.E.S.I.R. Study. <i>American Journal of Nephrology</i> , 2015, 42, 107-114.	1.4	43
53	Plasma extracellular superoxide dismutase concentration, allelic variations in the SOD3 gene and risk of myocardial infarction and all-cause mortality in people with type 1 and type 2 diabetes. <i>Cardiovascular Diabetology</i> , 2015, 14, 845.	2.7	47
54	Allelic variations in the CYBA gene of NADPH oxidase and risk of kidney complications in patients with type 1 diabetes. <i>Free Radical Biology and Medicine</i> , 2015, 86, 16-24.	1.3	14

#	ARTICLE	IF	CITATIONS
55	Plasma Adrenomedullin and Allelic Variation in the <i>ADM</i> Gene and Kidney Disease in People With Type 2 Diabetes. <i>Diabetes</i> , 2015, 64, 3262-3272.	0.3	12
56	Coronary Artery Disease Screening Using Coronary Computed Tomography Angiography. <i>JAMA - Journal of the American Medical Association</i> , 2015, 313, 1267.	3.8	1
57	A novel device for measuring arterial stiffness using finger-toe pulse wave velocity: Validation study of the pOpm ^{tre} . <i>Archives of Cardiovascular Diseases</i> , 2015, 108, 227-234.	0.7	35
58	Manganese Superoxide Dismutase (SOD2) Polymorphisms, Plasma Advanced Oxidation Protein Products (AOPP) Concentration and Risk of Kidney Complications in Subjects with Type 1 Diabetes. <i>PLoS ONE</i> , 2014, 9, e96916.	1.1	31
59	Catalase activity, allelic variations in the catalase gene and risk of kidney complications in patients with type 1 diabetes. <i>Diabetologia</i> , 2013, 56, 2733-2742.	2.9	14
60	Plasma Copeptin and Renal Outcomes in Patients With Type 2 Diabetes and Albuminuria. <i>Diabetes Care</i> , 2013, 36, 3639-3645.	4.3	73
61	Use and Utility of Ankle Brachial Index in Patients with Diabetes. <i>European Journal of Vascular and Endovascular Surgery</i> , 2011, 41, 110-116.	0.8	204
62	Type B Insulin Resistance Syndrome Associated with an Immune Reconstitution Inflammatory Syndrome in an HIV-Infected Woman. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011, 96, E653-E657.	1.8	13