## Douglas G Tincello

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5451788/publications.pdf

Version: 2024-02-01

103 2,529 26
papers citations h-index

h-index g-index

103 3110
times ranked citing authors

223800

46

103 all docs 103 docs citations

#	Article	IF	CITATIONS
1	The effect of vaginal closure technique on early post-operative pain following vaginal prolapse surgery: a feasibility pilot study and qualitative assessment. SpringerPlus, 2014, 3, 1.	1.2	339
2	Botulinum Toxin A Versus Placebo for Refractory Detrusor Overactivity in Women: A Randomised Blinded Placebo-Controlled Trial of 240 Women (the RELAX Study). European Urology, 2012, 62, 507-514.	1.9	127
3	Women's Experiences After a Third-Degree Obstetric Anal Sphincter Tear: A Qualitative Study. Birth, 2005, 32, 129-136.	2.2	98
4	Long-term Rate of Mesh Sling Removal Following Midurethral Mesh Sling Insertion Among Women With Stress Urinary Incontinence. JAMA - Journal of the American Medical Association, 2018, 320, 1659.	7.4	90
5	Differences in episiotomy technique between midwives and doctors. BJOG: an International Journal of Obstetrics and Gynaecology, 2003, 110, 1041-1044.	2.3	88
6	How to repair an anal sphincter injury after vaginal delivery: results of a randomised controlled trial. BJOG: an International Journal of Obstetrics and Gynaecology, 2006, 113, 201-207.	2.3	85
7	Interstitial cystitis in the UK: results of a questionnaire survey of members of the Interstitial Cystitis Support Group. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2005, 118, 91-95.	1.1	69
8	Expression and Distribution of the Sweet Taste Receptor Isoforms T1R2 and T1R3 in Human and Rat Bladders. Journal of Urology, 2011, 186, 2455-2462.	0.4	63
9	Factors That Influence Women's Decisions About Whether to Participate in Research: An Exploratory Study. Birth, 2005, 32, 60-66.	2.2	53
10	Validation of the Patient Global Impression scales for use in detrusor overactivity: secondary analysis of the <scp>RELAX</scp> study. BJOG: an International Journal of Obstetrics and Gynaecology, 2013, 120, 212-216.	2.3	52
11	Role of serum biomarkers in the prediction of outcome in women with threatened miscarriage: a systematic review and diagnostic accuracy meta-analysis. Human Reproduction Update, 2016, 22, dmv054.	10.8	51
12	Prioritizing research: Patients, carers, and clinicians working together to identify and prioritize important clinical uncertainties in urinary incontinence. Neurourology and Urodynamics, 2010, 29, 708-714.	1.5	50
13	Network Meta-Analysis: Development of a Three-Level Hierarchical Modeling Approach Incorporating Dose-Related Constraints. Value in Health, 2015, 18, 116-126.	0.3	50
14	Receptor Isoforms That Mediate Estrogen and Progestagen Action in the Female Lower Urinary Tract. Journal of Urology, 2009, 181, 1474-1482.	0.4	48
15	Analysis of the surgical learning curve using the cumulative sum (CUSUM) method. Neurourology and Urodynamics, 2013, 32, 964-967.	1.5	48
16	Urinary Diaries. Obstetrics and Gynecology, 2007, 109, 277-280.	2.4	47
17	Evaluation of reagent strips in detecting asymptomatic bacteriuria in early pregnancy: prospective case series. BMJ: British Medical Journal, 1998, 316, 435-437.	2.3	44
18	Clinically overt postpartum urinary retention after vaginal delivery: a retrospective case-control study. International Urogynecology Journal, 2007, 18, 521-524.	1.4	42

#	Article	IF	CITATIONS
19	Risk scoring system for prediction of obstetric anal sphincter injury. BJOG: an International Journal of Obstetrics and Gynaecology, 2005, 112, 1066-1069.	2.3	40
20	Culturally sensitive continence care: a qualitative study among South Asian Indian women in Leicester. Family Practice, 2007, 24, 585-593.	1.9	37
21	Morbidity of incontinence surgery in women over 70 years old: a retrospective cohort study. BJOG: an International Journal of Obstetrics and Gynaecology, 2005, 112, 786-790.	2.3	36
22	The TVT Worldwide Observational Registry for Long-Term Data: Safety and Efficacy of Suburethral Sling Insertion Approaches for Stress Urinary Incontinence in Women. Journal of Urology, 2011, 186, 2310-2315.	0.4	36
23	Distribution and function of the endocannabinoid system in the rat and human bladder. International Urogynecology Journal, 2013, 24, 855-863.	1.4	35
24	Objective Assessment of Urinary Incontinence in Women: Comparison of the One-Hour and 24-Hour Pad Tests. European Urology, 2004, 45, 208-212.	1.9	32
25	Treatment of recurrent stress urinary incontinence after failed minimally invasive synthetic suburethral tape surgery in women. The Cochrane Library, 2013, , CD009407.	2.8	29
26	Interstitial cystitis/bladder pain syndrome: An update. Maturitas, 2009, 64, 212-217.	2.4	28
27	Enhancement of rat bladder contraction by artificial sweeteners via increased extracellular Ca2+ influx. Toxicology and Applied Pharmacology, 2006, 217, 216-224.	2.8	27
28	Etiology of overactive bladder: A diet and lifestyle model for diabetes and obesity in older women. Neurourology and Urodynamics, 2012, 31, 487-495.	1.5	27
29	Colposuspension or TVT with anterior repair for urinary incontinence and prolapse: results of and lessons from a pilot randomised patientâ€preference study (CARPET 1). BJOG: an International Journal of Obstetrics and Gynaecology, 2009, 116, 1809-1814.	2.3	26
30	Women's views and experiences of a patient preference trial in surgery: a qualitative study of the CARPET1 trial. Clinical Trials, 2010, 7, 696-704.	1.6	26
31	Assessing professional equipoise and views about a future clinical trial of invasive urodynamics prior to surgery for stress urinary incontinence in women: A survey within a mixed methods feasibility study. Neurourology and Urodynamics, 2012, 31, 1223-1230.	1.5	25
32	Prediction of miscarriage in women with viable intrauterine pregnancy—A systematic review and diagnostic accuracy meta-analysis. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2018, 220, 122-131.	1.1	25
33	Maternal outcomes in subsequent delivery after previous obstetric anal sphincter injury (OASI): a multi-centre retrospective cohort study. International Urogynecology Journal, 2020, 31, 627-633.	1.4	24
34	Differences in episiotomy technique between midwives and doctors. BJOG: an International Journal of Obstetrics and Gynaecology, 2003, 110, 1041-4.	2.3	24
35	Leukocyte populations in interstitial cystitis and idiopathic reduced bladder storage. Urology, 2002, 59, 851-855.	1.0	23
36	Effect of a new guideline on outcome following third-degree perineal tears: results of a 3-year audit. International Urogynecology Journal, 2003, 14, 385-389.	1.4	22

#	Article	IF	CITATIONS
37	Patient Characteristics Impacting Health State Index Scores, Measured by the EQ-5D of Females with Stress Urinary Incontinence Symptoms. Value in Health, 2010, 13, 112-118.	0.3	22
38	Acceptability and utilisation of patient-initiated follow-up for endometrial cancer amongst women from diverse ethnic and social backgrounds: A mixed methods study. European Journal of Cancer Care, 2019, 28, e12997.	1.5	21
39	Preliminary investigations on androgen receptor gene mutations in infertile men. Molecular Human Reproduction, 1997, 3, 941-943.	2.8	20
40	Knowledge, attitudes and awareness of the human papillomavirus amongst primary care practice nurses: an evaluation of current training in England. Journal of Public Health, 2017, 39, 601-608.	1.8	20
41	Risk factors for perineal trauma in the primiparous population during non-operative vaginal delivery. International Urogynecology Journal, 2020, 31, 621-625.	1.4	20
42	Second trimester concentration of relaxin and pregnancy related incontinence. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2003, 106, 237-238.	1.1	19
43	Risk factors for obstetric anal sphincter injuries at vaginal birth after caesarean: a retrospective cohort study. International Urogynecology Journal, 2019, 30, 1747-1753.	1.4	19
44	Surgery for recurrent stress urinary incontinence: the views of surgeons and women. International Urogynecology Journal, 2018, 29, 45-54.	1.4	17
45	Cannabinoid receptor expression in the bladder is altered in detrusor overactivity. International Urogynecology Journal, 2016, 27, 129-139.	1.4	16
46	Computerised analysis of fetal heart rate recordings in maternal type I diabetes mellitus. British Journal of Obstetrics and Gynaecology, 2001, 108, 853-857.	0.9	14
47	Computerised analysis of fetal heart rate recordings in maternal type I diabetes mellitus. BJOG: an International Journal of Obstetrics and Gynaecology, 2001, 108, 853-857.	2.3	14
48	Antenatal screening for postpartum urinary incontinence in nulliparous women: a pilot study. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2002, 101, 70-73.	1.1	14
49	Cost-Effectiveness of Duloxetine: The Stress Urinary Incontinence Treatment (SUIT) Study. Value in Health, 2010, 13, 565-572.	0.3	14
50	INVESTIGATE-I (INVasive Evaluation before Surgical Treatment of Incontinence Gives Added Therapeutic) Tj ETQq0 controlled trial of the clinical utility of invasive urodynamic testing. Trials, 2011, 12, 169.	0 0 rgBT / 1.6	Overlock 10
51	Interventions for treating recurrent stress urinary incontinence after failed minimally invasive synthetic midurethral tape surgery in women. The Cochrane Library, 2019, 2019, CD009407.	2.8	13
52	Methods of assessing and recording bladder sensation: a review of the literature. International Urogynecology Journal, 2019, 30, 3-8.	1.4	13
53	A urinary control device for management of female stress incontinence. Obstetrics and Gynecology, 2000, 95, 417-420.	2.4	12
54	Computerised antenatal fetal heart rate recordings between 24 and 28 weeks of gestation. BJOG: an International Journal of Obstetrics and Gynaecology, 2001, 108, 858-862.	2.3	12

#	Article	IF	CITATIONS
55	Clinicians' views on the feasibility of surgical randomized trials in urogynecology: Results of a questionnaire survey. Neurourology and Urodynamics, 2011, 30, 69-74.	1.5	11
56	Awareness of HPV infection and attitudes toward HPV vaccination among Latvian adolescents. International Journal of Gynecology and Obstetrics, 2017, 137, 138-144.	2.3	11
57	Awareness of and attitudes towards cervical cancer prevention among migrant Eastern European women in England. Journal of Medical Screening, 2020, 27, 40-47.	2.3	11
58	Surgeon-Team Separation in Robotic Theaters: A Qualitative Observational and Interview Study. Female Pelvic Medicine and Reconstructive Surgery, 2020, 26, 86-91.	1.1	11
50	INVESTIGATE-I (INVasive Evaluation before Surgical Treatment of Incontinence Gives Added Therapeutic) Tj ETQq1		
59	invasive urodynamic testing prior to surgery for stress urinary incontinence in women. Health Technology Assessment. 2015. 19. 1-274.	2.8	11
60	Modification of rat detrusor muscle contraction by ascorbic acid and citric acid involving enhanced neurotransmitter release and Ca <sup>2+</sup> influx. Neurourology and Urodynamics, 2009, 28, 542-548.	1.5	10
61	Women's expectations of prolapse surgery: A retrospective qualitative study. Neurourology and Urodynamics, 2014, 33, 85-89.	1.5	10
62	PROPEL: implementation of an evidence based pelvic floor muscle training intervention for women with pelvic organ prolapse: a realist evaluation and outcomes study protocol. BMC Health Services Research, 2017, 17, 843.	2.2	10
63	Emerging treatments for overactive bladder: clinical potential of botulinum toxins. Research and Reports in Urology, 2014, 6, 51.	1.0	9
64	A mixed methods study to assess the feasibility of a randomised controlled trial of invasive urodynamic testing versus clinical assessment and non-invasive tests prior to surgery for stress urinary incontinence in women: the INVESTIGATE-I study. Trials, 2015, 16, 400.	1.6	9
65	A COMPARISON OF URODYNAMIC DIAGNOSES AND DETRUSOR MUSCLE FUNCTION IN WHITE AND SOUTH INDIAN ASIAN WOMEN. Journal of Urology, 2005, 174, 184-186.	0.4	8
66	Human urothelial cell lines as potential models for studying cannabinoid and excitatory receptor interactions in the urinary bladder. Naunyn-Schmiedeberg's Archives of Pharmacology, 2014, 387, 581-589.	3.0	8
67	Patient factors associated with onabotulinum toxin A treatment outcome in women with detrusor overactivity. Neurourology and Urodynamics, 2017, 36, 426-431.	1.5	8
68	Comparison of the effectiveness of repeated injections of onabotulinum toxin A for refractory idiopathic detrusor overactivity: analysis of an open label extension of a randomized trial (the RELAX) Tj ETQq0 0 C	igBT/Ove	edock 10 Tf
69	Making a decision about surgery for female urinary incontinence: a qualitative study of women's views. International Urogynecology Journal, 2021, 32, 127-133.	1.4	8
70	Effects of cannabinoid receptor activation by CP55,940 on normal bladder function and irritation-induced bladder overactivity in non-awake anaesthetised rats. International Urogynecology Journal, 2016, 27, 1393-1400.	1.4	7
71	Saccharin increases perception of bladder filling in a forced diuresis experiment. Neurourology and Urodynamics, 2017, 36, 1363-1368.	1.5	7
72	Invasive urodynamic testing prior to surgical treatment for stress urinary incontinence in women: cost-effectiveness and value of information analyses in the context of a mixed methods feasibility study. Pilot and Feasibility Studies, 2018, 4, 67.	1.2	7

#	Article	IF	CITATIONS
73	Geographical variation in rates of surgical treatment for female stress urinary incontinence in England: a national cohort study. BMJ Open, 2019, 9, e029878.	1.9	7
74	Association of baseline severity of lower urinary tract symptoms with the success conservative therapy for urinary incontinence in women. International Urogynecology Journal, 2019, 30, 705-710.	1.4	7
75	Multivariate network meta-analysis incorporating class effects. BMC Medical Research Methodology, 2020, 20, 184.	3.1	7
76	Evaluation of midwifery pelvic floor education and Training across the UK and Spain. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2021, 256, 140-144.	1.1	7
77	Continence nurse treatment of women's urinary symptoms. British Journal of Nursing, 2004, 13, 140-143.	0.7	6
78	Determinants of referral of women with urinary incontinence to specialist services: a national cohort study using primary care data from the UK. BMC Family Practice, 2020, 21, 211.	2.9	6
79	Uptake and outcomes of robotic gynaecological surgery in England (2006–2018): an account of Hospital Episodes Statistics (HES). Journal of Robotic Surgery, 2021, , 1.	1.8	6
80	Pelvic floor muscle training for women with pelvic organ prolapse: the PROPEL realist evaluation. Health Services and Delivery Research, 2020, 8, 1-104.	1.4	6
81	New surgical approaches for urinary incontinence in women. Maturitas, 2014, 77, 239-242.	2.4	5
82	Management of refractory overactive bladder. The Obstetrician and Gynaecologist, 2016, 18, 173-181.	0.4	5
83	Factors influencing women's participation in urogynecology research in the UK and USA. Neurourology and Urodynamics, 2011, 30, 1462-1466.	1.5	4
84	Understanding variations in patient screening and recruitment in a multicentre pilot randomised controlled trial: a vignette-based study. Trials, 2016, 17, 522.	1.6	4
85	Knowledge of the risk factors and symptoms associated with endometrial cancer in British South Asian and British White women. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2018, 224, 85-88.	1.1	4
86	The influence of pad test loss on management of women with urodynamic stress incontinence. BJOG: an International Journal of Obstetrics and Gynaecology, 2003, 110, 771-773.	2.3	3
87	Patients' experience and expectations of conservative management strategies, antiâ€muscarinics and treatment with intravesical onabotulinum toxin for overactive bladder – a qualitative interview study. International Journal of Urological Nursing, 2016, 10, 68-77.	0.2	3
88	Early postoperative voiding dysfunction after insertion of retropubic midurethral tape. International Urogynecology Journal, 2016, 27, 1529-1533.	1.4	3
89	Trial participation as avoidance strategy: a qualitative study. Health Expectations, 2016, 19, 1346-1354.	2.6	3
90	Evaluation of the IncoStress device for urinary incontinence: a feasibility study and pilot randomised controlled trial. International Urogynecology Journal, 2019, 30, 1365-1369.	1.4	3

#	Article	IF	CITATIONS
91	Recurrent stress urinary incontinence surgery in the United Kingdom: an analysis of the British Society of Urogynaecology database (2007–2015). International Urogynecology Journal, 2021, 32, 167-172.	1.4	3
92	Ultrasound detection of vault haematoma following vaginal hysterectomy. BJOG: an International Journal of Obstetrics and Gynaecology, 1998, 105, 1336-1337.	2.3	2
93	Recurrent urinary tract infection in gynaecological practice. The Obstetrician and Gynaecologist, 2008, 10, 17-21.	0.4	2
94	Current Understanding of Cannabinoids and Detrusor Overactivity. Current Bladder Dysfunction Reports, 2017, 12, 86-94.	0.5	2
95	Validation of a water-load protocol to define the pattern of bladder sensation. International Urogynecology Journal, 2019, 30, 767-772.	1.4	2
96	Implementing pelvic floor muscle training for women with pelvic organ prolapse: a realist evaluation of different delivery models. BMC Health Services Research, 2020, 20, 910.	2.2	2
97	The Management of Voiding Dysfunction following Mid Urethral Tape Insertion. British Journal of Medical and Surgical Urology, 2011, 4, 31-35.	0.2	1
98	Botulinum toxin treatment for overactive bladder and detrusor overactivity in adults. World Journal of Urology, 2012, 30, 451-456.	2.2	1
99	Maximum bladder volume as surrogate screening test for detrusor overactivity. Journal of Obstetrics and Gynaecology, 2014, 34, 420-423.	0.9	1
100	Variation in surgical treatment advice for women with stress urinary incontinence: a study using clinical case vignettes. International Urogynecology Journal, 2020, 31, 1153-1161.	1.4	1
101	Epidural analgesia and pushing in the second stage of labour. BJOG: an International Journal of Obstetrics and Gynaecology, 1998, 105, 1338-1338.	2.3	0
102	Variation in availability and use of surgical care for female urinary incontinence: a mixed-methods study. Health Services and Delivery Research, 2021, 9, 1-94.	1.4	0
103	P–397 Threatened Miscarriage and increase in Perinatal Morbidity. Human Reproduction, 2021, 36, .	0.9	O