

# Douglas G Tincello

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5451788/publications.pdf>

Version: 2024-02-01

103  
papers

2,529  
citations

218677

26  
h-index

223800

46  
g-index

103  
all docs

103  
docs citations

103  
times ranked

3110  
citing authors

#	ARTICLE	IF	CITATIONS
1	Recurrent stress urinary incontinence surgery in the United Kingdom: an analysis of the British Society of Urogynaecology database (2007–2015). <i>International Urogynecology Journal</i> , 2021, 32, 167-172.	1.4	3
2	Making a decision about surgery for female urinary incontinence: a qualitative study of women's views. <i>International Urogynecology Journal</i> , 2021, 32, 127-133.	1.4	8
3	Evaluation of midwifery pelvic floor education and Training across the UK and Spain. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2021, 256, 140-144.	1.1	7
4	Uptake and outcomes of robotic gynaecological surgery in England (2006–2018): an account of Hospital Episodes Statistics (HES). <i>Journal of Robotic Surgery</i> , 2021, , 1.	1.8	6
5	Variation in availability and use of surgical care for female urinary incontinence: a mixed-methods study. <i>Health Services and Delivery Research</i> , 2021, 9, 1-94.	1.4	0
6	397 Threatened Miscarriage and increase in Perinatal Morbidity. <i>Human Reproduction</i> , 2021, 36, .	0.9	0
7	Risk factors for perineal trauma in the primiparous population during non-operative vaginal delivery. <i>International Urogynecology Journal</i> , 2020, 31, 621-625.	1.4	20
8	Maternal outcomes in subsequent delivery after previous obstetric anal sphincter injury (OASI): a multi-centre retrospective cohort study. <i>International Urogynecology Journal</i> , 2020, 31, 627-633.	1.4	24
9	Awareness of and attitudes towards cervical cancer prevention among migrant Eastern European women in England. <i>Journal of Medical Screening</i> , 2020, 27, 40-47.	2.3	11
10	Determinants of referral of women with urinary incontinence to specialist services: a national cohort study using primary care data from the UK. <i>BMC Family Practice</i> , 2020, 21, 211.	2.9	6
11	Multivariate network meta-analysis incorporating class effects. <i>BMC Medical Research Methodology</i> , 2020, 20, 184.	3.1	7
12	Surgeon-Team Separation in Robotic Theaters: A Qualitative Observational and Interview Study. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2020, 26, 86-91.	1.1	11
13	Variation in surgical treatment advice for women with stress urinary incontinence: a study using clinical case vignettes. <i>International Urogynecology Journal</i> , 2020, 31, 1153-1161.	1.4	1
14	Pelvic floor muscle training for women with pelvic organ prolapse: the PROPEL realist evaluation. <i>Health Services and Delivery Research</i> , 2020, 8, 1-104.	1.4	6
15	Implementing pelvic floor muscle training for women with pelvic organ prolapse: a realist evaluation of different delivery models. <i>BMC Health Services Research</i> , 2020, 20, 910.	2.2	2
16	Validation of a water-load protocol to define the pattern of bladder sensation. <i>International Urogynecology Journal</i> , 2019, 30, 767-772.	1.4	2
17	Risk factors for obstetric anal sphincter injuries at vaginal birth after caesarean: a retrospective cohort study. <i>International Urogynecology Journal</i> , 2019, 30, 1747-1753.	1.4	19
18	Acceptability and utilisation of patient-initiated follow-up for endometrial cancer amongst women from diverse ethnic and social backgrounds: A mixed methods study. <i>European Journal of Cancer Care</i> , 2019, 28, e12997.	1.5	21

#	ARTICLE	IF	CITATIONS
19	Geographical variation in rates of surgical treatment for female stress urinary incontinence in England: a national cohort study. <i>BMJ Open</i> , 2019, 9, e029878.	1.9	7
20	Interventions for treating recurrent stress urinary incontinence after failed minimally invasive synthetic midurethral tape surgery in women. <i>The Cochrane Library</i> , 2019, 2019, CD009407.	2.8	13
21	Evaluation of the IncoStress device for urinary incontinence: a feasibility study and pilot randomised controlled trial. <i>International Urogynecology Journal</i> , 2019, 30, 1365-1369.	1.4	3
22	Methods of assessing and recording bladder sensation: a review of the literature. <i>International Urogynecology Journal</i> , 2019, 30, 3-8.	1.4	13
23	Association of baseline severity of lower urinary tract symptoms with the success conservative therapy for urinary incontinence in women. <i>International Urogynecology Journal</i> , 2019, 30, 705-710.	1.4	7
24	Knowledge of the risk factors and symptoms associated with endometrial cancer in British South Asian and British White women. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2018, 224, 85-88.	1.1	4
25	Surgery for recurrent stress urinary incontinence: the views of surgeons and women. <i>International Urogynecology Journal</i> , 2018, 29, 45-54.	1.4	17
26	Prediction of miscarriage in women with viable intrauterine pregnancyâ€”A systematic review and diagnostic accuracy meta-analysis. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2018, 220, 122-131.	1.1	25
27	Long-term Rate of Mesh Sling Removal Following Midurethral Mesh Sling Insertion Among Women With Stress Urinary Incontinence. <i>JAMA - Journal of the American Medical Association</i> , 2018, 320, 1659.	7.4	90
28	Invasive urodynamic testing prior to surgical treatment for stress urinary incontinence in women: cost-effectiveness and value of information analyses in the context of a mixed methods feasibility study. <i>Pilot and Feasibility Studies</i> , 2018, 4, 67.	1.2	7
29	Knowledge, attitudes and awareness of the human papillomavirus amongst primary care practice nurses: an evaluation of current training in England. <i>Journal of Public Health</i> , 2017, 39, 601-608.	1.8	20
30	Patient factors associated with onabotulinum toxin A treatment outcome in women with detrusor overactivity. <i>Neurourology and Urodynamics</i> , 2017, 36, 426-431.	1.5	8
31	Awareness of HPV infection and attitudes toward HPV vaccination among Latvian adolescents. <i>International Journal of Gynecology and Obstetrics</i> , 2017, 137, 138-144.	2.3	11
32	Current Understanding of Cannabinoids and Detrusor Overactivity. <i>Current Bladder Dysfunction Reports</i> , 2017, 12, 86-94.	0.5	2
33	Saccharin increases perception of bladder filling in a forced diuresis experiment. <i>Neurourology and Urodynamics</i> , 2017, 36, 1363-1368.	1.5	7
34	Comparison of the effectiveness of repeated injections of onabotulinum toxin A for refractory idiopathic detrusor overactivity: analysis of an open label extension of a randomized trial (the RELAX) Tj ETQq0 0 0 1gBT /Overlock 10 Tf		
35	PROPEL: implementation of an evidence based pelvic floor muscle training intervention for women with pelvic organ prolapse: a realist evaluation and outcomes study protocol. <i>BMC Health Services Research</i> , 2017, 17, 843.	2.2	10
36	Role of serum biomarkers in the prediction of outcome in women with threatened miscarriage: a systematic review and diagnostic accuracy meta-analysis. <i>Human Reproduction Update</i> , 2016, 22, dmV054.	10.8	51

#	ARTICLE	IF	CITATIONS
37	Understanding variations in patient screening and recruitment in a multicentre pilot randomised controlled trial: a vignette-based study. <i>Trials</i> , 2016, 17, 522.	1.6	4
38	Patients' experience and expectations of conservative management strategies, anti-muscarinics and treatment with intravesical onabotulinum toxin for overactive bladder – a qualitative interview study. <i>International Journal of Urological Nursing</i> , 2016, 10, 68-77.	0.2	3
39	Management of refractory overactive bladder. <i>The Obstetrician and Gynaecologist</i> , 2016, 18, 173-181.	0.4	5
40	Early postoperative voiding dysfunction after insertion of retropubic midurethral tape. <i>International Urogynecology Journal</i> , 2016, 27, 1529-1533.	1.4	3
41	Effects of cannabinoid receptor activation by CP55,940 on normal bladder function and irritation-induced bladder overactivity in non-awake anaesthetised rats. <i>International Urogynecology Journal</i> , 2016, 27, 1393-1400.	1.4	7
42	Trial participation as avoidance strategy: a qualitative study. <i>Health Expectations</i> , 2016, 19, 1346-1354.	2.6	3
43	Cannabinoid receptor expression in the bladder is altered in detrusor overactivity. <i>International Urogynecology Journal</i> , 2016, 27, 129-139.	1.4	16
44	A mixed methods study to assess the feasibility of a randomised controlled trial of invasive urodynamic testing versus clinical assessment and non-invasive tests prior to surgery for stress urinary incontinence in women: the INVESTIGATE-I study. <i>Trials</i> , 2015, 16, 400.	1.6	9
45	Network Meta-Analysis: Development of a Three-Level Hierarchical Modeling Approach Incorporating Dose-Related Constraints. <i>Value in Health</i> , 2015, 18, 116-126.	0.3	50
46	INVESTIGATE-I (INvasive Evaluation before Surgical Treatment of Incontinence Gives Added Therapeutic) Tj ETQq0 0 0 rgBT /Overlock 10 invasive urodynamic testing prior to surgery for stress urinary incontinence in women. <i>Health Technology Assessment</i> , 2015, 19, 1-274.	2.8	11
47	Emerging treatments for overactive bladder: clinical potential of botulinum toxins. <i>Research and Reports in Urology</i> , 2014, 6, 51.	1.0	9
48	Maximum bladder volume as surrogate screening test for detrusor overactivity. <i>Journal of Obstetrics and Gynaecology</i> , 2014, 34, 420-423.	0.9	1
49	Women's expectations of prolapse surgery: A retrospective qualitative study. <i>Neurourology and Urodynamics</i> , 2014, 33, 85-89.	1.5	10
50	The effect of vaginal closure technique on early post-operative pain following vaginal prolapse surgery: a feasibility pilot study and qualitative assessment. <i>SpringerPlus</i> , 2014, 3, 1.	1.2	339
51	Human urothelial cell lines as potential models for studying cannabinoid and excitatory receptor interactions in the urinary bladder. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2014, 387, 581-589.	3.0	8
52	New surgical approaches for urinary incontinence in women. <i>Maturitas</i> , 2014, 77, 239-242.	2.4	5
53	Distribution and function of the endocannabinoid system in the rat and human bladder. <i>International Urogynecology Journal</i> , 2013, 24, 855-863.	1.4	35
54	Analysis of the surgical learning curve using the cumulative sum (CUSUM) method. <i>Neurourology and Urodynamics</i> , 2013, 32, 964-967.	1.5	48

#	ARTICLE	IF	CITATIONS
55	Validation of the Patient Global Impression scales for use in detrusor overactivity: secondary analysis of the <sc>RELAX</sc> study. BJOG: an International Journal of Obstetrics and Gynaecology, 2013, 120, 212-216.	2.3	52
56	Treatment of recurrent stress urinary incontinence after failed minimally invasive synthetic suburethral tape surgery in women. The Cochrane Library, 2013, , CD009407.	2.8	29
57	Assessing professional equipoise and views about a future clinical trial of invasive urodynamics prior to surgery for stress urinary incontinence in women: A survey within a mixed methods feasibility study. Neurourology and Urodynamics, 2012, 31, 1223-1230.	1.5	25
58	Botulinum toxin treatment for overactive bladder and detrusor overactivity in adults. World Journal of Urology, 2012, 30, 451-456.	2.2	1
59	Botulinum Toxin A Versus Placebo for Refractory Detrusor Overactivity in Women: A Randomised Blinded Placebo-Controlled Trial of 240 Women (the RELAX Study). European Urology, 2012, 62, 507-514.	1.9	127
60	Etiology of overactive bladder: A diet and lifestyle model for diabetes and obesity in older women. Neurourology and Urodynamics, 2012, 31, 487-495.	1.5	27
61	The Management of Voiding Dysfunction following Mid Urethral Tape Insertion. British Journal of Medical and Surgical Urology, 2011, 4, 31-35.	0.2	1
62	The TVT Worldwide Observational Registry for Long-Term Data: Safety and Efficacy of Suburethral Sling Insertion Approaches for Stress Urinary Incontinence in Women. Journal of Urology, 2011, 186, 2310-2315.	0.4	36
63	Expression and Distribution of the Sweet Taste Receptor Isoforms T1R2 and T1R3 in Human and Rat Bladders. Journal of Urology, 2011, 186, 2455-2462.	0.4	63
64	INVESTIGATE-I (INvasive Evaluation before Surgical Treatment of Incontinence Gives Added Therapeutic) Tj ETQq0 0 0 rgBT /Overlock 10 controlled trial of the clinical utility of invasive urodynamic testing. Trials, 2011, 12, 169.	1.6	13
65	Clinicians' views on the feasibility of surgical randomized trials in urogynecology: Results of a questionnaire survey. Neurourology and Urodynamics, 2011, 30, 69-74.	1.5	11
66	Factors influencing women's participation in urogynecology research in the UK and USA. Neurourology and Urodynamics, 2011, 30, 1462-1466.	1.5	4
67	Prioritizing research: Patients, carers, and clinicians working together to identify and prioritize important clinical uncertainties in urinary incontinence. Neurourology and Urodynamics, 2010, 29, 708-714.	1.5	50
68	Patient Characteristics Impacting Health State Index Scores, Measured by the EQ-5D of Females with Stress Urinary Incontinence Symptoms. Value in Health, 2010, 13, 112-118.	0.3	22
69	Cost-Effectiveness of Duloxetine: The Stress Urinary Incontinence Treatment (SUIT) Study. Value in Health, 2010, 13, 565-572.	0.3	14
70	Women's views and experiences of a patient preference trial in surgery: a qualitative study of the CARPET1 trial. Clinical Trials, 2010, 7, 696-704.	1.6	26
71	Modification of rat detrusor muscle contraction by ascorbic acid and citric acid involving enhanced neurotransmitter release and Ca <sup>2+</sup> influx. Neurourology and Urodynamics, 2009, 28, 542-548.	1.5	10
72	Colposuspension or TVT with anterior repair for urinary incontinence and prolapse: results of and lessons from a pilot randomised patient preference study (CARPET 1). BJOG: an International Journal of Obstetrics and Gynaecology, 2009, 116, 1809-1814.	2.3	26

#	ARTICLE	IF	CITATIONS
73	Interstitial cystitis/bladder pain syndrome: An update. <i>Maturitas</i> , 2009, 64, 212-217.	2.4	28
74	Receptor Isoforms That Mediate Estrogen and Progestagen Action in the Female Lower Urinary Tract. <i>Journal of Urology</i> , 2009, 181, 1474-1482.	0.4	48
75	Recurrent urinary tract infection in gynaecological practice. <i>The Obstetrician and Gynaecologist</i> , 2008, 10, 17-21.	0.4	2
76	Culturally sensitive continence care: a qualitative study among South Asian Indian women in Leicester. <i>Family Practice</i> , 2007, 24, 585-593.	1.9	37
77	Urinary Diaries. <i>Obstetrics and Gynecology</i> , 2007, 109, 277-280.	2.4	47
78	Clinically overt postpartum urinary retention after vaginal delivery: a retrospective case-control study. <i>International Urogynecology Journal</i> , 2007, 18, 521-524.	1.4	42
79	How to repair an anal sphincter injury after vaginal delivery: results of a randomised controlled trial. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2006, 113, 201-207.	2.3	85
80	Enhancement of rat bladder contraction by artificial sweeteners via increased extracellular Ca <sup>2+</sup> influx. <i>Toxicology and Applied Pharmacology</i> , 2006, 217, 216-224.	2.8	27
81	Morbidity of incontinence surgery in women over 70 years old: a retrospective cohort study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2005, 112, 786-790.	2.3	36
82	Risk scoring system for prediction of obstetric anal sphincter injury. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2005, 112, 1066-1069.	2.3	40
83	Factors That Influence Women's Decisions About Whether to Participate in Research: An Exploratory Study. <i>Birth</i> , 2005, 32, 60-66.	2.2	53
84	Women's Experiences After a Third-Degree Obstetric Anal Sphincter Tear: A Qualitative Study. <i>Birth</i> , 2005, 32, 129-136.	2.2	98
85	A COMPARISON OF URODYNAMIC DIAGNOSES AND DETRUSOR MUSCLE FUNCTION IN WHITE AND SOUTH INDIAN ASIAN WOMEN. <i>Journal of Urology</i> , 2005, 174, 184-186.	0.4	8
86	Interstitial cystitis in the UK: results of a questionnaire survey of members of the Interstitial Cystitis Support Group. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2005, 118, 91-95.	1.1	69
87	Continence nurse treatment of women's urinary symptoms. <i>British Journal of Nursing</i> , 2004, 13, 140-143.	0.7	6
88	Objective Assessment of Urinary Incontinence in Women: Comparison of the One-Hour and 24-Hour Pad Tests. <i>European Urology</i> , 2004, 45, 208-212.	1.9	32
89	Effect of a new guideline on outcome following third-degree perineal tears: results of a 3-year audit. <i>International Urogynecology Journal</i> , 2003, 14, 385-389.	1.4	22
90	The influence of pad test loss on management of women with urodynamic stress incontinence. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2003, 110, 771-773.	2.3	3

#	ARTICLE	IF	CITATIONS
91	Differences in episiotomy technique between midwives and doctors. BJOG: an International Journal of Obstetrics and Gynaecology, 2003, 110, 1041-1044.	2.3	88
92	Second trimester concentration of relaxin and pregnancy related incontinence. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2003, 106, 237-238.	1.1	19
93	Differences in episiotomy technique between midwives and doctors. BJOG: an International Journal of Obstetrics and Gynaecology, 2003, 110, 1041-4.	2.3	24
94	Leukocyte populations in interstitial cystitis and idiopathic reduced bladder storage. Urology, 2002, 59, 851-855.	1.0	23
95	Antenatal screening for postpartum urinary incontinence in nulliparous women: a pilot study. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2002, 101, 70-73.	1.1	14
96	Computerised analysis of fetal heart rate recordings in maternal type I diabetes mellitus. British Journal of Obstetrics and Gynaecology, 2001, 108, 853-857.	0.9	14
97	Computerised antenatal fetal heart rate recordings between 24 and 28 weeks of gestation. BJOG: an International Journal of Obstetrics and Gynaecology, 2001, 108, 858-862.	2.3	12
98	Computerised analysis of fetal heart rate recordings in maternal type I diabetes mellitus. BJOG: an International Journal of Obstetrics and Gynaecology, 2001, 108, 853-857.	2.3	14
99	A urinary control device for management of female stress incontinence. Obstetrics and Gynecology, 2000, 95, 417-420.	2.4	12
100	Ultrasound detection of vault haematoma following vaginal hysterectomy. BJOG: an International Journal of Obstetrics and Gynaecology, 1998, 105, 1336-1337.	2.3	2
101	Epidural analgesia and pushing in the second stage of labour. BJOG: an International Journal of Obstetrics and Gynaecology, 1998, 105, 1338-1338.	2.3	0
102	Evaluation of reagent strips in detecting asymptomatic bacteriuria in early pregnancy: prospective case series. BMJ: British Medical Journal, 1998, 316, 435-437.	2.3	44
103	Preliminary investigations on androgen receptor gene mutations in infertile men. Molecular Human Reproduction, 1997, 3, 941-943.	2.8	20