

Etienne Audinat

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5453486/etienne-audinat-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

79
papers

7,567
citations

42
h-index

83
g-index

83
ext. papers

8,382
ext. citations

6.5
avg, IF

5.57
L-index

#	Paper	IF	Citations
79	Seizure activity triggers tau hyperphosphorylation and amyloidogenic pathways.. <i>Epilepsia</i> , 2022 ,	6.4	2
78	Therapeutic Potential of Astrocyte Purinergic Signalling in Epilepsy and Multiple Sclerosis.. <i>Frontiers in Pharmacology</i> , 2022 , 13, 900337	5.6	0
77	Differential impact of dose-range glyphosate on locomotor behavior, neuronal activity, glyo-cerebrovascular structures, and transcript regulations in zebrafish larvae. <i>Chemosphere</i> , 2021 , 267, 128986	8.4	7
76	Varying modalities of perinatal exposure to a pesticide cocktail elicit neurological adaptations in mice and zebrafish. <i>Environmental Pollution</i> , 2021 , 278, 116755	9.3	0
75	Microglia proliferation plays distinct roles in acquired epilepsy depending on disease stages. <i>Epilepsia</i> , 2021 , 62, 1931-1945	6.4	3
74	Dietary fat exacerbates postprandial hypothalamic inflammation involving glial fibrillary acidic protein-positive cells and microglia in male mice. <i>Glia</i> , 2021 , 69, 42-60	9	11
73	Glial Mechanisms of Inflammation During Seizures. <i>Agents and Actions Supplements</i> , 2021 , 45-70	0.2	1
72	Postprandial Hyperglycemia Stimulates Neuroglial Plasticity in Hypothalamic POMC Neurons after a Balanced Meal. <i>Cell Reports</i> , 2020 , 30, 3067-3078.e5	10.6	16
71	Role of astrocyte purinergic signaling in epilepsy. <i>Glia</i> , 2020 , 68, 1677-1691	9	19
70	Life-long Dietary Pesticide Cocktail Induces Astrogliosis Along with Behavioral Adaptations and Activates p450 Metabolic Pathways. <i>Neuroscience</i> , 2020 , 446, 225-237	3.9	4
69	A pericyte-glia scarring develops at the leaky capillaries in the hippocampus during seizure activity. <i>Epilepsia</i> , 2019 , 60, 1399-1411	6.4	25
68	Electrophysiological Investigation of Microglia. <i>Methods in Molecular Biology</i> , 2019 , 2034, 111-125	1.4	
67	Biphasic Impact of Prenatal Inflammation and Macrophage Depletion on the Wiring of Neocortical Inhibitory Circuits. <i>Cell Reports</i> , 2019 , 28, 1119-1126.e4	10.6	19
66	The GR-ANXA1 pathway is a pathological player and a candidate target in epilepsy. <i>FASEB Journal</i> , 2019 , 33, 13998-14009	0.9	14
65	Microglia Reactivity: Heterogeneous Pathological Phenotypes. <i>Methods in Molecular Biology</i> , 2019 , 2034, 41-55	1.4	7
64	Blocking TNF α -driven astrocyte purinergic signaling restores normal synaptic activity during epileptogenesis. <i>Glia</i> , 2018 , 66, 2673-2683	9	34
63	Microglia in CNS development: Shaping the brain for the future. <i>Progress in Neurobiology</i> , 2017 , 149-150, 1-20	10.9	146

62	PEGylated Red-Emitting Calcium Probe with Improved Sensing Properties for Neuroscience. <i>ACS Sensors</i> , 2017 , 2, 1706-1712	9.2	6
61	An autocrine purinergic signaling controls astrocyte-induced neuronal excitation. <i>Scientific Reports</i> , 2017 , 7, 11280	4.9	31
60	Purinergic signaling in epilepsy. <i>Journal of Neuroscience Research</i> , 2016 , 94, 781-93	4.4	27
59	Fractalkine Signaling and Microglia Functions in the Developing Brain. <i>Neural Plasticity</i> , 2015 , 2015, 689404	5.9	60
58	Postnatal down-regulation of the GABAA receptor α subunit in neocortical NG2 cells accompanies synaptic-to-extrasynaptic switch in the GABAergic transmission mode. <i>Cerebral Cortex</i> , 2015 , 25, 1114-23	5.1	36
57	Paradoxical effects of minocycline in the developing mouse somatosensory cortex. <i>Glia</i> , 2014 , 62, 399-410	4.0	32
56	Adaptive phenotype of microglial cells during the normal postnatal development of the somatosensory "Barrel" cortex. <i>Glia</i> , 2013 , 61, 1582-94	9	57
55	Potent and multiple regulatory actions of microglial glucocorticoid receptors during CNS inflammation. <i>Cell Death and Differentiation</i> , 2013 , 20, 1546-57	12.7	63
54	Involvement of P2X4 receptors in hippocampal microglial activation after status epilepticus. <i>Glia</i> , 2013 , 61, 1306-19	9	74
53	GABA release by hippocampal astrocytes. <i>Frontiers in Computational Neuroscience</i> , 2012 , 6, 59	3.5	56
52	Central role of GABA in neuron-glia interactions. <i>Neuroscientist</i> , 2012 , 18, 237-50	7.6	67
51	Deficiency of the microglial receptor CX3CR1 impairs postnatal functional development of thalamocortical synapses in the barrel cortex. <i>Journal of Neuroscience</i> , 2012 , 32, 15106-11	6.6	238
50	Diversity and specificity of glial cell responses in the thalamus (commentary on Parri et al.). <i>European Journal of Neuroscience</i> , 2010 , 32, 27-8	3.5	
49	Postnatal switch from synaptic to extrasynaptic transmission between interneurons and NG2 cells. <i>Journal of Neuroscience</i> , 2010 , 30, 6921-9	6.6	79
48	Predominant functional expression of Kv1.3 by activated microglia of the hippocampus after Status epilepticus. <i>PLoS ONE</i> , 2009 , 4, e6770	3.7	40
47	Functional alpha 7-containing nicotinic receptors of NG2-expressing cells in the hippocampus. <i>Glia</i> , 2009 , 57, 1104-14	9	54
46	Status epilepticus induces a particular microglial activation state characterized by enhanced purinergic signaling. <i>Journal of Neuroscience</i> , 2008 , 28, 9133-44	6.6	192
45	GABA, a forgotten gliotransmitter. <i>Progress in Neurobiology</i> , 2008 , 86, 297-303	10.9	82

44	Tonic activation of NMDA receptors by ambient glutamate of non-synaptic origin in the rat hippocampus. <i>Journal of Physiology</i> , 2007 , 580, 373-83	3.9	162
43	Target cell-specific modulation of neuronal activity by astrocytes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006 , 103, 10058-63	11.5	173
42	Er81 is expressed in a subpopulation of layer 5 neurons in rodent and primate neocortices. <i>Neuroscience</i> , 2006 , 137, 401-12	3.9	91
41	Two populations of layer v pyramidal cells of the mouse neocortex: development and sensitivity to anesthetics. <i>Journal of Neurophysiology</i> , 2005 , 94, 3357-67	3.2	68
40	Glutamate released from glial cells synchronizes neuronal activity in the hippocampus. <i>Journal of Neuroscience</i> , 2004 , 24, 6920-7	6.6	396
39	Myoblasts transplanted into rat infarcted myocardium are functionally isolated from their host. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003 , 100, 7808-11	11.5	402
38	Distinct local circuits between neocortical pyramidal cells and fast-spiking interneurons in young adult rats. <i>Journal of Neurophysiology</i> , 2003 , 89, 943-53	3.2	30
37	Two-photon imaging of capillary blood flow in olfactory bulb glomeruli. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003 , 100, 13081-6	11.5	239
36	Two types of nicotinic receptors mediate an excitation of neocortical layer I interneurons. <i>Journal of Neurophysiology</i> , 2002 , 88, 1318-27	3.2	117
35	Kainate receptors regulate unitary IPSCs elicited in pyramidal cells by fast-spiking interneurons in the neocortex. <i>Journal of Neuroscience</i> , 2001 , 21, 2992-9	6.6	65
34	Identification of sleep-promoting neurons in vitro. <i>Nature</i> , 2000 , 404, 992-5	50.4	397
33	Classification of fusiform neocortical interneurons based on unsupervised clustering. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000 , 97, 6144-9	11.5	257
32	Postsynaptic glutamate receptors and integrative properties of fast-spiking interneurons in the rat neocortex. <i>Journal of Neurophysiology</i> , 1999 , 82, 1295-302	3.2	103
31	Developmental synaptic changes increase the range of integrative capabilities of an identified excitatory neocortical connection. <i>Journal of Neuroscience</i> , 1999 , 19, 1566-76	6.6	60
30	Selective excitation of subtypes of neocortical interneurons by nicotinic receptors. <i>Journal of Neuroscience</i> , 1999 , 19, 5228-35	6.6	224
29	Properties of bipolar VIPergic interneurons and their excitation by pyramidal neurons in the rat neocortex. <i>European Journal of Neuroscience</i> , 1998 , 10, 3617-28	3.5	124
28	Cardiac arrest in rodents: maximal duration compatible with a recovery of neuronal activity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998 , 95, 4748-53	11.5	16
27	Subunit composition, kinetic, and permeation properties of AMPA receptors in single neocortical nonpyramidal cells. <i>Journal of Neuroscience</i> , 1997 , 17, 6685-96	6.6	117

26	Molecular and physiological diversity of cortical nonpyramidal cells. <i>Journal of Neuroscience</i> , 1997 , 17, 3894-906	6.6	565
25	Functional and molecular analysis of glutamate-gated channels by patch-clamp and RT-PCR at the single cell level. <i>Neurochemistry International</i> , 1996 , 28, 119-36	4.4	36
24	Neuronal activity differentially regulates NMDA receptor subunit expression in cerebellar granule cells. <i>Journal of Neuroscience</i> , 1996 , 16, 631-9	6.6	131
23	Diversity of glutamate receptors in neocortical neurons: implications for synaptic plasticity. <i>Journal of Physiology (Paris)</i> , 1996 , 90, 331-2		2
22	Calcium-dependent, slowly inactivating potassium currents in cultured neurons of rat neocortex. <i>Experimental Brain Research</i> , 1995 , 107, 197-204	2.3	
21	Patch-Clamp Recording and RT-PCR on Single Cells 1995 , 193-232		7
20	Single cell RT-PCR proceeds without the risk of genomic DNA amplification. <i>Neurochemistry International</i> , 1995 , 26, 239-43	4.4	26
19	Evidence for two types of non-NMDA receptors in rat cerebellar Purkinje cells maintained in slice cultures. <i>Neuropharmacology</i> , 1995 , 34, 335-46	5.5	34
18	Afferent connections of the medial frontal cortex of the rat. II. Cortical and subcortical afferents. <i>Journal of Comparative Neurology</i> , 1995 , 352, 567-93	3.4	382
17	Activity-dependent regulation of N-methyl-D-aspartate receptor subunit expression in rat cerebellar granule cells. <i>European Journal of Neuroscience</i> , 1994 , 6, 1792-800	3.5	95
16	Cellular locus of the nitric oxide-synthase involved in cerebellar long-term depression induced by high external potassium concentration. <i>Neuropharmacology</i> , 1994 , 33, 1399-405	5.5	120
15	Subunit composition at the single-cell level explains functional properties of a glutamate-gated channel. <i>Neuron</i> , 1994 , 12, 383-8	13.9	304
14	Analysis of AMPA receptor subunits expressed by single Purkinje cells using RNA polymerase chain reaction. <i>Biochemical Society Transactions</i> , 1993 , 21, 93-7	5.1	6
13	Excitatory synaptic potentials in neurons of the deep nuclei in olivo-cerebellar slice cultures. <i>Neuroscience</i> , 1992 , 49, 903-11	3.9	113
12	AMPA receptor subunits expressed by single Purkinje cells. <i>Neuron</i> , 1992 , 9, 247-58	13.9	540
11	Excitatory amino acid receptors of cerebellar Purkinje cells: development and plasticity. <i>Progress in Biophysics and Molecular Biology</i> , 1991 , 55, 31-46	4.7	58
10	Responses to excitatory amino acids of Purkinje cells and neurones of the deep nuclei in cerebellar slice cultures. <i>Journal of Physiology</i> , 1990 , 430, 297-313	3.9	75
9	Climbing Fibre Responses in Olivo-cerebellar Slice Cultures. I. Microelectrode Recordings from Purkinje Cells. <i>European Journal of Neuroscience</i> , 1990 , 2, 726-732	3.5	35

8	Afferent connections of the medial frontal cortex of the rat. A study using retrograde transport of fluorescent dyes. I. Thalamic afferents. <i>Brain Research Bulletin</i> , 1990 , 24, 341-54	3.9	113
7	Homocysteic acid as transmitter candidate in the mammalian brain and excitatory amino acids in epilepsy. <i>Advances in Experimental Medicine and Biology</i> , 1990 , 268, 57-63	3.6	7
6	Neurotensin-induced excitation of neurons of the rat Wfrontal cortex studied intracellularly in vitro. <i>Experimental Brain Research</i> , 1989 , 78, 358-68	2.3	54
5	Cortico-cortical connections of the limbic cortex of the rat. <i>Experimental Brain Research</i> , 1988 , 69, 439-43	3.3	23
4	Excitation of rat prefrontal cortical neurons by dopamine: an in vitro electrophysiological study. <i>Brain Research</i> , 1987 , 425, 263-74	3.7	178
3	Electrophysiological properties of neurons recorded intracellularly in slices of the pigeon optic tectum. <i>Neuroscience</i> , 1987 , 23, 305-18	3.9	16
2	Synaptic transmission of excitation from the retina to cells in the pigeon Woptic tectum. <i>Brain Research</i> , 1986 , 365, 138-44	3.7	7
1	Synaptic organization of inhibitory circuits in the pigeon Woptic tectum. <i>Brain Research</i> , 1986 , 365, 383-7	3.7	17