

# Beatrice Plougastel-Douglas

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5453552/publications.pdf>

Version: 2024-02-01

28  
papers

6,350  
citations

331538

21  
h-index

501076

28  
g-index

31  
all docs

31  
docs citations

31  
times ranked

6670  
citing authors

#	ARTICLE	IF	CITATIONS
1	Control of Viral Infection by Natural Killer Cell Inhibitory Receptors. <i>Cell Reports</i> , 2020, 32, 107969.	2.9	17
2	Activation Receptor-Dependent IFN- $\gamma$ Production by NK Cells Is Controlled by Transcription, Translation, and the Proteasome. <i>Journal of Immunology</i> , 2019, 203, 1981-1988.	0.4	16
3	<i>Toxoplasma gondii</i> infection drives conversion of NK cells into ILC1-like cells. <i>ELife</i> , 2019, 8, .	2.8	91
4	Cutting Edge: Local Proliferation of Uterine Tissue-Resident NK Cells during Decidualization in Mice. <i>Journal of Immunology</i> , 2018, 201, 2551-2556.	0.4	65
5	A Murine Herpesvirus Closely Related to Ubiquitous Human Herpesviruses Causes T-Cell Depletion. <i>Journal of Virology</i> , 2017, 91, .	1.5	29
6	Deficiency of the adaptor protein SLY1 results in a natural killer cell ribosomopathy affecting tumor clearance. <i>Oncot Immunology</i> , 2016, 5, e1238543.	2.1	8
7	The Inhibitory Receptor NKG2A Sustains Virus-Specific CD8+ T Cells in Response to a Lethal Poxvirus Infection. <i>Immunity</i> , 2015, 43, 1112-1124.	6.6	69
8	Runx3 specifies lineage commitment of innate lymphoid cells. <i>Nature Immunology</i> , 2015, 16, 1124-1133.	7.0	154
9	Tissue-resident natural killer (NK) cells are cell lineages distinct from thymic and conventional splenic NK cells. <i>ELife</i> , 2014, 3, e01659.	2.8	478
10	Ly49h is necessary for genetic resistance to murine cytomegalovirus. <i>Immunogenetics</i> , 2008, 60, 565-573.	1.2	48
11	Extending Missing-Self? Functional Interactions Between Lectin-like Nkrp1 Receptors on NK Cells with Lectin-like Ligands. <i>Current Topics in Microbiology and Immunology</i> , 2006, 298, 77-89.	0.7	17
12	Genetically linked C-type lectin-related ligands for the NKRP1 family of natural killer cell receptors. <i>Nature Immunology</i> , 2003, 4, 801-807.	7.0	243
13	Immune functions encoded by the natural killer gene complex. <i>Nature Reviews Immunology</i> , 2003, 3, 304-316.	10.6	529
14	Costimulation of Multiple NK Cell Activation Receptors by NKG2D. <i>Journal of Immunology</i> , 2002, 169, 3667-3675.	0.4	94
15	Cloning of Clr , a new family of lectin-like genes localized between mouse Nkrp1a and Cd69. <i>Immunogenetics</i> , 2001, 53, 209-214.	1.2	73
16	Analysis of a 1-Mb BAC contig overlapping the mouse Nkrp1 cluster of genes: cloning of three new Nkrp1 members, Nkrp1d, Nkrp1e, and Nkrp1f. <i>Immunogenetics</i> , 2001, 53, 592-598.	1.2	44
17	Sequence Analysis of a 62-kb Region Overlapping the HumanKLRCCluster of Genes. <i>Genomics</i> , 1998, 49, 193-199.	1.3	38
18	Dynamics of proteasome distribution in living cells. <i>EMBO Journal</i> , 1997, 16, 6087-6094.	3.5	242

#	ARTICLE	IF	CITATIONS
19	Cloning ofNKG2-F, a new member of theNKG2 family of human natural killer cell receptor genes. European Journal of Immunology, 1997, 27, 2835-2839.	1.6	56
20	Genomic structure, chromosome location, and alternative splicing of the humanNKG2A gene. Immunogenetics, 1996, 44, 286-291.	1.2	69
21	Cloning and Chromosome Localization of the Mouse Ews Gene. Genomics, 1994, 23, 278-281.	1.3	6
22	Genetic Alterations in the Chromosome 22q12 Region Associated with Development of Neuroectodermal Tumors. Cold Spring Harbor Symposia on Quantitative Biology, 1994, 59, 555-564.	2.0	1
23	Alteration in a new gene encoding a putative membrane-organizing protein causes neuro-fibromatosis type 2. Nature, 1993, 363, 515-521.	13.7	1,351
24	Genomic structure of the EWS gene and its relationship to EWSR1, a site of tumor-associated chromosome translocation. Genomics, 1993, 18, 609-615.	1.3	94
25	Combinatorial generation of variable fusion proteins in the Ewing family of tumours.. EMBO Journal, 1993, 12, 4481-4487.	3.5	480
26	Mapping around the Xq13.1 breakpoints of two X/A translocations in hypohidrotic ectodermal dysplasia (EDA) female patients. Genomics, 1992, 14, 523-525.	1.3	8
27	Gene fusion with an ETS DNA-binding domain caused by chromosome translocation in human tumours. Nature, 1992, 359, 162-165.	13.7	1,724
28	Cloning and characterization of the Ewing's sarcoma and peripheral neuroepithelioma t(11;22) translocation breakpoints. Genes Chromosomes and Cancer, 1992, 5, 271-277.	1.5	284