

Hugh C Rayner

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5454922/publications.pdf>

Version: 2024-02-01

38
papers

2,529
citations

361045

20
h-index

377514

34
g-index

38
all docs

38
docs citations

38
times ranked

2434
citing authors

#	ARTICLE	IF	CITATIONS
1	European hemodialysis patient satisfaction with phosphate binders is associated with serum phosphorus levels: the Dialysis Outcomes and Practice Patterns Study (DOPPS). CKJ: Clinical Kidney Journal, 2021, 14, 1886-1893.	1.4	1
2	Evidence from Studies of Patient-Reported Outcomes Supports a Policy of Using a Dialysate Sodium Concentration of 140 mEq/L for the Majority of Patients. Kidney and Dialysis, 2021, 1, 147-148.	0.5	0
3	Associations between Hemodialysis Facility Practices to Manage Fluid Volume and Intradialytic Hypotension and Patient Outcomes. Clinical Journal of the American Society of Nephrology: CJASN, 2019, 14, 385-393.	2.2	50
4	Pruritus and Patient Reported Outcomes in Non-Dialysis CKD. Clinical Journal of the American Society of Nephrology: CJASN, 2019, 14, 673-681.	2.2	79
5	The estimated glomerular filtration rate graph: another tool in the management of patients with advanced chronic kidney disease. Kidney International, 2018, 94, 222.	2.6	0
6	FP610SATISFACTION, CONVENIENCE, AND DIFFICULTIES IN TAKING PHOSPHATE BINDERS (PB): RELATIONSHIPS WITH PB ADHERENCE IN HEMODIALYSIS (HD) PATIENTS IN THE DOPPS. Nephrology Dialysis Transplantation, 2018, 33, i247-i247.	0.4	1
7	How Do We Improve the Quality of Life of Haemodialysis Patients? Now That's a Good Question. American Journal of Nephrology, 2017, 46, 1-2.	1.4	105
8	New ways of working; delivering better care for people with long-term conditions. London Journal of Primary Care, 2017, 9, 60-68.	0.9	7
9	Reliability and validity of the coping strategy inventory-short form applied to hemodialysis patients in 13 countries: Results from the Dialysis Outcomes and Practice Patterns Study (DOPPS). Journal of Psychosomatic Research, 2016, 91, 12-19.	1.2	17
10	Is there a difference in progression of renal disease between South Asian and white European diabetic adults with moderately reduced kidney function?. Journal of Diabetes and Its Complications, 2015, 29, 761-765.	1.2	8
11	A national study of practice patterns in UK renal units in the use of dialysis and conservative kidney management to treat people aged 75 years and over with chronic kidney failure. Health Services and Delivery Research, 2015, 3, 1-186.	1.4	30
12	Worldwide, mortality risk is high soon after initiation of hemodialysis. Kidney International, 2014, 85, 158-165.	2.6	260
13	Dialysate Sodium Prescription and Blood Pressure in Hemodialysis Patients. American Journal of Hypertension, 2014, 27, 1160-1169.	1.0	32
14	Associations of Self-Reported Physical Activity Types and Levels with Quality of Life, Depression Symptoms, and Mortality in Hemodialysis Patients. Clinical Journal of the American Society of Nephrology: CJASN, 2014, 9, 1702-1712.	2.2	117
15	Recovery Time, Quality of Life, and Mortality in Hemodialysis Patients: The Dialysis Outcomes and Practice Patterns Study (DOPPS). American Journal of Kidney Diseases, 2014, 64, 86-94.	2.1	164
16	Itching in renal failure: a curse with a cure. Journal of Renal Nursing, 2013, 5, 178-182.	0.1	2
17	Dialysate Sodium Concentration and the Association with Interdialytic Weight Gain, Hospitalization, and Mortality. Clinical Journal of the American Society of Nephrology: CJASN, 2012, 7, 92-100.	2.2	131
18	Systematic kidney disease management in a population with diabetes mellitus: turning the tide of kidney failure. BMJ Quality and Safety, 2011, 20, 903-910.	1.8	31

#	ARTICLE	IF	CITATIONS
19	<i>Opinion</i>: The Increasing Use of Hemodialysis Catheters: Evidence from the DOPPS on Its Significance and Ways to Reverse It. <i>Seminars in Dialysis</i> , 2010, 23, 6-10.	0.7	55
20	Approach to Renal Replacement Therapy. , 2010, , 1019-1030.		1
21	The Heart of Integration. <i>Journal of Integrated Care</i> , 2009, 17, 9-14.	0.2	2
22	Facility Hemodialysis Vascular Access Use and Mortality in Countries Participating in DOPPS: An Instrumental Variable Analysis. <i>American Journal of Kidney Diseases</i> , 2009, 53, 475-491.	2.1	311
23	In Good Conscience—Safely Withholding Dialysis in the Elderly. <i>Seminars in Dialysis</i> , 2009, 22, 476-479.	0.7	18
24	Enhanced Training in Vascular Access Creation Predicts Arteriovenous Fistula Placement and Patency in Hemodialysis Patients. <i>Annals of Surgery</i> , 2008, 247, 885-891.	2.1	128
25	Multisource feedback: 360-degree assessment of professional skills of clinical directors. <i>Health Services Management Research</i> , 2007, 20, 183-188.	1.0	7
26	Dialysis versus conservative management of elderly patients with advanced chronic kidney disease. <i>Nature Clinical Practice Nephrology</i> , 2007, 3, 480-481.	2.0	17
27	Starting and withdrawing haemodialysis—associations between nephrologists' opinions, patient characteristics and practice patterns (data from the Dialysis Outcomes and Practice Patterns Study). <i>Nephrology Dialysis Transplantation</i> , 2006, 21, 2814-2820.	0.4	37
28	Mortality and hospitalization in haemodialysis patients in five European countries: results from the Dialysis Outcomes and Practice Patterns Study (DOPPS). <i>Nephrology Dialysis Transplantation</i> , 2004, 19, 108-120.	0.4	276
29	Vascular access results from the Dialysis Outcomes and Practice Patterns Study (DOPPS): Performance against Kidney Disease Outcomes Quality Initiative (K/DOQI) Clinical Practice Guidelines. <i>American Journal of Kidney Diseases</i> , 2004, 44, 22-26.	2.1	87
30	Orexin as a possible cause of insomnia in dialysis patients. <i>American Journal of Kidney Diseases</i> , 2003, 41, 1335-1336.	2.1	7
31	Creation, cannulation and survival of arteriovenous fistulae: Data from the Dialysis Outcomes and Practice Patterns Study. <i>Kidney International</i> , 2003, 63, 323-330.	2.6	307
32	A comparison of hospital readmission rates between two general physicians with different outpatient review practices. <i>BMC Health Services Research</i> , 2002, 2, 12.	0.9	13
33	Predicting a patient's choice of dialysis modality: Experience in a United Kingdom renal department. <i>American Journal of Kidney Diseases</i> , 2001, 37, 981-986.	2.1	143
34	Dialysis patients' understanding of nutritional advice. , 1997, 7, 90-101.		5
35	Effect of cholesterol on the position of segmental lesions in unilaterally nephrectomized rats. <i>Journal of Pathology</i> , 1992, 168, 331-334.	2.1	3
36	Cholesterol Feeding Following Unilateral Nephrectomy in the Rat Leads to Glomerular Hypertrophy. <i>Nephron</i> , 1991, 57, 453-459.	0.9	22

#	ARTICLE	IF	CITATIONS
37	Anthropometry Underestimates Body Protein Depletion in Haemodialysis Patients. <i>Nephron</i> , 1991, 59, 33-40.	0.9	39
38	Receptor-Mediated Endocytosis of Low-Density Lipoprotein by Cultured Human Glomerular Cells. <i>Nephron</i> , 1990, 55, 292-299.	0.9	16