

Ricardo Estevan Carriñán

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5455423/publications.pdf>

Version: 2024-02-01

45
papers

2,067
citations

331670

21
h-index

243625

44
g-index

46
all docs

46
docs citations

46
times ranked

2414
citing authors

#	ARTICLE	IF	CITATIONS
1	Neurocognition as a Biomarker for Psychosis Onset: Exploring the Impact of Age. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2022, 7, 5-6.	1.5	0
2	Mismatch Negativity in Response to Auditory Deviance and Risk for Future Psychosis in Youth at Clinical High Risk for Psychosis. <i>JAMA Psychiatry</i> , 2022, 79, 780.	11.0	21
3	The Association Between Neighborhood Poverty and Hippocampal Volume Among Individuals at Clinical High-Risk for Psychosis: The Moderating Role of Social Engagement. <i>Schizophrenia Bulletin</i> , 2022, 48, 1032-1042.	4.3	9
4	Cross-paradigm connectivity: reliability, stability, and utility. <i>Brain Imaging and Behavior</i> , 2021, 15, 614-629.	2.1	7
5	Social decline in the psychosis prodrome: Predictor potential and heterogeneity of outcome. <i>Schizophrenia Research</i> , 2021, 227, 44-51.	2.0	12
6	Visual cortical plasticity and the risk for psychosis: An interim analysis of the North American Prodrome Longitudinal Study. <i>Schizophrenia Research</i> , 2021, 230, 26-37.	2.0	4
7	The immediate impact of the COVID-19 pandemic on attenuated positive symptoms and functioning in individuals at clinical high risk for psychosis: A pilot study. <i>Schizophrenia Research</i> , 2021, 236, 9-11.	2.0	2
8	Patterns and perceptions of face-to-face and digital communication in the clinical high risk and early stages of psychosis. <i>Psychiatry Research</i> , 2020, 284, 112667.	3.3	3
9	Evidence of Slow Neural Processing, Developmental Differences and Sensitivity to Cannabis Effects in a Sample at Clinical High Risk for Psychosis From the NAPLS Consortium Assessed With the Human Startle Paradigm. <i>Frontiers in Psychiatry</i> , 2020, 11, 833.	2.6	4
10	DSM-5 Attenuated Psychosis Syndrome in Adolescents Hospitalized With Non-psychotic Psychiatric Disorders. <i>Frontiers in Psychiatry</i> , 2020, 11, 568982.	2.6	7
11	Reliability of mismatch negativity event-related potentials in a multisite, traveling subjects study. <i>Clinical Neurophysiology</i> , 2020, 131, 2899-2909.	1.5	6
12	Stability of mismatch negativity event-related potentials in a multisite study. <i>International Journal of Methods in Psychiatric Research</i> , 2020, 29, e1819.	2.1	10
13	Demographic and Clinical Characteristics, Including Subsyndromal Symptoms Across Bipolar-Spectrum Disorders in Adolescents. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2020, 30, 222-234.	1.3	8
14	Deficits in auditory predictive coding in individuals with the psychosis risk syndrome: Prediction of conversion to psychosis. <i>Journal of Abnormal Psychology</i> , 2020, 129, 599-611.	1.9	15
15	Association Between P300 Responses to Auditory Oddball Stimuli and Clinical Outcomes in the Psychosis Risk Syndrome. <i>JAMA Psychiatry</i> , 2019, 76, 1187.	11.0	59
16	Baseline psychopathology and relationship to longitudinal functional outcome in attenuated and early first episode psychosis. <i>Schizophrenia Research</i> , 2019, 212, 157-162.	2.0	14
17	Bipolar Prodrome Symptom Scale - Abbreviated Screen for Patients: Description and validation. <i>Journal of Affective Disorders</i> , 2019, 249, 357-365.	4.1	17
18	Altered Brain Activation During Memory Retrieval Precedes and Predicts Conversion to Psychosis in Individuals at Clinical High Risk. <i>Schizophrenia Bulletin</i> , 2019, 45, 924-933.	4.3	14

#	ARTICLE	IF	CITATIONS
19	The Global Functioning: Social and Role Scalesâ€™ Further Validation in a Large Sample of Adolescents and Young Adults at Clinical High Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2019, 45, 763-772.	4.3	55
20	Toward Leveraging Human Connectomic Data in Large Consortia: Generalizability of fMRI-Based Brain Graphs Across Sites, Sessions, and Paradigms. <i>Cerebral Cortex</i> , 2019, 29, 1263-1279.	2.9	55
21	Potentially important periods of change in the development of social and role functioning in youth at clinical high risk for psychosis. <i>Development and Psychopathology</i> , 2018, 30, 39-47.	2.3	31
22	From the psychosis prodrome to the first-episode of psychosis: No evidence of a cognitive decline. <i>Journal of Psychiatric Research</i> , 2018, 96, 231-238.	3.1	68
23	Cerebello-thalamo-cortical hyperconnectivity as a state-independent functional neural signature for psychosis prediction and characterization. <i>Nature Communications</i> , 2018, 9, 3836.	12.8	156
24	Prediction of functional outcome in young patients with a recent-onset psychiatric disorder: Beyond the traditional diagnostic classification system. <i>Schizophrenia Research</i> , 2017, 185, 114-121.	2.0	9
25	The Role of Cognition and Social Functioning as Predictors in the Transition to Psychosis for Youth With Attenuated Psychotic Symptoms. <i>Schizophrenia Bulletin</i> , 2017, 43, 57-63.	4.3	84
26	Neuropsychological Test Performance to Enhance Identification of Subjects at Clinical High Risk for Psychosis and Be Most Promising for Predictive Algorithms for Conversion to Psychosis. <i>Journal of Clinical Psychiatry</i> , 2017, 78, e28-e40.	2.2	68
27	Personalized Prediction of Psychosis: External Validation of the NAPLS-2 Psychosis Risk Calculator With the EDIPPP Project. <i>American Journal of Psychiatry</i> , 2016, 173, 989-996.	7.2	142
28	Theory of Mind as a mediator variable between neurocognition and functioning in young individuals in treatment with secondary services for non-psychotic disorders. <i>Psychiatry Research</i> , 2016, 246, 415-420.	3.3	6
29	Duration of attenuated positive and negative symptoms in individuals at clinical high risk: Associations with risk of conversion to psychosis and functional outcome. <i>Journal of Psychiatric Research</i> , 2016, 81, 95-101.	3.1	70
30	Deconstructing the Psychosis Risk Syndrome. <i>JAMA Psychiatry</i> , 2016, 73, 105.	11.0	18
31	Attenuated psychotic and basic symptom characteristics in adolescents with ultra-high risk criteria for psychosis, other non-psychotic psychiatric disorders and early-onset psychosis. <i>European Child and Adolescent Psychiatry</i> , 2016, 25, 1091-1102.	4.7	26
32	Psychosis Prevention: A Modified Clinical High Risk Perspective From the Recognition and Prevention (RAP) Program. <i>American Journal of Psychiatry</i> , 2015, 172, 986-994.	7.2	128
33	Contributions of early cortical processing and reading ability to functional status in individuals at clinical high risk for psychosis. <i>Schizophrenia Research</i> , 2015, 164, 1-7.	2.0	46
34	Self-awareness of functional impairment in individuals at clinical high risk for psychosis. <i>Microbial Biotechnology</i> , 2015, 9, 100-107.	1.7	20
35	The Bipolar Prodrome Symptom Interview and Scaleâ€™ Prospective (<scp>BPSS</scp>â€™): description and validation in a psychiatric sample and healthy controls. <i>Bipolar Disorders</i> , 2014, 16, 505-522.	1.9	77
36	Type and duration of subsyndromal symptoms in youth with bipolar I disorder prior to their first manic episode. <i>Bipolar Disorders</i> , 2014, 16, 478-492.	1.9	91

#	ARTICLE	IF	CITATIONS
37	Prediction of Functional Outcome in Individuals at Clinical High Risk for Psychosis. <i>JAMA Psychiatry</i> , 2013, 70, 1133.	11.0	202
38	Between-site reliability of startle prepulse inhibition across two early psychosis consortia. <i>NeuroReport</i> , 2013, 24, 626-630.	1.2	6
39	Risk Factors for Psychosis: Impaired Social and Role Functioning. <i>Schizophrenia Bulletin</i> , 2012, 38, 1247-1257.	4.3	206
40	Cognitive changes following antidepressant or antipsychotic treatment in adolescents at clinical risk for psychosis. <i>Schizophrenia Research</i> , 2012, 137, 110-117.	2.0	24
41	Impact of Neurocognition on Social and Role Functioning in Individuals at Clinical High Risk for Psychosis. <i>American Journal of Psychiatry</i> , 2011, 168, 806-813.	7.2	164
42	A truth that's told with bad intent: An ERP study of deception. <i>Cognition</i> , 2010, 114, 105-110.	2.2	45
43	Domain-specific learning of grammatical structure in musical and phonological sequences. <i>Memory and Cognition</i> , 2009, 37, 10-20.	1.6	11
44	The effects of learning on event-related potential correlates of musical expectancy. <i>Psychophysiology</i> , 2008, 45, 759-775.	2.4	27
45	Event-related potential markers of expectation violation in an artificial grammar learning task. <i>NeuroReport</i> , 2007, 18, 191-195.	1.2	19