

Pedro J Flores-Blanco

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5456212/publications.pdf>

Version: 2024-02-01

39
papers

293
citations

1040056

9
h-index

940533

16
g-index

41
all docs

41
docs citations

41
times ranked

639
citing authors

#	ARTICLE	IF	CITATIONS
1	Incidence, prognosis and predictors of heart failure after acute myocardial infarction. REC: CardioClinics, 2020, 55, 8-14.	0.1	5
2	Incidencia anual de trombosis del stent confirmadas y factores clínicos predictores en pacientes con SCA tratados con ticagrelor o prasugrel. Revista Espanola De Cardiologia, 2019, 72, 298-304.	1.2	4
3	Real-life behaviour of direct oral anticoagulants in a Spanish cohort with non-valvular atrial fibrillation: Refase Registry. Current Medical Research and Opinion, 2019, 35, 2035-2041.	1.9	10
4	Effect of concomitant antiplatelet therapy in patients with nonvalvular atrial fibrillation initiating non-vitamin K antagonists. European Journal of Clinical Investigation, 2019, 49, e13161.	3.4	5
5	Effectiveness and safety of rivaroxaban in nonvalvular atrial fibrillation: data from a contemporary Spanish registry. Current Medical Research and Opinion, 2019, 35, 1463-1471.	1.9	3
6	Prevalencia e implicación pronóstica de la enfermedad valvular en pacientes con fibrilación auricular que inician anticoagulantes orales. Revista Espanola De Cardiologia, 2019, 72, 935-943.	1.2	0
7	Utilidad de la puntuación PARIS para evaluar el equilibrio isquémico-hemorrágico con ticagrelor y prasugrel tras un síndrome coronario agudo. Revista Espanola De Cardiologia, 2019, 72, 215-223.	1.2	6
8	Incidence, predictors and prognosis of new-onset cancer after hospital discharge for acute coronary syndrome. REC: CardioClinics, 2019, 54, 148-156.	0.1	1
9	Asociación entre las escalas de riesgo isquémico y hemorrágico y el uso de los nuevos inhibidores del P2Y 12 en pacientes con síndrome coronario agudo. Revista Espanola De Cardiologia, 2018, 71, 538-544.	1.2	5
10	Kidney function monitoring and nonvitamin K oral anticoagulant dosage in atrial fibrillation. European Journal of Clinical Investigation, 2018, 48, e12907.	3.4	13
11	Inconclusive Exercise Stress Echocardiography in Patients With Chest Pain: Prevalence and Clinical Determinants. Revista Espanola De Cardiologia (English Ed), 2018, 71, 406-408.	0.6	3
12	Association Between Ischemic and Bleeding Risk Scores and the Use of New P2Y 12 Inhibitors in Patients With Acute Coronary Syndrome. Revista Espanola De Cardiologia (English Ed), 2018, 71, 538-544.	0.6	4
13	Comparación de escalas de riesgo hemorrágico en pacientes con fibrilación auricular no valvular que inician anticoagulantes orales de acción directa. Revista Espanola De Cardiologia, 2017, 70, 878-880.	1.2	2
14	Impacto de las enfermedades autoinmunitarias en el tratamiento y el pronóstico del síndrome coronario agudo. Revista Espanola De Cardiologia, 2017, 70, 1145-1147.	1.2	0
15	Evaluation of the CRUSADE Risk Score for Predicting Major Bleeding in Patients with Concomitant Kidney Dysfunction and Acute Coronary Syndromes. CardioRenal Medicine, 2017, 7, 179-187.	1.9	1
16	Comparison of Risk Prediction With the <sc>CKD-EPI</sc> and <sc>MDRD</sc> Equations in Non-ST-Segment Elevation Acute Coronary Syndrome. Clinical Cardiology, 2016, 39, 507-515.	1.8	17
17	La puntuación SAME-TT2R2 no predice el tiempo en rango terapéutico tras un ingreso por insuficiencia cardíaca aguda en pacientes con fibrilación auricular. Revista Espanola De Cardiologia, 2016, 69, 453-454.	1.2	6
18	Comparison of 1-Year Outcome in Patients With Severe Aorta Stenosis Treated Conservatively or by Aortic Valve Replacement or by Percutaneous Transcatheter Aortic Valve Implantation (Data from a	0.0	0

#	ARTICLE	IF	CITATIONS
19	SAMe-TT2R2 Score: Useful in All Patients With Nonvalvular Atrial Fibrillation? Response. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2016, 69, 799.	0.6	0
20	Puntuaci3n SAMe-TT2R2: ��es ��til en todos los pacientes con fibrilaci3n auricular no valvular? Respuesta. <i>Revista Espanola De Cardiologia</i> , 2016, 69, 799.	1.2	0
21	SAT0599��...Autoimmune Disease in Acute Coronary Syndromes. Clinical Implications. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 886.3-886.	0.9	0
22	Comparison of the Global Registry of Acute Coronary Events Risk Score Versus the Can Rapid Risk Stratification of Unstable Angina Patients Suppress Adverse outcomes With Early Implementation of the ACC/AHA Guidelines Risk Score to Predict In-Hospital Mortality and Major Bleeding in Acute Coronary Syndromes. <i>American Journal of Cardiology</i> , 2016, 117, 1047-1054.	1.6	21
23	Validation of a New Risk Score for Predicting Post-discharge Cardiovascular Events in Patients With Acute Coronary Syndrome. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2016, 69, 338-340.	0.6	0
24	Impact of Variations in Kidney Function on Nonvitamin K Oral Anticoagulant Dosing in Patients With Atrial Fibrillation and Recent Acute Heart Failure. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2016, 69, 134-140.	0.6	4
25	Validaci3n de una nueva escala de riesgo para predecir eventos cardiovasculares poshospitalizaci3n en pacientes con s�ndrome coronario agudo. <i>Revista Espanola De Cardiologia</i> , 2016, 69, 338-340.	1.2	1
26	Repercusiones en la posolog�a de los anticoagulantes orales no antagonistas de la vitamina K por las variaciones de la funci3n renal de los pacientes con fibrilaci3n auricular e insuficiencia cardiaca aguda reciente. <i>Revista Espanola De Cardiologia</i> , 2016, 69, 134-140.	1.2	9
27	SAMe-TT2R2 Score Does Not Predict Time in Therapeutic Range in Atrial Fibrillation Patients After Hospitalization for Acute Decompensated Heart Failure. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2016, 69, 453-454.	0.6	1
28	Comparison between type-2 and type-1 myocardial infarction: clinical features, treatment strategies and outcomes. <i>Journal of Geriatric Cardiology</i> , 2016, 13, 15-22.	0.2	35
29	Major bleeding risk prediction using Chronic Kidney Disease Epidemiology Collaboration and Modification of Diet in Renal Disease equations in acute coronary syndrome. <i>European Journal of Clinical Investigation</i> , 2015, 45, 385-393.	3.4	6
30	Cystatin C�based <scp>CKD�EPI</scp> Equations and N�Terminal Pro�B�Type Natriuretic Peptide for Predicting Outcomes in Acutely Decompensated Heart Failure. <i>Clinical Cardiology</i> , 2015, 38, 106-113.	1.8	17
31	Aortic Valve Stenosis Planimetry by Means of Three�Dimensional Transesophageal Echocardiography in the Real Clinical Setting: Feasibility, Reliability and Systematic Deviations. <i>Echocardiography</i> , 2015, 32, 508-515.	0.9	13
32	Ticagrelor related dyspnea in patients with acute coronary syndromes: Incidence and implication on ticagrelor withdrawn. <i>International Journal of Cardiology</i> , 2015, 187, 517-518.	1.7	13
33	Red Cell Distribution Width and Additive Risk Prediction for Major Bleeding in Non�ST-segment Elevation Acute Coronary Syndrome. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2014, 67, 830-836.	0.6	5
34	Methods of kidney function assessment in non-valvular atrial fibrillation in the era of new oral anticoagulants. <i>European Journal of Internal Medicine</i> , 2014, 25, e71-e72.	2.2	3
35	Comparison of Risk Prediction With the CKD-EPI and MDRD Equations in Acute Decompensated Heart Failure. <i>Journal of Cardiac Failure</i> , 2013, 19, 583-591.	1.7	41
36	Complementary prognosis value of N-Terminal Pro-B-Type natriuretic peptide and CKD-EPI equations in acutely decompensated heart failure. <i>European Heart Journal</i> , 2013, 34, 1726-1726.	2.2	0

#	ARTICLE	IF	CITATIONS
37	Prognosis assesment of estimated glomerular filtration rate by the new CKD-EPI equations in comparison with the modification in diet of renal disease in non-ST elevation acute coronary syndromes. European Heart Journal, 2013, 34, P2258-P2258.	2.2	0
38	Chronic kidney disease epidemiology collaboration equations and global registry for acute coronary events risk score for the prediction of mortality in non-ST elevation acute coronary syndromes. European Heart Journal, 2013, 34, P426-P426.	2.2	0
39	Comparison of risk prediction using the CKD-EPI equations and the MDRD study equation in patients with acutely decompensated heart failure. European Heart Journal, 2013, 34, P1498-P1498.	2.2	0