

Michael S Patterson

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5457739/michael-s-patterson-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

171
papers

12,816
citations

53
h-index

112
g-index

196
ext. papers

14,361
ext. citations

3.3
avg, IF

6.21
L-index

#	Paper	IF	Citations
171	Light Delivery and Optical Dosimetry in Photodynamic Therapy of Solid Tumors 2020 , 335-368		1
170	Dual-modality optical biopsy of glioblastomas multiforme with diffuse reflectance and fluorescence: ex vivo retrieval of optical properties. <i>Journal of Biomedical Optics</i> , 2017 , 22, 27002	3.5	13
169	Integrated Time-Resolved Fluorescence and Diffuse Reflectance Spectroscopy Instrument for Intraoperative Detection of Brain Tumor Margin. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2016 , 22, 49-57	3.8	7
168	Bioluminescence Tomography-Guided Radiation Therapy for Preclinical Research. <i>International Journal of Radiation Oncology Biology Physics</i> , 2016 , 94, 1144-53	4	29
167	Systematic study of target localization for bioluminescence tomography guided radiation therapy. <i>Medical Physics</i> , 2016 , 43, 2619	4.4	15
166	Photodynamic Therapy Dosimetry: A TO Z 2016 , 295-315		
165	5-Aminolevulinic acid induced protoporphyrin IX as a fluorescence marker for quantitative image analysis of high-grade dysplasia in Barrett's esophagus cellular models. <i>Journal of Biomedical Optics</i> , 2015 , 20, 036010	3.5	4
164	5-aminolevulinic acid for quantitative seek-and-treat of high-grade dysplasia in Barrett's esophagus cellular models. <i>Journal of Biomedical Optics</i> , 2015 , 20, 28002	3.5	3
163	Systematic calibration of an integrated x-ray and optical tomography system for preclinical radiation research. <i>Medical Physics</i> , 2015 , 42, 1710-20	4.4	18
162	Correlation of in vivo tumor response and singlet oxygen luminescence detection in mTHPC-mediated photodynamic therapy. <i>Journal of Innovative Optical Health Sciences</i> , 2015 , 08, 1540006	1.2	5
161	Experimental recovery of intrinsic fluorescence and fluorophore concentration in the presence of hemoglobin: spectral effect of scattering and absorption on fluorescence. <i>Journal of Biomedical Optics</i> , 2015 , 20, 127003	3.5	4
160	Algorithm for localized adaptive diffuse optical tomography and its application in bioluminescence tomography. <i>Physics in Medicine and Biology</i> , 2014 , 59, 2089-109	3.8	11
159	Effect of 1O ₂ quencher depletion on the efficiency of photodynamic therapy. <i>Photochemical and Photobiological Sciences</i> , 2014 , 13, 112-21	4.2	5
158	Measurement of intracellular oxygen concentration during photodynamic therapy in vitro. <i>Photochemistry and Photobiology</i> , 2014 , 90, 878-88	3.6	2
157	Time-Resolved Fluorescence in Photodynamic Therapy. <i>Photonics</i> , 2014 , 1, 530-564	2.2	14
156	Validation and application of a model of oxygen consumption and diffusion during photodynamic therapy in vitro. <i>Photochemistry and Photobiology</i> , 2014 , 90, 1359-67	3.6	10
155	Monitoring oxygen concentration during photodynamic therapy using prompt photosensitizer fluorescence. <i>Physics in Medicine and Biology</i> , 2013 , 58, 7039-59	3.8	15

154	Accuracy of off-line bioluminescence imaging to localize targets in preclinical radiation research. <i>Radiation Research</i> , 2013 , 179, 416-21	3.1	14
153	An Integrated X-Ray/Optical Tomography System for Pre-clinical Radiation Research. <i>Proceedings of SPIE</i> , 2013 , 8668, 866830	1.7	2
152	Singlet oxygen luminescence detection with a fiber-coupled superconducting nanowire single-photon detector. <i>Optics Express</i> , 2013 , 21, 5005-13	3.3	97
151	Insights into photodynamic therapy dosimetry: simultaneous singlet oxygen luminescence and photosensitizer photobleaching measurements. <i>Biophysical Journal</i> , 2012 , 102, 661-71	2.9	98
150	Comparison of photodynamic therapy with different excitation wavelengths using a dynamic model of aminolevulinic acid-photodynamic therapy of human skin. <i>Journal of Biomedical Optics</i> , 2012 , 17, 088001-1	3.5	11
149	Monitoring photosensitizer uptake using two photon fluorescence lifetime imaging microscopy. <i>Theranostics</i> , 2012 , 2, 817-26	12.1	15
148	Comparison of noninvasive photodynamic therapy dosimetry methods using a dynamic model of ALA-PDT of human skin. <i>Physics in Medicine and Biology</i> , 2012 , 57, 825-41	3.8	17
147	Self-calibrated algorithms for diffuse optical tomography and bioluminescence tomography using relative transmission images. <i>Biomedical Optics Express</i> , 2012 , 3, 2794-808	3.5	10
146	Medical physics staffing for radiation oncology: a decade of experience in Ontario, Canada. <i>Journal of Applied Clinical Medical Physics</i> , 2012 , 13, 3704	2.3	21
145	Bioluminescence tomography using eigenvectors expansion and iterative solution for the optimized permissible source region. <i>Biomedical Optics Express</i> , 2011 , 2, 3179-93	3.5	19
144	A model-based comparison of implicit and direct dosimetry for ALA-PDT of skin 2011 ,		1
143	The influence of oxygen depletion and photosensitizer triplet-state dynamics during photodynamic therapy on accurate singlet oxygen luminescence monitoring and analysis of treatment dose response. <i>Photochemistry and Photobiology</i> , 2011 , 87, 223-34	3.6	48
142	Calculation of singlet oxygen dose using explicit and implicit dose metrics during benzoporphyrin derivative monoacid ring A (BPD-MA)-PDT in vitro and correlation with MLL cell survival. <i>Photochemistry and Photobiology</i> , 2011 , 87, 1129-37	3.6	17
141	A model-based comparison of implicit and direct dosimetry for ALA-PDT of skin 2011 ,		1
140	Reconstruction algorithm for diffuse optical tomography using x-ray CT anatomical information and application to bioluminescence tomography 2011 ,		2
139	Improved bioluminescence and fluorescence reconstruction algorithms using diffuse optical tomography, normalized data, and optimized selection of the permissible source region. <i>Biomedical Optics Express</i> , 2010 , 2, 169-84	3.5	32
138	Integrating spheres for improved skin photodynamic therapy. <i>Journal of Biomedical Optics</i> , 2010 , 15, 058001	3.5	2
137	A dynamic model for ALA-PDT of skin: simulation of temporal and spatial distributions of ground-state oxygen, photosensitizer and singlet oxygen. <i>Physics in Medicine and Biology</i> , 2010 , 55, 5913-32	3.8	49

136	Calculation of cellular oxygen concentration for photodynamic therapy in vitro. <i>Methods in Molecular Biology</i> , 2010 , 635, 195-205	1.4	3
135	Algorithms for bioluminescence tomography incorporating anatomical information and reconstruction of tissue optical properties. <i>Biomedical Optics Express</i> , 2010 , 1, 512-526	3.5	32
134	Fabrication and characterization of phantoms with tissue-like optical properties from 500 to 700nm. <i>Medical Laser Application: International Journal for Laser Treatment and Research</i> , 2010 , 25, 147-153		9
133	A Monte Carlo model of detected singlet oxygen luminescence and photosensitizer fluorescence during ALA-PDT of skin 2009 ,		1
132	The relationship between reviewers' quality-scores and number of citations for papers published in the journal <i>Physics in Medicine and Biology</i> from 2003-2005. <i>Scientometrics</i> , 2009 , 80, 343-349	3	21
131	In vitro survival of nonsmall cell lung cancer cells following combined treatment with ionizing radiation and photofrin-mediated photodynamic therapy. <i>Photochemistry and Photobiology</i> , 2009 , 85, 99-106	3.6	6
130	Simple photodynamic therapy dose models fail to predict the survival of MLL cells after HPPH-PDT in vitro. <i>Photochemistry and Photobiology</i> , 2009 , 85, 750-9	3.6	8
129	Characterization of Fluorescence Lifetime of Photofrin and Delta-Aminolevulinic Acid Induced Protoporphyrin IX in Living Cells Using Single- and Two-Photon Excitation. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2008 , 14, 158-166	3.8	24
128	Effect of liposomal confinement on photothermal and photo-oximetric fluorescence lifetimes of photosensitizers with varying hydrophilicity. <i>Journal of Biomedical Optics</i> , 2008 , 13, 041314	3.5	3
127	Effect of liposomal confinement on photochemical properties of photosensitizers with varying hydrophilicity. <i>Journal of Biomedical Optics</i> , 2008 , 13, 041313	3.5	7
126	Quantitative fluorescence imaging of point-like sources in small animals. <i>Physics in Medicine and Biology</i> , 2008 , 53, 5797-814	3.8	17
125	The physics, biophysics and technology of photodynamic therapy. <i>Physics in Medicine and Biology</i> , 2008 , 53, R61-109	3.8	703
124	Imaging of Photodynamically Generated Singlet Oxygen Luminescence In Vivo. <i>Photochemistry and Photobiology</i> , 2007 , 81, 941-943	3.6	3
123	Calculation of Singlet Oxygen Dose from Photosensitizer Fluorescence and Photobleaching During mTHPC Photodynamic Therapy of MLL Cells. <i>Photochemistry and Photobiology</i> , 2007 , 81, 196-205	3.6	5
122	Relationship Between mTHPC Fluorescence Photobleaching and Cell Viability During In Vitro Photodynamic Treatment of DP16 Cells. <i>Photochemistry and Photobiology</i> , 2007 , 75, 289-295	3.6	2
121	Bioluminescence imaging of point sources implanted in small animals post mortem: evaluation of a method for estimating source strength and depth. <i>Physics in Medicine and Biology</i> , 2007 , 52, 5415-28	3.8	12
120	Modeling and image reconstruction in spectrally resolved bioluminescence tomography 2007 ,		1
119	Frequency domain, time-resolved and spectroscopic investigations of photosensitizers encapsulated in liposomal phantoms 2007 ,		1

118	Quantification of bioluminescence images of point source objects using diffusion theory models. <i>Physics in Medicine and Biology</i> , 2006 , 51, 3733-46	3.8	23
117	Application of the modified spherical harmonics method to some problems in biomedical optics. <i>Physics in Medicine and Biology</i> , 2006 , 51, N247-51	3.8	5
116	Investigation of light propagation models to determine the optical properties of tissue from interstitial frequency domain fluence measurements. <i>Journal of Biomedical Optics</i> , 2006 , 11, 041104	3.5	7
115	Photobleaching kinetics, photoproduct formation, and dose estimation during ALA induced PpIX PDT of MLL cells under well oxygenated and hypoxic conditions. <i>Photochemical and Photobiological Sciences</i> , 2006 , 5, 73-81	4.2	78
114	Review of tissue simulating phantoms for optical spectroscopy, imaging and dosimetry. <i>Journal of Biomedical Optics</i> , 2006 , 11, 041102	3.5	443
113	Spectrally resolved bioluminescence optical tomography. <i>Optics Letters</i> , 2006 , 31, 365-7	3	139
112	Determination of the optical properties of tissue-simulating phantoms from interstitial frequency domain measurements of relative fluence and phase difference. <i>Optics Express</i> , 2006 , 14, 6485-501	3.3	35
111	Singlet oxygen luminescence dosimetry (SOLD) for photodynamic therapy: current status, challenges and future prospects. <i>Photochemistry and Photobiology</i> , 2006 , 82, 1198-210	3.6	162
110	Imaging of Photodynamically Generated Singlet Oxygen Luminescence In Vivo. <i>Photochemistry and Photobiology</i> , 2005 , 81, 941	3.6	34
109	Characterization of Photofrin photobleaching for singlet oxygen dose estimation during photodynamic therapy of MLL cells in vitro. <i>Physics in Medicine and Biology</i> , 2005 , 50, 2597-616	3.8	159
108	Singlet oxygen luminescence as an in vivo photodynamic therapy dose metric: validation in normal mouse skin with topical amino-levulinic acid. <i>British Journal of Cancer</i> , 2005 , 92, 298-304	8.7	109
107	Calculation of Singlet Oxygen Dose from Photosensitizer Fluorescence and Photobleaching During mTHPC Photodynamic Therapy of MLL Cells. <i>Photochemistry and Photobiology</i> , 2005 , 81, 196	3.6	93
106	Quantification of fluorophore concentration in vivo using two simple fluorescence-based measurement techniques. <i>Journal of Biomedical Optics</i> , 2005 , 10, 024007	3.5	22
105	Calculation of singlet oxygen dose from photosensitizer fluorescence and photobleaching during mTHPC photodynamic therapy of MLL cells. <i>Photochemistry and Photobiology</i> , 2005 , 81, 196-205	3.6	32
104	Imaging of photodynamically generated singlet oxygen luminescence in vivo. <i>Photochemistry and Photobiology</i> , 2005 , 81, 941-3	3.6	12
103	Photobleaching kinetics of Photofrin in vivo and in multicell tumour spheroids indicate two simultaneous bleaching mechanisms. <i>Physics in Medicine and Biology</i> , 2004 , 49, 4837-60	3.8	112
102	Physics in medicine and biology top ten. <i>Physics in Medicine and Biology</i> , 2004 , 49, L1-4	3.8	2
101	Measurement of fluorophore concentrations and fluorescence quantum yield in tissue-simulating phantoms using three diffusion models of steady-state spatially resolved fluorescence. <i>Physics in Medicine and Biology</i> , 2003 , 48, 4135-49	3.8	33

100	The use of spatially resolved fluorescence and reflectance to determine interface depth in layered fluorophore distributions. <i>Physics in Medicine and Biology</i> , 2003 , 48, 3459-74	3.8	13
99	Quantification of fluorophore concentration in tissue-simulating media by fluorescence measurements with a single optical fiber. <i>Applied Optics</i> , 2003 , 42, 2436-42	1.7	51
98	Diffusion Modeling of Fluorescence in Tissue 2003 , 29-60		9
97	Diffusion Modeling Of Fluorescence In Tissue 2003 ,		3
96	In vitro tests of the validity of singlet oxygen luminescence measurements as a dose metric in photodynamic therapy. <i>Cancer Research</i> , 2003 , 63, 7986-94	10.1	97
95	Direct Near-infrared Luminescence Detection of Singlet Oxygen Generated by Photodynamic Therapy in Cells In Vitro and Tissues In Vivo. <i>Photochemistry and Photobiology</i> , 2002 , 75, 382-391	3.6	345
94	Determination of in vivo photosensitizer concentrations using diffuse reflectance measurements and associative learning techniques 2002 , 4613, 125		
93	Determination of the peak absorption wavelength and disaggregation kinetics of TOOKAD in vivo using dynamic, spatially resolved diffuse reflectance spectroscopy in a rabbit model 2002 ,		8
92	Relationship between mTHPC fluorescence photobleaching and cell viability during in vitro photodynamic treatment of DP16 cells. <i>Photochemistry and Photobiology</i> , 2002 , 75, 289-95	3.6	41
91	Measurement of singlet oxygen luminescence from AML5 cells sensitized with ALA-induced PpIX in suspension during photodynamic therapy and correlation with cell viability after treatment 2002 ,		6
90	Haemoglobin oxygenation of a two-layer tissue-simulating phantom from time-resolved reflectance: effect of top layer thickness. <i>Physics in Medicine and Biology</i> , 2002 , 47, 193-208	3.8	33
89	Direct near-infrared luminescence detection of singlet oxygen generated by photodynamic therapy in cells in vitro and tissues in vivo. <i>Photochemistry and Photobiology</i> , 2002 , 75, 382-91	3.6	118
88	Experimental verification of the effect of refractive index mismatch on the light fluence in a turbid medium. <i>Journal of Biomedical Optics</i> , 2001 , 6, 468-73	3.5	17
87	A diffusion theory model of spatially resolved fluorescence from depth-dependent fluorophore concentrations. <i>Physics in Medicine and Biology</i> , 2001 , 46, 369-83	3.8	67
86	Determination of the optical properties of two-layer turbid media by use of a frequency-domain hybrid monte carlo diffusion model. <i>Applied Optics</i> , 2001 , 40, 3810-21	1.7	30
85	Noninvasive measurement of fluorophore concentration in turbid media with a simple fluorescence /reflectance ratio technique. <i>Applied Optics</i> , 2001 , 40, 6389-95	1.7	51
84	Anisotropy of light propagation in human skin. <i>Physics in Medicine and Biology</i> , 2000 , 45, 2873-86	3.8	131
83	Monte carlo diffusion hybrid model for photon migration in a two-layer turbid medium in the frequency domain. <i>Applied Optics</i> , 2000 , 39, 2235-44	1.7	38

82	Spatially resolved fluorescence excited by a pencil beam in layered media 1999 , AWA4		
81	Estimation of the optical properties of two-layered tissue simulating phantoms from spatially resolved frequency-domain reflectance 1999 ,		2
80	Comparison of the In Vivo Photodynamic Threshold Dose for Photofrin, Mono- and Tetrasulfonated Aluminum Phthalocyanine Using a Rat Liver Model. <i>Photochemistry and Photobiology</i> , 1998 , 68, 394-399	3.6	49
79	Noninvasive determination of the optical properties of two-layered turbid media. <i>Applied Optics</i> , 1998 , 37, 779-91	1.7	188
78	Influence of layered tissue architecture on estimates of tissue optical properties obtained from spatially resolved diffuse reflectometry. <i>Applied Optics</i> , 1998 , 37, 1958-72	1.7	92
77	Modeling of photosensitizer fluorescence emission and photobleaching for photodynamic therapy dosimetry. <i>Applied Optics</i> , 1998 , 37, 7168-83	1.7	49
76	Accuracy of the diffusion approximation in determining the optical properties of a two-layer turbid medium. <i>Applied Optics</i> , 1998 , 37, 7401-9	1.7	64
75	Improved continuous light diffusion imaging in single- and multi-target tissue-like phantoms. <i>Physics in Medicine and Biology</i> , 1998 , 43, 675-93	3.8	34
74	Frequency-domain near-infrared photo diffusion imaging: initial evaluation in multitarget tissuelike phantoms. <i>Medical Physics</i> , 1998 , 25, 183-93	4.4	28
73	Two-layered turbid media with steady-state and frequency- and time-domain reflectance 1998 ,		2
72	Accuracy of the diffusion approximation in determining the optical properties of a two-layer turbid medium 1998 , AMA4		
71	Comparison of the In Vivo Photodynamic Threshold Dose for Photofrin, Mono- and Tetrasulfonated Aluminum Phthalocyanine Using a Rat Liver Model 1998 , 68, 394		3
70	Determination of the optical properties of semi-infinite turbid media from frequency-domain reflectance close to the source. <i>Physics in Medicine and Biology</i> , 1997 , 42, 1801-19	3.8	37
69	Changes in fluorescence emission during PDT due to photobleaching: potential usefulness as a marker of tissue damage 1997 , 2975, 208		4
68	Optical properties of phantoms and tissue measured in vivo from 0.9 to 1.3 um using spatially resolved diffuse reflectance 1997 , 2979, 325		4
67	Noninvasive in-vivo measurements of photosensitizer uptake using diffuse reflectance spectroscopy 1997 ,		1
66	Changes in in vivo optical properties and light distributions in normal canine prostate during photodynamic therapy. <i>Radiation Research</i> , 1997 , 147, 86-91	3.1	57
65	Frequency-domain optical image reconstruction in turbid media: an experimental study of single-target detectability. <i>Applied Optics</i> , 1997 , 36, 52-63	1.7	44

64	Frequency-domain optical image reconstruction in turbid media: an experimental study of single-target detectability: erratum. <i>Applied Optics</i> , 1997 , 36, 2995-8	1.7	4
63	Absorbed photodynamic dose from pulsed versus continuous wave light examined with tissue-simulating dosimeters. <i>Applied Optics</i> , 1997 , 36, 7257-69	1.7	36
62	Correlation between blood glucose concentration in diabetics and noninvasively measured tissue optical scattering coefficient. <i>Optics Letters</i> , 1997 , 22, 190-2	3	137
61	Improved solutions of the steady-state and the time-resolved diffusion equations for reflectance from a semi-infinite turbid medium. <i>Journal of the Optical Society of America A: Optics and Image Science, and Vision</i> , 1997 , 14, 246-54	1.8	307
60	Accuracy of noninvasive in vivo measurements of photosensitizer uptake based on a diffusion model of reflectance spectroscopy. <i>Photochemistry and Photobiology</i> , 1997 , 66, 326-35	3.6	73
59	Implicit and explicit dosimetry in photodynamic therapy: a New paradigm. <i>Lasers in Medical Science</i> , 1997 , 12, 182-99	3.1	307
58	Why do veins appear blue? A new look at an old question. <i>Applied Optics</i> , 1996 , 35, 1151	1.7	69
57	Spatially resolved absolute diffuse reflectance measurements for noninvasive determination of the optical scattering and absorption coefficients of biological tissue. <i>Applied Optics</i> , 1996 , 35, 2304-14	1.7	329
56	Determination of the scattering coefficient and the anisotropy factor from laser Doppler spectra of liquids including blood. <i>Applied Optics</i> , 1996 , 35, 3404-12	1.7	28
55	Optical image reconstruction using frequency-domain data: simulations and experiments. <i>Journal of the Optical Society of America A: Optics and Image Science, and Vision</i> , 1996 , 13, 253	1.8	177
54	Determination of the optical properties of turbid media from a single Monte Carlo simulation. <i>Physics in Medicine and Biology</i> , 1996 , 41, 2221-7	3.8	127
53	The sensitivity of normal brain and intracranially implanted VX2 tumour to interstitial photodynamic therapy. <i>British Journal of Cancer</i> , 1996 , 73, 332-43	8.7	62
52	Initial assessment of a simple system for frequency domain diffuse optical tomography. <i>Physics in Medicine and Biology</i> , 1995 , 40, 1709-29	3.8	142
51	Simultaneous reconstruction of optical absorption and scattering maps in turbid media from near-infrared frequency-domain data. <i>Optics Letters</i> , 1995 , 20, 2128-30	3	87
50	Absorption spectroscopy in tissue-simulating materials: a theoretical and experimental study of photon paths. <i>Applied Optics</i> , 1995 , 34, 22-30	1.7	91
49	Investigation of multilayered tissue with in vivo reflectance measurements 1995 , 2326, 212		10
48	Principles and Applications of Frequency-Domain Measurements of Light Propagation 1995 , 333-364		5
47	General-purpose instrument for PDT dosimetry 1994 , 2371, 477		2

46	Frequency-domain optical absorption spectroscopy of finite tissue volumes using diffusion theory. <i>Physics in Medicine and Biology</i> , 1994 , 39, 1157-80	3.8	136
45	Mathematical model for time-resolved and frequency-domain fluorescence spectroscopy in biological tissues. <i>Applied Optics</i> , 1994 , 33, 1963-74	1.7	182
44	Theoretical study of the influence of sensitizer photobleaching on depth of necrosis in photodynamic therapy 1994 , 2133, 208		7
43	Evaluation of prostatic optical properties and tissue response to photodynamic therapy in a canine model 1994 ,		1
42	Charge-coupled device and neural-network-based instrument for the noninvasive determination of tissue optical properties in vivo 1994 , 2135, 117		7
41	Temperature-dependent changes in the optical absorption and scattering spectra of tissues: correlation with ultrastructure 1993 ,		22
40	Numerical modeling and experimental studies of light pulse propagation in inhomogeneous random media 1993 ,		4
39	Photodynamic therapy in prostate cancer: optical dosimetry and response of normal tissue 1993 , 1881, 231		5
38	Instrumentation for in-vivo tissue spectroscopy and imaging 1993 ,		9
37	The use of India ink as an optical absorber in tissue-simulating phantoms. <i>Physics in Medicine and Biology</i> , 1992 , 37, 985-93	3.8	135
36	A diffusion theory model of spatially resolved, steady-state diffuse reflectance for the noninvasive determination of tissue optical properties in vivo. <i>Medical Physics</i> , 1992 , 19, 879-88	4.4	945
35	The use of a neural network to determine tissue optical properties from spatially resolved diffuse reflectance measurements. <i>Physics in Medicine and Biology</i> , 1992 , 37, 2281-6	3.8	99
34	Experimental tests of a simple diffusion model for the estimation of scattering and absorption coefficients of turbid media from time-resolved diffuse reflectance measurements. <i>Applied Optics</i> , 1992 , 31, 3509-17	1.7	87
33	Effects of light beam size on fluence distribution and depth of necrosis in superficially applied photodynamic therapy of normal rat brain. <i>Photochemistry and Photobiology</i> , 1992 , 56, 379-84	3.6	17
32	In-vivo optical attenuation in normal rat brain and its implication in PDT 1991 , 1426, 156		1
31	The propagation of optical radiation in tissue I. Models of radiation transport and their application. <i>Lasers in Medical Science</i> , 1991 , 6, 155-168	3.1	160
30	The propagation of optical radiation in tissue. II: Optical properties of tissues and resulting fluence distributions. <i>Lasers in Medical Science</i> , 1991 , 6, 379-390	3.1	119
29	Time-resolved diffuse reflectance and transmittance studies in tissue simulating phantoms: a comparison between theory and experiment 1991 , 1431, 42		6

28	Dependence of photodynamic threshold dose on treatment parameters in normal rat liver in vivo 1991 , 1426, 146		13
27	Frequency-domain reflectance for the determination of the scattering and absorption properties of tissue. <i>Applied Optics</i> , 1991 , 30, 4474-6	1.7	144
26	Applications of time-resolved light scattering measurements to photodynamic therapy dosimetry 1990 ,		20
25	In vivo tests of the concept of photodynamic threshold dose in normal rat liver photosensitized by aluminum chlorosulphonated phthalocyanine. <i>Photochemistry and Photobiology</i> , 1990 , 51, 343-9	3.6	161
24	Experimental tests of the feasibility of singlet oxygen luminescence monitoring in vivo during photodynamic therapy. <i>Journal of Photochemistry and Photobiology B: Biology</i> , 1990 , 5, 69-84	6.7	105
23	Optical properties of normal and diseased human breast tissues in the visible and near infrared. <i>Physics in Medicine and Biology</i> , 1990 , 35, 1317-34	3.8	316
22	Monte Carlo modeling of light propagation in highly scattering tissue--I: Model predictions and comparison with diffusion theory. <i>IEEE Transactions on Biomedical Engineering</i> , 1989 , 36, 1162-8	5	310
21	Monte Carlo modeling of light propagation in highly scattering tissues--II: Comparison with measurements in phantoms. <i>IEEE Transactions on Biomedical Engineering</i> , 1989 , 36, 1169-73	5	126
20	Similarity relations for anisotropic scattering in Monte Carlo simulations of deeply penetrating neutral particles. <i>Journal of Computational Physics</i> , 1989 , 81, 137-150	4.1	46
19	Time resolved reflectance and transmittance for the non-invasive measurement of tissue optical properties. <i>Applied Optics</i> , 1989 , 28, 2331-6	1.7	1368
18	Similarity relations for the interaction parameters in radiation transport. <i>Applied Optics</i> , 1989 , 28, 5243-9	1.7	43
17	Tissue Optical Properties in Relation to Light Propagation Models and in Vivo Dosimetry 1989 , 25-42		5
16	A discrete method for anisotropic angular sampling in Monte Carlo simulations. <i>Journal of Computational Physics</i> , 1988 , 76, 414-425	4.1	5
15	Hybrid Monte Carlo - Diffusion Theory Modelling Of Light Distributions In Tissue. 1988 , 0908, 20		15
14	The Optical Absorption and Scattering Properties of Tissues in the Visible and Near-Infrared Wavelength Range 1988 , 45-52		7
13	The Optical Properties of Tissues at 633 Nanometers as Related to Light Dosimetry in Photodynamic Therapy 1988 , 117-119		
12	Total attenuation coefficients and scattering phase functions of tissues and phantom materials at 633 nm. <i>Medical Physics</i> , 1987 , 14, 835-41	4.4	159
11	The measurement of dihematoporphyrin ether concentration in tissue by reflectance spectrophotometry. <i>Photochemistry and Photobiology</i> , 1987 , 46, 337-43	3.6	52

10	Indirect versus direct techniques for the measurement of the optical properties of tissues. <i>Photochemistry and Photobiology</i> , 1987 , 46, 601-8	3.6	92
9	Effect of photosensitizer concentration in tissue on the penetration depth of photoactivating light. <i>Lasers in Medical Science</i> , 1986 , 1, 235-244	3.1	126
8	Quantitative contrast measurements in B-mode images comparison between experiment and theory. <i>Ultrasound in Medicine and Biology</i> , 1986 , 12, 197-208	3.5	23
7	The physics of photodynamic therapy. <i>Physics in Medicine and Biology</i> , 1986 , 31, 327-60	3.8	294
6	Artifactual echoes in B-mode images due to multiple scattering. <i>Ultrasound in Medicine and Biology</i> , 1985 , 11, 99-111	3.5	13
5	Breast imaging with a conical transducer/annular array hybrid scanner. <i>Ultrasound in Medicine and Biology</i> , 1983 , 9, 151-64	3.5	13
4	Computer simulations of speckle in B-scan images. <i>Ultrasonic Imaging</i> , 1983 , 5, 308-30	1.9	66
3	Characteristics of an 18 MV photon beam from a Therac 20 Medical Linear Accelerator. <i>Medical Physics</i> , 1981 , 8, 312-8	4.4	36
2	Spontaneous human lymphocyte-mediated cytotoxicity against tumor target cells. IX. The quantitation of natural killer cell activity. <i>Journal of Clinical Immunology</i> , 1981 , 1, 51-63	5.7	615
1	Improved method for the design of tissue compensators. <i>Medical Physics</i> , 1981 , 8, 885-91	4.4	14