

Naja Hulvej Rod

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5458885/naja-hulvej-rod-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

159
papers

3,229
citations

33
h-index

49
g-index

168
ext. papers

4,025
ext. citations

5.3
avg, IF

5.38
L-index

#	Paper	IF	Citations
159	Perceived stress as a risk factor for changes in health behaviour and cardiac risk profile: a longitudinal study. <i>Journal of Internal Medicine</i> , 2009 , 266, 467-75	10.8	140
158	Sleep disturbances and cause-specific mortality: Results from the GAZEL cohort study. <i>American Journal of Epidemiology</i> , 2011 , 173, 300-9	3.8	121
157	Perceived stress and cause-specific mortality among men and women: results from a prospective cohort study. <i>American Journal of Epidemiology</i> , 2008 , 168, 481-91; discussion 492-6	3.8	119
156	Risk of depressive disorder following disasters and military deployment: systematic review with meta-analysis. <i>British Journal of Psychiatry</i> , 2016 , 208, 330-6	5.4	85
155	Self-reported stress and risk of stroke: the Copenhagen City Heart Study. <i>Stroke</i> , 2003 , 34, 856-62	6.7	80
154	The joint effect of sleep duration and disturbed sleep on cause-specific mortality: results from the Whitehall II cohort study. <i>PLoS ONE</i> , 2014 , 9, e91965	3.7	71
153	Self reported stress and risk of breast cancer: prospective cohort study. <i>BMJ, The</i> , 2005 , 331, 548	5.9	69
152	Occurrence of delayed-onset post-traumatic stress disorder: a systematic review and meta-analysis of prospective studies. <i>Scandinavian Journal of Work, Environment and Health</i> , 2014 , 40, 215-29	4.3	67
151	The effect of sleep disordered breathing on the outcome of stroke and transient ischemic attack: a systematic review. <i>Journal of Clinical Sleep Medicine</i> , 2014 , 10, 103-8	3.1	66
150	Symptoms of sleep disordered breathing and risk of cancer: a prospective cohort study. <i>Sleep</i> , 2013 , 36, 1429-35	1.1	63
149	Loneliness, worries, anxiety, and precautionary behaviours in response to the COVID-19 pandemic: A longitudinal analysis of 200,000 Western and Northern Europeans. <i>Lancet Regional Health - Europe, The</i> , 2021 , 2, 100020		62
148	Association of sleep disturbances with reduced semen quality: a cross-sectional study among 953 healthy young Danish men. <i>American Journal of Epidemiology</i> , 2013 , 177, 1027-37	3.8	61
147	Additive interaction in survival analysis: use of the additive hazards model. <i>Epidemiology</i> , 2012 , 23, 733-731		61
146	What characterizes persons with high levels of perceived stress in Denmark? A national representative study. <i>Scandinavian Journal of Public Health</i> , 2008 , 36, 369-79	3	60
145	Binge drinking in pregnancy and risk of fetal death. <i>Obstetrics and Gynecology</i> , 2008 , 111, 602-9	4.9	58
144	Characteristics of women who binge drink before and after they become aware of their pregnancy. <i>European Journal of Epidemiology</i> , 2008 , 23, 565-72	12.1	58
143	Education and cause-specific mortality: the mediating role of differential exposure and vulnerability to behavioral risk factors. <i>Epidemiology</i> , 2014 , 25, 389-96	3.1	57

142	Perceived stress and risk of adult-onset asthma and other atopic disorders: a longitudinal cohort study. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2012 , 67, 1408-14	9.3	57
141	Stress and breast cancer: a systematic update on the current knowledge. <i>Nature Clinical Practice Oncology</i> , 2006 , 3, 612-20		56
140	Stressful life events and leucocyte telomere length: Do lifestyle factors, somatic and mental health, or low grade inflammation mediate this relationship? Results from a cohort of Danish men born in 1953. <i>Brain, Behavior, and Immunity</i> , 2016 , 58, 248-253	16.6	51
139	Workplace bullying and violence as risk factors for type 2 diabetes: a multicohort study and meta-analysis. <i>Diabetologia</i> , 2018 , 61, 75-83	10.3	44
138	Quantifying mediating effects of endogenous estrogen and insulin in the relation between obesity, alcohol consumption, and breast cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012 , 21, 1203-12	4.2	43
137	Onset of Impaired Sleep and Cardiovascular Disease Risk Factors: A Longitudinal Study. <i>Sleep</i> , 2016 , 39, 1709-18	1.1	41
136	Early life adversity potentiates the effects of later life stress on cumulative physiological dysregulation. <i>Anxiety, Stress and Coping</i> , 2015 , 28, 372-90	3.1	40
135	Combined effects of socioeconomic position, smoking, and hypertension on risk of ischemic and hemorrhagic stroke. <i>Stroke</i> , 2014 , 45, 2582-7	6.7	40
134	Workplace bullying and workplace violence as risk factors for cardiovascular disease: a multi-cohort study. <i>European Heart Journal</i> , 2019 , 40, 1124-1134	9.5	40
133	Sleep impairment and prognosis of acute myocardial infarction: a prospective cohort study. <i>Sleep</i> , 2014 , 37, 851-8	1.1	39
132	Trajectories of childhood adversity and mortality in early adulthood: a population-based cohort study. <i>Lancet, The</i> , 2020 , 396, 489-497	4.0	39
131	Metabolically Healthy Obesity and Ischemic Heart Disease: A 10-Year Follow-Up of the Inter99 Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017 , 102, 1934-1942	5.6	38
130	Distance from residence to power line and risk of childhood leukemia: a population-based case-control study in Denmark. <i>Cancer Causes and Control</i> , 2014 , 25, 171-7	2.8	36
129	Work time control and sleep disturbances: prospective cohort study of Finnish public sector employees. <i>Sleep</i> , 2014 , 37, 1217-25	1.1	36
128	Perceived stress and risk of ischemic heart disease: causation or bias?. <i>Epidemiology</i> , 2006 , 17, 391-7	3.1	36
127	Is the relationship between type of alcohol and mortality influenced by socio-economic status?. <i>Journal of Internal Medicine</i> , 2004 , 255, 280-8	10.8	34
126	Work stress, caregiving, and allostatic load: prospective results from the Whitehall II cohort study. <i>Psychosomatic Medicine</i> , 2015 , 77, 539-47	3.7	31
125	Work stress, anthropometry, lung function, blood pressure, and blood-based biomarkers: a cross-sectional study of 43,593 French men and women. <i>Scientific Reports</i> , 2017 , 7, 9282	4.9	29

124	Education and risk of coronary heart disease: assessment of mediation by behavioral risk factors using the additive hazards model. <i>European Journal of Epidemiology</i> , 2013 , 28, 149-57	12.1	28
123	Joint Effect of Alcohol Consumption and Educational Level on Alcohol-related Medical Events: A Danish Register-based Cohort Study. <i>Epidemiology</i> , 2017 , 28, 872-879	3.1	27
122	Exploring Droughts and Floods and Their Association with Cholera Outbreaks in Sub-Saharan Africa: A Register-Based Ecological Study from 1990 to 2010. <i>American Journal of Tropical Medicine and Hygiene</i> , 2018 , 98, 1269-1274	3.2	27
121	Psychosocial risk factors, weight changes and risk of obesity: the Copenhagen City Heart Study. <i>European Journal of Epidemiology</i> , 2012 , 27, 119-30	12.1	25
120	Interactions between intakes of alcohol and postmenopausal hormones on risk of breast cancer. <i>International Journal of Cancer</i> , 2008 , 122, 1109-13	7.5	24
119	Standing together - at a distance: Documenting changes in mental-health indicators in Denmark during the COVID-19 pandemic. <i>Scandinavian Journal of Public Health</i> , 2021 , 49, 79-87	3	24
118	Lifestyle, family history, and risk of idiopathic Parkinson disease: a large Danish case-control study. <i>American Journal of Epidemiology</i> , 2015 , 181, 808-16	3.8	23
117	Stressful social relations and mortality: a prospective cohort study. <i>Journal of Epidemiology and Community Health</i> , 2014 , 68, 720-7	5.1	23
116	Psychosocial risk factors, pre-motor symptoms and first-time hospitalization with Parkinson disease: a prospective cohort study. <i>European Journal of Neurology</i> , 2013 , 20, 1113-20	6	23
115	Job strain and informal caregiving as predictors of long-term sickness absence: A longitudinal multi-cohort study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2017 , 43, 5-14	4.3	23
114	Occupational exposure to extremely low-frequency magnetic fields and risk for central nervous system disease: an update of a Danish cohort study among utility workers. <i>International Archives of Occupational and Environmental Health</i> , 2017 , 90, 619-628	3.2	22
113	Psychosocial risk factors and heart failure hospitalization: a prospective cohort study. <i>American Journal of Epidemiology</i> , 2011 , 174, 672-80	3.8	22
112	Overnight smartphone use: A new public health challenge? A novel study design based on high-resolution smartphone data. <i>PLoS ONE</i> , 2018 , 13, e0204811	3.7	22
111	Onset of impaired sleep as a predictor of change in health-related behaviours; analysing observational data as a series of non-randomized pseudo-trials. <i>International Journal of Epidemiology</i> , 2015 , 44, 1027-37	7.8	21
110	Impaired sleep and allostatic load: cross-sectional results from the Danish Copenhagen Aging and Midlife Biobank. <i>Sleep Medicine</i> , 2014 , 15, 1571-8	4.6	21
109	Major life events and the risk of ischaemic heart disease: does accumulation increase the risk?. <i>International Journal of Epidemiology</i> , 2011 , 40, 904-13	7.8	21
108	Job strain and loss of healthy life years between ages 50 and 75 by sex and occupational position: analyses of 64 934 individuals from four prospective cohort studies. <i>Occupational and Environmental Medicine</i> , 2018 , 75, 486-493	2.1	20
107	Risk of breast cancer in relation to combined effects of hormone therapy, body mass index, and alcohol use, by hormone-receptor status. <i>Epidemiology</i> , 2015 , 26, 353-61	3.1	20

106	Does retirement reduce the risk of mental disorders? A national registry-linkage study of treatment for mental disorders before and after retirement of 245,082 Danish residents. <i>Occupational and Environmental Medicine</i> , 2015 , 72, 366-72	2.1	20
105	Neighborhood perceptions and allostatic load: Evidence from Denmark. <i>Health and Place</i> , 2016 , 40, 1-8	4.6	20
104	Trajectories of family poverty and children's mental health: Results from the Danish National Birth Cohort. <i>Social Science and Medicine</i> , 2019 , 220, 371-378	5.1	20
103	Work-unit social capital and long-term sickness absence: a prospective cohort study of 32 053 hospital employees. <i>Occupational and Environmental Medicine</i> , 2018 , 75, 623-629	2.1	19
102	Change in Job Strain as a Predictor of Change in Insomnia Symptoms: Analyzing Observational Data as a Non-randomized Pseudo-Trial. <i>Sleep</i> , 2017 , 40,	1.1	19
101	Are work-related stressors associated with diagnosis of more advanced stages of incident breast cancers?. <i>Cancer Causes and Control</i> , 2008 , 19, 297-303	2.8	19
100	Do women give the same information on binge drinking during pregnancy when asked repeatedly?. <i>European Journal of Clinical Nutrition</i> , 2006 , 60, 1294-8	5.2	19
99	Psychosocial risk factors for the metabolic syndrome: A prospective cohort study. <i>International Journal of Cardiology</i> , 2016 , 215, 41-6	3.2	19
98	Sleep Duration and Sleep Disturbances as Predictors of Healthy and Chronic Disease-Free Life Expectancy Between Ages 50 and 75: A Pooled Analysis of Three Cohorts. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2019 , 74, 204-210	6.4	19
97	Cause-specific mortality among spouses of Parkinson disease patients. <i>Epidemiology</i> , 2014 , 25, 225-32	3.1	18
96	Major life events and development of major depression in Parkinson's disease patients. <i>European Journal of Neurology</i> , 2013 , 20, 663-70	6	18
95	Sociodemographic status, stress, and risk of prostate cancer. A prospective cohort study. <i>Annals of Epidemiology</i> , 2007 , 17, 498-502	6.4	18
94	Using repeated measures of sleep disturbances to predict future diagnosis-specific work disability: a cohort study. <i>Sleep</i> , 2012 , 35, 559-69	1.1	17
93	Hepatoblastoma in the Nordic countries. <i>International Journal of Cancer</i> , 2012 , 131, E555-61	7.5	17
92	Social gradient in allostatic load among Danish men and women in late midlife. <i>Journal of Aging and Health</i> , 2014 , 26, 72-87	2.6	16
91	Sleep Apnea, Disability Pensions, and Cause-Specific Mortality: A Swedish Nationwide Register Linkage Study. <i>American Journal of Epidemiology</i> , 2017 , 186, 709-718	3.8	16
90	Low-risk factor profile, estrogen levels, and breast cancer risk among postmenopausal women. <i>International Journal of Cancer</i> , 2009 , 124, 1935-40	7.5	14
89	Self-reported stress and risk of endometrial cancer: a prospective cohort study. <i>Psychosomatic Medicine</i> , 2007 , 69, 383-9	3.7	14

88	Work-related exposure to violence or threats and risk of mental disorders and symptoms: a systematic review and meta-analysis. <i>Scandinavian Journal of Work, Environment and Health</i> , 2020 , 46, 339-349	4.3	14
87	Measuring social integration and tie strength with smartphone and survey data. <i>PLoS ONE</i> , 2018 , 13, e0200678	3.7	13
86	Cohort Profile: The Well-being in Hospital Employees (WHALE) study. <i>International Journal of Epidemiology</i> , 2017 , 46, 1758-1759h	7.8	13
85	Are negative aspects of social relations predictive of angina pectoris? A 6-year follow-up study of middle-aged Danish women and men. <i>Journal of Epidemiology and Community Health</i> , 2012 , 66, 359-65	5.1	13
84	Cohort profile: the DANish LIFE course (DANLIFE) cohort, a prospective register-based cohort of all children born in Denmark since 1980. <i>BMJ Open</i> , 2019 , 9, e027217	3	13
83	Parental break-ups and stress: roles of age & family structure in 44 509 pre-adolescent children. <i>European Journal of Public Health</i> , 2017 , 27, 829-834	2.1	12
82	Cohort profile: the Social Inequality in Cancer (SIC) cohort study. <i>International Journal of Epidemiology</i> , 2014 , 43, 1750-8	7.8	12
81	Does retirement reduce the risk of myocardial infarction? A prospective registry linkage study of 617 511 Danish workers. <i>International Journal of Epidemiology</i> , 2014 , 43, 160-7	7.8	12
80	Major life events and risk of Parkinson's disease. <i>Movement Disorders</i> , 2010 , 25, 1639-45	7	12
79	Perceived stress and risk of colorectal cancer in men and women: a prospective cohort study. <i>Journal of Internal Medicine</i> , 2008 , 263, 192-202	10.8	12
78	Longitudinal associations between organizational change, work-unit social capital, and employee exit from the work unit among public healthcare workers: a mediation analysis. <i>Scandinavian Journal of Work, Environment and Health</i> , 2019 , 45, 53-62	4.3	12
77	Effort-reward imbalance at work and risk of type 2 diabetes in a national sample of 50,552 workers in Denmark: A prospective study linking survey and register data. <i>Journal of Psychosomatic Research</i> , 2020 , 128, 109867	4.1	12
76	Does inflammation provide a link between psychosocial work characteristics and diabetes? Analysis of the role of interleukin-6 and C-reactive protein in the Whitehall II cohort study. <i>Brain, Behavior, and Immunity</i> , 2019 , 78, 153-160	16.6	11
75	Distance to high-voltage power lines and risk of childhood leukemia--an analysis of confounding by and interaction with other potential risk factors. <i>PLoS ONE</i> , 2014 , 9, e107096	3.7	11
74	Accumulation of Major Life Events in Childhood and Adult Life and Risk of Type 2 Diabetes Mellitus. <i>PLoS ONE</i> , 2015 , 10, e0138654	3.7	10
73	Multicohort study of change in job strain, poor mental health and incident cardiometabolic disease. <i>Occupational and Environmental Medicine</i> , 2019 , 76, 785-792	2.1	10
72	Night shift work, long working hours and dementia: a longitudinal study of the Danish Work Environment Cohort Study. <i>BMJ Open</i> , 2019 , 9, e027027	3	9
71	A non-linear association between self-reported negative emotional response to stress and subsequent allostatic load: prospective results from the Whitehall II cohort study. <i>Psychoneuroendocrinology</i> , 2014 , 49, 54-61	5	9

70	Cortisol, estrogens and risk of ischaemic heart disease, cancer and all-cause mortality in postmenopausal women: a prospective cohort study. <i>International Journal of Epidemiology</i> , 2010 , 39, 530-8	7.8	9
69	The influence of duration of follow-up on the association between alcohol and cause-specific mortality in a prospective cohort study. <i>Annals of Epidemiology</i> , 2005 , 15, 44-55	6.4	9
68	Shift work, long working hours, and later risk of dementia: A long-term follow-up of the Copenhagen Male Study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2017 , 43, 569-577	4.3	9
67	Perceived stress and dementia: Results from the Copenhagen city heart study. <i>Aging and Mental Health</i> , 2020 , 24, 1828-1836	3.5	9
66	Study protocol of the Healthy High School study: a school-based intervention to improve well-being among high school students in Denmark. <i>BMC Public Health</i> , 2020 , 20, 95	4.1	8
65	Negative aspects of close social relations and 10-year incident ischaemic heart disease hospitalization among middle-aged Danes. <i>European Journal of Preventive Cardiology</i> , 2014 , 21, 1249-56	3.9	8
64	Psychosocial working conditions and depressive disorder: disentangling effects of job control from socioeconomic status using a life-course approach. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020 , 55, 217-228	4.5	8
63	Dual impact of organisational change on subsequent exit from work unit and sickness absence: a longitudinal study among public healthcare employees. <i>Occupational and Environmental Medicine</i> , 2018 , 75, 479-485	2.1	8
62	Psychosocial risk factors for hospitalisation and death from chronic obstructive pulmonary disease: a prospective cohort study. <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , 2015 , 12, 190-8	2	7
61	Weekly hours of informal caregiving and paid work, and the risk of cardiovascular disease. <i>European Journal of Public Health</i> , 2018 , 28, 743-747	2.1	7
60	High perceived stress and social interaction behaviour among young adults. A study based on objective measures of face-to-face and smartphone interactions. <i>PLoS ONE</i> , 2019 , 14, e0218429	3.7	7
59	Psychosocial health in people with diabetes during the first three months of the COVID-19 pandemic in Denmark. <i>Journal of Diabetes and Its Complications</i> , 2021 , 35, 107858	3.2	7
58	Informal caregiving and diurnal patterns of salivary cortisol: Results from the Whitehall II cohort study. <i>Psychoneuroendocrinology</i> , 2019 , 100, 41-47	5	7
57	Mental and physical health effects of meaningful work and rewarding family responsibilities. <i>PLoS ONE</i> , 2019 , 14, e0214916	3.7	6
56	Associations between onset of effort-reward imbalance at work and onset of musculoskeletal pain: analyzing observational longitudinal data as pseudo-trials. <i>Pain</i> , 2018 , 159, 1477-1483	8	6
55	Is the effect of alcohol on risk of stroke confined to highly stressed persons?. <i>Neuroepidemiology</i> , 2005 , 25, 105-13	5.4	6
54	Job insecurity and risk of coronary heart disease: Mediation analyses of health behaviors, sleep problems, physiological and psychological factors. <i>Psychoneuroendocrinology</i> , 2020 , 118, 104706	5	6
53	Economic hardship over twenty-two consecutive years of adult life and markers of early ageing: physical capability, cognitive function and inflammation. <i>European Journal of Ageing</i> , 2020 , 17, 55-67	3.6	6

52	Hospitalisation patterns among children exposed to childhood adversity: a population-based cohort study of half a million children. <i>Lancet Public Health, The</i> , 2021 , 6, e826-e835	22.4	6
51	Loss of partner and breast cancer prognosis - a population-based study, Denmark, 1994-2010. <i>British Journal of Cancer</i> , 2012 , 106, 1560-3	8.7	5
50	Both High and Low Levels of Negative Emotions Are Associated with Higher Blood Pressure: Evidence from Whitehall II Cohort Study. <i>International Journal of Behavioral Medicine</i> , 2020 , 27, 170-178	2.6	5
49	Late midlife C-reactive protein and interleukin-6 in middle aged danish men in relation to body size history within and across generations. <i>Obesity</i> , 2016 , 24, 461-8	8	5
48	Work-unit organisational changes and subsequent prescriptions for psychotropic medication: a longitudinal study among public healthcare employees. <i>Occupational and Environmental Medicine</i> , 2019 , 76, 143-150	2.1	5
47	Social Relations at Work and Incident Dementia: 29-Years Follow-Up of the Copenhagen Male Study. <i>Journal of Occupational and Environmental Medicine</i> , 2018 , 60, 12-18	2	5
46	Informal caregiving as a risk factor for type 2 diabetes in individuals with favourable and unfavourable psychosocial work environments: A longitudinal multi-cohort study. <i>Diabetes and Metabolism</i> , 2018 , 44, 38-44	5.4	4
45	Understanding the relation between socioeconomic position and inflammation in post-menopausal women: education, income and occupational prestige. <i>European Journal of Public Health</i> , 2017 , 27, 1074-1079	2.1	4
44	Bi-directional relation between effort-reward imbalance and risk of neck-shoulder pain: assessment of mediation through depressive symptoms using occupational longitudinal data. <i>Scandinavian Journal of Work, Environment and Health</i> , 2019 , 45, 126-133	4.3	4
43	Can work-unit social capital buffer the association between workplace violence and long-term sickness absence? A prospective cohort study of healthcare employees. <i>International Archives of Occupational and Environmental Health</i> , 2020 , 93, 355-364	3.2	4
42	Accumulation of childhood adversities and type 1 diabetes risk: a register-based cohort study of all children born in Denmark between 1980 and 2015. <i>International Journal of Epidemiology</i> , 2020 , 49, 1604-1613	7.8	4
41	Work-related violence and depressive disorder among 955,573 employees followed for 6.99 million person-years. The Danish Work Life Course Cohort study: Work-related violence and depression. <i>Journal of Affective Disorders</i> , 2021 , 288, 136-144	6.6	4
40	Is dog ownership associated with mortality? A nationwide registry study. <i>European Journal of Public Health</i> , 2018 , 28, 1169-1171	2.1	4
39	Towards a syndemic public health response to COVID-19. <i>Scandinavian Journal of Public Health</i> , 2021 , 49, 14-16	3	4
38	The joint effect of unemployment and cynical hostility on all-cause mortality: results from a prospective cohort study. <i>BMC Public Health</i> , 2019 , 19, 293	4.1	3
37	Education and incident type 2 diabetes: quantifying the impact of differential exposure and susceptibility to being overweight or obese. <i>Diabetologia</i> , 2020 , 63, 1764-1774	10.3	3
36	Educational differences in postmenopausal breast cancer--quantifying indirect effects through health behaviors, body mass index and reproductive patterns. <i>PLoS ONE</i> , 2013 , 8, e78690	3.7	3
35	Time trends in mental health indicators during the initial 16 months of the COVID-19 pandemic in Denmark.. <i>BMC Psychiatry</i> , 2022 , 22, 25	4.2	3

34	Smartphone interactions and mental well-being in young adults: A longitudinal study based on objective high-resolution smartphone data. <i>Scandinavian Journal of Public Health</i> , 2021 , 49, 325-332	3	3
33	Occupational Social Class and Personality Traits in Relation to Leisure-Time Physical Activity Level: Cross-Sectional Results From the Copenhagen Aging and Midlife Biobank. <i>Journal of Aging and Health</i> , 2018 , 30, 1263-1283	2.6	3
32	Prolonged or serious conflicts at work and incident dementia: a 23-year follow-up of the Copenhagen City Heart Study. <i>International Archives of Occupational and Environmental Health</i> , 2019 , 92, 165-173	3.2	2
31	Role of psychosocial work factors in the relation between becoming a caregiver and changes in health behaviour: results from the Whitehall II cohort study. <i>Journal of Epidemiology and Community Health</i> , 2016 , 70, 1200-1206	5.1	2
30	Smallpox and BCG vaccination in childhood and cutaneous malignant melanoma in Danish adults followed from 18 to 49 years. <i>Vaccine</i> , 2019 , 37, 6730-6736	4.1	2
29	Re: Current Limits for Understanding the Underlying Causal Structures in Observational Epidemiology: Reflections on Refined Mediation Models and Crude Data. <i>Epidemiology</i> , 2017 , 28, e60-e61	3.1	2
28	Work-unit organizational changes and risk of cardiovascular disease: a prospective study of public healthcare employees in Denmark. <i>International Archives of Occupational and Environmental Health</i> , 2020 , 93, 409-419	3.2	2
27	Daytime and nighttime smartphone use: A study of associations between multidimensional smartphone behaviours and sleep among 24,856 Danish adults. <i>Journal of Sleep Research</i> , 2021 , 30, e13356	5.8	2
26	Childhood adversity trajectories and PTSD in young adulthood: A nationwide Danish register-based cohort study of more than one million individuals. <i>Journal of Psychiatric Research</i> , 2021 , 136, 274-280	5.2	2
25	Estimates of mortality attributable to COVID-19: a statistical model for monitoring COVID-19 and seasonal influenza, Denmark, spring 2020. <i>Eurosurveillance</i> , 2021 , 26,	19.8	2
24	Loneliness and objectively measured physical capability in middle-aged adults. <i>European Journal of Public Health</i> , 2018 , 28, 16-23	2.1	2
23	Childhood socioeconomic position and physical capability in late-middle age in two birth cohorts from the Copenhagen aging and midlife biobank. <i>PLoS ONE</i> , 2018 , 13, e0205019	3.7	2
22	Mental health indicators in pregnant women compared with women in the general population during the coronavirus disease 2019 pandemic in Denmark. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2021 , 100, 2009-2018	3.8	2
21	Trajectories of Childhood Adversity and Type 1 Diabetes: A Nationwide Study of One Million Children. <i>Diabetes Care</i> , 2021 , 44, 740-747	14.6	2
20	Commentary: Causal models adjusting for time-varying confounding- please send more data. <i>International Journal of Epidemiology</i> , 2019 , 48, 254-267	7.8	1
19	Mediation of the parental education gradient in early adult mortality by childhood adversity: a population-based cohort study of more than 1 million children.. <i>Lancet Public Health</i> , 2022 , 7, e146-e155	22.4	1
18	Proposing network analysis for early life adversity: An application on life event data.. <i>Social Science and Medicine</i> , 2022 , 296, 114784	5.1	1
17	Characteristics of Workplace Psychosocial Resources and Risk of Diabetes: A Prospective Cohort Study. <i>Diabetes Care</i> , 2021 ,	14.6	1

16	Physical workload, long-term sickness absence, and the role of social capital. Multi-level analysis of a large occupation cohort. <i>Scandinavian Journal of Work, Environment and Health</i> , 2020 , 46, 373-381	4.3	1
15	Changes in effort-reward imbalance at work and risk of onset of sleep disturbances in a population-based cohort of workers in Denmark. <i>Sleep Medicine: X</i> , 2020 , 2, 100021	3.1	1
14	Work-unit social capital and incident purchase of psychotropic medications: A longitudinal cohort-study of healthcare workers. <i>Journal of Affective Disorders</i> , 2020 , 276, 53-61	6.6	1
13	Reducing employee turnover in hospitals: estimating the effects of hypothetical improvements in the psychosocial work environment. <i>Scandinavian Journal of Work, Environment and Health</i> , 2021 , 47, 456-465	4.3	1
12	The impact of work-place social capital in hospitals on patient-reported quality of care: a cohort study of 5205 employees and 23,872 patients in Denmark. <i>BMC Health Services Research</i> , 2021 , 21, 534	2.9	1
11	Effort-reward imbalance at work and weight changes in a nationwide cohort of workers in Denmark. <i>American Journal of Industrial Medicine</i> , 2020 , 63, 634-643	2.7	1
10	Workplace discrimination as risk factor for long-term sickness absence: Longitudinal analyses of onset and changes in workplace adversity. <i>PLoS ONE</i> , 2021 , 16, e0255697	3.7	1
9	Organizational justice and long-term metabolic trajectories: a 25-year follow-up of the Whitehall II cohort. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 ,	5.6	1
8	Workplace Violence and Long-term Sickness Absence: Assessment of the Potential Buffering Effect of Social Support in Two Occupational Cohort Studies. <i>Journal of Occupational and Environmental Medicine</i> , 2020 , 62, 830-838	2	0
7	Onset of Workplace Bullying and Risk of Weight Gain: A Multicohort Longitudinal Study. <i>Obesity</i> , 2020 , 28, 2216-2223	8	0
6	Physical activity and serious adverse events in patients with atrial fibrillation and/or atrial flutter treated with catheter ablation. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2021 , 50, 146-152	2.6	0
5	The SmartSleep Experiment: Evaluation of changes in night-time smartphone behavior following a mass media citizen science campaign. <i>PLoS ONE</i> , 2021 , 16, e0253783	3.7	0
4	Housing environment and mental health of Europeans during the COVID-19 pandemic: a cross-country comparison.. <i>Scientific Reports</i> , 2022 , 12, 5612	4.9	0
3	PS30 The Joint Effect of Unemployment and Cynical Hostility on All Cause Mortality. <i>Journal of Epidemiology and Community Health</i> , 2012 , 66, A50.1-A50	5.1	
2	OP59 Do Demands and Worries from Close Social Relations Increase the Risk of Subsequent Incident IHD Hospitalization? A 7 Year Longitudinal Study of Middle-Aged Danish Men and Women. <i>Journal of Epidemiology and Community Health</i> , 2012 , 66, A23.1-A23	5.1	
1	Nighttime smartphone use and changes in mental health and wellbeing among young adults: a longitudinal study based on high-resolution tracking data.. <i>Scientific Reports</i> , 2022 , 12, 8013	4.9	