

Liang Wang

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/546019/liang-wang-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

207
papers

2,198
citations

25
h-index

36
g-index

219
ext. papers

2,904
ext. citations

4.1
avg, IF

5.05
L-index

#	Paper	IF	Citations
207	Advances in Multi-Omics Study of Prognostic Biomarkers of Diffuse Large B-Cell Lymphoma.. <i>International Journal of Biological Sciences</i> , 2022 , 18, 1313-1327	11.2	0
206	Dietary fat and fatty acids in relation to risk of colorectal cancer.. <i>European Journal of Nutrition</i> , 2022 , 1	5.2	0
205	Non-invasive preoperative imaging differential diagnosis of pineal region tumor: A novel developed and validated multiparametric MRI-based clinikoradiomic model.. <i>Radiotherapy and Oncology</i> , 2022 ,	5.3	1
204	A deep learning radiomics analysis for identifying sinus invasion in patients with meningioma before operation using tumor and peritumoral regions.. <i>European Journal of Radiology</i> , 2022 , 149, 110187	4.7	0
203	Biomarkers for predicting the efficacy of immune checkpoint inhibitors.. <i>Journal of Cancer</i> , 2022 , 13, 481-495	4.5	1
202	CD56-Negative Extranodal Natural Killer/T-Cell Lymphoma: A Retrospective Study in 443 Patients Treated by Chemotherapy With or Without Asparaginase.. <i>Frontiers in Immunology</i> , 2022 , 13, 829366	8.4	
201	Surgical management and long-term outcomes of primary intracranial leiomyosarcoma: a case series and review of literature. <i>Neurosurgical Review</i> , 2021 , 44, 2319-2328	3.9	1
200	Non-Invasive Preoperative Imaging Differential Diagnosis of Intracranial Hemangiopericytoma and Angiomatous Meningioma: A Novel Developed and Validated Multiparametric MRI-Based Clini-Radiomic Model.. <i>Frontiers in Oncology</i> , 2021 , 11, 792521	5.3	1
199	Pan-cancer analysis reveals the roles of XPO1 in predicting prognosis and tumorigenesis.. <i>Translational Cancer Research</i> , 2021 , 10, 4664-4679	0.3	1
198	Targeting Bruton Tyrosine Kinase for the Treatment of Vitreoretinal Lymphoma: Report of 11 Consecutive Patients. <i>Blood</i> , 2021 , 138, 1421-1421	2.2	0
197	Characterization of a Novel Model of Lumbar Ligamentum Flavum Hypertrophy in Bipedal Standing Mice. <i>Orthopaedic Surgery</i> , 2021 , 13, 2457-2467	2.5	1
196	Establishment of an induced pluripotent stem cell line (SAHGMUi001-A) from a patient with Netherton syndrome carrying SPINK5 mutation. <i>Stem Cell Research</i> , 2021 , 51, 102213	1.6	
195	Neurological outcomes of untreated brainstem cavernous malformations in a prospective observational cohort and literature review. <i>Stroke and Vascular Neurology</i> , 2021 ,	9.1	3
194	T cell epitope screening of Epstein-Barr virus fusion protein gB. <i>Journal of Virology</i> , 2021 ,	6.6	2
193	In vivo genome editing in mouse restores dystrophin expression in Duchenne muscular dystrophy patient muscle fibers. <i>Genome Medicine</i> , 2021 , 13, 57	14.4	3
192	TGFB3 downregulation causing chordomagenesis and its tumor suppression role maintained by Smad7. <i>Carcinogenesis</i> , 2021 , 42, 913-923	4.6	0
191	Targeting Bruton Tyrosine Kinase With Zanubrutinib for Treatment of Vitreoretinal Lymphoma: Report of 3 Cases. <i>Frontiers in Oncology</i> , 2021 , 11, 676792	5.3	1

190	miR-10396b-3p inhibits mechanical stress-induced ligamentum flavum hypertrophy by targeting IL-11. <i>FASEB Journal</i> , 2021 , 35, e21676	0.9	0
189	A nomogram prognostic index for risk-stratification in diffuse large B-cell lymphoma in the rituximab era: a multi-institutional cohort study. <i>British Journal of Cancer</i> , 2021 , 125, 402-412	8.7	3
188	Efficacy of lenalidomide for relapsed or refractory T lymphoblastic lymphoma/leukemia after allogeneic hematopoietic stem cell transplantation. <i>Leukemia and Lymphoma</i> , 2021 , 62, 2521-2525	1.9	0
187	An Immune-Related Prognostic Classifier Is Associated with Diffuse Large B Cell Lymphoma Microenvironment. <i>Journal of Immunology Research</i> , 2021 , 2021, 5564568	4.5	1
186	DEPDC1B regulates the progression of human chordoma through UBE2T-mediated ubiquitination of BIRC5. <i>Cell Death and Disease</i> , 2021 , 12, 753	9.8	3
185	Two Cu(II) coordination polymers: Heterogeneous catalytic Knoevenagel condensation reaction and treatment activity on atherosclerosis via regulating the expression of the COX-2 in vascular endothelial cells. <i>Journal of Inorganic Biochemistry</i> , 2021 , 220, 111464	4.2	0
184	The clinical, radiological, and immunohistochemical characteristics and outcomes of primary intracranial gliosarcoma: a retrospective single-centre study. <i>Neurosurgical Review</i> , 2021 , 44, 1003-1015	3.9	3
183	Natural history of incidentally diagnosed brainstem cavernous malformations in a prospective observational cohort. <i>Neurosurgical Review</i> , 2021 , 44, 1151-1164	3.9	3
182	A prospective study of erythrocyte polyunsaturated fatty acids and risk of colorectal serrated polyps and conventional adenomas. <i>International Journal of Cancer</i> , 2021 , 148, 57-66	7.5	0
181	The clinoradiological features and surgical outcomes of primary intracranial fibrosarcoma: a single-institute experience with a systematic review. <i>Neurosurgical Review</i> , 2021 , 44, 543-553	3.9	3
180	Risk Factors and Incidence of Colorectal Cancer According to Major Molecular Subtypes. <i>JNCI Cancer Spectrum</i> , 2021 , 5, pkaa089	4.6	5
179	LncRNA BCYRN1-induced autophagy enhances asparaginase resistance in extranodal NK/T-cell lymphoma. <i>Theranostics</i> , 2021 , 11, 925-940	12.1	6
178	Case Report: an Unusual Complex Internal Hernia After Roux-en-Y Gastric Bypass. <i>Obesity Surgery</i> , 2021 , 31, 1833-1835	3.7	
177	CCR2 improves homing and engraftment of adipose-derived stem cells in dystrophic mice. <i>Stem Cell Research and Therapy</i> , 2021 , 12, 12	8.3	1
176	Melatonin Promotes Heterotopic Ossification Through Regulation of Endothelial-Mesenchymal Transition in Injured Achilles Tendons in Rats. <i>Frontiers in Cell and Developmental Biology</i> , 2021 , 9, 629274	5.7	0
175	A rare case of monozygotic triplets with Duchenne muscular dystrophy. <i>Neuromuscular Disorders</i> , 2021 , 31, 456-461	2.9	
174	Comparison of Carrier and Pathogenic Variants in a Chinese DMD/BMD Cohort. <i>Frontiers in Neurology</i> , 2021 , 12, 714677	4.1	0
173	The Neuroprotective Role of Neuroserpin in Ischemic and Hemorrhagic Stroke. <i>Current Neuropharmacology</i> , 2021 , 19, 1367-1378	7.6	1

172	A Novel Prognostic Marker for Primary CNS Lymphoma: Lactate Dehydrogenase-to-Lymphocyte Ratio Improves Stratification of Patients Within the Low and Intermediate MSKCC Risk Groups. <i>Frontiers in Oncology</i> , 2021 , 11, 696147	5.3	3
171	Generation and characterization of an induced pluripotent stem cell line (ZSYDNI001-A) from a patient with Duchenne muscular dystrophy carrying exon 51 deletion in the DMD gene. <i>Stem Cell Research</i> , 2021 , 56, 102553	1.6	
170	Serum creatinine as a biomarker for dystrophinopathy: a cross-sectional and longitudinal study. <i>BMC Neurology</i> , 2021 , 21, 372	3.1	0
169	Single-cell RNA sequencing infers the role of malignant cells in drug-resistant multiple myeloma.. <i>Clinical and Translational Medicine</i> , 2021 , 11, e653	5.7	1
168	Mechanical Stress-Induced IGF-1 Facilitates col-I and col-III Synthesis via the IGF-1R/AKT/mTORC1 Signaling Pathway.. <i>Stem Cells International</i> , 2021 , 2021, 5553676	5	0
167	Engraftment of human induced pluripotent stem cell-derived myogenic progenitors restores dystrophin in mice with duchenne muscular dystrophy. <i>Biological Research</i> , 2020 , 53, 22	7.6	5
166	New tricks for old drugs: combination of rituximab and two nanoparticle-delivered chemotherapy drugs, albumin-bound paclitaxel and pegylated liposomal doxorubicin, in the treatment of relapsed/refractory diffuse large B cell lymphoma. <i>Leukemia and Lymphoma</i> , 2020 , 61, 2502-2506	1.9	2
165	Homozygous NOTCH3 p.R587C mutation in Chinese patients with CADASIL: a case report. <i>BMC Neurology</i> , 2020 , 20, 72	3.1	2
164	High Copy-Number Variation Burdens in Cranial Meningiomas From Patients With Diverse Clinical Phenotypes Characterized by Hot Genomic Structure Changes. <i>Frontiers in Oncology</i> , 2020 , 10, 1382	5.3	3
163	The landscape of new drugs in extranodal NK/T-cell lymphoma. <i>Cancer Treatment Reviews</i> , 2020 , 89, 102065	14.4	5
162	Pegaspargase Combined with Concurrent Radiotherapy for Early-Stage Extranodal Natural Killer/T-Cell Lymphoma, Nasal Type: A Two-Center Phase II Study. <i>Oncologist</i> , 2020 , 25, e1725-e1731	5.7	3
161	A clinical study of ocular motor nerve functions after petroclival meningioma resection. <i>Acta Neurochirurgica</i> , 2020 , 162, 1249-1257	3	1
160	MicroRNA-195 Functions as a Tumor Suppressor by Directly Targeting Fatty Acid Synthase in Malignant Meningioma. <i>World Neurosurgery</i> , 2020 , 136, e355-e364	2.1	10
159	Risk Factor Profiles Differ for Cancers of Different Regions of the Colorectum. <i>Gastroenterology</i> , 2020 , 159, 241-256.e13	13.3	30
158	Heterogenetic parabiosis between healthy and dystrophic mice improve the histopathology in muscular dystrophy. <i>Scientific Reports</i> , 2020 , 10, 7075	4.9	2
157	Stemness Signature Defined By Logistic Regression Machine Learning and Artificial Intelligence Predicts Outcomes in Diffuse Large B-Cell Lymphoma. <i>Blood</i> , 2020 , 136, 19-20	2.2	
156	Prognostic and predictive value of an immune infiltration signature in diffuse lower-grade gliomas. <i>JCI Insight</i> , 2020 , 5,	9.9	10
155	Single-cell RNA-seq reveals the immune escape and drug resistance mechanisms of mantle cell lymphoma. <i>Cancer Biology and Medicine</i> , 2020 , 17, 726-739	5.2	10

154	R-CHOP resistance in diffuse large B-cell lymphoma: biological and molecular mechanisms. <i>Chinese Medical Journal</i> , 2020 , 134, 253-260	2.9	4
153	MicroRNA-188-5p targeting Forkhead Box L1 promotes colorectal cancer progression via activating Wnt/ β -catenin signaling. <i>Oncology Research</i> , 2020 ,	4.8	2
152	Natural Growth Dynamics of Untreated Skull Base Chordomas In Vivo. <i>World Neurosurgery</i> , 2020 , 136, e310-e321	2.1	1
151	Low Expression of Phosphatase and Tensin Homolog and High Expression of Ki-67 as Risk Factors of Prognosis in Cranial Meningiomas. <i>World Neurosurgery</i> , 2020 , 136, e196-e203	2.1	4
150	Identification and validation of a 21-mRNA prognostic signature in diffuse lower-grade gliomas. <i>Journal of Neuro-Oncology</i> , 2020 , 146, 207-217	4.8	4
149	Macrophage-derived neurotrophin-3 promotes heterotopic ossification in rats. <i>Laboratory Investigation</i> , 2020 , 100, 762-776	5.9	4
148	Prognostic value of a bilateral motor threshold criterion for facial corticobulbar MEP monitoring during cerebellopontine angle tumor resection. <i>Journal of Clinical Monitoring and Computing</i> , 2020 , 34, 1331-1341	2	3
147	PD-1 blockade in extranodal NK/T-cell lymphoma: who is in charge?. <i>Leukemia</i> , 2020 , 34, 3432-3433	10.7	1
146	Serum interleukin-10 as a valuable biomarker for early diagnosis and therapeutic monitoring in intravascular large B-cell lymphoma. <i>Clinical and Translational Medicine</i> , 2020 , 10, e131	5.7	
145	Extranodal natural-killer T-cell lymphoma: experience from China. <i>Lancet Haematology</i> , 2020 , 7, e441	14.6	3
144	SVILE regimen, a combination of dexamethasone, vindesine, ifosfamide, pegaspargase, and etoposide, for treating relapsed/refractory extranodal natural killer/T-cell lymphoma, nasal type. <i>Leukemia Research</i> , 2020 , 96, 106422	2.7	0
143	Genetic Modifiers of Duchenne Muscular Dystrophy in Chinese Patients. <i>Frontiers in Neurology</i> , 2020 , 11, 721	4.1	4
142	Cladribine with Granulocyte Colony-Stimulating Factor, Cytarabine, and Aclarubicin Regimen in Refractory/Relapsed Acute Myeloid Leukemia: A Phase II Multicenter Study. <i>Oncologist</i> , 2020 , 25, e1663-e1670	5.7	0
141	CRLF1 Is a Key Regulator in the Ligamentum Flavum Hypertrophy. <i>Frontiers in Cell and Developmental Biology</i> , 2020 , 8, 858	5.7	12
140	MicroRNA-221/222 Inhibits the Radiation-Induced Invasiveness and Promotes the Radiosensitivity of Malignant Meningioma Cells. <i>Frontiers in Oncology</i> , 2020 , 10, 1441	5.3	2
139	Adverse Factors of Treatment Response and Overall Survival in Pediatric and Adult Patients with Pineoblastoma. <i>Cancer Management and Research</i> , 2020 , 12, 7343-7351	3.6	3
138	New agents and regimens for diffuse large B cell lymphoma. <i>Journal of Hematology and Oncology</i> , 2020 , 13, 175	22.4	20
137	Natural history of brainstem cavernous malformations: prospective hemorrhage rate and adverse factors in a consecutive prospective cohort. <i>Journal of Neurosurgery</i> , 2020 , 134, 917-928	3.2	10

136	Overall Survival of Primary Intracranial Atypical Teratoid Rhabdoid Tumor Following Multimodal Treatment: A Pooled Analysis of Individual Patient Data. <i>Neurosurgical Review</i> , 2020 , 43, 281-292	3.9	3
135	A CpG Methylation Classifier to Predict Relapse in Adults with T-Cell Lymphoblastic Lymphoma. <i>Clinical Cancer Research</i> , 2020 , 26, 3760-3770	12.9	5
134	Malignant Progression Contributes to the Failure of Combination Therapy for Atypical Meningiomas. <i>Frontiers in Oncology</i> , 2020 , 10, 608175	5.3	0
133	High Expression of TGF- β Predicting Tumor Progression in Skull Base Chordomas. <i>World Neurosurgery</i> , 2019 , 131, e265-e270	2.1	5
132	Neurotrophin-3 acts on the endothelial-mesenchymal transition of heterotopic ossification in rats. <i>Journal of Cellular and Molecular Medicine</i> , 2019 , 23, 2595-2609	5.6	10
131	Non-NF2 mutations have a key effect on inhibitory immune checkpoints and tumor pathogenesis in skull base meningiomas. <i>Journal of Neuro-Oncology</i> , 2019 , 144, 11-20	4.8	11
130	KLF7 promotes polyamine biosynthesis and glioma development through transcriptionally activating ASL. <i>Biochemical and Biophysical Research Communications</i> , 2019 , 514, 51-57	3.4	15
129	Low Transforming Growth Factor- β Expression Predicts Tumor Malignancy in Meningiomas. <i>World Neurosurgery</i> , 2019 , 125, e353-e360	2.1	3
128	Genotypes and Phenotypes of Small Mutations in Chinese Patients With Dystrophinopathies. <i>Frontiers in Genetics</i> , 2019 , 10, 114	4.5	11
127	A Logistic Regression Model for Detecting the Presence of Malignant Progression in Atypical Meningiomas. <i>World Neurosurgery</i> , 2019 , 126, e392-e401	2.1	6
126	Prognostic and predictive value of a microRNA signature in adults with T-cell lymphoblastic lymphoma. <i>Leukemia</i> , 2019 , 33, 2454-2465	10.7	25
125	Identification of the Different Roles and Potential Mechanisms of T Isoforms in the Tumor Recurrence and Cell Cycle of Chordomas. <i>Oncotargets and Therapy</i> , 2019 , 12, 11777-11791	4.4	4
124	Long noncoding RNA LINC00511 promotes cell growth and invasion in triple-negative breast cancer by interacting with Snail. <i>Cancer Management and Research</i> , 2019 , 11, 5691-5699	3.6	8
123	Radiomic signature: A novel magnetic resonance imaging-based prognostic biomarker in patients with skull base chordoma. <i>Radiotherapy and Oncology</i> , 2019 , 141, 239-246	5.3	12
122	Treatment strategy and long-term outcomes of primary intracranial rhabdomyosarcoma: a single-institution experience and systematic review. <i>Journal of Neurosurgery</i> , 2019 , 1-11	3.2	1
121	High expression of survivin independently correlates with tumor progression and mortality in patients with skull base chordomas. <i>Journal of Neurosurgery</i> , 2019 , 132, 140-149	3.2	3
120	Development and Characterization of a Novel Bipedal Standing Mouse Model of Intervertebral Disc and Facet Joint Degeneration. <i>Clinical Orthopaedics and Related Research</i> , 2019 , 477, 1492-1504	2.2	14
119	Retinol dehydrogenase 10 promotes metastasis of glioma cells via the transforming growth factor- β /SMAD signaling pathway. <i>Chinese Medical Journal</i> , 2019 , 132, 2430-2437	2.9	3

118	Three Cd(II) coordination polymers induce gastric cancer cell apoptosis by promoting intracellular ROS accumulation and apoptotic genes expression. <i>Journal of Coordination Chemistry</i> , 2019 , 72, 3057-3070	1.6	3
117	Clinical features, radiological profiles, and surgical outcomes of primary intracranial solitary plasmacytomas: a report of 17 cases and a pooled analysis of individual patient data. <i>Journal of Neuro-Oncology</i> , 2019 , 142, 263-272	4.8	6
116	Frontal Sinus Osteoma Accompanied by Intracranial Mucocele and Local Hyperostosis Frontalis Interna. <i>World Neurosurgery</i> , 2018 , 113, 94-95	2.1	1
115	Intratumoral Hemorrhage as an Unusual Manifestation of Intracranial Subependymoma. <i>World Neurosurgery</i> , 2018 , 114, e647-e653	2.1	5
114	CASP8, XRCC1, WRN, NF2, and BRIP1 Polymorphisms Analysis Shows Their Genetic Susceptibility for Meningioma Risk and the Association with Tumor-Related Phenotype in a Chinese Population. <i>World Neurosurgery</i> , 2018 , 114, e883-e891	2.1	4
113	Surgical outcome of motor deficits and neurological status in brainstem cavernous malformations based on preoperative diffusion tensor imaging: a prospective randomized clinical trial. <i>Journal of Neurosurgery</i> , 2018 , 130, 286-301	3.2	17
112	Primary Intracranial Angioleiomyomas as Rare, Nonmalignant, and Distinct Neoplastic Entities: A Series of 8 Cases and a Literature Review. <i>World Neurosurgery</i> , 2018 , 113, 1-13	2.1	8
111	Leptin accelerates the pathogenesis of heterotopic ossification in rat tendon tissues via mTORC1 signaling. <i>Journal of Cellular Physiology</i> , 2018 , 233, 1017-1028	7	25
110	Ratio of Creatine Kinase to Alanine Aminotransferase as a Biomarker of Acute Liver Injury in Dystrophinopathy. <i>Disease Markers</i> , 2018 , 2018, 6484610	3.2	10
109	Locally Produced IGF-1 Promotes Hypertrophy of the Ligamentum Flavum via the mTORC1 Signaling Pathway. <i>Cellular Physiology and Biochemistry</i> , 2018 , 48, 293-303	3.9	7
108	Characterization of a Novel Calcific Achilles Tendinopathy Model in Mice: Contralateral Tendinopathy Induced by Unilateral Tenotomy. <i>Calcified Tissue International</i> , 2018 , 103, 698-707	3.9	3
107	Analysis of variants at LGALS3 single nucleotide polymorphism loci in skull base chordoma. <i>Oncology Letters</i> , 2018 , 16, 1312-1320	2.6	1
106	The clinical spectrum and genetic variability of limb-girdle muscular dystrophy in a cohort of Chinese patients. <i>Orphanet Journal of Rare Diseases</i> , 2018 , 13, 133	4.2	7
105	Clinicoradiological features and surgical outcomes of primary intracranial medulloepitheliomas: a single-center experience and pooled analysis of individual patient data. <i>Journal of Neurosurgery</i> , 2018 , 1-15	3.2	1
104	Long noncoding RNA B3GALT5-AS1 suppresses colon cancer liver metastasis via repressing microRNA-203. <i>Aging</i> , 2018 , 10, 3662-3682	5.6	53
103	Mucinous gastric carcinoma: an update of clinicopathologic features and prognostic value from a retrospective study of clinical series. <i>International Journal of Clinical and Experimental Pathology</i> , 2018 , 11, 813-821	1.4	3
102	Surgical management and long-term outcomes of intracranial giant cell tumors: a single-institution experience with a systematic review. <i>Journal of Neurosurgery</i> , 2018 , 131, 695-705	3.2	2
101	Intradural Extramedullary Bronchogenic Cyst: Clinical and Radiologic Characteristics, Surgical Outcomes, and Literature Review. <i>World Neurosurgery</i> , 2018 , 109, e571-e580	2.1	8

100	Surgical management and prognostic factors for primary intracranial myxoma: a single-institute experience with a systematic review. <i>Journal of Neurosurgery</i> , 2018 , 1-11	3.2	3
99	Proposed Treatment Paradigm for Intracranial Chondrosarcomas Based on Multidisciplinary Coordination. <i>World Neurosurgery</i> , 2018 , 109, e517-e530	2.1	19
98	A Novel MRI-Based Radiomics Model for Predicting Recurrence in Chordoma. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2018 , 2018, 139-142	0.9	1
97	HLA Polymorphism Affects Risk of Mutation of Gene and Clinical Severity of Duchenne Muscular Dystrophy in a Southern Chinese Population. <i>Frontiers in Neurology</i> , 2018 , 9, 970	4.1	2
96	Long noncoding RNA FAL1 promotes proliferation and inhibits apoptosis of human colon cancer cells. <i>IUBMB Life</i> , 2018 , 70, 1093-1100	4.7	15
95	IL-2R α -regulation is mediated by latent membrane protein 1 and promotes lymphomagenesis and chemotherapy resistance in natural killer/T-cell lymphoma. <i>Cancer Communications</i> , 2018 , 38, 62	9.4	10
94	Intracranial Mesenchymal Chondrosarcoma: Report of 16 Cases. <i>World Neurosurgery</i> , 2018 , 116, e691-e698	2.1	4
93	Foramen magnum meningiomas: surgical results and risks predicting poor outcomes based on a modified classification. <i>Journal of Neurosurgery</i> , 2017 , 126, 661-676	3.2	15
92	Application of noninvasive brain stimulation for post-stroke dysphagia rehabilitation. <i>Kaohsiung Journal of Medical Sciences</i> , 2017 , 33, 55-61	2.4	9
91	Clinical features and surgical outcomes of patients with skull base chordoma: a retrospective analysis of 238 patients. <i>Journal of Neurosurgery</i> , 2017 , 127, 1257-1267	3.2	41
90	Expression of Cathepsin K in Skull Base Chordoma. <i>World Neurosurgery</i> , 2017 , 101, 396-404	2.1	9
89	Comparison of Two Three-Dimensional Printed Models of Complex Intracranial Aneurysms for Surgical Simulation. <i>World Neurosurgery</i> , 2017 , 103, 671-679	2.1	18
88	Long noncoding RNA Inc-sox5 modulates CRC tumorigenesis by unbalancing tumor microenvironment. <i>Cell Cycle</i> , 2017 , 16, 1295-1301	4.7	37
87	Abnormal Neural Progenitor Cells Differentiated from Induced Pluripotent Stem Cells Partially Mimicked Development of TSC2 Neurological Abnormalities. <i>Stem Cell Reports</i> , 2017 , 8, 883-893	8	37
86	Retinol dehydrogenase-10 promotes development and progression of human glioma via the TWEAK-NF- κ B axis. <i>Oncotarget</i> , 2017 , 8, 105262-105275	3.3	4
85	Effect comparisons among treatment measures on progression-free survival in patients with skull base chordomas: a retrospective study of 234 post-surgical cases. <i>Acta Neurochirurgica</i> , 2017 , 159, 1803-1813	3.1	3
84	Surgical Management and Outcomes of Intracranial Chondromas: a Single-Center Case Series of 66 Patients. <i>World Neurosurgery</i> , 2017 , 108, 264-277	2.1	11
83	Identification of the Facial Nerve in Relation to Vestibular Schwannoma Using Preoperative Diffusion Tensor Tractography and Intraoperative Tractography-Integrated Neuronavigation System. <i>World Neurosurgery</i> , 2017 , 107, 669-677	2.1	12

82	In Reply to the Letter to the Editor Regarding "Expression of Cathepsin K in Skull Base Chordoma". <i>World Neurosurgery</i> , 2017 , 103, 931	2.1	
81	Clinical course of untreated thalamic cavernous malformations: hemorrhage risk and neurological outcomes. <i>Journal of Neurosurgery</i> , 2017 , 127, 480-491	3.2	14
80	Factors for Overall Survival in Patients with Skull Base Chordoma: A Retrospective Analysis of 225 Patients. <i>World Neurosurgery</i> , 2017 , 97, 39-48	2.1	16
79	Tenuigenin promotes the osteogenic differentiation of bone mesenchymal stem cells in vitro and in vivo. <i>Cell and Tissue Research</i> , 2017 , 367, 257-267	4.2	7
78	Overexpression of MYC and BCL2 Predicts Poor Prognosis in Patients with Extranodal NK/T-cell Lymphoma, Nasal Type. <i>Journal of Cancer</i> , 2017 , 8, 793-800	4.5	9
77	Peripheral blood lymphocyte-to-monocyte ratio as a prognostic factor in advanced epithelial ovarian cancer: a multicenter retrospective study. <i>Journal of Cancer</i> , 2017 , 8, 737-743	4.5	27
76	Serum Creatinine Distinguishes Duchenne Muscular Dystrophy from Becker Muscular Dystrophy in Patients Aged 8 Years: A Retrospective Study. <i>Frontiers in Neurology</i> , 2017 , 8, 196	4.1	12
75	Interim PET-CT may predict PFS and OS in T-ALL/LBL adult patients. <i>Oncotarget</i> , 2017 , 8, 99104-99111	3.3	4
74	Metastatic tumor of male genital system from gastric cancer: a case report and review of literature. <i>International Journal of Clinical and Experimental Pathology</i> , 2017 , 10, 8592-8598	1.4	3
73	Cerebellar liponeurocytoma: A case report and review of the literature. <i>Oncology Letters</i> , 2016 , 11, 1061-1064	10.64	10
72	Proposal and Validation of a Basic Progression Scoring System for Patients with Skull Base Chordoma. <i>World Neurosurgery</i> , 2016 , 91, 409-18	2.1	11
71	Primary site and regional lymph node involvement are independent prognostic factors for early-stage extranodal nasal-type natural killer/T cell lymphoma. <i>Chinese Journal of Cancer</i> , 2016 , 35, 34		10
70	Long-Term Functional and Recurrence Outcomes of Surgically Treated Jugular Foramen Schwannomas: A 20-Year Experience. <i>World Neurosurgery</i> , 2016 , 86, 134-46	2.1	11
69	Less-aggressive surgical management and long-term outcomes of jugular foramen paragangliomas: a neurosurgical perspective. <i>Journal of Neurosurgery</i> , 2016 , 125, 1143-1154	3.2	11
68	PD-L1 Is up-Regulated By EBV-Driven LMP1 through NF- κ B Pathway and Correlates with Poor Prognosis in Natural Killer/T-Cell Lymphoma. <i>Blood</i> , 2016 , 128, 4134-4134	2.2	3
67	High Pretreatment D-Dimer Levels Correlate with Adverse Clinical Features and Predict Poor Survival in Patients with Natural Killer/T-Cell Lymphoma. <i>PLoS ONE</i> , 2016 , 11, e0152842	3.7	6
66	Serum neuron-specific enolase levels are upregulated in patients with acute lymphoblastic leukemia and are predictive of prognosis. <i>Oncotarget</i> , 2016 , 7, 55181-55190	3.3	3
65	Frontolateral Approach Applied to Sellar Region Lesions: A Retrospective Study in 79 Patients. <i>Chinese Medical Journal</i> , 2016 , 129, 1558-64	2.9	2

64	The pretreatment albumin to globulin ratio predicts survival in patients with natural killer/T-cell lymphoma. <i>PeerJ</i> , 2016 , 4, e1742	3.1	21
63	Long non-coding RNA TUG1 promotes colorectal cancer metastasis via EMT pathway. <i>Oncotarget</i> , 2016 , 7, 51713-51719	3.3	81
62	A childhood chemotherapy protocol improves overall survival among adults with T-lymphoblastic lymphoma. <i>Oncotarget</i> , 2016 , 7, 38884-38891	3.3	7
61	High post-treatment serum levels of soluble programmed cell death ligand 1 predict early relapse and poor prognosis in extranodal NK/T cell lymphoma patients. <i>Oncotarget</i> , 2016 , 7, 33035-45	3.3	35
60	Efficacy of combined gemcitabine, oxaliplatin and pegaspargase (P-gemox regimen) in patients with newly diagnosed advanced-stage or relapsed/refractory extranodal NK/T-cell lymphoma. <i>Oncotarget</i> , 2016 , 7, 29092-101	3.3	29
59	Long-term outcomes of different bortezomib-based regimens in Chinese myeloma patients. <i>OncoTargets and Therapy</i> , 2016 , 9, 587-95	4.4	5
58	Vessel Sampling and Blood Flow Velocity Distribution With Vessel Diameter for Characterizing the Human Bulbar Conjunctival Microvasculature. <i>Eye and Contact Lens</i> , 2016 , 42, 135-40	3.2	25
57	One-Stage Resection of a Giant Petrous Bone Osteoma Associated with a Contiguous Meningioma Via a Modified Anterior Transpetrous Approach. <i>World Neurosurgery</i> , 2016 , 93, 487.e5-9	2.1	
56	PD-L1 is upregulated by EBV-driven LMP1 through NF- κ B pathway and correlates with poor prognosis in natural killer/T-cell lymphoma. <i>Journal of Hematology and Oncology</i> , 2016 , 9, 109	22.4	150
55	Osteoblasts secrete Cxcl9 to regulate angiogenesis in bone. <i>Nature Communications</i> , 2016 , 7, 13885	17.4	64
54	Recurrent intracranial neurenteric cyst with malignant transformation: A case report and literature review. <i>Oncology Letters</i> , 2016 , 11, 3395-3402	2.6	6
53	Clinical Features, Treatment, and Prognostic Factors of Chordoid Meningioma: Radiological and Pathological Features in 60 Cases of Chordoid Meningioma. <i>World Neurosurgery</i> , 2016 , 93, 198-207	2.1	13
52	Bone invasiveness is associated with prognosis in clivus chordomas. <i>Journal of Clinical Neuroscience</i> , 2016 , 27, 147-52	2.2	14
51	Factors for tumor progression in patients with skull base chordoma. <i>Cancer Medicine</i> , 2016 , 5, 2368-77	4.8	21
50	Analysis of Clinical Features and Outcomes of Skull Base Chordoma in Different Age-Groups. <i>World Neurosurgery</i> , 2016 , 92, 407-417	2.1	20
49	Treatment Response and Prognosis After Recurrence of Atypical Meningiomas. <i>World Neurosurgery</i> , 2015 , 84, 1014-9	2.1	29
48	Survival rates, prognostic factors and treatment of anaplastic meningiomas. <i>Journal of Clinical Neuroscience</i> , 2015 , 22, 828-33	2.2	17
47	Hepatitis B virus infection correlates with poor prognosis of extranodal natural killer/T cell lymphoma. <i>Leukemia and Lymphoma</i> , 2015 , 56, 936-41	1.9	7

46	CD38 expression predicts poor prognosis and might be a potential therapy target in extranodal NK/T cell lymphoma, nasal type. <i>Annals of Hematology</i> , 2015 , 94, 1381-8	3	52
45	The role of diffusion tensor tractography in the surgical treatment of pediatric optic chiasmatic gliomas. <i>Journal of Neuro-Oncology</i> , 2015 , 122, 357-66	4.8	10
44	Radical surgery may be not an optimal treatment approach for pulmonary MALT lymphoma. <i>Tumor Biology</i> , 2015 , 36, 6409-16	2.9	10
43	T gene isoform expression pattern is significantly different between chordomas and notochords. <i>Biochemical and Biophysical Research Communications</i> , 2015 , 467, 261-7	3.4	3
42	Factors influencing the growth rate of vestibular schwannoma in patients with neurofibromatosis type 2. <i>Acta Neurochirurgica</i> , 2015 , 157, 1983-90	3	7
41	Lymphopenia during routine follow-up may predict relapse in patients with extranodal NK/T cell lymphoma. <i>Tumor Biology</i> , 2015 , 36, 1747-53	2.9	5
40	First-line combination of GELOX followed by radiation therapy for patients with stage IE/II E NKTL: An updated analysis with long-term follow-up. <i>Oncology Letters</i> , 2015 , 10, 1036-1040	2.6	40
39	Brachyury: A sensitive marker, but not a prognostic factor, for skull base chordomas. <i>Molecular Medicine Reports</i> , 2015 , 12, 4298-4304	2.9	14
38	Positive expression of programmed death ligand-1 correlates with superior outcomes and might be a therapeutic target in primary pulmonary lymphoepithelioma-like carcinoma. <i>OncoTargets and Therapy</i> , 2015 , 8, 1451-7	4.4	24
37	An Elevated Peripheral Blood Monocyte-to-Lymphocyte Ratio Predicts Poor Prognosis in Patients with Primary Pulmonary Lymphoepithelioma-Like Carcinoma. <i>PLoS ONE</i> , 2015 , 10, e0126269	3.7	18
36	Consolidation Radiotherapy in Stage IE- IIE, Non-Bulky Primary Gastric Diffuse Large B-Cell Lymphoma with Post-Chemotherapy Complete Remission. <i>PLoS ONE</i> , 2015 , 10, e0133469	3.7	6
35	Regulation of bone formation by baicalein via the mTORC1 pathway. <i>Drug Design, Development and Therapy</i> , 2015 , 9, 5169-83	4.4	20
34	Increased serum levels of interleukin-10 predict poor prognosis in extranodal natural killer/T-cell lymphoma patients receiving asparaginase-based chemotherapy. <i>OncoTargets and Therapy</i> , 2015 , 8, 2589-99	4.4	13
33	Familial chordoma: A case report and review of the literature. <i>Oncology Letters</i> , 2015 , 10, 2937-2940	2.6	7
32	Clinical characteristics and prognosis factors analysis for post-operative ptosis of sphenocavernous meningiomas: a single institution study. <i>Clinical Neurology and Neurosurgery</i> , 2015 , 131, 35-41	2	3
31	Surgical resection of upper-middle clivus chordomas via a modified anterior transpetrous approach. <i>Clinical Neurology and Neurosurgery</i> , 2015 , 130, 20-5	2	9
30	Experimental study on differences in clivus chordoma bone invasion: an iTRAQ-based quantitative proteomic analysis. <i>PLoS ONE</i> , 2015 , 10, e0119523	3.7	12
29	Post-treatment plasma EBV-DNA positivity predicts early relapse and poor prognosis for patients with extranodal NK/T cell lymphoma in the era of asparaginase. <i>Oncotarget</i> , 2015 , 6, 30317-26	3.3	34

28	Detection of rearrangement of anaplastic lymphoma kinase (ALK) and mutation of epidermal growth factor receptor (EGFR) in primary pulmonary lymphoepithelioma-like carcinoma. <i>Journal of Thoracic Disease</i> , 2015 , 7, 1556-62	2.6	22
27	Once-weekly subcutaneous administration of bortezomib in patients with multiple myeloma. <i>Asian Pacific Journal of Cancer Prevention</i> , 2015 , 16, 2093-8	1.7	11
26	Phase 2 Trial of Concurrent Monosialotetrahexosylganglioside in the Prophylactic Treatment of Bortezomib-Induced Peripheral Neuropathy in Patients of Multiple Myeloma. <i>Blood</i> , 2015 , 126, 5399-5399 ²	3.2	3.2
25	The Role of Interim F-18 FDG PET/CT in Patients of T Lymphoblastic Leukemia/Lymphoma Treated with ALL-Type Regimens. <i>Blood</i> , 2015 , 126, 5015-5015	2.2	
24	High Level of Soluble Interleukin-2 Receptor in Serum Predicts Treatment Resistance and Poor Progression Free Survival in Multiple Myeloma. <i>Blood</i> , 2015 , 126, 5332-5332	2.2	
23	Combination of gemcitabine, L-asparaginase, and oxaliplatin (GELOX) is superior to EPOCH or CHOP in the treatment of patients with stage IE/IIIE extranodal natural killer/T cell lymphoma: a retrospective study in a cohort of 227 patients with long-term follow-up. <i>Medical Oncology</i> , 2014 , 31, 868	3.7	37
22	Clinical and pathological features of intradural retroclival chordoma. <i>World Neurosurgery</i> , 2014 , 82, 791-8.1	3.1	25
21	Primary adult infradiaphragmatic craniopharyngiomas: clinical features, management, and outcomes in one Chinese institution. <i>World Neurosurgery</i> , 2014 , 81, 773-82	2.1	5
20	Targeted inhibition of mTORC2 prevents osteosarcoma cell migration and promotes apoptosis. <i>Oncology Reports</i> , 2014 , 32, 382-8	3.5	18
19	Reconstruction of abdominal wall defects using small intestinal submucosa coated with gelatin hydrogel incorporating basic fibroblast growth factor. <i>Acta Cirurgica Brasileira</i> , 2014 , 29, 252-60	1.6	8
18	The prognostic value of lymph nodes dissection number on survival of patients with lymph node-negative gastric cancer. <i>Gastroenterology Research and Practice</i> , 2014 , 2014, 603194	2	25
17	Adenovirus-mediated delivery of the human IFN- γ gene potentiates the cytotoxicity of daunorubicin against leukemic cells through downregulation of the $\alpha 4 \beta 1$ integrin/ILK/apoptosis pathway. <i>Oncology Letters</i> , 2014 , 7, 361-368	2.6	2
16	Serum levels of interleukin-9 correlate with negative prognostic factors in extranodal NK/T-cell lymphoma. <i>PLoS ONE</i> , 2014 , 9, e94637	3.7	16
15	Evaluation of para-aortic nodal dissection for locoregionally advanced gastric cancer with 1-3 involved para-aortic nodes. <i>Chinese Medical Journal</i> , 2014 , 127, 435-41	2.9	6
14	Primary non-Hodgkin's lymphoma of the skull base: a case report and literature review. <i>Clinical Neurology and Neurosurgery</i> , 2013 , 115, 237-40	2	11
13	Clinical significance of serum soluble interleukin-2 receptor- β in extranodal natural killer/T-cell lymphoma (ENKTL): a predictive biomarker for treatment efficacy and valuable prognostic factor. <i>Medical Oncology</i> , 2013 , 30, 723	3.7	14
12	Combination of albumin-bound paclitaxel and pegylated liposomal doxorubicin is effective in treatment of heavily treated relapsed/refractory diffuse large B-cell lymphoma: a case report. <i>Leukemia and Lymphoma</i> , 2013 , 54, 2553-5	1.9	3
11	Esophageal carcinosarcoma: a unique entity with better prognosis. <i>Annals of Surgical Oncology</i> , 2013 , 20, 997-1004	3.1	28

10	The brachyury Gly177Asp SNP is not associated with a risk of skull base chordoma in the Chinese population. <i>International Journal of Molecular Sciences</i> , 2013 , 14, 21258-65	6.3	12
9	Extracts from rabbit skin inflamed by the vaccinia virus attenuate bupivacaine-induced spinal neurotoxicity in pregnant rats. <i>Neural Regeneration Research</i> , 2013 , 8, 983-90	4.5	
8	Serum neuron-specific enolase is correlated with clinical outcome of patients with non-germinal center B cell-like subtype of diffuse large B-cell lymphoma treated with rituximab-based immunochemotherapy. <i>Medical Oncology</i> , 2012 , 29, 2153-8	3.7	12
7	Cyclophosphamide, doxorubicin, vincristine, and prednisone (CHOP) in the treatment of stage IE/IIIE extranodal natural killer/T cell lymphoma, nasal type: 13-year follow-up in 135 patients. <i>International Journal of Hematology</i> , 2012 , 96, 617-23	2.3	38
6	Diagnosis and management of adult intracranial neurenteric cysts. <i>Neurosurgery</i> , 2011 , 68, 44-52; discussion 52	3.2	51
5	Expression of ezrin correlates with poor prognosis of nasopharyngeal carcinoma. <i>Tumor Biology</i> , 2011 , 32, 707-12	2.9	11
4	Prognostic significance of neuron-specific enolase in patients with diffuse large B-cell lymphoma treated with rituximab-based immunochemotherapy. <i>Leukemia and Lymphoma</i> , 2011 , 52, 1697-703	1.9	3
3	Prognostic factors for long-term outcome of patients with surgical resection of skull base chordomas-106 cases review in one institution. <i>Neurosurgical Review</i> , 2010 , 33, 451-6	3.9	71
2	Effects of angiotensin-converting enzyme inhibitors and angiotensin II type 1 receptor blockers on lymphangiogenesis of gastric cancer in a nude mouse model. <i>Chinese Medical Journal</i> , 2008 , 121, 2167-71	2.9	12
1	Perfusion MR imaging and proton MR spectroscopy in a case of dysembryoplastic neuroepithelial tumor. <i>Chinese Medical Journal</i> , 2005 , 118, 1134-6	2.9	3