Graham P Wallis

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5462862/publications.pdf

Version: 2024-02-01

53794 106344 4,906 116 45 65 citations h-index g-index papers 117 117 117 3828 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Evolutionary Genetics and Biogeography of Galaxiid Fishes (Teleostei: Galaxiiformes: Galaxiidae). Diversity, 2021, 13, 153.	1.7	0
2	First evidence of deviation from Mendelian proportions in a conservation programme. Molecular Ecology, 2021, 30, 3703-3715.	3.9	2
3	Morphological plasticity of the Aden Nerite, Nerita adenensis Mienis, 1978 (Gastropoda: Cycloneritida:) Tj ETQq1	10,78431	4 rgBT /Ove
4	A Review of Galaxias (Galaxiidae) Fossils from the Southern Hemisphere. Diversity, 2020, 12, 208.	1.7	3
5	Persisting in a glaciated landscape: Pleistocene microrefugia evidenced by the tree wētĕ <i>Hemideina maori</i> in central South Island, New Zealand. Journal of Biogeography, 2020, 47, 2518-2531.	3.0	6
6	Thirty years of conservation genetics in New Zealand: what have we learnt?. Journal of the Royal Society of New Zealand, 2019, 49, 320-346.	1.9	6
7	The winners: species that have benefited from 30 years of conservation action. Journal of the Royal Society of New Zealand, 2019, 49, 281-300.	1.9	7
8	Going under down under? Lineage ages argue for extensive survival of the Oligocene marine transgression on Zealandia. Molecular Ecology, 2018, 27, 4368-4396.	3.9	39
9	Natura Fecit Saltum: Punctuationalism Pervades the Natural Sciences. , 2018, , 341-361.		O
10	Biological memory of the first Pleistocene glaciation in New Zealand. Geology, 2017, 45, 595-598.	4.4	10
11	Interspecific hybridization causes longâ€term phylogenetic discordance between nuclear and mitochondrial genomes in freshwater fishes. Molecular Ecology, 2017, 26, 3116-3127.	3.9	61
12	Does wing size shape insect biogeography? Evidence from a diverse regional stonefly assemblage. Global Ecology and Biogeography, 2017, 26, 93-101.	5.8	42
13	Evolution of the Taieri River catchment, East Otago, New Zealand. New Zealand Journal of Geology, and Geophysics, 2016, 59, 257-273.	1.8	16
14	Transverse Alpine Speciation Driven by Glaciation. Trends in Ecology and Evolution, 2016, 31, 916-926.	8.7	116
15	Rapid biological speciation driven by tectonic evolution in New Zealand. Nature Geoscience, 2016, 9, 140-144.	12.9	74
16	A time-calibrated phylogeny of southern hemisphere stoneflies: Testing for Gondwanan origins. Molecular Phylogenetics and Evolution, 2016, 96, 150-160.	2.7	66
17	Withinâ€river genetic connectivity patterns reflect contrasting geomorphology. Journal of Biogeography, 2015, 42, 2452-2460.	3.0	13
18	Fiord populations of (i) Astrobrachion constrictum (i) (Ophiuroidea: Asteroschematidae) show little genetic differentiation for mitochondrial DNA. New Zealand Journal of Zoology, 2015, 42, 165-172.	1.1	2

#	Article	IF	CITATIONS
19	Geology shapes biogeography: Quaternary river-capture explains New Zealand's biologically â€~composite' Taieri River. Quaternary Science Reviews, 2015, 120, 47-56.	3.0	21
20	Taxonomic validity and phylogenetic relationships of a newly-described tooth-carp, Aphanius mesopotamicus Coad, 2009 (Teleostei: Cyprinodontidae) . Zootaxa, 2014, 3780, 594.	0.5	4
21	The modality of nine <i>Triturus</i> newt hybrid zones assessed with nuclear, mitochondrial and morphological data. Biological Journal of the Linnean Society, 2014, 113, 604-622.	1.6	57
22	A Preliminary Transcriptomic Study of Galaxiid Fishes Reveals a Larval Glycoprotein Gene Under Strong Positive Selection., 2014,, 47-68.		0
23	Behavioural evolution in penguins does not reflect phylogeny. Cladistics, 2014, 30, 243-259.	3.3	3
24	Episodic Positive Selection in the Evolution of Avian Toll-Like Receptor Innate Immunity Genes. PLoS ONE, 2014, 9, e89632.	2.5	86
25	Biogeography Off the Tracks. Systematic Biology, 2013, 62, 494-498.	5.6	35
26	Genetic drift outweighs natural selection at tollâ€like receptor (<i><scp>TLR</scp></i>) immunity loci in a reâ€introduced population of a threatened species. Molecular Ecology, 2013, 22, 4470-4482.	3.9	76
27	Variation at Innate Immunity Toll-Like Receptor Genes in a Bottlenecked Population of a New Zealand Robin. PLoS ONE, 2012, 7, e45011.	2.5	62
28	The Invertebrate Life of New Zealand: A Phylogeographic Approach. Insects, 2011, 2, 297-325.	2.2	41
29	Length-weight relationships in some populations and species of Iranian toothcarps. Journal of Applied Ichthyology, 2011, 27, 1401-1403.	0.7	18
30	Preserving genetic diversity in threatened species reintroductions: how many individuals should be released?. Animal Conservation, 2011, 14, 439-446.	2.9	61
31	Extreme Positive Selection on a New Highly-Expressed Larval Glycoprotein (LGP) Gene in Galaxias Fishes (Osmeriformes: Galaxiidae). Molecular Biology and Evolution, 2011, 28, 399-406.	8.9	4
32	ONSET OF GLACIATION DROVE SIMULTANEOUS VICARIANT ISOLATION OF ALPINE INSECTS IN NEW ZEALAND. Evolution; International Journal of Organic Evolution, 2010, 64, 2033-43.	2.3	49
33	Niche partitioning and the effect of interspecific competition on microhabitat use by two sympatric galaxiid stream fishes. Freshwater Biology, 2010, 55, 967-982.	2.4	34
34	Gene Trees versus Species Trees: Reassessing Life-History Evolution in a Freshwater Fish Radiation. Systematic Biology, 2010, 59, 504-517.	5.6	72
35	New Zealand phylogeography: evolution on a small continent. Molecular Ecology, 2009, 18, 3548-3580.	3.9	217
36	Do insects lose flight before they lose their wings? Population genetic structure in subalpine stoneflies. Molecular Ecology, 2009, 18, 4073-4087.	3.9	70

#	Article	IF	CITATIONS
37	ASYMMETRIC VIABILITY OF RECIPROCAL-CROSS HYBRIDS BETWEEN CRESTED AND MARBLED NEWTS (<i>TRITURUS CRISTATUS</i> AND <i>T. MARMORATUS</i> Evolution; International Journal of Organic Evolution, 2009, 63, 1191-1202.	2.3	75
38	Morphological and genetic analysis of <i>Galaxias </i> †southern' and <i>G. gollumoides: </i> interspecific differentiation and intraspecific structuring. Journal of the Royal Society of New Zealand, 2009, 39, 43-62.	1.9	16
39	A review of genetic analyses of hybridisation in New Zealand. Journal of the Royal Society of New Zealand, 2009, 39, 15-34.	1.9	47
40	Genetic diversity in New Zealand Galaxias vulgaris sensu lato (Teleostei: Osmeriformes: Galaxiidae): a test of a biogeographic hypothesis. Journal of Biogeography, 2008, 28, 59-67.	3.0	47
41	Heterozygosity–fitness correlations and their relevance to studies on inbreeding depression in threatened species. Molecular Ecology, 2008, 17, 3978-3984.	3.9	64
42	Geological Dates and Molecular Rates: Rapid Divergence of Rivers and Their Biotas. Systematic Biology, 2007, 56, 271-282.	5.6	63
43	CLADOGENESIS AND LOSS OF THE MARINE LIFE-HISTORY PHASE IN FRESHWATER GALAXIID FISHES (OSMERIFORMES: GALAXIIDAE). Evolution; International Journal of Organic Evolution, 2007, 55, 587-597.	2.3	10
44	Historic and contemporary levels of genetic variation in two New Zealand passerines with different histories of decline. Journal of Evolutionary Biology, 2007, 20, 2035-2047.	1.7	48
45	Mitochondrial phylogeography of New Zealand freshwater crayfishes, Paranephrops spp Molecular Ecology, 2007, 16, 1897-1908.	3.9	59
46	Geological subsidence, river capture, and cladogenesis of galaxiid fish lineages in central New Zealand. Biological Journal of the Linnean Society, 2006, 88, 367-376.	1.6	37
47	Inbreeding and Endangered Species Management: Is New Zealand Out of Step with the Rest of the World?. Conservation Biology, 2006, 20, 38-47.	4.7	96
48	A COMPARISON OF FIVE HYBRID ZONES OF THE WETA HEMIDEINA THORACICA (ORTHOPTERA:) Tj ETQq0 0 0 rg Evolution; International Journal of Organic Evolution, 2003, 57, 849-861.	gBT /Overl 2.3	ock 10 Tf 50 3 49
49	Preliminary genetic analysis of koaro <i>(Galaxias brevipinnis)</i> ii New Zealand lakes: Evidence for allopatric differentiation among lakes but little population subdivision within lakes. Journal of the Royal Society of New Zealand, 2003, 33, 591-600.	1.9	4
50	A COMPARISON OF FIVE HYBRID ZONES OF THE WETA HEMIDEINA THORACICA (ORTHOPTERA:) Tj ETQq0 0 0 rg Evolution; International Journal of Organic Evolution, 2003, 57, 849.	gBT /Overl 2.3	ock 10 Tf 50 2 1
51	Phylogeographic genetic analysis of the alpine weta, <i>Hemideina maori<scp>:</scp></i> evolution of a colour polymorphism and origins of a hybrid zone. Journal of the Royal Society of New Zealand, 2003, 33, 715-729.	1.9	18
52	Phylogenetic Placement of Retropinnid Fishes: Data Set Incongruence Can Be Reduced by Using Asymmetric Character State Transformation Costs. Systematic Biology, 2002, 51, 432-449.	5.6	47
53	Chromosome races with Pliocene origins: evidence from mtDNA. Heredity, 2001, 86, 303-312.	2.6	47
54	Genetic and morphological evidence for reproductive isolation between sympatric populations of Galaxias (Teleostei: Galaxiidae) in South Island, New Zealand. Biological Journal of the Linnean Society, 2001, 73, 287-298.	1.6	40

#	Article	IF	CITATIONS
55	Mitochondrial DNA phylogenetics of the Galaxias vulgaris complex from South Island, New Zealand: rapid radiation of a species flock. Journal of Fish Biology, 2001, 58, 1166-1180.	1.6	7 5
56	BRIDGING THE "BEECH-GAP": NEW ZEALAND INVERTEBRATE PHYLOGEOGRAPHY IMPLICATES PLEISTOCENE GLACIATION AND PLIOCENE ISOLATION. Evolution; International Journal of Organic Evolution, 2001, 55, 2170-2180.	2.3	110
57	GENES MEET GEOLOGY: FISH PHYLOGEOGRAPHIC PATTERN REFLECTS ANCIENT, RATHER THAN MODERN, DRAINAGE CONNECTIONS. Evolution; International Journal of Organic Evolution, 2001, 55, 1844-1851.	2.3	158
58	Finding Fault with Vicariance: A Critique of Heads (1998). Systematic Biology, 2001, 50, 602-609.	5.6	28
59	GENES MEET GEOLOGY: FISH PHYLOGEOGRAPHIC PATTERN REFLECTS ANCIENT, RATHER THAN MODERN, DRAINAGE CONNECTIONS. Evolution; International Journal of Organic Evolution, 2001, 55, 1844.	2.3	9
60	Finding Fault with Vicariance: A Critique of Heads (1998). Systematic Biology, 2001, 50, 602-609.	5.6	13
61	CLADOGENESIS AND LOSS OF THE MARINE LIFE-HISTORY PHASE IN FRESHWATER GALAXIID FISHES (OSMERIFORMES: GALAXIIDAE). Evolution; International Journal of Organic Evolution, 2001, 55, 587.	2.3	104
62	BRIDGING THE "BEECH-GAP― NEW ZEALAND INVERTEBRATE PHYLOGEOGRAPHY IMPLICATES PLEISTOCENE GLACIATION AND PLIOCENE ISOLATION. Evolution; International Journal of Organic Evolution, 2001, 55, 2170.	2.3	96
63	Genetic and morphological evidence for reproductive isolation between sympatric populations of Galaxias (Teleostei: Galaxiidae) in South Island, New Zealand. Biological Journal of the Linnean Society, 2001, 73, 287-298.	1.6	7
64	Characterization of a hybrid zone between two chromosomal races of the weta Hemideina thoracica following a geologically recent volcanic eruption. Heredity, 2000, 85, 586-592.	2.6	28
65	Phylogeographical pattern correlates with Pliocene mountain building in the alpine scree weta (Orthoptera, Anostostomatidae). Molecular Ecology, 2000, 9, 657-666.	3.9	120
66	Across the Southern Alps by river capture? Freshwater fish phylogeography in South Island, New Zealand. Molecular Ecology, 2000, 9, 1577-1582.	3.9	74
67	Biogeography of a southern hemisphere freshwater fish: how important is marine dispersal?. Molecular Ecology, 2000, 9, 1815-1821.	3.9	150
68	Title is missing!. Conservation Genetics, 2000, 1, 329-339.	1.5	38
69	Brief communication. Heteroplasmy of mitochondrial DNA in the iphiuroid Astrobrachion constrictum., 2000, 91, 146-149.		21
70	Seabird and Louse Coevolution: Complex Histories Revealed by 12S rRNA Sequences and Reconciliation Analyses. Systematic Biology, 2000, 49, 383-399.	5.6	84
71	Mitochondrial recombination or coevolution of sites?. Trends in Ecology and Evolution, 2000, 15, 470-471.	8.7	6
72	Molecular Phylogenetics and Biogeography of Galaxiid Fishes (Osteichthyes: Galaxiidae): Dispersal, Vicariance, and the Position of Lepidogalaxias salamandroides. Systematic Biology, 2000, 49, 777-795.	5.6	120

#	Article	IF	Citations
73	Preliminary molecular analysis of <i>Pelecanoides georgicus </i> (Procellariiformes: Pelecanoididae) on Whenua Hou (Codfish Island): Implications for its taxonomic status. New Zealand Journal of Zoology, 2000, 27, 415-423.	1.1	7
74	Geographic variation and taxonomy of crested newts (Triturus cristatus superspecies): morphological and mitochondrial DNA data. Contributions To Zoology, 1999, 68, 181-203.	0.5	64
75	Characterization of microsatellite loci from a New Zealand freshwater fish (Galaxias vulgaris) and their potential for analysis of hybridization in Galaxiidae. Molecular Ecology, 1999, 8, 1080-1082.	3.9	11
76	Do animal mitochondrial genomes recombine?. Trends in Ecology and Evolution, 1999, 14, 209-210.	8.7	17
77	DNA Discovery. Science, 1999, 285, 835-835.	12.6	2
78	Fineâ€scale genetic structuring in endemic galaxiid fish populations of the Taieri River. New Zealand Journal of Zoology, 1998, 25, 17-22.	1.1	14
79	The distribution and conservation status of the Danube crested newt, Triturus dobrogicus. Amphibia - Reptilia, 1997, 18, 133-142.	0.5	20
80	Evolution and the Aquatic Ecosystem: Defining Unique Units in Population Conservation. Copeia, 1997, 1997, 636.	1.3	31
81	Genetic differentiation in the New Zealand sea urchinEvechinus chloroticus(Echinodermata:) Tj ETQq1 1 0.78431	4 <u>rg</u> BT /O	veglock 10 Ti
82	Whither ecology?. Trends in Ecology and Evolution, 1997, 12, 446.	8.7	58
83	Biogeographic area relationships in southern New Zealand: a cladistic analysis of Lepidoptera distributions. Journal of Biogeography, 1997, 24, 89-99.	3.0	8
84	Evidence of amictic reproduction in the brittle-star Ophiomyxa brevirima. Marine Biology, 1997, 129, 169-174.	1.5	8
85	Isolation and characterization of a cDNA for gonadotropin II- \hat{l}^2 of Pacific herring, an ancient teleost. Journal of Fish Biology, 1997, 50, 315-323.	1.6	8
86	Description and redescription of <i>Galaxias </i> species (Teleostei: Galaxiidae) from Otago and Southland. Journal of the Royal Society of New Zealand, 1996, 26, 401-427.	1.9	74
87	Identification of a hybrid zone between distinctive colour variants of the alpine weta Hemideina maori (Orthoptera: Stenopelmatidae) on the Rock and Pillar range, southern New Zealand. Molecular Ecology, 1996, 5, 583-587.	3.9	23
88	Isozyme analysis of Galaxias species (Teleostei: Galaxiidae) from the Taieri River, South Island, New Zealand: a species complex revealed. Biological Journal of the Linnean Society, 1996, 57, 107-127.	1.6	65
89	PENGUINS, PETRELS, AND PARSIMONY: DOES CLADISTIC ANALYSIS OF BEHAVIOR REFLECT SEABIRD PHYLOGENY?. Evolution; International Journal of Organic Evolution, 1995, 49, 974-989.	2.3	46
90	Phylogenetic Relationships of the Prodontria (Coleoptera; Scarabaeidae; Subfamily Melolonthinae), Derived from Sequence Variation in the Mitochondrial Cytochrome Oxidase II Gene. Molecular Phylogenetics and Evolution, 1995, 4, 433-447.	2.7	59

#	Article	IF	Citations
91	Of lice and men: The return of the 'comparative parasitologyâ€~ debate. Parasitology Today, 1995, 11, 158-160.	3.0	12
92	Penguins, Petrels, and Parsimony: Does Cladistic Analysis of Behavior Reflect Seabird Phylogeny?. Evolution; International Journal of Organic Evolution, 1995, 49, 974.	2.3	33
93	Species status and population genetic structure of the flightless chafer beetles Prodontria modesta and P. bicolorata (Coleoptera; Scarabaeidae) from South Island, New Zealand. Molecular Ecology, 1994, 3, 339-345.	3.9	21
94	Population genetics and conservation in New Zealand: A hierarchical synthesis and recommendations for the 1990s. Journal of the Royal Society of New Zealand, 1994, 24, 143-160.	1.9	21
95	Experimental hybridization of alpine and lowland forms of Boeckella dilatata, a calanoid copepod. Heredity, 1993, 71, 508-515.	2.6	6
96	Genetic variation and diadromy in some native New Zealand galaxiids (Teleostei: Galaxiidae). Biological Journal of the Linnean Society, 1993, 50, 19-33.	1.6	73
97	Parasites, petrels and penguins: Does louse presence reflect seabird phylogeny?. International Journal for Parasitology, 1993, 23, 515-526.	3.1	69
98	Genetic variation and diadromy in some native New Zealand galaxiids (Teleostei: Galaxiidae). Biological Journal of the Linnean Society, 1993, 50, 19-33.	1.6	11
99	Mitochondrial-DNA Variation in the Crested Newt Superspecies: Limited Cytoplasmic Gene flow Among Species. Evolution; International Journal of Organic Evolution, 1989, 43, 88.	2.3	58
100	MITOCHONDRIAL-DNA VARIATION IN THE CRESTED NEWT SUPERSPECIES: LIMITED CYTOPLASMIC GENE FLOW AMONG SPECIES. Evolution; International Journal of Organic Evolution, 1989, 43, 88-104.	2.3	83
101	Mitochondrial DNA insertion polymorphism and germ line heteroplasmy in the Triturus cristatus complex. Heredity, 1987, 58, 229-238.	2.6	99
102	A biochemical genetic and morphological investigation of the species within the genus Endeis Philippe (Pycnogonida: Endeidae) in Britain. Journal of Experimental Marine Biology and Ecology, 1986, 98, 115-128.	1.5	4
103	Oral Infection of Aedes Aegypti with Yellow Fever Virus: Geographic Variation and Genetic Considerations. American Journal of Tropical Medicine and Hygiene, 1985, 34, 1219-1224.	1.4	134
104	Selection for Susceptibility and Refractoriness of Aedes Aegypti to Oral Infection with Yellow Fever Virus. American Journal of Tropical Medicine and Hygiene, 1985, 34, 1225-1231.	1.4	39
105	An electrophoretic study of the systematic relationships of some closely related goby species (Pisces,) Tj ETQq $1\ 1$	0.784314 1.6	1 rgBT /Ove
106	Genetic variation and environmental heterogeneity in some closely related goby species. Genetica, 1984, 62, 223-237.	1.1	22
107	Genetic Heterogeneity among Caribbean Populations of Aedes aegypti. American Journal of Tropical Medicine and Hygiene, 1984, 33, 492-498.	1.4	33
108	The Effect of Colonization upon Aedes Aegypti Susceptibility to Oral Infection with Yellow Fever Virus *. American Journal of Tropical Medicine and Hygiene, 1984, 33, 690-694.	1.4	67

#	Article	lF	CITATIONS
109	Genetic differentiation between populations of Pomatoschistus minutus from the Bristol Channel and the Adriatic. Genetica, 1983, 62, 75-80.	1.1	8
110	Macrogeographic genetic variation in a human commensal: <i>Aedes aegypti</i> , the yellow fever mosquito. Genetical Research, 1983, 41, 241-258.	0.9	53
111	Electrophoretic Analysis of the Ticks Ornithodoros (Pavlovskyella) Erraticus and O. (P.) Sonrai (Acari: Argasidae)1. Journal of Medical Entomology, 1983, 20, 570-571.	1.8	11
112	Linkage of an IDH locus with sex and two lethals in Aedes aegypti. Journal of Heredity, 1982, 73, 291-294.	2.4	5
113	Genetic divergence in four species of the genus Raphanus: Implications for the ancestry of the domestic radish R. sativus. Biological Journal of the Linnean Society, 1982, 18, 35-48.	1.6	26
114	Enzyme variation in the brook lamprey, Lampetra planeri (Bloch), a member of the vertebrate group Agnatha. Genetica, 1981, 55, 67-73.	1.1	12
115	Genetic Evidence for Naturally Occuring Fertile Hybrids Between Two Goby Species, Pomatoschistus minutus and P. Ioszanoi (Pisces, Gobiidae). Marine Ecology - Progress Series, 1980, 3, 309-315.	1.9	21
116	Purine nucleoside phosphorylase variation in the brook lamprey, Lampetra planeri (Bloch) (Petromyzone, Agnatha): Evidence for a trimeric enzyme structure. Biochemical Genetics, 1979, 17, 251-256.	1.7	14