

Mari Hmlinen

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5463152/mari-hamalainen-publications-by-year.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

92
papers

2,102
citations

21
h-index

43
g-index

95
ext. papers

2,429
ext. citations

3.9
avg, IF

4.6
L-index

#	Paper	IF	Citations
92	The role of alcohol use and adiposity in serum levels of IL-1RA in depressed patients.. <i>BMC Psychiatry</i> , 2022 , 22, 158	4.2	1
91	Relationship Between Soluble Urokinase Plasminogen Activator Receptor (suPAR) and Disease Outcome in Adult-Onset Asthma.. <i>Journal of Asthma and Allergy</i> , 2022 , 15, 579-593	3.1	
90	Metabolic Syndrome, Disease Activity, and Adipokines in Patients With Newly Diagnosed Inflammatory Joint Diseases. <i>Journal of Clinical Rheumatology</i> , 2021 , 27, e349-e356	1.1	4
89	Pinosylin Shifts Macrophage Polarization to Support Resolution of Inflammation. <i>Molecules</i> , 2021 , 26,	4.8	2
88	Lung Injury After Neonatal Congenital Cardiac Surgery Is Mild and Modifiable by Corticosteroids. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2021 , 35, 2100-2107	2.1	
87	Transient Receptor Potential Ankyrin 1 (TRPA1)-An Inflammation-Induced Factor in Human HaCaT Keratinocytes. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	3
86	Electroconvulsive therapy increases temporarily plasma vascular endothelial growth factor in patients with major depressive disorder. <i>Brain and Behavior</i> , 2021 , 11, e02001	3.4	1
85	Chondrocytes from Osteoarthritis Patients Adopt Distinct Phenotypes in Response to Central T1/T2/T17 Cytokines. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	2
84	Glucagon-like peptide-1 serum levels are associated with weight gain in patients treated with clozapine. <i>Psychiatry Research</i> , 2021 , 306, 114227	9.9	0
83	The inflammatory regulation of TRPA1 expression in human A549 lung epithelial cells. <i>Pulmonary Pharmacology and Therapeutics</i> , 2021 , 70, 102059	3.5	3
82	Beneficial effects of lingonberry (<i>Vaccinium vitis-idaea</i> L.) supplementation on metabolic and inflammatory adverse effects induced by high-fat diet in a mouse model of obesity. <i>PLoS ONE</i> , 2020 , 15, e0232605	3.7	11
81	Association of rheumatoid arthritis disease activity and antibodies to periodontal bacteria with serum lipoprotein profile in drug naive patients. <i>Annals of Medicine</i> , 2020 , 52, 32-42	1.5	2
80	Novel adipokine associated with OA: retinol binding protein 4 (RBP4) is produced by cartilage and is correlated with MMPs in osteoarthritis patients. <i>Inflammation Research</i> , 2020 , 69, 415-421	7.2	7
79	Regulation of gene expression by MF63, a selective inhibitor of microsomal PGE synthase 1 (mPGES1) in human osteoarthritic chondrocytes. <i>British Journal of Pharmacology</i> , 2020 , 177, 4134-4146	8.6	4
78	Transient Receptor Potential Ankyrin 1 (TRPA1) Is Involved in Upregulating Interleukin-6 Expression in Osteoarthritic Chondrocyte Models. <i>International Journal of Molecular Sciences</i> , 2020 , 22,	6.3	3
77	ST2 levels increased and were associated with changes in left ventricular systolic function during a three-year follow-up after adjuvant radiotherapy for breast cancer. <i>Breast</i> , 2020 , 49, 183-186	3.6	4
76	Widespread regulation of gene expression by glucocorticoids in chondrocytes from patients with osteoarthritis as determined by RNA-Seq. <i>Arthritis Research and Therapy</i> , 2020 , 22, 271	5.7	10

75	Glycoprotein YKL-40 Is Elevated and Predicts Disease Severity in Puumala Hantavirus Infection. <i>Viruses</i> , 2019 , 11,	6.2	3
74	Transforming growth factor beta 1 levels predict echocardiographic changes at three years after adjuvant radiotherapy for breast cancer. <i>Radiation Oncology</i> , 2019 , 14, 155	4.2	1
73	Transient Receptor Potential Ankyrin 1 Enhances Ovalbumin-Induced Acute Allergic Inflammation in Murine Models. <i>International Archives of Allergy and Immunology</i> , 2019 , 178, 238-247	3.7	4
72	YKL-40 and adult-onset asthma: Elevated levels in clusters with poorest outcome. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2019 , 7, 2466-2468.e3	5.4	10
71	Pyrazine-Fused Triterpenoids Block the TRPA1 Ion Channel in Vitro and Inhibit TRPA1-Mediated Acute Inflammation in Vivo. <i>ACS Chemical Neuroscience</i> , 2019 , 10, 2848-2857	5.7	4
70	Low Plasma IL-8 Levels During Chemotherapy Are Predictive of Excellent Long-Term Survival in Metastatic Breast Cancer. <i>Clinical Breast Cancer</i> , 2019 , 19, e522-e533	3	11
69	Assessment of alcohol consumption in depression follow-up using self-reports and blood measures including inflammatory biomarkers. <i>Alcohol and Alcoholism</i> , 2019 , 54, 243-250	3.5	2
68	Downregulation of microsomal prostaglandin E synthase-1 (mPGES-1) expression in chondrocytes is regulated by MAP kinase phosphatase-1 (MKP-1). <i>International Immunopharmacology</i> , 2019 , 71, 139-143	5.8	6
67	Status of inflammation and alcohol use in a 6-month follow-up study of patients with major depressive disorder. <i>Alcohol</i> , 2019 , 81, 21-26	2.7	3
66	High baseline Tie1 level predicts poor survival in metastatic breast cancer. <i>BMC Cancer</i> , 2019 , 19, 732	4.8	7
65	Monoamine oxidase A inhibition protects the myocardium after experimental acute volume overload. <i>Anatolian Journal of Cardiology</i> , 2019 , 21, 39-45	0.8	1
64	MKP-1 promotes anti-inflammatory M(IL-4/IL-13) macrophage phenotype and mediates the anti-inflammatory effects of glucocorticoids. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2019 , 124, 404-415	3.1	7
63	Inflammatory biomarkers in saliva and serum of patients with rheumatoid arthritis with respect to periodontal status. <i>Annals of Medicine</i> , 2018 , 50, 333-344	1.5	15
62	The effects of adiposity and alcohol use disorder on adipokines and biomarkers of inflammation in depressed patients. <i>Psychiatry Research</i> , 2018 , 264, 31-38	9.9	6
61	Natural Stilbenoids Have Anti-Inflammatory Properties in Vivo and Down-Regulate the Production of Inflammatory Mediators NO, IL6, and MCP1 Possibly in a PI3K/Akt-Dependent Manner. <i>Journal of Natural Products</i> , 2018 , 81, 1131-1142	4.9	38
60	Inflammation status of healthy young men: initial and specific responses to resistance training. <i>Applied Physiology, Nutrition and Metabolism</i> , 2018 , 43, 252-258	3	5
59	Anti-rheumatic medication and salivary MMP-8, a biomarker for periodontal disease. <i>Oral Diseases</i> , 2018 , 24, 1562-1571	3.5	8
58	Activity of rheumatoid arthritis correlates with oral inflammatory burden. <i>Rheumatology International</i> , 2018 , 38, 1661-1669	3.6	5

57	Pyrazine-fused triterpenoids block TRPA1 ion channel in vitro and inhibit TRPA1-mediated inflammation in vivo. <i>Proceedings for Annual Meeting of the Japanese Pharmacological Society</i> , 2018 , WCP2018, PO4-3-46	0	
56	IL-6 in Osteoarthritis: Effects of Pine Stilbenoids. <i>Molecules</i> , 2018 , 24,	4.8	28
55	Attenuating Effects of Nortrachelogenin on IL-4 and IL-13 Induced Alternative Macrophage Activation and on Bleomycin-Induced Dermal Fibrosis. <i>Journal of Agricultural and Food Chemistry</i> , 2018 , 66, 13405-13413	5.7	3
54	High plasma resistin associates with severe acute kidney injury in Puumala hantavirus infection. <i>PLoS ONE</i> , 2018 , 13, e0208017	3.7	8
53	Effect of electroconvulsive therapy on brain-derived neurotrophic factor levels in patients with major depressive disorder. <i>Brain and Behavior</i> , 2018 , 8, e01101	3.4	6
52	Decreases in TGF- β and PDGF levels are associated with echocardiographic changes during adjuvant radiotherapy for breast cancer. <i>Radiation Oncology</i> , 2018 , 13, 201	4.2	4
51	S100B, NSE and MMP-9 fail to predict neurologic outcome while elevated S100B associates with milder initial clinical presentation after aneurysmal subarachnoid hemorrhage. <i>Journal of the Neurological Sciences</i> , 2018 , 390, 129-134	3.2	5
50	Time-courses of plasma IL-6 and HMGB-1 reflect initial severity of clinical presentation but do not predict poor neurologic outcome following subarachnoid hemorrhage. <i>ENeurologicalSci</i> , 2017 , 6, 55-62	2.1	12
49	Resistin and interleukin 6 as predictive factors for recurrence and long-term prognosis in renal cell cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017 , 35, 544.e25-544.e31	2.8	8
48	TRPA1 expression is downregulated by dexamethasone and aurothiomalate in human chondrocytes: TRPA1 as a novel factor and drug target in arthritis. <i>RMD Open</i> , 2017 , 3, e000556	5.9	4
47	Glycoprotein YKL-40 Levels in Plasma Are Associated with Fibrotic Changes on HRCT in Asbestos-Exposed Subjects. <i>Mediators of Inflammation</i> , 2017 , 2017, 1797512	4.3	12
46	Resistance training status modifies inflammatory response to explosive and hypertrophic resistance exercise bouts. <i>Journal of Physiology and Biochemistry</i> , 2017 , 73, 595-604	5	10
45	High YKL-40 is associated with poor survival in patients with renal cell carcinoma: a novel independent prognostic marker. <i>Scandinavian Journal of Urology</i> , 2017 , 51, 367-372	1.6	9
44	Resistin as an inflammatory marker in patients with schizophrenia treated with clozapine. <i>Nordic Journal of Psychiatry</i> , 2017 , 71, 89-95	2.3	9
43	Anti-inflammatory Effects of Nortrachelogenin in Murine J774 Macrophages and in Carrageenan-Induced Paw Edema Model in the Mouse. <i>Planta Medica</i> , 2017 , 83, 519-526	3.1	10
42	Interleukin 8 and hepatocyte growth factor in predicting development of severe acute pancreatitis. <i>Cogent Medicine</i> , 2017 , 4, 1396634	1.4	3
41	PDE4 inhibitor rolipram inhibits the expression of microsomal prostaglandin E synthase-1 by a mechanism dependent on MAP kinase phosphatase-1. <i>Pharmacology Research and Perspectives</i> , 2017 , 5, e00363	3.1	2
40	Microsomal Prostaglandin E Synthase-1 Expression in Inflammatory Conditions Is Downregulated by Dexamethasone: Seminal Role of the Regulatory Phosphatase MKP-1. <i>Frontiers in Pharmacology</i> , 2017 , 8, 646	5.6	5

39	Plasma Soluble Urokinase-Type Plasminogen Activator Receptor Is Not Associated with Neurological Outcome in Patients with Aneurysmal Subarachnoid Hemorrhage. <i>Frontiers in Neurology</i> , 2017 , 8, 144	4.1	4
38	Adjuvant Breast Cancer Treatments Induce Changes in Homoarginine Level - A Prospective Observational Study. <i>Anticancer Research</i> , 2017 , 37, 6815-6824	2.3	
37	Betulin Derivatives Effectively Suppress Inflammation in Vitro and in Vivo. <i>Journal of Natural Products</i> , 2016 , 79, 274-80	4.9	52
36	Anti-Inflammatory Effects of β_2 -Receptor Agonists Salbutamol and Terbutaline Are Mediated by MKP-1. <i>PLoS ONE</i> , 2016 , 11, e0148144	3.7	22
35	The Inflammatory Phenotype in Failed Metal-On-Metal Hip Arthroplasty Correlates with Blood Metal Concentrations. <i>PLoS ONE</i> , 2016 , 11, e0155121	3.7	20
34	Transient receptor potential ankyrin 1 (TRPA1) is functionally expressed in primary human osteoarthritic chondrocytes. <i>Arthritis Research and Therapy</i> , 2016 , 18, 185	5.7	35
33	Association of Matrix Metalloproteinases -7, -8 and -9 and TIMP -1 with Disease Severity in Acute Pancreatitis. A Cohort Study. <i>PLoS ONE</i> , 2016 , 11, e0161480	3.7	12
32	Pinosylin Inhibits TRPA1-Induced Calcium Influx In Vitro and TRPA1-Mediated Acute Paw Inflammation In Vivo. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2016 , 118, 238-42	3.1	14
31	INSIG2 polymorphism and weight gain, dyslipidemia and serum adiponectin in Finnish patients with schizophrenia treated with clozapine. <i>Pharmacogenomics</i> , 2016 , 17, 1987-1997	2.6	7
30	Increased plasma UCH-L1 after aneurysmal subarachnoid hemorrhage is associated with unfavorable neurological outcome. <i>Journal of the Neurological Sciences</i> , 2016 , 361, 144-9	3.2	12
29	Inhibition of monoamine oxidase A increases recovery after experimental cardiac arrest. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2015 , 21, 441-9	1.8	11
28	PI3K inhibitors LY294002 and IC87114 reduce inflammation in carrageenan-induced paw oedema and down-regulate inflammatory gene expression in activated macrophages. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2015 , 116, 53-61	3.1	17
27	Urate crystal induced inflammation and joint pain are reduced in transient receptor potential ankyrin 1 deficient mice--potential role for transient receptor potential ankyrin 1 in gout. <i>PLoS ONE</i> , 2015 , 10, e0117770	3.7	35
26	Constitutive STAT3 Phosphorylation in Circulating CD4+ T Lymphocytes Associates with Disease Activity and Treatment Response in Recent-Onset Rheumatoid Arthritis. <i>PLoS ONE</i> , 2015 , 10, e0137385	3.7	18
25	Adipsin Is Associated with Multiple Sclerosis: A Follow-Up Study of Adipokines. <i>Multiple Sclerosis International</i> , 2015 , 2015, 371734	1.1	11
24	Muraglitazar-eluting bioabsorbable vascular stent inhibits neointimal hyperplasia in porcine iliac arteries. <i>Journal of Vascular and Interventional Radiology</i> , 2015 , 26, 124-30	2.4	5
23	C4d Deposition Reveals Myocardial Infarction After Cardiac Arrest--Experimental Study. <i>Advances in Clinical and Experimental Medicine</i> , 2015 , 24, 393-9	1.8	1
22	Acute leukocyte, cytokine and adipocytokine responses to maximal and hypertrophic resistance exercise bouts. <i>European Journal of Applied Physiology</i> , 2014 , 114, 2607-16	3.4	25

21	YKL-40 as a novel factor associated with inflammation and catabolic mechanisms in osteoarthritic joints. <i>Mediators of Inflammation</i> , 2014 , 2014, 215140	4.3	39
20	Adipokines NUCB2/nesfatin-1 and visfatin as novel inflammatory factors in chronic obstructive pulmonary disease. <i>Mediators of Inflammation</i> , 2014 , 2014, 232167	4.3	24
19	Confined ischemia may improve remote myocardial outcome after rat cardiac arrest. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2014 , 74, 27-36	2	2
18	Cytokine and adipokine alterations in patients with schizophrenia treated with clozapine. <i>Psychiatry Research</i> , 2014 , 218, 277-83	9.9	47
17	Attenuation of TNF production and experimentally induced inflammation by PDE4 inhibitor rolipram is mediated by MAPK phosphatase-1. <i>British Journal of Pharmacology</i> , 2013 , 169, 1525-36	8.6	35
16	Dexamethasone-eluting vascular stents. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2013 , 112, 296-301	3.0	10
15	Diazoxide may protect endothelial glycocalyx integrity during coronary artery bypass grafting. <i>Scandinavian Cardiovascular Journal</i> , 2012 , 46, 339-44	2	10
14	Effects of flavonoids on prostaglandin E2 production and on COX-2 and mPGES-1 expressions in activated macrophages. <i>Planta Medica</i> , 2011 , 77, 1504-11	3.1	76
13	Calcineurin inhibitors down-regulate iNOS expression by destabilizing mRNA. <i>International Immunopharmacology</i> , 2009 , 9, 159-67	5.8	21
12	Inhibition of iNOS expression and NO production by anti-inflammatory steroids. Reversal by histone deacetylase inhibitors. <i>Pulmonary Pharmacology and Therapeutics</i> , 2008 , 21, 331-9	3.5	46
11	Orazipone inhibits activation of inflammatory transcription factors nuclear factor-kappa B and signal transducer and activator of transcription 1 and decreases inducible nitric-oxide synthase expression and nitric oxide production in response to inflammatory stimuli. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2008 , 324, 858-66	4.7	14
10	Nitric oxide-releasing compounds inhibit the production of interleukin-2, -4 and -10 in activated human lymphocytes. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2008 , 103, 322-8	3.1	7
9	Anti-inflammatory effects of flavonoids: genistein, kaempferol, quercetin, and daidzein inhibit STAT-1 and NF-kappaB activations, whereas flavone, isorhamnetin, naringenin, and pelargonidin inhibit only NF-kappaB activation along with their inhibitory effect on iNOS expression and NO production in activated macrophages. <i>Mediators of Inflammation</i> , 2007 , 2007, 45673	4.3	580
8	Breast milk fatty acids may link innate and adaptive immune regulation: analysis of soluble CD14, prostaglandin E2, and fatty acids. <i>Pediatric Research</i> , 2006 , 59, 723-7	3.2	34
7	Preclinical evaluation of rapeseed, raspberry, and pine bark phenolics for health related effects. <i>Journal of Agricultural and Food Chemistry</i> , 2005 , 53, 5922-31	5.7	108
6	Phenolic extractives from the bark of <i>Pinus sylvestris</i> L. and their effects on inflammatory mediators nitric oxide and prostaglandin E2. <i>Journal of Agricultural and Food Chemistry</i> , 2004 , 52, 7532-40	5.7	81
5	Breast milk fatty acids, eicosanoids, and cytokines in mothers with and without allergic disease. <i>Pediatric Research</i> , 2003 , 53, 642-7	3.2	91
4	Regulation of eosinophil apoptosis by nitric oxide: Role of c-Jun-N-terminal kinase and signal transducer and activator of transcription 5. <i>Journal of Allergy and Clinical Immunology</i> , 2003 , 112, 93-101	11.5	45

3	Regulation of nitric oxide production in osteoarthritic and rheumatoid cartilage. Role of endogenous IL-1 inhibitors. <i>Scandinavian Journal of Rheumatology</i> , 2003 , 32, 19-24	1.9	16
2	Calcineurin inhibitors, cyclosporin A and tacrolimus inhibit expression of inducible nitric oxide synthase in colon epithelial and macrophage cell lines. <i>European Journal of Pharmacology</i> , 2002 , 448, 239-44	5.3	42
1	Dexamethasone inhibits inducible nitric-oxide synthase expression and nitric oxide production by destabilizing mRNA in lipopolysaccharide-treated macrophages. <i>Molecular Pharmacology</i> , 2002 , 62, 698-704	4.3	142