

Peter M. Clifton

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5464221/publications.pdf>

Version: 2024-02-01

373
papers

23,750
citations

6233

80
h-index

10127

140
g-index

384
all docs

384
docs citations

384
times ranked

22697
citing authors

#	ARTICLE	IF	CITATIONS
1	Acute C-Terminal Crosslinking Telopeptide of Type I Collagen (CTX-1) Suppression with Milk Calcium or Calcium Carbonate Is Independent of Visceral Fat in a Randomized Crossover Study in Lean and Overweight Postmenopausal Women. <i>Journal of Nutrition</i> , 2022, 152, 1006-1014.	1.3	2
2	The effect of cognitive behavioral stress management on perceived stress, biological stress markers and weight loss/regain, from a diet-induced weight loss program: A randomized controlled trial. <i>Comprehensive Psychoneuroendocrinology</i> , 2022, 10, 100124.	0.7	1
3	Editorial: Diabetology: Feature Papers 2021. <i>International Journal of Diabetology</i> , 2022, 3, 266-267.	0.9	0
4	Practical Guidance for Food Consumption to Prevent Cardiovascular Disease. <i>Heart Lung and Circulation</i> , 2021, 30, 163-179.	0.2	22
5	Integrated Guidance for Enhancing the Care of Familial Hypercholesterolaemia in Australia. <i>Heart Lung and Circulation</i> , 2021, 30, 324-349.	0.2	51
6	A safety, tolerability, and pharmacokinetic study of a novel simvastatin silica-lipid hybrid formulation in healthy male participants. <i>Drug Delivery and Translational Research</i> , 2021, 11, 1261-1272.	3.0	20
7	Development and Validation of an Online Survey to Assess Perception of Diabetes Risk and Barriers and Facilitators to Weight Loss Following Gestational Diabetes. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 480.	1.2	1
8	Iodine Excretion and Intake in Women of Reproductive Age in South Australia Eating Plant-Based and Omnivore Diets: A Pilot Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 3547.	1.2	4
9	Gaps in the Care of Familial Hypercholesterolaemia in Australia: First Report From the National Registry. <i>Heart Lung and Circulation</i> , 2021, 30, 372-379.	0.2	14
10	The effect of intermittent energy restriction on weight loss and diabetes risk markers in women with a history of gestational diabetes: a 12-month randomized control trial. <i>American Journal of Clinical Nutrition</i> , 2021, 114, 794-803.	2.2	17
11	The Acute Effect of Magnesium Supplementation on Endothelial Function: A Randomized Cross-Over Pilot Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 5303.	1.2	1
12	Synopsis of an integrated guidance for enhancing the care of familial hypercholesterolaemia: an Australian perspective. <i>American Journal of Preventive Cardiology</i> , 2021, 6, 100151.	1.3	3
13	The Effect of Magnesium Supplementation on Endothelial Function: A Randomised Cross-Over Pilot Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 8169.	1.2	0
14	Weight Loss Barriers and Dietary Quality of Intermittent and Continuous Dieters in Women with a History of Gestational Diabetes. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 10243.	1.2	4
15	Effect of a moderate dose of fructose in solid foods on TAG, glucose and uric acid before and after a 1-month moderate sugar-feeding period. <i>British Journal of Nutrition</i> , 2021, 126, 837-843.	1.2	0
16	No Difference in Weight Loss, Glucose, Lipids and Vitamin D of Eggs for Breakfast Compared with Cereal for Breakfast during Energy Restriction. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 8827.	1.2	3
17	Energy Intake and Satiety Responses of Eggs for Breakfast in Overweight and Obese Adults—A Crossover Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 5583.	1.2	8
18	Women's Barriers to Weight Loss, Perception of Future Diabetes Risk and Opinions of Diet Strategies Following Gestational Diabetes: An Online Survey. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 9180.	1.2	4

#	ARTICLE	IF	CITATIONS
19	Consumption of a Beverage Containing Aspartame and Acesulfame K for Two Weeks Does Not Adversely Influence Glucose Metabolism in Adult Males and Females: A Randomized Crossover Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 9049.	1.2	8
20	Diabetology: A New Online Diabetes Journal. What Role Can It Play in a Crowded Field?. <i>International Journal of Diabetology</i> , 2020, 1, 22-23.	0.9	0
21	Visceral Fat Is a Negative Determinant of Bone Health in Obese Postmenopausal Women. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 3996.	1.2	14
22	Differential Effects of Dietary Patterns on Advanced Glycation end Products: A Randomized Crossover Study. <i>Nutrients</i> , 2020, 12, 1767.	1.7	18
23	Impact of intermittent vs. continuous energy restriction on weight and cardiometabolic factors: a 12-month follow-up. <i>International Journal of Obesity</i> , 2020, 44, 1236-1242.	1.6	12
24	Metabolic Syndrome—Role of Dietary Fat Type and Quantity. <i>Nutrients</i> , 2019, 11, 1438.	1.7	42
25	Predictors of Lifestyle Intervention Attrition or Weight Loss Success in Women with Polycystic Ovary Syndrome Who Are Overweight or Obese. <i>Nutrients</i> , 2019, 11, 492.	1.7	34
26	The effect of intermittent compared with continuous energy restriction on glycaemic control in patients with type 2 diabetes: 24-month follow-up of a randomised noninferiority trial. <i>Diabetes Research and Clinical Practice</i> , 2019, 151, 11-19.	1.1	47
27	Flash glucose monitoring for the safe use of a 2-day intermittent energy restriction in patients with type 2 diabetes at risk of hypoglycaemia: An exploratory study. <i>Diabetes Research and Clinical Practice</i> , 2019, 151, 138-145.	1.1	3
28	Elevated Serum 25-Hydroxyvitamin D Levels Are Associated with Improved Bone Formation and Micro-Structural Measures in Elderly Hip Fracture Patients. <i>Journal of Clinical Medicine</i> , 2019, 8, 1988.	1.0	11
29	Non-nutritive Sweeteners and Glycaemic Control. <i>Current Atherosclerosis Reports</i> , 2019, 21, 49.	2.0	14
30	Does Nut Consumption Reduce Mortality and/or Risk of Cardiometabolic Disease? An Updated Review Based on Meta-Analyses. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 4957.	1.2	20
31	Effects of Weight Loss on FGF-21 in Human Subjects: An Exploratory Study. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 4877.	1.2	8
32	A whey/guar pre-load improves postprandial glycaemia and glycated haemoglobin levels in type 2 diabetes: A 12-week, single-blind, randomized, placebo-controlled trial. <i>Diabetes, Obesity and Metabolism</i> , 2019, 21, 930-938.	2.2	35
33	Effect of intermittent compared to continuous energy restriction on weight loss and weight maintenance after 12 months in healthy overweight or obese adults. <i>International Journal of Obesity</i> , 2019, 43, 2028-2036.	1.6	56
34	Diet, exercise and weight loss and dyslipidaemia. <i>Pathology</i> , 2019, 51, 222-226.	0.3	43
35	Longitudinal nutritional changes in aging Australian women. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2019, 28, 139-149.	0.3	8
36	Effects of Different Weight Loss Approaches on CVD Risk. <i>Current Atherosclerosis Reports</i> , 2018, 20, 27.	2.0	31

#	ARTICLE	IF	CITATIONS
37	Relationship Between Changes in Fat and Lean Depots Following Weight Loss and Changes in Cardiovascular Disease Risk Markers. <i>Journal of the American Heart Association</i> , 2018, 7, .	1.6	7
38	An 18-mo randomized, double-blind, placebo-controlled trial of DHA-rich fish oil to prevent age-related cognitive decline in cognitively normal older adults. <i>American Journal of Clinical Nutrition</i> , 2018, 107, 754-762.	2.2	40
39	Probiotics, prebiotics, synbiotics and insulin sensitivity. <i>Nutrition Research Reviews</i> , 2018, 31, 35-51.	2.1	212
40	Dietary patterns and β -amyloid deposition in aging Australian women. <i>Alzheimer's and Dementia: Translational Research and Clinical Interventions</i> , 2018, 4, 535-541.	1.8	19
41	Nuts and Cardio-Metabolic Disease: A Review of Meta-Analyses. <i>Nutrients</i> , 2018, 10, 1935.	1.7	46
42	Curcumin, Cardiometabolic Health and Dementia. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 2093.	1.2	46
43	The Role of Choice in Weight Loss Strategies: A Systematic Review and Meta-Analysis. <i>Nutrients</i> , 2018, 10, 1136.	1.7	9
44	Dietary quality and carotid intima media thickness in type 1 and type 2 diabetes: Follow-up of a randomised controlled trial. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2018, 28, 830-838.	1.1	17
45	Cholesterol-Lowering Effects of Plant Sterols in One Serve of Wholegrain Wheat Breakfast Cereal Biscuitsâ€”A Randomised Crossover Clinical Trial. <i>Foods</i> , 2018, 7, 39.	1.9	9
46	Effect of Intermittent Energy Restriction on Flow Mediated Dilatation, a Measure of Endothelial Function: A Short Report. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 1166.	1.2	12
47	Effect of Intermittent Compared With Continuous Energy Restricted Diet on Glycemic Control in Patients With Type 2 Diabetes. <i>JAMA Network Open</i> , 2018, 1, e180756.	2.8	170
48	Consumption of red and processed meat and refined grains for 4 weeks decreases insulin sensitivity in insulin-resistant adults: A randomized crossover study. <i>Metabolism: Clinical and Experimental</i> , 2017, 68, 173-183.	1.5	18
49	Role of dietary advanced glycation end products. <i>Current Opinion in Lipidology</i> , 2017, 28, 514-515.	1.2	2
50	A systematic review of the effect of dietary saturated and polyunsaturated fat on heart disease. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2017, 27, 1060-1080.	1.1	127
51	Effects of Two Different Dietary Patterns on Inflammatory Markers, Advanced Glycation End Products and Lipids in Subjects without Type 2 Diabetes: A Randomised Crossover Study. <i>Nutrients</i> , 2017, 9, 336.	1.7	26
52	Benefits of Nut Consumption on Insulin Resistance and Cardiovascular Risk Factors: Multiple Potential Mechanisms of Actions. <i>Nutrients</i> , 2017, 9, 1271.	1.7	100
53	Changes in Lipids and Inflammatory Markers after Consuming Diets High in Red Meat or Dairy for Four Weeks. <i>Nutrients</i> , 2017, 9, 886.	1.7	17
54	Effects of Weight Loss on Advanced Glycation End Products in Subjects with and without Diabetes: A Preliminary Report. <i>International Journal of Environmental Research and Public Health</i> , 2017, 14, 1553.	1.2	22

#	ARTICLE	IF	CITATIONS
55	Vegetarian Diets and the Risk of Type 2 Diabetes. , 2017, , 355-367.		2
56	The Influence of Dairy Consumption on the Risk of Type 2 Diabetes, Metabolic Syndrome, and Impaired Glucose Tolerance or Insulin Resistance. , 2017, , 411-422.		0
57	Design of the Familial Hypercholesterolaemia Australasia Network Registry: Creating Opportunities for Greater International Collaboration. <i>Journal of Atherosclerosis and Thrombosis</i> , 2017, 24, 1075-1084.	0.9	29
58	Assessing the evidence for weight loss strategies in people with and without type 2 diabetes. <i>World Journal of Diabetes</i> , 2017, 8, 440-454.	1.3	10
59	Association between dairy intake, lipids and vascular structure and function in diabetes. <i>World Journal of Diabetes</i> , 2017, 8, 202.	1.3	7
60	Clinical and dietary predictors of common carotid artery intima media thickness in a population with type 1 and type 2 diabetes: A cross-sectional study. <i>World Journal of Diabetes</i> , 2017, 8, 18.	1.3	1
61	Plasma Free Amino Acid Responses to Intraduodenal Whey Protein, and Relationships with Insulin, Glucagon-Like Peptide-1 and Energy Intake in Lean Healthy Men. <i>Nutrients</i> , 2016, 8, 4.	1.7	25
62	Polyphenols and Glycemic Control. <i>Nutrients</i> , 2016, 8, 17.	1.7	364
63	Weight-Loss Outcomes: A Systematic Review and Meta-Analysis of Intermittent Energy Restriction Trials Lasting a Minimum of 6 Months. <i>Nutrients</i> , 2016, 8, 354.	1.7	91
64	Effect of Improving Dietary Quality on Arterial Stiffness in Subjects with Type 1 and Type 2 Diabetes: A 12 Months Randomised Controlled Trial. <i>Nutrients</i> , 2016, 8, 382.	1.7	7
65	Differential Effects of Red Meat/Refined Grain Diet and Dairy/Chicken/Nuts/Whole Grain Diet on Glucose, Insulin and Triglyceride in a Randomized Crossover Study. <i>Nutrients</i> , 2016, 8, 687.	1.7	30
66	Long-Term Effects of a Randomised Controlled Trial Comparing High Protein or High Carbohydrate Weight Loss Diets on Testosterone, SHBG, Erectile and Urinary Function in Overweight and Obese Men. <i>PLoS ONE</i> , 2016, 11, e0161297.	1.1	60
67	Response to the comment by Kuipers and Pruiboom. <i>Metabolism: Clinical and Experimental</i> , 2016, 65, e5.	1.5	0
68	Fructose acute effects on glucose, insulin, and triglyceride after a solid meal compared with sucralose and sucrose in a randomized crossover study. <i>American Journal of Clinical Nutrition</i> , 2016, 103, 1453-1457.	2.2	20
69	Effect of carbohydrate restriction in the first meal after an overnight fast on glycemic control in people with type 2 diabetes: a randomized trial. <i>American Journal of Clinical Nutrition</i> , 2016, 104, 1285-1291.	2.2	11
70	Reply to: "Effect of weight loss induced by energy restriction on measures of arterial compliance: A systematic review and meta-analysis". <i>Atherosclerosis</i> , 2016, 252, 203-204.	0.4	1
71	The effects of intermittent compared to continuous energy restriction on glycaemic control in type 2 diabetes; a pragmatic pilot trial. <i>Diabetes Research and Clinical Practice</i> , 2016, 122, 106-112.	1.1	140
72	Dairy foods and the risk of type 2 diabetes. <i>Current Opinion in Lipidology</i> , 2016, 27, 539-540.	1.2	0

#	ARTICLE	IF	CITATIONS
73	Long-term effects of a very-low-carbohydrate weight-loss diet and an isocaloric low-fat diet on bone health in obese adults. <i>Nutrition</i> , 2016, 32, 1033-1036.	1.1	25
74	Effect of weight loss induced by energy restriction on measures of arterial compliance: A systematic review and meta-analysis. <i>Atherosclerosis</i> , 2016, 247, 7-20.	0.4	26
75	Acute effect of red meat and dairy on glucose and insulin: a randomized crossover study. <i>American Journal of Clinical Nutrition</i> , 2016, 103, 71-76.	2.2	10
76	Postprandial insulin and glucose levels are reduced in healthy subjects when a standardised breakfast meal is supplemented with a filtered sugarcane molasses concentrate. <i>European Journal of Nutrition</i> , 2016, 55, 2365-2376.	4.6	16
77	High-Density Lipoprotein-Associated miR-223 Is Altered after Diet-Induced Weight Loss in Overweight and Obese Males. <i>PLoS ONE</i> , 2016, 11, e0151061.	1.1	41
78	Intermittent energy restriction in type 2 diabetes: A short discussion of medication management. <i>World Journal of Diabetes</i> , 2016, 7, 627.	1.3	15
79	Dietary intake in adults with type 1 and type 2 diabetes: validation of the Dietary Questionnaire for Epidemiological Studies version 2 FFQ against a 3-d weighed food record and 24-h urinalysis. <i>British Journal of Nutrition</i> , 2015, 114, 2056-2063.	1.2	19
80	Recurrent nocturnal hypoglycaemia as a cause of morning fatigue in treated Addison's disease – favourable response to dietary management: a case report. <i>BMC Endocrine Disorders</i> , 2015, 15, 61.	0.9	14
81	Chromosomal DNA damage in APOE 4 carriers and noncarriers does not appear to be different. <i>Environmental and Molecular Mutagenesis</i> , 2015, 56, 694-708.	0.9	3
82	Low carbohydrate and ketogenic diets in type 2 diabetes. <i>Current Opinion in Lipidology</i> , 2015, 26, 594-595.	1.2	7
83	Weight Loss, Dietary Intake and Pulse Wave Velocity. <i>Pulse</i> , 2015, 3, 134-140.	0.9	9
84	From sodium intake restriction to nitrate supplementation: Different measures with converging mechanistic pathways?. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2015, 25, 1079-1086.	1.1	2
85	Dairy consumption and insulin sensitivity: A systematic review of short- and long-term intervention studies. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2015, 25, 3-8.	1.1	55
86	Dietary quality in people with type 1 and type 2 diabetes compared to age, sex and BMI matched controls. <i>Diabetes Research and Clinical Practice</i> , 2015, 107, e7-e10.	1.1	11
87	Salt Restriction in Diabetes. <i>Current Diabetes Reports</i> , 2015, 15, 58.	1.7	3
88	Attitudes and beliefs of Australian adults on reality television cooking programmes and celebrity chefs. Is there cause for concern? Descriptive analysis presented from a consumer survey. <i>Appetite</i> , 2015, 91, 7-12.	1.8	18
89	Effect of sodium and potassium supplementation on vascular and endothelial function: a randomized controlled trial. <i>American Journal of Clinical Nutrition</i> , 2015, 101, 939-946.	2.2	21
90	The role of protein in weight loss and maintenance. <i>American Journal of Clinical Nutrition</i> , 2015, 101, 1320S-1329S.	2.2	294

#	ARTICLE	IF	CITATIONS
91	Characteristics of Indigenous adults with poorly controlled diabetes in north Queensland: implications for services. <i>BMC Public Health</i> , 2015, 15, 325.	1.2	8
92	Red meat, dairy, and insulin sensitivity: a randomized crossover intervention study. <i>American Journal of Clinical Nutrition</i> , 2015, 101, 1173-1179.	2.2	51
93	Sustained effects of a protein "preload"™ on glycaemia and gastric emptying over 4 weeks in patients with type 2 diabetes: A randomized clinical trial. <i>Diabetes Research and Clinical Practice</i> , 2015, 108, e31-e34.	1.1	51
94	Does dietary cholesterol influence cardiovascular disease risk in people with type 2 diabetes?. <i>American Journal of Clinical Nutrition</i> , 2015, 101, 691-692.	2.2	4
95	A review of potential metabolic etiologies of the observed association between red meat consumption and development of type 2 diabetes mellitus. <i>Metabolism: Clinical and Experimental</i> , 2015, 64, 768-779.	1.5	123
96	Indications for Omega-3 Long Chain Polyunsaturated Fatty Acid in the Prevention and Treatment of Cardiovascular Disease. <i>Heart Lung and Circulation</i> , 2015, 24, 769-779.	0.2	130
97	Effect of improving dietary quality on carotid intima media thickness in subjects with type 1 and type 2 diabetes: a 12-mo randomized controlled trial. <i>American Journal of Clinical Nutrition</i> , 2015, 102, 771-779.	2.2	20
98	Steroidal contraceptive use is associated with lower bone mineral density in polycystic ovary syndrome. <i>Endocrine</i> , 2015, 50, 811-815.	1.1	9
99	Comparative effects of intraduodenal whey protein hydrolysate on antropyloroduodenal motility, gut hormones, glycemia, appetite, and energy intake in lean and obese men. <i>American Journal of Clinical Nutrition</i> , 2015, 102, 1323-1331.	2.2	39
100	Influence of Food Matrix on Sterol and Stanol Activity. <i>Journal of AOAC INTERNATIONAL</i> , 2015, 98, 677-678.	0.7	8
101	Acute load-dependent effects of oral whey protein on gastric emptying, gut hormone release, glycemia, appetite, and energy intake in healthy men. <i>American Journal of Clinical Nutrition</i> , 2015, 102, 1574-1584.	2.2	56
102	Dietary predictors of arterial stiffness in a cohort with type 1 and type 2 diabetes. <i>Atherosclerosis</i> , 2015, 238, 175-181.	0.4	17
103	Effect of Weight Loss on Pulse Wave Velocity. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2015, 35, 243-252.	1.1	93
104	Sodium and potassium excretion are related to bone mineral density in women with coeliac disease. <i>Clinical Nutrition</i> , 2015, 34, 265-268.	2.3	5
105	A systematic review of vascular and endothelial function: Effects of fruit, vegetable and potassium intake. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2015, 25, 253-266.	1.1	32
106	Effects of acute and longer-term dietary restriction on upper gut motility, hormone, appetite, and energy-intake responses to duodenal lipid in lean and obese men. <i>American Journal of Clinical Nutrition</i> , 2014, 99, 24-34.	2.2	24
107	Do Dipeptidyl Peptidase IV (DPP-IV) Inhibitors Cause Heart Failure?. <i>Clinical Therapeutics</i> , 2014, 36, 2072-2079.	1.1	47
108	Digestion of microencapsulated oil powders: in vitro lipolysis and in vivo absorption from a food matrix. <i>Food and Function</i> , 2014, 5, 2905-2912.	2.1	25

#	ARTICLE	IF	CITATIONS
109	Protein "pre-loads"™ in type 2 diabetes: what do we know and what do we need to find out?. <i>Diabetologia</i> , 2014, 57, 2603-2604.	2.9	0
110	How do fruit and vegetables prevent heart disease and type 2 diabetes?. <i>Current Opinion in Lipidology</i> , 2014, 25, 155-156.	1.2	5
111	Cognitive Performance in Older Adults Is Inversely Associated with Fish Consumption but Not Erythrocyte Membrane "3 Fatty Acids. <i>Journal of Nutrition</i> , 2014, 144, 311-320.	1.3	35
112	Effect of a low dose whey/guar preload on glycemic control in people with type 2 diabetes-a randomised controlled trial. <i>Nutrition Journal</i> , 2014, 13, 103.	1.5	21
113	Nutrition and metabolism. <i>Current Opinion in Lipidology</i> , 2014, 25, 469-470.	1.2	0
114	Effects of intermittent compared to continuous energy restriction on short-term weight loss and long-term weight loss maintenance. <i>Clinical Obesity</i> , 2014, 4, 150-156.	1.1	56
115	Effect of high potassium diet on endothelial function. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2014, 24, 983-989.	1.1	20
116	Postprandial effects of a high salt meal on serum sodium, arterial stiffness, markers of nitric oxide production and markers of endothelial function. <i>Atherosclerosis</i> , 2014, 232, 211-216.	0.4	49
117	Utility of Chronic Kidney Disease Epidemiology Collaboration (CKD-EPI) Equations in Obese Diabetic Individuals Before and After Weight Loss. <i>American Journal of Kidney Diseases</i> , 2014, 64, 159-161.	2.1	2
118	A reduction of 3g/day from a usual 9g/day salt diet improves endothelial function and decreases endothelin-1 in a randomised cross-over study in normotensive overweight and obese subjects. <i>Atherosclerosis</i> , 2014, 233, 32-38.	0.4	48
119	Effects of Lifestyle (Diet, Plant Sterols, Exercise) and Glycemic Control on Lipoproteins in Diabetes. <i>Contemporary Diabetes</i> , 2014, , 315-327.	0.0	0
120	Long term weight maintenance after advice to consume low carbohydrate, higher protein diets " A systematic review and meta analysis. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2014, 24, 224-235.	1.1	131
121	Weight loss on a structured hypocaloric diet with or without exercise improves emotional distress and quality of life in overweight and obese patients with type 2 diabetes. <i>Journal of Diabetes Investigation</i> , 2014, 5, 94-98.	1.1	18
122	The association between carotid intima media thickness and individual dietary components and patterns. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2014, 24, 495-502.	1.1	34
123	Impact of different biopolymer networks on the digestion of gastric structured emulsions. <i>Food Hydrocolloids</i> , 2014, 36, 102-114.	5.6	79
124	Effect of docosahexaenoic acid and furan fatty acids on cytokines block micronucleus cytome assay biomarkers in astrocytoma cell lines under conditions of oxidative stress. <i>Environmental and Molecular Mutagenesis</i> , 2014, 55, 573-590.	0.9	5
125	Attitudes and beliefs of health risks associated with sodium intake in diabetes. <i>Appetite</i> , 2014, 83, 97-103.	1.8	13
126	Long-Term Effects of a Very Low-Carbohydrate Weight Loss Diet on Exercise Capacity and Tolerance in Overweight and Obese Adults. <i>Journal of the American College of Nutrition</i> , 2014, 33, 267-273.	1.1	14

#	ARTICLE	IF	CITATIONS
127	Patient freedom to choose a weight loss diet in the treatment of overweight and obesity: a randomized dietary intervention in type 2 diabetes and pre-diabetes. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2014, 11, 64.	2.0	13
128	High protein weight loss diets in obese subjects with type 2 diabetes mellitus. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2014, 24, 554-562.	1.1	27
129	Postprandial effects of potassium supplementation on vascular function and blood pressure: a randomised cross-over study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2014, 24, 148-154.	1.1	14
130	Tailoring the digestion of structured emulsions using mixed monoglyceride-caseinate interfaces. <i>Food Hydrocolloids</i> , 2014, 36, 151-161.	5.6	57
131	The Epidemiologic Evidence and Potential Biological Mechanisms for a Protective Effect of Dietary Fiber on the Risk of Colorectal Cancer. <i>Current Nutrition Reports</i> , 2013, 2, 63-70.	2.1	6
132	Comparison of the effects of weight loss from a high-protein versus standard-protein energy-restricted diet on strength and aerobic capacity in overweight and obese men. <i>European Journal of Nutrition</i> , 2013, 52, 317-325.	1.8	31
133	Psychological well-being response to high protein and high carbohydrate weight loss diets in overweight and obese men: A randomised trial. <i>E-SPEN Journal</i> , 2013, 8, e235-e240.	0.5	6
134	Comparison of 2 weight-loss diets of different protein content on bone health: a randomized trial. <i>American Journal of Clinical Nutrition</i> , 2013, 98, 1343-1352.	2.2	36
135	Changes in endothelial function and depression scores are associated following long-term dietary intervention: A secondary analysis. <i>Nutrition</i> , 2013, 29, 1271-1274.	1.1	13
136	Mediterranean Diet and Cardiovascular Risk – Are We There Yet?. <i>Current Cardiovascular Risk Reports</i> , 2013, 7, 520-526.	0.8	1
137	Remission of diabetes in patients with long-standing type 2 diabetes following placement of adjustable gastric band: a retrospective case control study. <i>Diabetes, Obesity and Metabolism</i> , 2013, 15, 383-385.	2.2	13
138	Food label education does not reduce sodium intake in people with type 2 diabetes mellitus. A randomised controlled trial. <i>Appetite</i> , 2013, 68, 147-151.	1.8	27
139	We need more data before rejecting the saturated fat hypothesis. <i>BMJ, The</i> , 2013, 347, f6847-f6847.	3.0	4
140	Vitamin D and cardiovascular health. <i>Current Opinion in Lipidology</i> , 2013, 24, 183-184.	1.2	0
141	Weight-loss diets in people with type 2 diabetes and renal disease: a randomized controlled trial of the effect of different dietary protein amounts. <i>American Journal of Clinical Nutrition</i> , 2013, 98, 494-501.	2.2	64
142	Foods contributing to sodium intake and urinary sodium excretion in a group of Australian women. <i>Public Health Nutrition</i> , 2013, 16, 1837-1842.	1.1	13
143	Diet and cardiovascular disease: Dietary patterns, foods and nutrients. <i>Nutrition and Dietetics</i> , 2013, 70, 170-171.	0.9	6
144	Sex hormone binding globulin, but not testosterone, is associated with the metabolic syndrome in overweight and obese women with polycystic ovary syndrome. <i>Journal of Endocrinological Investigation</i> , 2013, 36, 1004-10.	1.8	21

#	ARTICLE	IF	CITATIONS
145	Intraduodenal protein modulates antropyloroduodenal motility, hormone release, glycemia, appetite, and energy intake in lean men. <i>American Journal of Clinical Nutrition</i> , 2012, 96, 474-482.	2.2	66
146	Nutrition and metabolism. <i>Current Opinion in Lipidology</i> , 2012, 23, 256-257.	1.2	0
147	The effect of diet and exercise on markers of endothelial function in overweight and obese women with polycystic ovary syndrome. <i>Human Reproduction</i> , 2012, 27, 2169-2176.	0.4	44
148	Adherence to a Mediterranean diet and Alzheimer's disease risk in an Australian population. <i>Translational Psychiatry</i> , 2012, 2, e164-e164.	2.4	149
149	Effects of a high protein diet on body weight and comorbidities associated with obesity. <i>British Journal of Nutrition</i> , 2012, 108, S122-S129.	1.2	49
150	Meal Replacements for Weight Loss in Type 2 Diabetes in a Community Setting. <i>Journal of Nutrition and Metabolism</i> , 2012, 2012, 1-7.	0.7	16
151	Continuous Glucose Monitoring and Cognitive Performance in Type 2 Diabetes. <i>Diabetes Technology and Therapeutics</i> , 2012, 14, 1126-1133.	2.4	12
152	Weight loss and vascular inflammatory markers in overweight women with and without polycystic ovary syndrome. <i>Reproductive BioMedicine Online</i> , 2012, 25, 500-503.	1.1	8
153	Increased thiamine intake may be required to maintain thiamine status during weight loss in patients with type 2 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2012, 98, e40-e42.	1.1	10
154	Effects of energy-restricted high-protein, low-fat compared with standard-protein, low-fat diets: a meta-analysis of randomized controlled trials. <i>American Journal of Clinical Nutrition</i> , 2012, 96, 1281-1298.	2.2	446
155	Effect of beetroot juice on lowering blood pressure in free-living, disease-free adults: a randomized, placebo-controlled trial. <i>Nutrition Journal</i> , 2012, 11, 106.	1.5	111
156	A New Model of Care for Familial Hypercholesterolaemia: What is the Role of Cardiology?. <i>Heart Lung and Circulation</i> , 2012, 21, 543-550.	0.2	16
157	The influence of folate and methionine on intestinal tumour development in the ApcMin/+ mouse model. <i>Mutation Research - Reviews in Mutation Research</i> , 2012, 751, 64-75.	2.4	7
158	MTOR signaling and ubiquitin-proteasome gene expression in the preservation of fat free mass following high protein, calorie restricted weight loss. <i>Nutrition and Metabolism</i> , 2012, 9, 83.	1.3	22
159	Comparison of the effects of 52 weeks weight loss with either a high-protein or high-carbohydrate diet on body composition and cardiometabolic risk factors in overweight and obese males. <i>Nutrition and Diabetes</i> , 2012, 2, e40-e40.	1.5	49
160	Interpreting different measures of glomerular filtration rate in obesity and weight loss: pitfalls for the clinician. <i>International Journal of Obesity</i> , 2012, 36, 1421-1427.	1.6	34
161	Bariatric Surgery: Effects on the Metabolic Complications of Obesity. <i>Current Atherosclerosis Reports</i> , 2012, 14, 95-100.	2.0	7
162	Sodium intake and excretion in individuals with type 2 diabetes mellitus: a cross-sectional analysis of overweight and obese males and females in Australia. <i>Journal of Human Nutrition and Dietetics</i> , 2012, 25, 129-139.	1.3	21

#	ARTICLE	IF	CITATIONS
163	Self-reported facilitators of, and impediments to maintenance of healthy lifestyle behaviours following a supervised research-based lifestyle intervention programme in patients with type 2 diabetes. <i>Diabetic Medicine</i> , 2012, 29, 632-639.	1.2	25
164	A model of care for familial hypercholesterolaemia: key role for clinical biochemistry. <i>Clinical Biochemist Reviews</i> , 2012, 33, 25-31.	3.3	13
165	Evaluation of Gustatory and Gastrointestinal Sensitivity to Oleic Acid in Lean and Obese Men. <i>Gastroenterology</i> , 2011, 140, S-304.	0.6	0
166	Impact of gastric structuring on the lipolysis of emulsified lipids. <i>Soft Matter</i> , 2011, 7, 3513.	1.2	249
167	A pilot comprehensive lifestyle intervention program (CLIP) – Comparison with qualitative lifestyle advice and simvastatin on cardiovascular risk factors in overweight hypercholesterolaemic individuals. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2011, 21, 165-172.	1.1	10
168	Familial hypercholesterolaemia: A model of care for Australasia. <i>Atherosclerosis Supplements</i> , 2011, 12, 221-263.	1.2	181
169	Nutrition and metabolism. <i>Current Opinion in Lipidology</i> , 2011, 22, 142-143.	1.2	0
170	Bariatric surgery: results in obesity and effects on metabolic parameters. <i>Current Opinion in Lipidology</i> , 2011, 22, 1-5.	1.2	15
171	Controversies in nutrition. <i>Current Opinion in Lipidology</i> , 2011, 22, 426-427.	1.2	0
172	Low-carbohydrate diets for weight loss: the pros and cons. <i>Journal of Human Nutrition and Dietetics</i> , 2011, 24, 523-524.	1.3	3
173	Beverage intake and obesity in Australian children. <i>Nutrition and Metabolism</i> , 2011, 8, 87.	1.3	47
174	The interaction between dietary protein and bone health. <i>Journal of Bone and Mineral Metabolism</i> , 2011, 29, 1-14.	1.3	60
175	Protein and Coronary Heart Disease: The Role of Different Protein Sources. <i>Current Atherosclerosis Reports</i> , 2011, 13, 493-498.	2.0	31
176	Comment on Ramsden <i>et al.</i> . <i>British Journal of Nutrition</i> , 2011, 106, 958-958.	1.2	1
177	Egg consumption as part of an energy-restricted high-protein diet improves blood lipid and blood glucose profiles in individuals with type 2 diabetes. <i>British Journal of Nutrition</i> , 2011, 105, 584-592.	1.2	90
178	Marked differences in gustatory and gastrointestinal sensitivity to oleic acid between lean and obese men. <i>American Journal of Clinical Nutrition</i> , 2011, 93, 703-711.	2.2	151
179	Endothelial function is impaired after a high-salt meal in healthy subjects. <i>American Journal of Clinical Nutrition</i> , 2011, 93, 500-505.	2.2	95
180	Palm oil and LDL cholesterol. <i>American Journal of Clinical Nutrition</i> , 2011, 94, 1392-1393.	2.2	7

#	ARTICLE	IF	CITATIONS
181	Slowly and Rapidly Digested Fat Emulsions Are Equally Satiating but Their Triglycerides Are Differentially Absorbed and Metabolized in Humans. <i>Journal of Nutrition</i> , 2011, 141, 809-815.	1.3	59
182	High-protein and low-glycaemic diets improve dietary compliance and maintenance of weight loss in overweight adults who have lost weight on a low-calorie diet. <i>Evidence-Based Medicine</i> , 2011, 16, 112-113.	0.6	7
183	Nutrition and metabolism. <i>Current Opinion in Lipidology</i> , 2010, 21, 155-156.	1.2	0
184	Oral sensitivity to fatty acids, food consumption and BMI in human subjects. <i>British Journal of Nutrition</i> , 2010, 104, 145-152.	1.2	283
185	Effect of glycomacropeptide fractions on cholecystokinin and food intake. <i>British Journal of Nutrition</i> , 2010, 104, 286-290.	1.2	40
186	Renal Function Following Long-Term Weight Loss in Individuals with Abdominal Obesity on a Very-Low-Carbohydrate Diet vs High-Carbohydrate Diet. <i>Journal of the American Dietetic Association</i> , 2010, 110, 633-638.	1.3	49
187	Achieving the Salt Intake Target of 6 g/Day in the Current Food Supply in Free-Living Adults Using Two Dietary Education Strategies. <i>Journal of the American Dietetic Association</i> , 2010, 110, 763-767.	1.3	47
188	Long-term effects of weight loss with a very low carbohydrate and low fat diet on vascular function in overweight and obese patients. <i>Journal of Internal Medicine</i> , 2010, 267, 452-461.	2.7	97
189	Timing of protein ingestion relative to resistance exercise training does not influence body composition, energy expenditure, glycaemic control or cardiometabolic risk factors in a hypocaloric, high protein diet in patients with type 2 diabetes. <i>Diabetes, Obesity and Metabolism</i> , 2010, 12, 1097-1105.	2.2	14
190	Legumes and Cardiovascular Disease. , 2010, , 449-455.		2
191	Moderate energy restriction-induced weight loss affects circulating IGF levels independent of dietary composition. <i>European Journal of Endocrinology</i> , 2010, 162, 1075-1082.	1.9	38
192	Meat intake's influence on body fatness cannot be assessed without measurement of body fat. <i>American Journal of Clinical Nutrition</i> , 2010, 92, 1274-1275.	2.2	4
193	A High-Protein Diet With Resistance Exercise Training Improves Weight Loss and Body Composition in Overweight and Obese Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2010, 33, 969-976.	4.3	178
194	Treatment of type 2 diabetes mellitus with bariatric surgery. <i>Nature Reviews Endocrinology</i> , 2010, 6, 191-193.	4.3	13
195	Nutrition in people with poorly controlled type 2 diabetes. <i>BMJ: British Medical Journal</i> , 2010, 341, c3393-c3393.	2.4	0
196	High-protein/high red meat and high-carbohydrate weight-loss diets do not differ in their effect on faecal water genotoxicity tested by use of the WIL2-NS cell line and with other biomarkers of bowel health. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , 2010, 703, 130-136.	0.9	15
197	Heart rate recovery improves after weight loss in overweight and obese women with polycystic ovary syndrome. <i>Fertility and Sterility</i> , 2010, 93, 1173-1178.	0.5	17
198	Lifestyle management improves quality of life and depression in overweight and obese women with polycystic ovary syndrome. <i>Fertility and Sterility</i> , 2010, 94, 1812-1816.	0.5	163

#	ARTICLE	IF	CITATIONS
199	The effect of modifying dietary protein and carbohydrate in weight loss on arterial compliance and postprandial lipidemia in overweight women with polycystic ovary syndrome. <i>Fertility and Sterility</i> , 2010, 94, 2451-2454.	0.5	12
200	Long-term effects of a low carbohydrate, low fat or high unsaturated fat diet compared to a no-intervention control. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2010, 20, 599-607.	1.1	51
201	The effect of comprehensive lifestyle intervention or metformin on obesity in young women†. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2010, 21, 261-8.	1.1	26
202	Weight Loss and Adhesion Molecules. , 2010, , 217-226.		0
203	Effects of a Protein Preload on Gastric Emptying, Glycemia, and Gut Hormones After a Carbohydrate Meal in Diet-Controlled Type 2 Diabetes. <i>Diabetes Care</i> , 2009, 32, 1600-1602.	4.3	318
204	The effect of weight loss on anti-Mullerian hormone levels in overweight and obese women with polycystic ovary syndrome and reproductive impairment. <i>Human Reproduction</i> , 2009, 24, 1976-1981.	0.4	68
205	High protein-high red meat versus high carbohydrate weight loss diets do not differ in effect on genome stability and cell death in lymphocytes of overweight men. <i>Mutagenesis</i> , 2009, 24, 271-277.	1.0	16
206	Long-term effects of a very-low-carbohydrate weight loss diet compared with an isocaloric low-fat diet after 12 mo. <i>American Journal of Clinical Nutrition</i> , 2009, 90, 23-32.	2.2	238
207	Long-term Effects of a Very Low-Carbohydrate Diet and a Low-Fat Diet on Mood and Cognitive Function. <i>Archives of Internal Medicine</i> , 2009, 169, 1873.	4.3	146
208	Effects of a low-salt diet on flow-mediated dilatation in humans. <i>American Journal of Clinical Nutrition</i> , 2009, 89, 485-490.	2.2	124
209	Comparative effects of very low-carbohydrate, high-fat and high-carbohydrate, low-fat weight-loss diets on bowel habit and faecal short-chain fatty acids and bacterial populations. <i>British Journal of Nutrition</i> , 2009, 101, 1493.	1.2	220
210	The droplet size of intraduodenal fat emulsions influences antropyloroduodenal motility, hormone release, and appetite in healthy males. <i>American Journal of Clinical Nutrition</i> , 2009, 89, 1729-1736.	2.2	76
211	Psychological Effects of Prescriptive vs General Lifestyle Advice for Weight Loss in Young Women. <i>Journal of the American Dietetic Association</i> , 2009, 109, 1917-1921.	1.3	26
212	The impact of dietary and lifestyle risk factors on risk of colorectal cancer: A quantitative overview of the epidemiological evidence. <i>International Journal of Cancer</i> , 2009, 125, 171-180.	2.3	554
213	Effects of a Low Carbohydrate Weight Loss Diet on Exercise Capacity and Tolerance in Obese Subjects. <i>Obesity</i> , 2009, 17, 1916-1923.	1.5	42
214	Dietary fatty acids and inflammation. <i>Nutrition and Dietetics</i> , 2009, 66, 7-11.	0.9	10
215	How many Australian deaths from heart disease and stroke could be avoided by a small reduction in population cholesterol levels?. <i>Nutrition and Dietetics</i> , 2009, 66, 158-163.	0.9	2
216	Comparison of aerobic exercise capacity and muscle strength in overweight women with and without polycystic ovary syndrome. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2009, 116, 1242-1250.	1.1	45

#	ARTICLE	IF	CITATIONS
217	High protein diets decrease total and abdominal fat and improve CVD risk profile in overweight and obese men and women with elevated triacylglycerol. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2009, 19, 548-554.	1.1	69
218	High protein diets and weight control. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2009, 19, 379-382.	1.1	13
219	Hyperandrogenemia, psychological distress, and food cravings in young women. <i>Physiology and Behavior</i> , 2009, 98, 276-280.	1.0	32
220	Weight Loss in Obese Men Is Associated with Increased Telomere Length and Decreased Abasic Sites in Rectal Mucosa. <i>Rejuvenation Research</i> , 2009, 12, 169-176.	0.9	64
221	C-Reactive Protein, Diet, and Cardiovascular Risk. <i>Lippincott S Bone and Joint Newsletter</i> , 2009, 35, 1-4.	0.0	1
222	The Effect of a Hypocaloric Diet With and Without Exercise Training on Body Composition, Cardiometabolic Risk Profile, and Reproductive Function in Overweight and Obese Women With Polycystic Ovary Syndrome. <i>Obstetrical and Gynecological Survey</i> , 2009, 64, 244-245.	0.2	3
223	Aleurone Flour. , 2009, , .		0
224	Lowering cholesterol - a review on the role of plant sterols. <i>Australian Family Physician</i> , 2009, 38, 218-21.	0.5	8
225	Dietary intervention to lower serum cholesterol. <i>Australian Family Physician</i> , 2009, 38, 424-9.	0.5	4
226	HEALTH AND ENVIRONMENTAL BENEFITS OF THE CSIRO TOTAL WELLBEING DIET. <i>Nutrition and Dietetics</i> , 2008, 65, 232-233.	0.9	3
227	High-protein meals may benefit fat oxidation and energy expenditure in individuals with higher body fat. <i>Nutrition and Dietetics</i> , 2008, 65, 246-252.	0.9	14
228	Dose-response effects of different plant sterol sources in fat spreads on serum lipids and C-reactive protein and on the kinetic behavior of serum plant sterols. <i>European Journal of Clinical Nutrition</i> , 2008, 62, 968-977.	1.3	59
229	Effect of caloric restriction with and without exercise training on oxidative stress and endothelial function in obese subjects with type 2 diabetes. <i>Diabetes, Obesity and Metabolism</i> , 2008, 10, 1062-1073.	2.2	91
230	Effect of protein intake, hyperglycaemia and micronutrients on DNA damage and mitogen responsiveness of peripheral blood lymphocytes. <i>Nutrition and Dietetics</i> , 2008, 65, S27.	0.9	2
231	Role of protein and carbohydrate sources on acute appetite responses in lean and overweight men. <i>Nutrition and Dietetics</i> , 2008, 65, S71.	0.9	14
232	Genome instability is increased in lymphocytes of women with polycystic ovary syndrome and is correlated with insulin resistance. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2008, 639, 55-63.	0.4	34
233	The Effect of a Hypocaloric Diet with and without Exercise Training on Body Composition, Cardiometabolic Risk Profile, and Reproductive Function in Overweight and Obese Women with Polycystic Ovary Syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008, 93, 3373-3380.	1.8	216
234	Metabolic Effects of Weight Loss on a Very-Low-Carbohydrate Diet Compared With an Isocaloric High-Carbohydrate Diet in Abdominally Obese Subjects. <i>Journal of the American College of Cardiology</i> , 2008, 51, 59-67.	1.2	157

#	ARTICLE	IF	CITATIONS
235	Dietary treatment for obesity. <i>Nature Reviews Gastroenterology & Hepatology</i> , 2008, 5, 672-681.	1.7	39
236	Reductions in Blood Pressure Following Energy Restriction for Weight Loss Do Not Rebound after Re-Establishment of Energy Balance in Overweight and Obese Subjects. <i>Clinical and Experimental Hypertension</i> , 2008, 30, 385-396.	0.5	21
237	Whey protein isolate and glycomacropeptide decrease weight gain and alter body composition in male Wistar rats. <i>British Journal of Nutrition</i> , 2008, 100, 88-93.	1.2	47
238	Effect of carbohydrate distribution on postprandial glucose peaks with the use of continuous glucose monitoring in type 2 diabetes. <i>American Journal of Clinical Nutrition</i> , 2008, 87, 638-644.	2.2	69
239	Effects of weight loss from a very-low-carbohydrate diet on endothelial function and markers of cardiovascular disease risk in subjects with abdominal obesity. <i>American Journal of Clinical Nutrition</i> , 2008, 87, 567-576.	2.2	134
240	Long-term effects of a high-protein weight-loss diet. <i>American Journal of Clinical Nutrition</i> , 2008, 87, 23-29.	2.2	140
241	The effect of meal replacements high in glycomacropeptide on weight loss and markers of cardiovascular disease risk. <i>American Journal of Clinical Nutrition</i> , 2008, 87, 1602-1605.	2.2	89
242	Protein in optimal health: heart disease and type 2 diabetes. <i>American Journal of Clinical Nutrition</i> , 2008, 87, 1571S-1575S.	2.2	113
243	Salt intake and health in the Australian population. <i>Medical Journal of Australia</i> , 2008, 189, 526-526.	0.8	16
244	Obesity Management in Women with Polycystic Ovary Syndrome. <i>Women's Health</i> , 2007, 3, 73-86.	0.7	9
245	Moderate Weight Loss Reduces Renin and Aldosterone but does not Influence Basal or Stimulated Pituitary-adrenal Axis Function. <i>Hormone and Metabolic Research</i> , 2007, 39, 694-699.	0.7	53
246	C-Reactive Protein before and after Weight Loss in Overweight Women with and without Polycystic Ovary Syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007, 92, 2944-2951.	1.8	59
247	Glycemic Load and Cardiovascular Risk. <i>Archives of Internal Medicine</i> , 2007, 167, 206.	4.3	0
248	Cytokinesis-Block Micronucleus Cytome Assays for the Determination of Genotoxicity and Cytotoxicity of Cecal Water in Rats and Fecal Water in Humans. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 2676-2680.	1.1	13
249	Low- and high-carbohydrate weight-loss diets have similar effects on mood but not cognitive performance. <i>American Journal of Clinical Nutrition</i> , 2007, 86, 580-587.	2.2	125
250	Long-term weight maintenance and cardiovascular risk factors are not different following weight loss on carbohydrate-restricted diets high in either monounsaturated fat or protein in obese hyperinsulinaemic men and women. <i>British Journal of Nutrition</i> , 2007, 97, 405-410.	1.2	39
251	Effects of weight loss on a low-carbohydrate diet on flow-mediated dilatation, adhesion molecules and adiponectin. <i>British Journal of Nutrition</i> , 2007, 98, 852-9.	1.2	71
252	Impact of foods enriched with-3 long-chain polyunsaturated fatty acids on erythrocyten-3 levels and cardiovascular risk factors. <i>British Journal of Nutrition</i> , 2007, 97, 749-757.	1.2	104

#	ARTICLE	IF	CITATIONS
253	Psychological benefits of a high-protein, low-carbohydrate diet in obese women with polycystic ovary syndrome—A pilot study. <i>Appetite</i> , 2007, 49, 590-593.	1.8	79
254	The Use of Anti-Müllerian Hormone in Predicting Menstrual Response after Weight Loss in Overweight Women with Polycystic Ovary Syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007, 92, 3796-3802.	1.8	46
255	Low-carbohydrate and high-carbohydrate diets—how do they compare?. <i>Nature Clinical Practice Endocrinology and Metabolism</i> , 2007, 3, 684-685.	2.9	0
256	Weight loss maintenance in women 3 years after following a 12-week structured weight loss program. <i>Obesity Research and Clinical Practice</i> , 2007, 1, 195-211.	0.8	4
257	Postprandial ghrelin, cholecystokinin, peptide YY, and appetite before and after weight loss in overweight women with and without polycystic ovary syndrome. <i>American Journal of Clinical Nutrition</i> , 2007, 86, 1603-1610.	2.2	76
258	Effects of meals with high soluble fibre, high amylose barley variant on glucose, insulin, satiety and thermic effect of food in healthy lean women. <i>European Journal of Clinical Nutrition</i> , 2007, 61, 597-604.	1.3	70
259	Appetite hormones and energy intake in obese men after consumption of fructose, glucose and whey protein beverages. <i>International Journal of Obesity</i> , 2007, 31, 1696-1703.	1.6	90
260	The Effect of Milk Protein on the Bioavailability of Cocoa Polyphenols. <i>Journal of Food Science</i> , 2007, 72, S230-S233.	1.5	96
261	Good agreement between bioelectrical impedance and dual-energy X-ray absorptiometry for estimating changes in body composition during weight loss in overweight young women. <i>Clinical Nutrition</i> , 2007, 26, 771-777.	2.3	152
262	Obesity and type 2 diabetes mellitus. <i>Nutrition and Dietetics</i> , 2007, 64, S156.	0.9	1
263	Metabolic effects of high-protein diets. <i>Current Atherosclerosis Reports</i> , 2007, 9, 472-478.	2.0	46
264	Postprandial ghrelin, cholecystokinin, peptide YY, and appetite before and after weight loss in overweight women with and without polycystic ovary syndrome. <i>American Journal of Clinical Nutrition</i> , 2007, 86, 1603-1610.	2.2	30
265	Obesity and Weight Management. , 2007, , .		0
266	Dietary plant sterols supplementation does not alter lipoprotein kinetics in men with the metabolic syndrome. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2007, 16, 624-31.	0.3	20
267	Cereal grains and legumes in the prevention of coronary heart disease and stroke: a review of the literature. <i>European Journal of Clinical Nutrition</i> , 2006, 60, 1145-1159.	1.3	250
268	Energy Intake, Ghrelin, and Cholecystokinin after Different Carbohydrate and Protein Preloads in Overweight Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006, 91, 1477-1483.	1.8	249
269	Comparison of isocaloric very low carbohydrate/high saturated fat and high carbohydrate/low saturated fat diets on body composition and cardiovascular risk. <i>Nutrition and Metabolism</i> , 2006, 3, 7.	1.3	109
270	Weight loss improves heart rate recovery in overweight and obese men with features of the metabolic syndrome. <i>American Heart Journal</i> , 2006, 152, 693.e1-693.e6.	1.2	61

#	ARTICLE	IF	CITATIONS
271	Health benefits of herbs and spices: the past, the present, the future. <i>Medical Journal of Australia</i> , 2006, 185, S1-S24.	0.8	515
272	Short-term meal replacements followed by dietary macronutrient restriction enhance weight loss in polycystic ovary syndrome. <i>American Journal of Clinical Nutrition</i> , 2006, 84, 77-87.	2.2	113
273	Low-carbohydrate diets: nutritional and physiological aspects. <i>Obesity Reviews</i> , 2006, 7, 49-58.	3.1	184
274	Flow-mediated dilatation in overweight and obese women with polycystic ovary syndrome. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2006, 113, 1308-1314.	1.1	39
275	Value of high-protein diet is clearer than drawbacks. <i>Nature</i> , 2006, 439, 266-266.	13.7	4
276	Comparison of Three Bioelectrical Impedance Methods with DXA in Overweight and Obese Men. <i>Obesity</i> , 2006, 14, 2064-2070.	1.5	160
277	Appetite Regulatory Hormone Responses to Various Dietary Proteins Differ by Body Mass Index Status Despite Similar Reductions in Ad Libitum Energy Intake. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006, 91, 2913-2919.	1.8	236
278	Effect of an energy-restricted, high-protein, low-fat diet relative to a conventional high-carbohydrate, low-fat diet on weight loss, body composition, nutritional status, and markers of cardiovascular health in obese women. <i>American Journal of Clinical Nutrition</i> , 2005, 81, 1298-1306.	2.2	394
279	Carbohydrate-restricted diets high in either monounsaturated fat or protein are equally effective at promoting fat loss and improving blood lipids. <i>American Journal of Clinical Nutrition</i> , 2005, 81, 762-772.	2.2	114
280	Reply to RM Ortega and AM Lpez-Sobaler. <i>American Journal of Clinical Nutrition</i> , 2005, 82, 1141.	2.2	1
281	Aleurone flour increases red-cell folate and lowers plasma homocyst(e)ine substantially in man. <i>British Journal of Nutrition</i> , 2005, 93, 353-360.	1.2	35
282	The role of meal replacements in obesity treatment. <i>Obesity Reviews</i> , 2005, 6, 229-234.	3.1	46
283	The Beginning of the End for the Dietary Calcium and Obesity Hypothesis?. <i>Obesity</i> , 2005, 13, 1301-1301.	4.0	9
284	Effect of calcium and dairy foods in high protein, energy-restricted diets on weight loss and metabolic parameters in overweight adults. <i>International Journal of Obesity</i> , 2005, 29, 957-965.	1.6	118
285	Effect of weight loss on inflammatory and endothelial markers and FMD using two low-fat diets. <i>International Journal of Obesity</i> , 2005, 29, 1445-1451.	1.6	75
286	The Use of Novel Foods Enriched with Long-Chain n-3 Fatty Acids to Increase Dietary Intake: A Comparison of Methodologies Assessing Nutrient Intake. <i>Journal of the American Dietetic Association</i> , 2005, 105, 1918-1926.	1.3	21
287	Plant sterol ester-enriched milk and yoghurt effectively reduce serum cholesterol in modestly hypercholesterolemic subjects. <i>European Journal of Nutrition</i> , 2005, 44, 214-222.	1.8	124
288	Chronic maternal feed restriction impairs growth but increases adiposity of the fetal guinea pig. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2005, 288, R119-R126.	0.9	51

#	ARTICLE	IF	CITATIONS
289	Flow-Mediated Dilatation Is Impaired by a High-Saturated Fat Diet but Not by a High-Carbohydrate Diet. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2005, 25, 1274-1279.	1.1	143
290	The Satiating Effect of Dietary Protein Is Unrelated to Postprandial Ghrelin Secretion. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005, 90, 5205-5211.	1.8	78
291	Very Low-Fat (12%) and High Monounsaturated Fat (35%) Diets Do Not Differentially Affect Abdominal Fat Loss in Overweight, Nondiabetic Women. <i>Journal of Nutrition</i> , 2004, 134, 1741-1745.	1.3	28
292	Effect of Grape Seed Extract and Quercetin on Cardiovascular and Endothelial Parameters in High-Risk Subjects. <i>Journal of Biomedicine and Biotechnology</i> , 2004, 2004, 272-278.	3.0	102
293	A High Dairy Protein, High-Calcium Diet Minimizes Bone Turnover in Overweight Adults during Weight Loss. <i>Journal of Nutrition</i> , 2004, 134, 568-573.	1.3	83
294	Ghrelin and Measures of Satiety Are Altered in Polycystic Ovary Syndrome But Not Differentially Affected by Diet Composition. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004, 89, 3337-3344.	1.8	142
295	Association Between Chronic Fatigue Syndrome and the Corticosteroid-Binding Globulin Gene ALA SER224Polymorphism. <i>Endocrine Research</i> , 2004, 30, 417-429.	0.6	34
296	High dietary intake of phytosterol esters decreases carotenoids and increases plasma plant sterol levels with no additional cholesterol lowering. <i>Journal of Lipid Research</i> , 2004, 45, 1493-1499.	2.0	68
297	A longitudinal study of bone-related biochemical changes at the menopause. <i>Clinical Endocrinology</i> , 2004, 61, 123-130.	1.2	72
298	Cholesterol-lowering effects of plant sterol esters differ in milk, yoghurt, bread and cereal. <i>European Journal of Clinical Nutrition</i> , 2004, 58, 503-509.	1.3	162
299	Long-term effects of a high-protein, low-carbohydrate diet on weight control and cardiovascular risk markers in obese hyperinsulinemic subjects. <i>International Journal of Obesity</i> , 2004, 28, 661-670.	1.6	208
300	Long-term effects of advice to consume a high-protein, low-fat diet, rather than a conventional weight-loss diet, in obese adults with Type 2 diabetes: one-year follow-up of a randomised trial. <i>Diabetologia</i> , 2004, 47, 1677-1686.	2.9	155
301	In vitro mononuclear cell production of tumour necrosis factor- α and weight loss. <i>Diabetes Research and Clinical Practice</i> , 2004, 63, 179-184.	1.1	2
302	Trans Fatty Acids in Adipose Tissue and the Food Supply Are Associated with Myocardial Infarction. <i>Journal of Nutrition</i> , 2004, 134, 874-879.	1.3	112
303	Meal Replacements Are as Effective as Structured Weight-Loss Diets for Treating Obesity in Adults with Features of Metabolic Syndrome. <i>Journal of Nutrition</i> , 2004, 134, 1894-1899.	1.3	119
304	Weight loss, diet composition and cardiovascular risk. <i>Current Opinion in Lipidology</i> , 2004, 15, 31-35.	1.2	17
305	Diet and C-reactive protein. <i>Current Atherosclerosis Reports</i> , 2003, 5, 431-436.	2.0	35
306	Effect of a high-protein, energy-restricted diet on weight loss and energy expenditure after weight stabilization in hyperinsulinemic subjects. <i>International Journal of Obesity</i> , 2003, 27, 582-590.	1.6	100

#	ARTICLE	IF	CITATIONS
307	âˆ³308 Nco I polymorphism of tumour necrosis factor Î± in overweight Caucasians. <i>Diabetes Research and Clinical Practice</i> , 2003, 62, 197-201.	1.1	11
308	Dietary Composition in Restoring Reproductive and Metabolic Physiology in Overweight Women with Polycystic Ovary Syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2003, 88, 812-819.	1.8	447
309	Effect of a high-protein, energy-restricted diet on body composition, glycemic control, and lipid concentrations in overweight and obese hyperinsulinemic men and women. <i>American Journal of Clinical Nutrition</i> , 2003, 78, 31-39.	2.2	376
310	Effect of maternal feed restriction during pregnancy on glucose tolerance in the adult guinea pig. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2003, 284, R140-R152.	0.9	97
311	The Effect of High- and Low-Glycemic Index Energy Restricted Diets on Plasma Lipid and Glucose Profiles in Type 2 Diabetic Subjects with Varying Glycemic Control. <i>Journal of the American College of Nutrition</i> , 2002, 21, 120-127.	1.1	132
312	Effect of a High-Protein, High-Monounsaturated Fat Weight Loss Diet on Glycemic Control and Lipid Levels in Type 2 Diabetes. <i>Diabetes Care</i> , 2002, 25, 425-430.	4.3	295
313	Association between HDL-cholesterol and the Taq1B polymorphism in the cholesterol ester transfer protein gene in obese women. <i>Atherosclerosis</i> , 2002, 162, 419-424.	0.4	25
314	Effects of Energy-Restricted Diets Containing Increased Protein on Weight Loss, Resting Energy Expenditure, and the Thermic Effect of Feeding in Type 2 Diabetes. <i>Diabetes Care</i> , 2002, 25, 652-657.	4.3	97
315	Plant sterol and stanolsâ€™ comparison and contrasts. Sterols versus stanols in cholesterol-lowering: is there a difference?. <i>Atherosclerosis Supplements</i> , 2002, 3, 5-9.	1.2	33
316	An increase in dietary carotenoids when consuming plant sterols or stanols is effective in maintaining plasma carotenoid concentrations. <i>American Journal of Clinical Nutrition</i> , 2002, 75, 79-86.	2.2	166
317	Session 5: Metabolic Health. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2002, 11, S271-S276.	0.3	1
318	C-reactive protein and coronary artery disease: influence of obesity, caloric restriction and weight loss. <i>Journal of Nutritional Biochemistry</i> , 2002, 13, 316-321.	1.9	66
319	Effect of maternal feed restriction on blood pressure in the adult guinea pig. <i>Experimental Physiology</i> , 2002, 87, 469-477.	0.9	70
320	Short-Chain Fatty Acids and Human Colonic Function: Roles of Resistant Starch and Nonstarch Polysaccharides. <i>Physiological Reviews</i> , 2001, 81, 1031-1064.	13.1	2,508
321	Energy Restriction and Weight Loss on Very-Low-Fat Diets Reduce C-Reactive Protein Concentrations in Obese, Healthy Women. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2001, 21, 968-970.	1.1	294
322	The Role of n-6 Polyunsaturated Fat in Stable Asthmatics. <i>Journal of Asthma</i> , 2001, 38, 311-319.	0.9	4
323	Processed Wheat Aleurone Is a Rich Source of Bioavailable Folate. , 2000, , 165-167.		0
324	Weight loss and plasma lipids. <i>Current Opinion in Lipidology</i> , 2000, 11, 65-70.	1.2	32

#	ARTICLE	IF	CITATIONS
325	Association of -3826 G Variant in uncoupling protein-1 with increased BMI in overweight Australian women. <i>Diabetologia</i> , 2000, 43, 242-244.	2.9	76
326	Changes in plasma lipids and other cardiovascular risk factors during 3 energy-restricted diets differing in total fat and fatty acid composition. <i>American Journal of Clinical Nutrition</i> , 2000, 71, 706-712.	2.2	49
327	Effect of perimenopause on calcium absorption: a longitudinal study. <i>Climacteric</i> , 2000, 3, 102-108.	1.1	21
328	Effect of weight reduction on the distribution of apolipoprotein A-I in high-density lipoprotein subfractions in obese non-insulin-dependent diabetic subjects. <i>Metabolism: Clinical and Experimental</i> , 2000, 49, 1453-1459.	1.5	19
329	Impaired HDL response to fat in men with coronary artery disease. <i>Atherosclerosis</i> , 2000, 150, 159-165.	0.4	8
330	360His polymorphism of the apolipoproteinA-IV gene and plasma lipid response to energy restricted diets in overweight subjects. <i>Atherosclerosis</i> , 2000, 150, 187-192.	0.4	23
331	Aleurone Flour Is a Rich Source of Bioavailable Folate in Humans. <i>Journal of Nutrition</i> , 1999, 129, 1114-1119.	1.3	65
332	Restricted fetal growth and the response to dietary cholesterol in the guinea pig. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 1999, 277, R1675-R1682.	0.9	37
333	Effect of energy restriction, weight loss, and diet composition on plasma lipids and glucose in patients with type 2 diabetes. <i>Diabetes Care</i> , 1999, 22, 889-895.	4.3	153
334	Diets high and low in glycemic index versus high monounsaturated fat diets: effects on glucose and lipid metabolism in NIDDM. <i>European Journal of Clinical Nutrition</i> , 1999, 53, 473-478.	1.3	156
335	Equal antithrombotic and triglyceride-lowering effectiveness of eicosapentaenoic acid-rich and docosahexaenoic acid-rich fish oil supplements. <i>Lipids</i> , 1999, 34, S307-S308.	0.7	16
336	Relationship between plasma insulin and erythrocyte fatty acid composition. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 1998, 59, 191-194.	1.0	34
337	Oil blends containing partially hydrogenated or interesterified fats: differential effects on plasma lipids. <i>American Journal of Clinical Nutrition</i> , 1998, 68, 242-247.	2.2	27
338	LDL particle size and LDL and HDL cholesterol changes with dietary fat and cholesterol in healthy subjects. <i>Journal of Lipid Research</i> , 1998, 39, 1799-1804.	2.0	8
339	Modification and validation of a single-isotope radiocalcium absorption test. <i>Journal of Nuclear Medicine</i> , 1998, 39, 108-113.	2.8	34
340	Genetic Control of Response to Dietary Fat and Cholesterol. , 1997, 80, 1-14.		16
341	A comparative study of the efficacy of simvastatin and gemfibrozil in combined hyperlipoproteinemia: prediction of response by baseline lipids, apo E genotype, lipoprotein(a) and insulin. <i>Atherosclerosis</i> , 1997, 129, 231-239.	0.4	76
342	Relations between calcium intake, calcitriol, polymorphisms of the vitamin D receptor gene, and calcium absorption in premenopausal women. <i>American Journal of Clinical Nutrition</i> , 1997, 65, 798-802.	2.2	86

#	ARTICLE	IF	CITATIONS
343	Evaluation of an Omega-3 Fatty Acid Supplement in Diabetics with Microalbuminuria. <i>Annals of the New York Academy of Sciences</i> , 1997, 827, 369-381.	1.8	19
344	Enhanced capacity of n-3 fatty acid-enriched macrophages to oxidize low density lipoprotein mechanisms and effects of antioxidant vitamins. <i>Atherosclerosis</i> , 1996, 124, 157-169.	0.4	25
345	Modifying the fatty acid profile of dairy products through feedlot technology lowers plasma cholesterol of humans consuming the products. <i>American Journal of Clinical Nutrition</i> , 1996, 63, 42-46.	2.2	128
346	Effect of high-amylose starch and oat bran on metabolic variables and bowel function in subjects with hypertriglyceridemia. <i>American Journal of Clinical Nutrition</i> , 1996, 64, 944-951.	2.2	160
347	Effect of dietary cholesterol on postprandial lipoproteins in three phenotypic groups. <i>American Journal of Clinical Nutrition</i> , 1996, 64, 361-367.	2.2	19
348	Fats for the food industry: Implications for cholesterol-lowering. <i>Lipids</i> , 1996, 31, S65-S69.	0.7	5
349	Antioxidant vitamins and coronary heart disease risk. <i>Current Opinion in Lipidology</i> , 1995, 6, 20-24.	1.2	19
350	Effect on plasma lipids of interesterifying a mix of edible oils. <i>American Journal of Clinical Nutrition</i> , 1995, 62, 950-955.	2.2	64
351	Body Fat Distribution Is a Determinant of the High-Density Lipoprotein Response to Dietary Fat and Cholesterol in Women. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1995, 15, 1070-1078.	1.1	25
352	Postprandial Lipoproteins and Coronary Heart Disease. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 1994, 1, 197-201.	3.1	5
353	Gender and diet interactions with simvastatin treatment. <i>Atherosclerosis</i> , 1994, 110, 25-33.	0.4	24
354	Effects of supplementing with vitamin E on the uptake of low density lipoprotein and the stimulation of cholesteryl ester formation in macrophages. <i>Atherosclerosis</i> , 1994, 110, 77-86.	0.4	43
355	The effects of hypercholesterolaemia, simvastatin and dietary fat on the low density lipoprotein receptor of unstimulated mononuclear cells. <i>Atherosclerosis</i> , 1993, 103, 245-254.	0.4	23
356	Enhanced blood pressure response to dietary salt in elderly women, especially those with small waist:hip ratio. <i>Journal of Hypertension</i> , 1993, 11, 1387-1394.	0.3	56
357	Influence of gender, body mass index, and age on response of plasma lipids to dietary fat plus cholesterol. <i>Arteriosclerosis and Thrombosis: A Journal of Vascular Biology</i> , 1992, 12, 955-962.	3.8	80
358	Is fat restriction needed with HMGCoA reductase inhibitor treatment?. <i>Atherosclerosis</i> , 1992, 93, 59-70.	0.4	31
359	Treatment of primary hypercholesterolaemia with pravastatin: efficacy and safety over three years. <i>Medical Journal of Australia</i> , 1992, 157, 584-589.	0.8	10
360	Lack of effect of acute alcohol ingestion on plasma lipids. <i>Clinical Chemistry</i> , 1991, 37, 1649-1649.	1.5	4

#	ARTICLE	IF	CITATIONS
361	Lipid, lipoprotein, and hemostatic effects of fish vs fish-oil n 3 fatty acids in mildly hyperlipidemic males. American Journal of Clinical Nutrition, 1991, 53, 1210-1216.	2.2	86
362	Comparison of simvastatin and cholestyramine in the treatment of primary hypercholesterolemia. Medical Journal of Australia, 1990, 152, 480-483.	0.8	19
363	Comparative effects of three cereal brans on plasma lipids, blood pressure, and glucose metabolism in mildly hypercholesterolemic men. American Journal of Clinical Nutrition, 1990, 52, 661-666.	2.2	171
364	Relationship between sensitivity to dietary fat and dietary cholesterol.. Arteriosclerosis (Dallas, Tex), 1990, 10, 394-401.	4.9	74
365	Effect of a high fat/cholesterol diet with or without eicosapentaenoic acid on plasma lipids, lipoproteins and lipid transfer protein activity in the marmoset. Atherosclerosis, 1990, 81, 163-174.	0.4	50
366	Effect of dietary cholesterol in normolipidemic subjects is not modified by nature and amount of dietary fat. American Journal of Clinical Nutrition, 1989, 50, 528-532.	2.2	42
367	Development of an automated Lowry protein assay for the Cobas-Bio centrifugal analyzer. Analytical Biochemistry, 1988, 172, 165-168.	1.1	47
368	High density lipoprotein particle size distribution in subjects with obstructive jaundice. Journal of Lipid Research, 1988, 29, 121-35.	2.0	13
369	Separation and characterization of high-density lipoprotein subpopulations by gel permeation chromatography. Biomedical Applications, 1987, 414, 25-34.	1.7	23
370	High density lipoprotein subpopulations in chronic liver disease. Hepatology, 1986, 6, 46-49.	3.6	10
371	Effects of serum amyloid A protein (SAA) on composition, size, and density of high density lipoproteins in subjects with myocardial infarction. Journal of Lipid Research, 1985, 26, 1389-98.	2.0	100
372	Polyclonal B cell activation in alcoholic patients with no evidence of liver dysfunction. Clinical and Experimental Immunology, 1984, 57, 479-86.	1.1	39
373	Effects of a Low Carbohydrate Weight Loss Diet on Exercise Capacity and Tolerance in Obese Subjects. Obesity, 0, , .	1.5	0