## Micky Rakotondrabe

# List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/5465166/micky-rakotondrabe-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

1,911 40 100 22 h-index g-index citations papers 108 5.68 3.3 2,343 avg, IF L-index ext. citations ext. papers

#	Paper	IF	Citations
100	Model Predictive Control Based on the Generalized Bouc-Wen Model for Piezoelectric Actuators in Robotic Hand With Only Position Measurements <b>2022</b> , 6, 2186-2191		4
99	Robust Nonlinear Control for a Piezoelectric Actuator in a Robotic Hand Using Only Position Measurements <b>2022</b> , 6, 872-877		5
98	Precision motion control of a piezoelectric cantilever positioning system with rate-dependent hysteresis nonlinearities. <i>Nonlinear Dynamics</i> , <b>2021</b> , 104, 3385	5	3
97	Output-feedback control of precision motion systems with uncertain nonlinearities. <i>Mechanical Systems and Signal Processing</i> , <b>2021</b> , 153, 107483	7.8	1
96	2D topology optimization MATLAB codes for piezoelectric actuators and energy harvesters. <i>Structural and Multidisciplinary Optimization</i> , <b>2021</b> , 63, 983-1014	3.6	6
95	Design of Piezoelectric Actuators By Optimizing the Electrodes Topology. <i>IEEE Robotics and Automation Letters</i> , <b>2021</b> , 6, 72-79	4.2	2
94	<b>R</b> ALP and Beyond: Micro-Technologies and Systems for Robot-Assisted Endoscopic Laser Microsurgery. <i>Frontiers in Robotics and Al</i> , <b>2021</b> , 8, 664655	2.8	4
93	Output Feedback Control for a Nonlinear Optical Interferometry System <b>2021</b> , 5, 1880-1885		6
92	On hysteresis modeling of a piezoelectric precise positioning system under variable temperature. <i>Mechanical Systems and Signal Processing</i> , <b>2020</b> , 145, 106880	7.8	15
91	Analytical Modelling and Optimization of a Piezoelectric Cantilever Energy Harvester with In-Span Attachment. <i>Micromachines</i> , <b>2020</b> , 11,	3.3	7
90	Topology optimization of 2DOF piezoelectric plate energy harvester under external in-plane force. Journal of Micro-Bio Robotics, 2020, 16, 65-77	1.4	11
89	Presentation, Modeling and Experiments of an Electrostatic Actuator Based Catom for Programmable Matter. <i>Actuators</i> , <b>2020</b> , 9, 43	2.4	1
88	Robust and guaranteed output-feedback force control of piezoelectric actuator under temperature variation and input constraints. <i>Asian Journal of Control</i> , <b>2020</b> , 22, 2242-2253	1.7	O
87	Feedforward and State-Feedback Force-Position Control of a Robotic Platform Devoted to Precise Co-manipulation <b>2020</b> ,		1
86	Deep Learning Applied to Data-driven Dynamic Characterization of Hysteretic Piezoelectric Micromanipulators. <i>IFAC-PapersOnLine</i> , <b>2020</b> , 53, 8559-8564	0.7	O
85	Development, presentation and tests of a hybrid thermal vibrational energy harvester based on lead free piezoelectric material <b>2020</b> ,		1
84	Feedforward and HIFeedback Robotic Force Control in a 1-dof Physical Interaction Using a Nonlinear Human Model. <i>IFAC-PapersOnLine</i> , <b>2020</b> , 53, 8531-8537	0.7	

#### (2018-2020)

83	An Overview of Piezoelectric Self-Sensing Actuation for Nanopositioning Applications: Electrical Circuits, Displacement, and Force Estimation. <i>IEEE Transactions on Instrumentation and Measurement</i> , <b>2020</b> , 69, 2-14	5.2	15	
82	Nonlinear black-box system identification through coevolutionary algorithms and radial basis function artificial neural networks. <i>Applied Soft Computing Journal</i> , <b>2020</b> , 87, 105990	7.5	11	
81	Multi Directional Piezoelectric Plate Energy Harvesters Designed By Topology Optimization Algorithm. <i>IEEE Robotics and Automation Letters</i> , <b>2020</b> , 5, 462-469	4.2	8	
80	A Robust Resonant Controller for High-Speed Scanning of Nanopositioners: Design and Implementation. <i>IEEE Transactions on Control Systems Technology</i> , <b>2020</b> , 28, 1116-1123	4.8	21	
79	Optimal Design of Piezoelectric Cantilevered Actuators for Charge-Based Self-Sensing Applications. <i>Sensors</i> , <b>2019</b> , 19,	3.8	3	
78	Robust micro-positionnig control of a 2DOF piezocantilever based on an extended-state LKF. <i>Mechatronics</i> , <b>2019</b> , 58, 82-92	3	5	
77	Robust and Optimal Output-Feedback Control for Interval State-Space Model: Application to a Two-Degrees-of-Freedom Piezoelectric Tube Actuator. <i>Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME</i> , <b>2019</b> , 141,	1.6	3	
76	Topology Optimization of Piezoelectric Plate Energy Harvester Under External In-Plan Force Considering Different Boundary Conditions <b>2019</b> ,		2	
75	Identification of Hammerstein Systems with Rate-Dependent Hysteresis Nonlinearities in a Class of Smart Material-Based Actuators <b>2019</b> ,		1	
74	Robust Interval Luenberger Observer-Based State Feedback Control: Application to a Multi-DOF Micropositioner. <i>IEEE Transactions on Control Systems Technology</i> , <b>2019</b> , 27, 2672-2679	4.8	6	
73	Self-Sensing Method Considering the Dynamic Impedance of Piezoelectric Based Actuators for Ultralow Frequency. <i>IEEE Robotics and Automation Letters</i> , <b>2018</b> , 3, 1049-1055	4.2	9	
72	Observer and Robust \$H_{infty}\$ Control of a 2-DOF Piezoelectric Actuator Equipped With Self-Measurement. <i>IEEE Robotics and Automation Letters</i> , <b>2018</b> , 3, 1080-1087	4.2	8	
71	Multivariable Compensation of Hysteresis, Creep, Badly Damped Vibration, and Cross Couplings in Multiaxes Piezoelectric Actuators. <i>IEEE Transactions on Automation Science and Engineering</i> , <b>2018</b> , 15, 1639-1653	4.9	19	
70	Nonlinear and Robust Internal Model Control of a Piezoelectric Actuator Devoted to Characterization at the Micro/Nanoscale <b>2018</b> ,		2	
69	Internal model-based feedback control design for inversion-free feedforward rate-dependent hysteresis compensation of piezoelectric cantilever actuator. <i>Control Engineering Practice</i> , <b>2018</b> , 72, 29	-41 <sup>9</sup>	34	
68	Dynamic behavior of magnetic hybrid films of polyvinyl butyral/iron oxide nanoparticles (PVB/Fe2O3) for their control as microactuators. <i>Physica B: Condensed Matter</i> , <b>2018</b> , 549, 113-117	2.8	3	
67	Identification of Piezomicropositioning Hammerstein Systems with Generalized Prandtl-Ishlinskii Hysteresis Nonlinearities <b>2018</b> ,		1	
66	Quaternion Modeling and Observer-based Torque Compensation of an Aerial Manipulator. <i>IFAC-PapersOnLine</i> , <b>2018</b> , 51, 543-548	0.7	3	

65	Rotorcraft with a 3DOF Rigid Manipulator: Quaternion-based Modeling and Real-time Control Tolerant to Multi-body Couplings. <i>International Journal of Automation and Computing</i> , <b>2018</b> , 15, 547-55	58 <sup>3.5</sup>	6	
64	Displacement Amplifier Mechanism for Piezoelectric Actuators Design Using SIMP Topology Optimization Approach <b>2018</b> ,		6	
63	Identification of Precision Motion Systems with Prandtl-Ishlinskii Hysteresis Nonlinearities 2018,		3	
62	Development and characterization of thinned PZT bulk technology based actuators devoted to a 6-DOF micropositioning platform. <i>Microelectronic Engineering</i> , <b>2018</b> , 197, 53-60	2.5	8	
61	Quasi-Static Displacement Self-Sensing Measurement for a 2-DOF Piezoelectric Cantilevered Actuator. <i>IEEE Transactions on Industrial Electronics</i> , <b>2017</b> , 64, 6330-6337	8.9	18	
60	Multivariable classical Prandtlßhlinskii hysteresis modeling and compensation and sensorless control of a nonlinear 2-dof piezoactuator. <i>Nonlinear Dynamics</i> , <b>2017</b> , 89, 481-499	5	42	
59	Optimal design of a unimorph piezoelectric cantilever devoted to energy harvesting to supply animal tracking devices. <i>IFAC-PapersOnLine</i> , <b>2017</b> , 50, 14600-14605	0.7	11	
58	Robust feedback control for automated force/position control of piezoelectric tube based microgripper <b>2017</b> ,		1	
57	Further Results on Hysteresis Compensation of Smart Micropositioning Systems With the Inverse Prandtl&hlinskii Compensator. <i>IEEE Transactions on Control Systems Technology</i> , <b>2016</b> , 24, 428-439	4.8	61	
56	Design, static modeling and simulation of a 5-DOF precise piezoelectric positioner <b>2016</b> ,		2	
55	Feedforward and output feedback control of a highly oscillating and nonlinear 2-DOF piezoelectric actuator by using input shaping compensator and a linear quadratic regulator <b>2016</b> ,		2	
54	Design, modeling and simulation of a three-layer piezoelectric cantilevered actuator with collocated sensor <b>2016</b> ,		2	
53	Guest Editorial Focused Section on Hysteresis in Smart Mechatronic Systems: Modeling, Identification, and Control. <i>IEEE/ASME Transactions on Mechatronics</i> , <b>2016</b> , 21, 1-3	5.5	25	
52	Experimental comparison of rate-dependent hysteresis models in characterizing and compensating hysteresis of piezoelectric tube actuators. <i>Physica B: Condensed Matter</i> , <b>2016</b> , 486, 64-68	2.8	13	
51	Getting Started with PEAs-Based Flapping-Wing Mechanisms for Micro Aerial Systems. <i>Actuators</i> , <b>2016</b> , 5, 14	2.4	5	
50	Multi-Mode Vibration Suppression in MIMO Systems by Extending the Zero Placement Input Shaping Technique: Applications to a 3-DOF Piezoelectric Tube Actuator. <i>Actuators</i> , <b>2016</b> , 5, 13	2.4	5	
49	Scanning Micromirror Platform Based on MEMS Technology for Medical Application. <i>Micromachines</i> , <b>2016</b> , 7,	3.3	39	
48	Characterization, Modeling and Hizontrol of n-DOF Piezoelectric Actuators: application to A 3-DOF Precise Positioner. <i>Asian Journal of Control</i> , <b>2016</b> , 18, 1239-1258	1.7	5	

### (2014-2016)

47	Characterization and modeling of the temperature effect on the piezoelectric tube actuator. <i>IFAC-PapersOnLine</i> , <b>2016</b> , 49, 354-360	0.7	8
46	Presentation and characterization of novel thick-film PZT microactuators. <i>Physica B: Condensed Matter</i> , <b>2016</b> , 486, 17-20	2.8	3
45	Static/dynamic trade-off performance of PZT thick film micro-actuators. <i>Journal of Micromechanics and Microengineering</i> , <b>2015</b> , 25, 075017	2	9
44	Force estimation in a 2-DoF piezoelectric actuator by using the inverse-dynamics based unknown input observer technique <b>2015</b> ,		1
43	Backstepping-based robust-adaptive control of a nonlinear 2-DOF piezoactuator. <i>Control Engineering Practice</i> , <b>2015</b> , 41, 57-71	3.9	27
42	BouctWen Modeling and Feedforward Control of Multivariable Hysteresis in Piezoelectric Systems: Application to a 3-DoF Piezotube Scanner. <i>IEEE Transactions on Control Systems Technology</i> , <b>2015</b> , 23, 1797-1806	4.8	104
41	Multi-mode vibration suppression in 2-DOF piezoelectric systems using zero placement input shaping technique <b>2015</b> ,		5
40	Performances analysis of piezoelectric cantilever based energy harvester devoted to mesoscale intra-body robot <b>2015</b> ,		3
39	Simultaneous suppression of badly damped vibrations and cross-couplings in a 2-DoF piezoelectric actuator by using feedforward standard Happroach <b>2015</b> ,		6
38	Simultaneous Displacement/Force Self-Sensing in Piezoelectric Actuators and Applications to Robust Control. <i>IEEE/ASME Transactions on Mechatronics</i> , <b>2015</b> , 20, 519-531	5.5	76
37	Experimental model inverse-based hysteresis compensation on a piezoelectric actuator 2015,		6
36	Micropositioning of 2DOF piezocantilever: LKF compensation of parasitic disturbances 2015,		1
35	Nonlinear Black-box System Identification through Neural Networks of a Hysteretic Piezoelectric Robotic Micromanipulator. <i>IFAC-PapersOnLine</i> , <b>2015</b> , 48, 409-414	0.7	10
34	Optimal Design of Piezoelectric Cantilevered Actuators With Guaranteed Performances by Using Interval Techniques. <i>IEEE/ASME Transactions on Mechatronics</i> , <b>2014</b> , 19, 1660-1668	5.5	19
33	Control of a Novel 2-DoF MEMS Nanopositioner With Electrothermal Actuation and Sensing. <i>IEEE Transactions on Control Systems Technology</i> , <b>2014</b> , 22, 1486-1497	4.8	20
32	Interval force/position modeling and control of a microgripper composed of two collaborative piezoelectric actuators and its automation. <i>International Journal of Control, Automation and Systems</i> , 2014, 12, 358-371	2.9	15
31	Multivariable Generalized Bouc-Wen modeling, identification and feedforward control and its application to multi-DoF piezoelectric actuators. <i>IFAC Postprint Volumes IPPV / International Federation of Automatic Control</i> , <b>2014</b> , 47, 10952-10958		11
30	Enhancement of micro-positioning accuracy of a Piezoelectric positioner by suppressing the rate-dependant hysteresis nonlinearities <b>2014</b> ,		6

29	Design of a Fixed-Order RST Controller for Interval Systems: Application to the Control of Piezoelectric Actuators. <i>Asian Journal of Control</i> , <b>2013</b> , 15, 142-154	1.7	8
28	Robotic microassembly and micromanipulation at FEMTO-ST. <i>Journal of Micro-Bio Robotics</i> , <b>2013</b> , 8, 91	-1 <u>0.6</u>	53
27	Combining self-sensing with an unkown-input-observer to estimate the displacement, the force and the state in piezoelectric cantilevered actuators <b>2013</b> ,		16
26	Interval Modeling and Robust Feedback Control of Piezoelectric-Based Microactuators <b>2013</b> , 121-147		
25	Design of Piezoelectric Actuators with Guaranteed Performances Using the Performances Inclusion Theorem <b>2013</b> , 41-59		4
24	Classical Prandtl-Ishlinskii modeling and inverse multiplicative structure to compensate hysteresis in piezoactuators <b>2012</b> ,		29
23	Combining H hpproach and interval tools to design a low order and robust controller for systems with parametric uncertainties: application to piezoelectric actuators. <i>International Journal of Control</i> , <b>2012</b> , 85, 251-259	1.5	14
22	Interval Modeling and Robust Control of Piezoelectric Microactuators. <i>IEEE Transactions on Control Systems Technology</i> , <b>2012</b> , 20, 486-494	4.8	32
21	Modeling and compensation of multivariable creep in multi-DOF piezoelectric actuators 2012,		18
20	Boucle Modeling and Inverse Multiplicative Structure to Compensate Hysteresis Nonlinearity in Piezoelectric Actuators. <i>IEEE Transactions on Automation Science and Engineering</i> , <b>2011</b> , 8, 428-431	4.9	255
19	Development and Force/Position Control of a New Hybrid Thermo-Piezoelectric MicroGripper Dedicated to Micromanipulation Tasks. <i>IEEE Transactions on Automation Science and Engineering</i> , <b>2011</b> , 8, 824-834	4.9	99
18	Feedforward and IMC-feedback control of a nonlinear 2-DOF piezoactuator dedicated to automated micropositioning tasks <b>2011</b> ,		13
17	Robust Feedforward-Feedback Control of a Nonlinear and Oscillating 2-DOF Piezocantilever. <i>IEEE Transactions on Automation Science and Engineering</i> , <b>2011</b> , 8, 506-519	4.9	50
16	PID-structured controller design for interval systems: Application to piezoelectric microactuators <b>2011</b> ,		3
15	Performances inclusion for stable interval systems 2011,		19
14	Complete Open Loop Control of Hysteretic, Creeped, and Oscillating Piezoelectric Cantilevers. <i>IEEE Transactions on Automation Science and Engineering</i> , <b>2010</b> , 7, 440-450	4.9	135
13	Development and Dynamic Modeling of a New Hybrid Thermopiezoelectric Microactuator. <i>IEEE Transactions on Robotics</i> , <b>2010</b> , 26, 1077-1085	6.5	22
12	Robust control for a class of interval model: Application to the force control of piezoelectric cantilevers <b>2010</b> ,		9

#### LIST OF PUBLICATIONS

11	Quasistatic displacement self-sensing method for cantilevered piezoelectric actuators. <i>Review of Scientific Instruments</i> , <b>2009</b> , 80, 065102	1.7	45
10	Characterizing piezoscanner hysteresis and creep using optical levers and a reference nanopositioning stage. <i>Review of Scientific Instruments</i> , <b>2009</b> , 80, 046102	1.7	25
9	Current integration force and displacement self-sensing method for cantilevered piezoelectric actuators. <i>Review of Scientific Instruments</i> , <b>2009</b> , 80, 126103	1.7	20
8	Quadrilateral Modelling and Robust Control of a Nonlinear Piezoelectric Cantilever. <i>IEEE Transactions on Control Systems Technology</i> , <b>2009</b> , 17, 528-539	4.8	77
7	Force estimation in a piezoelectric cantilever using the inverse-dynamics-based UIO technique <b>2009</b> ,		9
6	Development, Modeling, and Control of a Micro-/Nanopositioning 2-DOF StickBlip Device. <i>IEEE/ASME Transactions on Mechatronics</i> , <b>2009</b> , 14, 733-745	5.5	70
5	Voltage/Frequency Proportional Control of Stick-Slip Micropositioning Systems. <i>IEEE Transactions on Control Systems Technology</i> , <b>2008</b> , 16, 1316-1322	4.8	25
4	Hysteresis and vibration compensation in a nonlinear unimorph piezocantilever 2008,		19
3	Modelling and Robust Position/Force Control of a Piezoelectric Microgripper 2007,		25
2	Plurilinear Modeling and discrete Esynthesis Control of a Hysteretic and Creeped Unimorph Piezoelectric Cantilever <b>2006</b> ,		11
1	Identification of a class of precision motion systems with uncertain hysteretic nonlinearities. <i>International Journal of Control</i> ,1-18	1.5	