

Yue Shen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5465883/publications.pdf>

Version: 2024-02-01

15
papers

640
citations

840776

11
h-index

1125743

13
g-index

15
all docs

15
docs citations

15
times ranked

1190
citing authors

#	ARTICLE	IF	CITATIONS
1	Vimentin coordinates fibroblast proliferation and keratinocyte differentiation in wound healing via TGF- β 's Slug signaling. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, E4320-7.	7.1	287
2	Plasminogen is a key proinflammatory regulator that accelerates the healing of acute and diabetic wounds. <i>Blood</i> , 2012, 119, 5879-5887.	1.4	85
3	Granzyme B is elevated in autoimmune blistering diseases and cleaves key anchoring proteins of the dermal-epidermal junction. <i>Scientific Reports</i> , 2018, 8, 9690.	3.3	54
4	Granzyme B Deficiency Protects against Angiotensin II-Induced Cardiac Fibrosis. <i>American Journal of Pathology</i> , 2016, 186, 87-100.	3.8	44
5	Topical small molecule granzyme B inhibitor improves remodeling in a murine model of impaired burn wound healing. <i>Experimental and Molecular Medicine</i> , 2018, 50, 1-11.	7.7	34
6	Granzyme K Expressed by Classically Activated Macrophages Contributes to Inflammation and Impaired Remodeling. <i>Journal of Investigative Dermatology</i> , 2019, 139, 930-939.	0.7	26
7	Granzyme B Contributes to Barrier Dysfunction in Oxazolone-Induced Skin Inflammation through E-Cadherin and FLG Cleavage. <i>Journal of Investigative Dermatology</i> , 2021, 141, 36-47.	0.7	24
8	Recombinant Decorin Fusion Protein Attenuates Murine Abdominal Aortic Aneurysm Formation and Rupture. <i>Scientific Reports</i> , 2017, 7, 15857.	3.3	19
9	Mice Deficient in Urokinase-Type Plasminogen Activator Have Delayed Healing of Tympanic Membrane Perforations. <i>PLoS ONE</i> , 2012, 7, e51303.	2.5	18
10	Plasminogen Receptors and Fibrinolysis. <i>International Journal of Molecular Sciences</i> , 2021, 22, 1712.	4.1	17
11	The plasminogen receptor, Plg-RKT, plays a role in inflammation and fibrinolysis during cutaneous wound healing in mice. <i>Cell Death and Disease</i> , 2020, 11, 1054.	6.3	16
12	Plasminogen activation is required for the development of radiation-induced dermatitis. <i>Cell Death and Disease</i> , 2018, 9, 1051.	6.3	13
13	A reply to the commentary on "Animal models of chronic tympanic membrane perforation: in response to plasminogen initiates and potentiates the healing of acute and chronic tympanic membrane perforations in mice" by Wang AY, Shen Y, Wang JT, Eikelboom RH and Dilley RJ; <i>Clin Translat Med</i> , 2014; 3:5. <i>Clinical and Translational Medicine</i> , 2015, 4, 8.	4.0	3
14	Abstract 11078: Granzyme B Deficiency Protects Against Angiotensin II-induced Cardiac Fibrosis via a Perforin-independent Mechanism. <i>Circulation</i> , 2015, 132, .	1.6	0
15	Granzyme K: An Important Mediator of Cutaneous Inflammation and Re-epithelialization. <i>FASEB Journal</i> , 2019, 33, 34.2.	0.5	0