J Carson Smith

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/546610/publications.pdf

Version: 2024-02-01

201674 223800 2,424 70 27 46 h-index citations g-index papers 71 71 71 3795 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	The Mental Health Benefits of Physical Activity in Older Adults Survive the COVID-19 Pandemic. American Journal of Geriatric Psychiatry, 2020, 28, 1046-1057.	1.2	216
2	Both Predator and Prey. Psychological Science, 2008, 19, 865-873.	3.3	172
3	State anxiety and affective physiology: effects of sustained exposure to affective pictures. Biological Psychology, 2005, 69, 247-260.	2.2	127
4	Semantic Memory Functional MRI and Cognitive Function after Exercise Intervention in Mild Cognitive Impairment. Journal of Alzheimer's Disease, 2013, 37, 197-215.	2.6	121
5	Exercise Training and Functional Connectivity Changes in Mild Cognitive Impairment and Healthy Elders. Journal of Alzheimer's Disease, 2017, 57, 845-856.	2.6	114
6	Physical activity reduces hippocampal atrophy in elders at genetic risk for Alzheimer's disease. Frontiers in Aging Neuroscience, 2014, 6, 61.	3.4	110
7	Interactive effects of physical activity and APOE-ε4 on BOLD semantic memory activation in healthy elders. Neurolmage, 2011, 54, 635-644.	4.2	100
8	Detecting changes in human cerebral blood flow after acute exercise using arterial spin labeling: Implications for fMRI. Journal of Neuroscience Methods, 2010, 191, 258-262.	2.5	76
9	Improved Cardiorespiratory Fitness Is Associated with Increased Cortical Thickness in Mild Cognitive Impairment. Journal of the International Neuropsychological Society, 2015, 21, 757-767.	1.8	74
10	Resting Cerebral Blood Flow After Exercise Training in Mild Cognitive Impairment. Journal of Alzheimer's Disease, 2019, 67, 671-684.	2.6	71
11	Lifestyle and Genetic Contributions to Cognitive Decline and Hippocampal Structure and Function in Healthy Aging. Current Alzheimer Research, 2012, 9, 436-446.	1.4	69
12	Prediction of Cognitive Decline in Healthy Older Adults using fMRI. Journal of Alzheimer's Disease, 2010, 21, 871-885.	2.6	62
13	Electrocortical and electrodermal responses covary as a function of emotional arousal: A single-trial analysis. Psychophysiology, 2008, 45, 516-523.	2.4	60
14	Physical Activity and Brain Function in Older Adults at Increased Risk for Alzheimer's Disease. Brain Sciences, 2013, 3, 54-83.	2.3	52
15	Effects of Emotional Exposure on State Anxiety after Acute Exercise. Medicine and Science in Sports and Exercise, 2013, 45, 372-378.	0.4	45
16	Hippocampal and Cerebral Blood Flow after Exercise Cessation in Master Athletes. Frontiers in Aging Neuroscience, 2016, 8, 184.	3.4	44
17	Evidence for exercise-related plasticity in functional and structural neural network connectivity. Neuroscience and Biobehavioral Reviews, 2021, 131, 923-940.	6.1	42
18	Five-Year Longitudinal Brain Volume Change in Healthy Elders at Genetic RiskÂforÂAlzheimer'sÂDisease. Journal of Alzheimer's Disease, 2016, 55, 1363-1377.	2.6	41

#	Article	IF	CITATIONS
19	Interactive effects of physical activity and APOE-ε4 on white matter tract diffusivity in healthy elders. Neurolmage, 2016, 131, 102-112.	4.2	41
20	Genetic risk for Alzheimer's disease alters the five-year trajectory of semantic memory activation in cognitively intact elders. Neurolmage, 2015, 111, 136-146.	4.2	39
21	Tagging cortical networks in emotion: A topographical analysis. Human Brain Mapping, 2012, 33, 2920-2931.	3.6	38
22	Predictors of Optimal Cognitive Aging in 80+ Women: The Women's Health Initiative Memory Study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2016, 71, S62-S71.	3.6	37
23	Emotional & electroencephalographic responses during affective picture viewing after exercise. Physiology and Behavior, 2007, 90, 394-404.	2.1	36
24	Semantic Memory Activation After Acute Exercise in Healthy Older Adults. Journal of the International Neuropsychological Society, 2019, 25, 557-568.	1.8	32
25	Emotional responsiveness after low- and moderate-intensity exercise and seated rest. Medicine and Science in Sports and Exercise, 2002, 34, 1158-1167.	0.4	31
26	Rapid picture presentation and affective engagement Emotion, 2006, 6, 208-214.	1.8	31
27	Functional magnetic resonance imaging of semantic memory as a presymptomatic biomarker of Alzheimer's disease risk. Biochimica Et Biophysica Acta - Molecular Basis of Disease, 2012, 1822, 442-456.	3.8	31
28	Measures of Physical Ability Are Unrelated to Objectively Measured Physical Activity Behavior in Older Adults Residing in Continuing Care Retirement Communities. Archives of Physical Medicine and Rehabilitation, 2009, 90, 982-986.	0.9	29
29	Effects of sleep extension on cognitive/motor performance and motivation in military tactical athletes. Sleep Medicine, 2019, 58, 48-55.	1.6	27
30	Attentional bias to emotional stimuli is altered during moderate- but not high-intensity exercise Emotion, 2011, 11, 1415-1424.	1.8	25
31	Diffusion Tensor Imaging Predictors of Episodic Memory Decline in Healthy Elders at Genetic Risk for Alzheimer's Disease. Journal of the International Neuropsychological Society, 2016, 22, 1005-1015.	1.8	23
32	Does physical activity influence semantic memory activation in amnestic mild cognitive impairment?. Psychiatry Research - Neuroimaging, 2011, 193, 60-62.	1.8	21
33	Comparison of Semantic and Episodic Memory BOLD fMRI Activation in Predicting Cognitive Decline in Older Adults. Journal of the International Neuropsychological Society, 2013, 19, 11-21.	1.8	21
34	Concurrent and Longitudinal Relationships Between Cognitive Activity, Cognitive Performance, and Brain Volume in Older Adult Women. Journals of Gerontology - Series B Psychological Sciences and Social Sciences, 2014, 69, 826-836.	3.9	21
35	Influence of manipulated category knowledge on prototype classification and recognition. Memory and Cognition, 1993, 21, 529-538.	1.6	20
36	Physical activity does not disturb the measurement of startle and corrugator responses during affective picture viewing. Biological Psychology, 2003, 63, 293-310.	2.2	20

#	Article	IF	CITATIONS
37	Caudate Volume Mediates the Interaction between Total Sleep Time and Executive Function after Acute Exercise in Healthy Older Adults. Brain Plasticity, 2019, 5, 69-82.	3.5	20
38	Are Optimism and Cynical Hostility Associated with Smoking Cessation in Older Women?. Annals of Behavioral Medicine, 2017, 51, 500-510.	2.9	19
39	Brain activation during executive control after acute exercise in older adults. International Journal of Psychophysiology, 2019, 146, 240-248.	1.0	19
40	Changes in cerebral perfusion following a 12â€month exercise and diet intervention. Psychophysiology, 2021, 58, e13589.	2.4	19
41	Sleep health and its association with performance and motivation in tactical athletes enrolled in the Reserve Officers' Training Corps. Sleep Health, 2019, 5, 309-314.	2.5	17
42	Recognition of famous names predicts cognitive decline in healthy elders Neuropsychology, 2013, 27, 333-342.	1.3	16
43	Executive Function and the P300 after Treadmill Exercise and Futsal in College Soccer Players. Sports, 2017, 5, 73.	1.7	16
44	Impact of exercise on older adults' mood is moderated by sleep and mediated by altered brain connectivity. Social Cognitive and Affective Neuroscience, 2020, 15, 1238-1251.	3.0	14
45	Association Between Greater Cerebellar Network Connectivity and Improved Phonemic Fluency Performance After Exercise Training in Older Adults. Cerebellum, 2021, 20, 542-555.	2.5	14
46	Exercise Training-Related Changes in Cortical Gray Matter Diffusivity and Cognitive Function in Mild Cognitive Impairment and Healthy Older Adults. Frontiers in Aging Neuroscience, 2021, 13, 645258.	3.4	14
47	Hippocampal Functional Connectivity and Memory Performance After Exercise Intervention in Older Adults with Mild Cognitive Impairment. Journal of Alzheimer's Disease, 2021, 82, 1015-1031.	2.6	14
48	Visual threat detection during moderate- and high-intensity exercise Emotion, 2011, 11, 572-581.	1.8	13
49	Differential 5-year brain atrophy rates in cognitively declining and stable APOE-ε4 elders Neuropsychology, 2018, 32, 647-653.	1.3	12
50	Microstructural Plasticity in the Hippocampus of Healthy Older Adults after Acute Exercise. Medicine and Science in Sports and Exercise, 2021, 53, 1928-1936.	0.4	10
51	Performance variability during a multitrial list-learning task as a predictor of future cognitive decline in healthy elders. Journal of Clinical and Experimental Neuropsychology, 2014, 36, 236-243.	1.3	9
52	A single bout of hard RPE-based cycling exercise increases salivary alpha-amylase. Physiology and Behavior, 2019, 208, 112555.	2.1	9
53	The influence of sport goggles on visual target detection in female intercollegiate athletes. Journal of Sports Sciences, 2015, 33, 1117-1123.	2.0	8
54	Forward-focused coping predicts better mental health outcomes in mid- to late-life during the COVID-19 pandemic. Aging and Mental Health, 2022, 26, 554-562.	2.8	8

#	Article	IF	CITATIONS
55	Motor timing intraindividual variability in amnestic mild cognitive impairment and cognitively intact elders at genetic risk for Alzheimer's disease. Journal of Clinical and Experimental Neuropsychology, 2017, 39, 866-875.	1.3	7
56	Episodic Memory and Hippocampal Volume Predict 5-Year Mild Cognitive Impairment Conversion in Healthy Apolipoprotein Îμ4 Carriers. Journal of the International Neuropsychological Society, 2020, 26, 733-738.	1.8	7
57	The contributions of self-efficacy, trait anxiety, and fear of falling to physical activity behavior among residents of continuing care retirement communities. Ageing Research, 2010, 1, 4.	0.8	6
58	Label-free X-ray estimation of brain amyloid burden. Scientific Reports, 2020, 10, 20505.	3.3	5
59	Five-Year Change in Body Mass Index Predicts Conversion to Mild Cognitive Impairment or Dementia Only in APOE E ₂ 4 Allele Carriers. Journal of Alzheimer's Disease, 2021, 81, 189-199.	2.6	5
60	Introduction to the <i>JINS</i> Special Issue: Physical Activity and Brain Plasticity. Journal of the International Neuropsychological Society, 2015, 21, 743-744.	1.8	4
61	The relationship between traffic-related air pollution exposures and allostatic load score among youth with type 1 diabetes in the SEARCH cohort. Environmental Research, 2021, 197, 111075.	7.5	4
62	Neurite dispersion and density mediates the relationship between cardiorespiratory fitness and cognition in healthy younger adults. Neuropsychologia, 2022, 169, 108207.	1.6	4
63	Greater Semantic Memory Activation After Exercise Training Cessation in Older Endurance-Trained Athletes. Journal of Aging and Physical Activity, 2021, 29, 250-258.	1.0	3
64	Differential associations of regional cerebellar volume with gait speed and working memory. Scientific Reports, 2022, 12, 2355.	3.3	2
65	Mean arterial pressure, fitness, and executive function in middle age and older adults. Cerebral Circulation - Cognition and Behavior, 2022, 3, 100135.	0.9	2
66	Subjective Well-Being and Bilateral Anterior Insula Functional Connectivity After Exercise Intervention in Older Adults With Mild Cognitive Impairment. Frontiers in Neuroscience, 2022, 16, .	2.8	2
67	Methodology inPsychophysiologicalStudies: Applications inPhysicalActivity. International Journal of Sport and Exercise Psychology, 2005, 3, 534-553.	2.1	1
68	Blood pressureâ€related differences in brain health between young African Americans and Caucasian Americans. Physiological Reports, 2021, 9, e14819.	1.7	1
69	Relationships Between Self-Efficacy and Physical Activity Behavior Among Elders in an Assisted Living Environment. Medicine and Science in Sports and Exercise, 2008, 40, S468.	0.4	1
70	Electromyographic indices of neuromuscular reflexes. International Journal of Sport and Exercise Psychology, 2005, 3, 322-337.	2.1	0