

# Baohua Kong

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5467033/publications.pdf>

Version: 2024-02-01

224  
papers

10,700  
citations

23500

58  
h-index

46693

89  
g-index

224  
all docs

224  
docs citations

224  
times ranked

5592  
citing authors

#	ARTICLE	IF	CITATIONS
1	Physicochemical change and protein oxidation in porcine longissimus dorsi as influenced by different freeze-thaw cycles. <i>Meat Science</i> , 2009, 83, 239-245.	2.7	365
2	Antioxidant activity and functional properties of porcine plasma protein hydrolysate as influenced by the degree of hydrolysis. <i>Food Chemistry</i> , 2010, 118, 403-410.	4.2	342
3	Antioxidant Activity of Zein Hydrolysates in a Liposome System and the Possible Mode of Action. <i>Journal of Agricultural and Food Chemistry</i> , 2006, 54, 6059-6068.	2.4	323
4	Moisture migration, microstructure damage and protein structure changes in porcine longissimus muscle as influenced by multiple freeze-thaw cycles. <i>Meat Science</i> , 2017, 133, 10-18.	2.7	245
5	Antioxidant activity of peptide fractions from whey protein hydrolysates as measured by electron spin resonance. <i>Food Chemistry</i> , 2009, 113, 196-201.	4.2	214
6	Antioxidant activity of black currant ( <i>Ribes nigrum</i> L.) extract and its inhibitory effect on lipid and protein oxidation of pork patties during chilled storage. <i>Meat Science</i> , 2012, 91, 533-539.	2.7	185
7	The role of bacterial fermentation in lipolysis and lipid oxidation in Harbin dry sausages and its flavour development. <i>LWT - Food Science and Technology</i> , 2017, 77, 389-396.	2.5	174
8	Changes in myofibrillar protein gel quality of porcine longissimus muscle induced by its structural modification under different thawing methods. <i>Meat Science</i> , 2019, 147, 108-115.	2.7	149
9	The comparison of ultrasound-assisted immersion freezing, air freezing and immersion freezing on the muscle quality and physicochemical properties of common carp ( <i>Cyprinus carpio</i> ) during freezing storage. <i>Ultrasonics Sonochemistry</i> , 2019, 51, 281-291.	3.8	147
10	Decreased gelling properties of protein in mirror carp ( <i>Cyprinus carpio</i> ) are due to protein aggregation and structure deterioration when subjected to freeze-thaw cycles. <i>Food Hydrocolloids</i> , 2019, 97, 105223.	5.6	146
11	Antimicrobial activities of spice extracts against pathogenic and spoilage bacteria in modified atmosphere packaged fresh pork and vacuum packaged ham slices stored at 4°C. <i>Meat Science</i> , 2009, 81, 686-692.	2.7	144
12	Influence of different thawing methods on physicochemical changes and protein oxidation of porcine longissimus muscle. <i>LWT - Food Science and Technology</i> , 2012, 46, 280-286.	2.5	142
13	Structure and antioxidant activity of whey protein isolate conjugated with glucose via the Maillard reaction under dry-heating conditions. <i>Food Structure</i> , 2014, 1, 145-154.	2.3	141
14	Changes in the structural and gel properties of pork myofibrillar protein induced by catechin modification. <i>Meat Science</i> , 2017, 127, 45-50.	2.7	130
15	Influence of ultrasound-assisted immersion freezing on the freezing rate and quality of porcine longissimus muscles. <i>Meat Science</i> , 2018, 136, 1-8.	2.7	129
16	Decreased gelling and emulsifying properties of myofibrillar protein from repeatedly frozen-thawed porcine longissimus muscle are due to protein denaturation and susceptibility to aggregation. <i>Meat Science</i> , 2010, 85, 481-486.	2.7	126
17	In vitro comparison of probiotic properties of lactic acid bacteria isolated from Harbin dry sausages and selected probiotics. <i>Journal of Functional Foods</i> , 2017, 32, 391-400.	1.6	120
18	Effects of ultrasound-assisted freezing at different power levels on the structure and thermal stability of common carp ( <i>Cyprinus carpio</i> ) proteins. <i>Ultrasonics Sonochemistry</i> , 2019, 54, 311-320.	3.8	116

#	ARTICLE	IF	CITATIONS
19	Effect of NaCl substitutes on lipid and protein oxidation and flavor development of Harbin dry sausage. <i>Meat Science</i> , 2019, 156, 33-43.	2.7	115
20	Solubilization and stable dispersion of myofibrillar proteins in water through the destruction and inhibition of the assembly of filaments using high-intensity ultrasound. <i>Ultrasonics Sonochemistry</i> , 2020, 67, 105160.	3.8	113
21	Changes in the thermal stability and structure of protein from porcine longissimus dorsi induced by different thawing methods. <i>Food Chemistry</i> , 2020, 316, 126375.	4.2	109
22	Effect of porcine plasma protein hydrolysates on long-term retrogradation of corn starch. <i>Food Chemistry</i> , 2018, 239, 172-179.	4.2	103
23	Antioxidant activity of spice extracts in a liposome system and in cooked pork patties and the possible mode of action. <i>Meat Science</i> , 2010, 85, 772-778.	2.7	100
24	The potential correlation between bacterial diversity and the characteristic volatile flavour of traditional dry sausages from Northeast China. <i>Food Microbiology</i> , 2020, 91, 103505.	2.1	100
25	Role of lactic acid bacteria in flavor development in traditional Chinese fermented foods: A review. <i>Critical Reviews in Food Science and Nutrition</i> , 2022, 62, 2741-2755.	5.4	99
26	Production of cured meat color in nitrite-free Harbin red sausage by <i>Lactobacillus fermentum</i> fermentation. <i>Meat Science</i> , 2007, 77, 593-598.	2.7	97
27	Structural and Gel Textural Properties of Soy Protein Isolate When Subjected to Extreme Acid pH-Shifting and Mild Heating Processes. <i>Journal of Agricultural and Food Chemistry</i> , 2015, 63, 4853-4861.	2.4	97
28	Deterioration in quality of quick-frozen pork patties induced by changes in protein structure and lipid and protein oxidation during frozen storage. <i>Food Research International</i> , 2020, 133, 109142.	2.9	96
29	Changes in microstructure, quality and water distribution of porcine longissimus muscles subjected to ultrasound-assisted immersion freezing during frozen storage. <i>Meat Science</i> , 2019, 151, 24-32.	2.7	94
30	Biogenic amine inhibition and quality protection of Harbin dry sausages by inoculation with <i>Staphylococcus xylosum</i> and <i>Lactobacillus plantarum</i> . <i>Food Control</i> , 2016, 68, 358-366.	2.8	91
31	Ultrasound-assisted immersion freezing accelerates the freezing process and improves the quality of common carp ( <i>Cyprinus carpio</i> ) at different power levels. <i>LWT - Food Science and Technology</i> , 2019, 108, 106-112.	2.5	91
32	Reducing and radical-scavenging activities of whey protein hydrolysates prepared with Alcalase. <i>International Dairy Journal</i> , 2010, 20, 360-365.	1.5	89
33	Effects of zein hydrolysates coupled with sage ( <i>salvia officinalis</i> ) extract on the emulsifying and oxidative stability of myofibrillar protein prepared oil-in-water emulsions. <i>Food Hydrocolloids</i> , 2019, 87, 149-157.	5.6	89
34	Evaluation of the flavour properties of cooked chicken drumsticks as affected by sugar smoking times using an electronic nose, electronic tongue, and HS-SPME/GC-MS. <i>LWT - Food Science and Technology</i> , 2021, 140, 110764.	2.5	87
35	The role of bacterial fermentation in the hydrolysis and oxidation of sarcoplasmic and myofibrillar proteins in Harbin dry sausages. <i>Meat Science</i> , 2016, 121, 196-206.	2.7	83
36	Potato starch oxidation induced by sodium hypochlorite and its effect on functional properties and digestibility. <i>International Journal of Biological Macromolecules</i> , 2016, 84, 410-417.	3.6	82

#	ARTICLE	IF	CITATIONS
37	Antioxidant potential of a unique LAB culture isolated from Harbin dry sausage: In vitro and in a sausage model. <i>Meat Science</i> , 2015, 110, 180-188.	2.7	81
38	Structural changes of the myofibrillar proteins in common carp ( <i>Cyprinus carpio</i> ) muscle exposed to a hydroxyl radical-generating system. <i>Process Biochemistry</i> , 2013, 48, 863-870.	1.8	79
39	Structure-modification by moderate oxidation in hydroxyl radical-generating systems promote the emulsifying properties of soy protein isolate. <i>Food Structure</i> , 2015, 6, 21-28.	2.3	79
40	Effect of ultrasound thawing, vacuum thawing, and microwave thawing on gelling properties of protein from porcine longissimus dorsi. <i>Ultrasonics Sonochemistry</i> , 2020, 64, 104860.	3.8	78
41	Characterisation of the flavour profile of dry fermented sausages with different NaCl substitutes using HS-SPME-GC-MS combined with electronic nose and electronic tongue. <i>Meat Science</i> , 2021, 172, 108338.	2.7	76
42	Flavour formation from hydrolysis of pork sarcoplasmic protein extract by a unique LAB culture isolated from Harbin dry sausage. <i>Meat Science</i> , 2015, 100, 110-117.	2.7	75
43	Improving the physical and oxidative stability of emulsions based on the interfacial electrostatic effects between porcine bone protein hydrolysates and porcine bone protein hydrolysate-rutin conjugates. <i>Food Hydrocolloids</i> , 2019, 94, 418-427.	5.6	75
44	The enzymatic hydrolysis of soy protein isolate by Corolase PP under high hydrostatic pressure and its effect on bioactivity and characteristics of hydrolysates. <i>Food Chemistry</i> , 2018, 245, 89-96.	4.2	74
45	Thermal stability and gel quality of myofibrillar protein as affected by soy protein isolates subjected to an acidic pH and mild heating. <i>Food Chemistry</i> , 2018, 242, 188-195.	4.2	74
46	Characterization of selected Harbin red sausages on the basis of their flavour profiles using HS-SPME-GC/MS combined with electronic nose and electronic tongue. <i>Meat Science</i> , 2021, 172, 108345.	2.7	74
47	Effect of freeze-thaw cycles on the emulsion activity and structural characteristics of soy protein isolate. <i>Process Biochemistry</i> , 2015, 50, 1607-1613.	1.8	73
48	Thermal gelling properties and structural properties of myofibrillar protein including thermo-reversible and thermo-irreversible curdlan gels. <i>Food Chemistry</i> , 2020, 311, 126018.	4.2	69
49	Ultrasound-assisted immersion freezing reduces the structure and gel property deterioration of myofibrillar protein from chicken breast. <i>Ultrasonics Sonochemistry</i> , 2020, 67, 105137.	3.8	68
50	Effect of NaCl substitutes on the physical, microbial and sensory characteristics of Harbin dry sausage. <i>Meat Science</i> , 2019, 156, 205-213.	2.7	67
51	Influence of storage temperature and duration on lipid and protein oxidation and flavour changes in frozen pork dumpling filler. <i>Meat Science</i> , 2013, 95, 295-301.	2.7	66
52	Effects of different ultrasound powers on the structure and stability of protein from sea cucumber gonad. <i>LWT - Food Science and Technology</i> , 2021, 137, 110403.	2.5	65
53	Enhancing physical properties of chitosan/pullulan electrospinning nanofibers via green crosslinking strategies. <i>Carbohydrate Polymers</i> , 2020, 247, 116734.	5.1	64
54	Impact of spice extracts on the formation of biogenic amines and the physicochemical, microbiological and sensory quality of dry sausage. <i>Food Control</i> , 2018, 92, 190-200.	2.8	63

#	ARTICLE	IF	CITATIONS
55	Physicochemical properties and flavour profile of fermented dry sausages with a reduction of sodium chloride. <i>LWT - Food Science and Technology</i> , 2020, 124, 109061.	2.5	63
56	Protection of lung fibroblast MRC-5 cells against hydrogen peroxide-induced oxidative damage by 0.1–2.8kDa antioxidative peptides isolated from whey protein hydrolysate. <i>Food Chemistry</i> , 2012, 135, 540-547.	4.2	62
57	Prospects of artificial meat: Opportunities and challenges around consumer acceptance. <i>Trends in Food Science and Technology</i> , 2021, 116, 434-444.	7.8	62
58	Hydroxyl Radical-Stressed Whey Protein Isolate: Chemical and Structural Properties. <i>Food and Bioprocess Technology</i> , 2012, 5, 2454-2461.	2.6	61
59	Effect of freeze-thaw cycles on the quality of quick-frozen pork patty with different fat content by consumer assessment and instrument-based detection. <i>Meat Science</i> , 2021, 172, 108313.	2.7	61
60	Fabrication and characterization of a novel polysaccharide based composite nanofiber films with tunable physical properties. <i>Carbohydrate Polymers</i> , 2020, 236, 116054.	5.1	60
61	Quality characteristics and flavor profile of Harbin dry sausages inoculated with lactic acid bacteria and <i>Staphylococcus xylosus</i> . <i>LWT - Food Science and Technology</i> , 2019, 114, 108392.	2.5	58
62	Formation and identification of nitrosylmyoglobin by <i>Staphylococcus xylosus</i> in raw meat batters: A potential solution for nitrite substitution in meat products. <i>Meat Science</i> , 2013, 93, 67-72.	2.7	57
63	Effect of ice structuring protein on the quality of quick-frozen patties subjected to multiple freeze-thaw cycles. <i>Meat Science</i> , 2021, 172, 108335.	2.7	57
64	Antioxidant activities and emulsifying properties of porcine plasma protein hydrolysates modified by oxidized tannic acid and oxidized chlorogenic acid. <i>Process Biochemistry</i> , 2019, 79, 105-113.	1.8	56
65	Using a stable pre-emulsified canola oil system that includes porcine plasma protein hydrolysates and oxidized tannic acid to partially replace pork fat in frankfurters. <i>Meat Science</i> , 2020, 160, 107968.	2.7	56
66	Radical scavenging activity of black currant ( <i>Ribes nigrum</i> L.) extract and its inhibitory effect on gastric cancer cell proliferation via induction of apoptosis. <i>Journal of Functional Foods</i> , 2012, 4, 382-390.	1.6	55
67	The effectiveness of clove extracts in the inhibition of hydroxyl radical oxidation-induced structural and rheological changes in porcine myofibrillar protein. <i>Meat Science</i> , 2016, 111, 60-66.	2.7	54
68	Physicochemical and structural properties of composite gels prepared with myofibrillar protein and lard diacylglycerols. <i>Meat Science</i> , 2016, 121, 333-341.	2.7	53
69	High-intensity ultrasound improves the physical stability of myofibrillar protein emulsion at low ionic strength by destroying and suppressing myosin molecular assembly. <i>Ultrasonics Sonochemistry</i> , 2021, 74, 105554.	3.8	53
70	Cryoprotectants Reduce Protein Oxidation and Structure Deterioration Induced by Freeze-Thaw Cycles in Common Carp ( <i>Cyprinus carpio</i> ) Surimi. <i>Food Biophysics</i> , 2013, 8, 104-111.	1.4	52
71	Gelation and rheological properties of myofibrillar proteins influenced by the addition of soybean protein isolates subjected to an acidic pH treatment combined with a mild heating. <i>Food Hydrocolloids</i> , 2017, 70, 269-276.	5.6	52
72	Ultrasound-assisted thawing accelerates the thawing of common carp ( <i>Cyprinus carpio</i> ) and improves its muscle quality. <i>LWT - Food Science and Technology</i> , 2021, 141, 111080.	2.5	52

#	ARTICLE	IF	CITATIONS
73	Evaluation of flavor characteristics of bacon smoked with different woodchips by HS-SPME-GC-MS combined with an electronic tongue and electronic nose. <i>Meat Science</i> , 2021, 182, 108626.	2.7	51
74	Oxidative changes and weakened gelling ability of salt-extracted protein are responsible for textural losses in dumpling meat fillings during frozen storage. <i>Food Chemistry</i> , 2015, 185, 459-469.	4.2	50
75	Properties and oxidative stability of emulsions prepared with myofibrillar protein and lard diacylglycerols. <i>Meat Science</i> , 2016, 115, 16-23.	2.7	50
76	Effects of edible chitosan coating on Harbin red sausage storage stability at room temperature. <i>Meat Science</i> , 2020, 159, 107919.	2.7	50
77	Effect of ice structuring protein on the quality, thermal stability and oxidation of mirror carp ( <i>Cyprinus carpio</i> L.) induced by freeze-thaw cycles. <i>LWT - Food Science and Technology</i> , 2020, 124, 109140.	2.5	50
78	Formation of red myoglobin derivatives and inhibition of spoilage bacteria in raw meat batters by lactic acid bacteria and <i>Staphylococcus xylosum</i> . <i>LWT - Food Science and Technology</i> , 2016, 68, 251-257.	2.5	49
79	N-nitrosoamine inhibition and quality preservation of Harbin dry sausages by inoculated with <i>Lactobacillus pentosus</i> , <i>Lactobacillus curvatus</i> and <i>Lactobacillus sake</i> . <i>Food Control</i> , 2017, 73, 1514-1521.	2.8	49
80	Improvement of the emulsifying and oxidative stability of myofibrillar protein prepared oil-in-water emulsions by addition of zein hydrolysates. <i>Process Biochemistry</i> , 2017, 53, 116-124.	1.8	49
81	Filamentous myosin in low-ionic strength meat protein processing media: Assembly mechanism, impact on protein functionality, and inhibition strategies. <i>Trends in Food Science and Technology</i> , 2021, 112, 25-35.	7.8	49
82	Future trends of processed meat products concerning perceived healthiness: A review. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2021, 20, 4739-4778.	5.9	47
83	Textural and gel properties of frankfurters as influenced by various $\hat{\text{I}}^{\text{2}}$ -carrageenan incorporation methods. <i>Meat Science</i> , 2021, 176, 108483.	2.7	46
84	Impact of ice structuring protein on myofibrillar protein aggregation behaviour and structural property of quick-frozen patty during frozen storage. <i>International Journal of Biological Macromolecules</i> , 2021, 178, 136-142.	3.6	45
85	Physicochemical and antioxidant properties of Maillard reaction products formed by heating whey protein isolate and reducing sugars. <i>International Journal of Dairy Technology</i> , 2014, 67, 220-228.	1.3	44
86	Effect of porcine bone protein hydrolysates on the emulsifying and oxidative stability of oil-in-water emulsions. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2018, 538, 757-764.	2.3	43
87	Influence of lard-based diacylglycerol on rheological and physicochemical properties of thermally induced gels of porcine myofibrillar protein at different NaCl concentrations. <i>Food Research International</i> , 2020, 127, 108723.	2.9	42
88	Influence of glycated nitrosohaemoglobin prepared from porcine blood cell on physicochemical properties, microbial growth and flavour formation of Harbin dry sausages. <i>Meat Science</i> , 2019, 148, 96-104.	2.7	41
89	Impacts of different altitudes and natural drying times on lipolysis, lipid oxidation and flavour profile of traditional Tibetan yak jerky. <i>Meat Science</i> , 2020, 162, 108030.	2.7	41
90	Effect of ultrasound-assisted immersion thawing on emulsifying and gelling properties of chicken myofibrillar protein. <i>LWT - Food Science and Technology</i> , 2021, 142, 111016.	2.5	41

#	ARTICLE	IF	CITATIONS
91	Antimicrobial Activity of Several Herb and Spice Extracts in Culture Medium and in Vacuum-Packaged Pork. <i>Journal of Food Protection</i> , 2007, 70, 641-647.	0.8	39
92	The Effectiveness of Cryoprotectants in Inhibiting Multiple Freeze-Thaw-Induced Functional and Rheological Changes in the Myofibrillar Proteins of Common Carp ( <i>Cyprinus carpio</i> ) Surimi. <i>Food Biophysics</i> , 2013, 8, 302-310.	1.4	39
93	Complex starter culture combined with vacuum packaging reduces biogenic amine formation and delays the quality deterioration of dry sausage during storage. <i>Food Control</i> , 2019, 100, 58-66.	2.8	38
94	Preparation and functional properties of poly(vinyl alcohol)/ethyl cellulose/tea polyphenol electrospun nanofibrous films for active packaging material. <i>Food Control</i> , 2021, 130, 108331.	2.8	38
95	Hepatoprotective and antioxidant effects of porcine plasma protein hydrolysates on carbon tetrachloride-induced liver damage in rats. <i>Food and Chemical Toxicology</i> , 2011, 49, 1316-1321.	1.8	37
96	Application of lactic acid bacteria for improving the quality of reduced-salt dry fermented sausage: Texture, color, and flavor profiles. <i>LWT - Food Science and Technology</i> , 2022, 154, 112723.	2.5	37
97	Free radical scavenging activity of porcine plasma protein hydrolysates determined by electron spin resonance spectrometer. <i>LWT - Food Science and Technology</i> , 2009, 42, 956-962.	2.5	36
98	Antioxidant capacity of maillard reaction products formed by a porcine plasma protein hydrolysate-sugar model system as related to chemical characteristics. <i>Food Science and Biotechnology</i> , 2014, 23, 33-41.	1.2	36
99	Heterocyclic aromatic amine concentrations and quality characteristics of traditional smoked and roasted poultry products on the northern Chinese market. <i>Food and Chemical Toxicology</i> , 2020, 135, 110931.	1.8	36
100	Effect of ice structuring protein on the microstructure and myofibrillar protein structure of mirror carp ( <i>Cyprinus carpio</i> L.) induced by freeze-thaw processes. <i>LWT - Food Science and Technology</i> , 2021, 139, 110570.	2.5	36
101	Fabrication and characterization of cinnamaldehyde loaded polysaccharide composite nanofiber film as potential antimicrobial packaging material. <i>Food Packaging and Shelf Life</i> , 2020, 26, 100600.	3.3	35
102	Regulatory effect of porcine plasma protein hydrolysates on pasting and gelatinization action of corn starch. <i>International Journal of Biological Macromolecules</i> , 2016, 82, 637-644.	3.6	34
103	Modification of gel properties of soy protein isolate by freeze-thaw cycles are associated with changes of molecular force involved in the gelation. <i>Process Biochemistry</i> , 2017, 52, 200-208.	1.8	33
104	Ethanol induced changes in structural, morphological, and functional properties of whey proteins isolates: Influence of ethanol concentration. <i>Food Hydrocolloids</i> , 2021, 111, 106379.	5.6	33
105	Collaborative analysis on differences in volatile compounds of Harbin red sausages smoked with different types of woodchips based on gas chromatography-mass spectrometry combined with electronic nose. <i>LWT - Food Science and Technology</i> , 2021, 143, 111144.	2.5	33
106	Application of temperature-controlled ultrasound treatment and its potential to reduce phosphate content in frankfurter-type sausages by 50%. <i>Ultrasonics Sonochemistry</i> , 2021, 71, 105379.	3.8	32
107	Dynamic changes in the qualities and heterocyclic aromatic amines of roasted pork induced by frying temperature and time. <i>Meat Science</i> , 2021, 176, 108457.	2.7	32
108	Inhibition of frozen storage-induced oxidation and structural changes in myofibril of common carp ( <i>Cyprinus carpio</i> ) surimi by cryoprotectant and hydrolysed whey protein addition. <i>International Journal of Food Science and Technology</i> , 2013, 48, 1916-1923.	1.3	31

#	ARTICLE	IF	CITATIONS
109	Protective effects of black currant ( <i>Ribes nigrum</i> L.) extract on hydrogen peroxide-induced damage in lung fibroblast MRC-5 cells in relation to the antioxidant activity. <i>Journal of Functional Foods</i> , 2014, 11, 142-151.	1.6	31
110	Ultrasonic pretreatment promotes diacylglycerol production from lard by lipase-catalysed glycerolysis and its physicochemical properties. <i>Ultrasonics Sonochemistry</i> , 2018, 48, 11-18.	3.8	31
111	Characterisation of flavour profile of beef jerky inoculated with different autochthonous lactic acid bacteria using electronic nose and gas chromatography-ion mobility spectrometry. <i>Meat Science</i> , 2022, 183, 108658.	2.7	31
112	Hydroxyl Radical-Stressed Whey Protein Isolate: Functional and Rheological Properties. <i>Food and Bioprocess Technology</i> , 2013, 6, 169-176.	2.6	30
113	Effects of ultrasound-assisted immersion freezing on the muscle quality and physicochemical properties of chicken breast. <i>International Journal of Refrigeration</i> , 2020, 117, 247-255.	1.8	30
114	Effect of different $\lambda$ -carrageenan incorporation forms on the gel properties and in vitro digestibility of frankfurters. <i>Food Hydrocolloids</i> , 2022, 129, 107637.	5.6	30
115	Cooperative antioxidative effects of zein hydrolysates with sage ( <i>Salvia officinalis</i> ) extract in a liposome system. <i>Food Chemistry</i> , 2017, 222, 74-83.	4.2	29
116	Changes in functional properties of common carp ( <i>Cyprinus carpio</i> ) myofibrillar protein as affected by ultrasound-assisted freezing. <i>Journal of Food Science</i> , 2020, 85, 2879-2888.	1.5	29
117	Influence of Gender and Spawning on Meat Quality of Australian Red Claw Crayfish ( <i>Cherax</i> ) Tj ETQq1 1 0.784314 1.55 BT / Overlock 10	1.55	28
118	Short-term retrogradation behaviour of corn starch is inhibited by the addition of porcine plasma protein hydrolysates. <i>International Journal of Biological Macromolecules</i> , 2018, 115, 393-400.	3.6	28
119	Purification and biochemical characteristics of the extracellular protease from <i>Pediococcus pentosaceus</i> isolated from Harbin dry sausages. <i>Meat Science</i> , 2019, 156, 156-165.	2.7	28
120	Elucidation of interaction mechanisms between myofibrillar proteins and ethyl octanoate by SPME-GC-MS, molecular docking and dynamics simulation. <i>LWT - Food Science and Technology</i> , 2022, 154, 112787.	2.5	28
121	Interaction between protease from <i>Staphylococcus epidermidis</i> and pork myofibrillar protein: Flavor and molecular simulation. <i>Food Chemistry</i> , 2022, 386, 132830.	4.2	28
122	Changes in the thermal stability and structure of myofibrillar protein from quick-frozen pork patties with different fat addition under freeze-thaw cycles. <i>Meat Science</i> , 2021, 175, 108420.	2.7	27
123	The succession and correlation of the bacterial community and flavour characteristics of Harbin dry sausages during fermentation. <i>LWT - Food Science and Technology</i> , 2021, 138, 110689.	2.5	26
124	Effect of different types of smoking materials on the flavor, heterocyclic aromatic amines, and sensory property of smoked chicken drumsticks. <i>Food Chemistry</i> , 2022, 367, 130680.	4.2	26
125	Combination of high-intensity ultrasound and hydrogen peroxide treatment suppresses thermal aggregation behaviour of myofibrillar protein in water. <i>Food Chemistry</i> , 2022, 367, 130756.	4.2	26
126	Enhanced physical and oxidative stability of porcine plasma protein hydrolysates based oil-in-water emulsions by adding oxidized chlorogenic acid. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2018, 558, 330-337.	2.3	25



#	ARTICLE	IF	CITATIONS
127	Purification and biochemical characteristics of the microbial extracellular protease from <i>Lactobacillus curvatus</i> isolated from Harbin dry sausages. <i>International Journal of Biological Macromolecules</i> , 2019, 133, 987-997.	3.6	25
128	Protective effect of whey protein hydrolysates against oxidative stress in d-galactose-induced ageing rats. <i>International Dairy Journal</i> , 2014, 34, 80-85.	1.5	24
129	Influence of lard-based diacylglycerol on the rheological and physicochemical properties of thermally induced pork myofibrillar protein gels at different pH levels. <i>LWT - Food Science and Technology</i> , 2020, 117, 108708.	2.5	24
130	Ultrasonic Freezing Reduces Protein Oxidation and Myofibrillar Gel Quality Loss of Common Carp ( <i>Cyprinus carpio</i> ) during Long-Time Frozen Storage. <i>Foods</i> , 2021, 10, 629.	1.9	24
131	Application of ultrasound treatment in chicken gizzards tenderization: Effects on muscle fiber and connective tissue. <i>Ultrasonics Sonochemistry</i> , 2021, 79, 105786.	3.8	24
132	Comparison of the quality of beef jerky processed by traditional and modern drying methods from different districts in Inner Mongolia. <i>Meat Science</i> , 2020, 163, 108080.	2.7	23
133	Metabolomics profiling reveals defense strategies of <i>Pediococcus pentosaceus</i> R1 isolated from Harbin dry sausages under oxidative stress. <i>LWT - Food Science and Technology</i> , 2021, 135, 110041.	2.5	23
134	The prediction of specific spoilage organisms in Harbin red sausage stored at room temperature by multivariate statistical analysis. <i>Food Control</i> , 2021, 123, 107701.	2.8	23
135	Improving the taste profile of reduced-salt dry sausage by inoculating different lactic acid bacteria. <i>Food Research International</i> , 2021, 145, 110391.	2.9	23
136	The potential correlations between the fungal communities and volatile compounds of traditional dry sausages from Northeast China. <i>Food Microbiology</i> , 2021, 98, 103787.	2.1	23
137	Changes of in vitro digestion rate and antioxidant activity of digestion products of ethanol-modified whey protein isolates. <i>Food Hydrocolloids</i> , 2022, 131, 107756.	5.6	23
138	Effect of high-pressure processing enzymatic hydrolysates of soy protein isolate on the emulsifying and oxidative stability of myofibrillar protein-prepared oil-in-water emulsions. <i>Journal of the Science of Food and Agriculture</i> , 2020, 100, 3910-3919.	1.7	22
139	Ultrasonic-assisted extraction of polyphenol from the seeds of <i>Allium senescens</i> L. and its antioxidative role in Harbin dry sausage. <i>Meat Science</i> , 2021, 172, 108351.	2.7	22
140	Comparative study on the formation of heterocyclic aromatic amines in different sugar smoking time. <i>Food Control</i> , 2021, 124, 107905.	2.8	22
141	Investigation of molecular mechanisms of interaction between myofibrillar proteins and 1-heptanol by multiple spectroscopy and molecular docking methods. <i>International Journal of Biological Macromolecules</i> , 2021, 193, 672-680.	3.6	22
142	Evaluation the potential of lactic acid bacteria isolates from traditional beef jerky as starter cultures and their effects on flavor formation during fermentation. <i>LWT - Food Science and Technology</i> , 2021, 142, 110982.	2.5	21
143	Physicochemical properties and antioxidant activity of polysaccharides obtained from sea cucumber gonads via ultrasound-assisted enzymatic techniques. <i>LWT - Food Science and Technology</i> , 2022, 160, 113307.	2.5	21
144	Mechanisms of Change in Emulsifying Capacity Induced by Protein Denaturation and Aggregation in Quick-Frozen Pork Patties with Different Fat Levels and Freeze-Thaw Cycles. <i>Foods</i> , 2022, 11, 44.	1.9	21

#	ARTICLE	IF	CITATIONS
145	Improving the solubility of myofibrillar proteins in water by destroying and suppressing myosin molecular assembly via glycation. <i>Food Chemistry</i> , 2022, 395, 133590.	4.2	21
146	Contributions of Fat Content and Oxidation to the Changes in Physicochemical and Sensory Attributes of Pork Dumpling Filler during Frozen Storage. <i>Journal of Agricultural and Food Chemistry</i> , 2014, 62, 6390-6399.	2.4	20
147	Dynamics of heat transfer and moisture in beef jerky during hot air drying. <i>Meat Science</i> , 2021, 182, 108638.	2.7	20
148	Effect of the protease from <i>Staphylococcus carnosus</i> on the proteolysis, quality characteristics, and flavor development of Harbin dry sausage. <i>Meat Science</i> , 2022, 189, 108827.	2.7	20
149	Changes in Physicochemical and Protein Structural Properties of Common Carp ( <i>Cyprinus</i> ) Tj ETQq1 1 0.784314 rgBT /Overlock 10 T Technology, 2014, 23, 579-590.	0.6	19
150	Production, purification and biochemical characterization of the microbial protease produced by <i>Lactobacillus fermentum</i> R6 isolated from Harbin dry sausages. <i>Process Biochemistry</i> , 2020, 89, 37-45.	1.8	19
151	Pre-dried mealworm larvae flour could partially replace lean meat in frankfurters: Effect of pre-drying methods and replacement ratios. <i>Meat Science</i> , 2022, 188, 108802.	2.7	19
152	Effects of temperature and pH on the structure of a protease from <i>Lactobacillus brevis</i> R4 isolated from Harbin dry sausage and molecular docking of the protease to the meat proteins. <i>Food Bioscience</i> , 2021, 42, 101099.	2.0	18
153	Synergistic effect and disinfection mechanism of combined treatment with ultrasound and slightly acidic electrolyzed water and associated preservation of mirror carp ( <i>Cyprinus carpio</i> L.) during refrigeration storage. <i>Food Chemistry</i> , 2022, 386, 132858.	4.2	18
154	Fat reduction in emulsion sausage using an enzyme-modified potato starch. <i>Journal of the Science of Food and Agriculture</i> , 2008, 88, 1632-1637.	1.7	17
155	Effect of the Reactant Ratio on the Characteristics and Antioxidant Activities of Maillard Reaction Products in a Porcine Plasma Protein Hydrolysate-Galactose Model System. <i>International Journal of Food Properties</i> , 2016, 19, 99-110.	1.3	17
156	Protective effect of porcine plasma protein hydrolysates on the gelation of porcine myofibrillar protein exposed to a hydroxyl radical-generating system. <i>International Journal of Biological Macromolecules</i> , 2018, 107, 654-661.	3.6	17
157	Textural and sensorial quality protection in frozen dumplings through the inhibition of lipid and protein oxidation with clove and rosemary extracts. <i>Journal of the Science of Food and Agriculture</i> , 2019, 99, 4739-4747.	1.7	17
158	Fungal community succession and volatile compound dynamics in Harbin dry sausage during fermentation. <i>Food Microbiology</i> , 2021, 99, 103764.	2.1	17
159	Exploration of interaction between porcine myofibrillar proteins and selected ketones by GC-MS, multiple spectroscopy, and molecular docking approaches. <i>Food Research International</i> , 2022, 160, 111624.	2.9	17
160	Effectiveness of ultrasound-assisted immersion thawing on the thawing rate and physicochemical properties of chicken breast muscle. <i>Journal of Food Science</i> , 2021, 86, 1692-1703.	1.5	16
161	High hydrostatic pressure combined with moisture regulators improves the tenderness and quality of beef jerky. <i>Meat Science</i> , 2021, 181, 108617.	2.7	16
162	Reduction of phosphate content in frankfurters by up to 50% using micronized cold-pressed sesame seed cake. <i>Meat Science</i> , 2022, 185, 108708.	2.7	16

#	ARTICLE	IF	CITATIONS
163	Understanding interactions among aldehyde compounds and porcine myofibrillar proteins by spectroscopy and molecular dynamics simulations. <i>Journal of Molecular Liquids</i> , 2022, 349, 118190.	2.3	16
164	Technological characterization and flavor-producing potential of lactic acid bacteria isolated from traditional dry fermented sausages in northeast China. <i>Food Microbiology</i> , 2022, 106, 104059.	2.1	16
165	Comparative Study of Oxidative Structural Modifications of Unadsorbed and Adsorbed Proteins in Whey Protein Isolate-Stabilized Oil-in-Water Emulsions under the Stress of Primary and Secondary Lipid Oxidation Products. <i>Foods</i> , 2021, 10, 593.	1.9	15
166	Effect of hot air gradient drying on quality and appearance of beef jerky. <i>LWT - Food Science and Technology</i> , 2021, 150, 111974.	2.5	15
167	Effects of different pH conditions on interfacial composition and protein-lipid co-oxidation of whey protein isolate-stabilised O/W emulsions. <i>Food Hydrocolloids</i> , 2022, 131, 107752.	5.6	15
168	An eco-friendly extraction method for adsorbed proteins from emulsions stabilized by whey protein isolate by using Tween 20. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2020, 604, 125332.	2.3	14
169	Heterocyclic aromatic amine level and quality characteristics of selected Harbin red sausages in the northern Chinese market. <i>Meat Science</i> , 2021, 172, 108360.	2.7	14
170	Transglutaminase crosslinking promotes physical and oxidative stability of filled hydrogel particles based on biopolymer phase separation. <i>International Journal of Biological Macromolecules</i> , 2021, 172, 429-438.	3.6	14
171	Biochemical properties of extracellular protease from <i>Staphylococcus epidermidis</i> isolated from Harbin dry sausages and its hydrolysis of meat protein. <i>Food Bioscience</i> , 2021, 42, 101130.	2.0	14
172	Changes in moisture, colour, residual nitrites and N-nitrosamine accumulation of bacon induced by nitrite levels and dry-frying temperatures. <i>Meat Science</i> , 2021, 181, 108604.	2.7	14
173	l-glycine and l-glutamic acid protect <i>Pediococcus pentosaceus</i> R1 against oxidative damage induced by hydrogen peroxide. <i>Food Microbiology</i> , 2022, 101, 103897.	2.1	14
174	Impact of Ultrasound-assisted Saline Thawing on the Technological Properties of mirror carp ( <i>Cyprinus carpio</i> L.). <i>Ultrasonics Sonochemistry</i> , 2022, 86, 106014.	3.8	14
175	Effect of Porcine Plasma Protein with Limited Hydrolyzation Coupled with Tween 20 on the Physical and Oxidative Stability of Oil-in-Water Emulsions. <i>Food Biophysics</i> , 2018, 13, 60-70.	1.4	13
176	<i>In vitro</i> growth performance, antioxidant activity and cell surface physiological characteristics of <i>Pediococcus pentosaceus</i> R1 and <i>Lactobacillus fermentum</i> R6 stressed at different NaCl concentrations. <i>Food and Function</i> , 2020, 11, 6376-6386.	2.1	13
177	<i>In vitro</i> digestion of emulsified lard-based diacylglycerols. <i>Journal of the Science of Food and Agriculture</i> , 2021, 101, 3386-3393.	1.7	13
178	Composite Gel Fabricated with Konjac Glucomannan and Carrageenan Could Be Used as a Cube Fat Substitute to Partially Replace Pork Fat in Harbin Dry Sausages. <i>Foods</i> , 2021, 10, 1460.	1.9	13
179	Preparation of Diacylglycerol from Lard by Enzymatic Glycerolysis and Its Compositional Characteristics. <i>Korean Journal for Food Science of Animal Resources</i> , 2017, 37, 813-822.	1.5	13
180	Unraveling the difference in flavor characteristics of dry sausages inoculated with different autochthonous lactic acid bacteria. <i>Food Bioscience</i> , 2022, 47, 101778.	2.0	13

#	ARTICLE	IF	CITATIONS
181	Influence of gender and spawning on thermal stability and proteolytic degradation of proteins in Australian red claw crayfish ( <i>Cherax quadricarinatus</i> ) muscle stored at 2AA°C. <i>International Journal of Food Science and Technology</i> , 2007, 42, 1073-1079.	1.3	12
182	Changes in enzymatic activities during â€œkoji â€•incubation and natural fermentation of soybean paste. <i>Journal of Food Processing and Preservation</i> , 2017, 41, e13302.	0.9	12
183	Purification and biochemical characteristics of the protease from <i>Lactobacillus brevis</i> R4 isolated from Harbin dry sausages. <i>LWT - Food Science and Technology</i> , 2019, 113, 108287.	2.5	12
184	High-throughput sequencing approach to reveal the bacterial diversity of traditional yak jerky from the Tibetan regions. <i>Meat Science</i> , 2021, 172, 108348.	2.7	12
185	Physiological, Morphological and Antioxidant Responses of <i>Pediococcus pentosaceus</i> R1 and <i>Lactobacillus fermentum</i> R6 Isolated from Harbin Dry Sausages to Oxidative Stress. <i>Foods</i> , 2021, 10, 1203.	1.9	12
186	Effect of woodchip types on heterocyclic aromatic amine formation and quality characteristics of smoked bacon. <i>Food Bioscience</i> , 2022, 47, 101709.	2.0	12
187	Impact of different ionic strengths on protein-lipid co-oxidation in whey protein isolate-stabilized oil-in-water emulsions. <i>Food Chemistry</i> , 2022, 385, 132700.	4.2	12
188	Flavour formation from hydrolysis of pork meat protein extract by the protease from <i>Staphylococcus carnosus</i> isolated from Harbin dry sausage. <i>LWT - Food Science and Technology</i> , 2022, 163, 113525.	2.5	12
189	Sulforaphane protects human umbilical vein cells against lipotoxicity by stimulating autophagy via an AMPK-mediated pathway. <i>Journal of Functional Foods</i> , 2015, 15, 23-34.	1.6	11
190	Physical properties and stability of filled hydrogel particles based on biopolymer phase separation: Influence of the ratio of protein to polysaccharide. <i>International Journal of Biological Macromolecules</i> , 2020, 142, 803-810.	3.6	11
191	Influence of different ratios of sucrose and green tea leaves on heterocyclic aromatic amine formation and quality characteristics of smoked chicken drumsticks. <i>Food Control</i> , 2022, 133, 108613.	2.8	11
192	Comparative study of protein-lipid co-oxidation in whey protein isolate-stabilised oil-in-water emulsions prepared by different homogenisation methods. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2022, 633, 127916.	2.3	11
193	Nitrosylmyoglobin formation in meat by <i>Lactobacillus fermentum</i> AS1.1880 is due to its nitric oxide synthase activity. <i>Meat Science</i> , 2020, 166, 108122.	2.7	10
194	Impacts of pH and temperature on the conformation of a protease from <i>Pediococcus pentosaceus</i> R1 isolated from Harbin dry sausage. <i>LWT - Food Science and Technology</i> , 2021, 142, 111056.	2.5	10
195	Influence of repeated freezeâ€•thaw treatments on the functional and structural properties of myofibrillar protein from mirror carp ( <i>Cyprinus carpio</i> L.). <i>Food Biophysics</i> , 2021, 16, 492-501.	1.4	10
196	Technological properties and flavour formation potential of yeast strains isolated from traditional dry fermented sausages in Northeast China. <i>LWT - Food Science and Technology</i> , 2022, 154, 112853.	2.5	10
197	Effects of Modified Atmosphere Packaging with Various CO2 Concentrations on the Bacterial Community and Shelf-Life of Smoked Chicken Legs. <i>Foods</i> , 2022, 11, 559.	1.9	10
198	Role of partial replacement of NaCl by KCl combined with other components on structure and gel properties of porcine myofibrillar protein. <i>Meat Science</i> , 2022, 190, 108832.	2.7	10

#	ARTICLE	IF	CITATIONS
199	Effects of acetylated cassava starch on the physical and rheological properties of multicomponent protein emulsions. <i>International Journal of Biological Macromolecules</i> , 2021, 183, 1459-1474.	3.6	9
200	Tannic acid-induced changes in water distribution and protein structural properties of bacon during the curing process. <i>LWT - Food Science and Technology</i> , 2021, 137, 110381.	2.5	8
201	Influence of Partial Replacements of NaCl by KCl on Quality Characteristics and the Heterocyclic Aromatic Amine Contents of Bacon. <i>Foods</i> , 2022, 11, 143.	1.9	8
202	How to Efficiently Remove <i>tert</i> -butylhydroquinone from Commercial Soybean Oils to Obtain Stripped Oils: Eliminating <i>tert</i> -butylhydroquinone's Influence on Oxidative Stabilities of Model Oil-in-Water Emulsions. <i>European Journal of Lipid Science and Technology</i> , 2021, 123, 2000385.	1.0	7
203	Proteomic response strategies of <i>Pediococcus pentosaceus</i> R1 isolated from Harbin dry sausages to oxidative stress. <i>Food Bioscience</i> , 2021, 44, 101364.	2.0	7
204	Micronized cold-pressed hemp seed cake could potentially replace 50% of the phosphates in frankfurters. <i>Meat Science</i> , 2022, 189, 108823.	2.7	7
205	Changes in flavor, heterocyclic aromatic amines, and quality characteristics of roasted chicken drumsticks at different processing stages. <i>Food Control</i> , 2022, 139, 109104.	2.8	7
206	Biochemical properties of extracellular protease from <i>Staphylococcus carnosus</i> RT6 isolated from Harbin dry sausages, and its hydrolysis of meat proteins. <i>Journal of Food Science</i> , 2021, 86, 1642-1655.	1.5	6
207	Purification and Characterization of the Protease from <i>Staphylococcus xylosus</i> A2 Isolated from Harbin Dry Sausages. <i>Foods</i> , 2022, 11, 1094.	1.9	6
208	Effect of microwave heating time on the gel properties of chicken myofibrillar proteins and their formation mechanism. <i>International Journal of Food Science and Technology</i> , 2022, 57, 5024-5035.	1.3	6
209	Effect of Glycosylated Nitrosohemoglobin on Quality of Cooked Meat Batters during Chill Storage. <i>Advance Journal of Food Science and Technology</i> , 2013, 5, 19-23.	0.1	5
210	Physical and rheological properties of mixed-component emulsion-based products: Influence of flaxseed gum concentration and pH on the aggregation of lipid droplets. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2020, 597, 124818.	2.3	5
211	Effects of tyrosine decarboxylase negative strains from Harbin dry sausage on the growth and tyramine production of foodborne pathogens. <i>Food Control</i> , 2021, 121, 107600.	2.8	5
212	Influences of Smoking in Traditional and Industrial Conditions on Flavour Profile of Harbin Red Sausages by Comprehensive Two-Dimensional Gas Chromatography Mass Spectrometry. <i>Foods</i> , 2021, 10, 1180.	1.9	5
213	Flavour Compensation Role of Yeast Strains in Reduced-Salt Dry Sausages: Taste and Odour Profiles. <i>Foods</i> , 2022, 11, 650.	1.9	5
214	Fabrication and Characterisation of Poly(vinyl alcohol)/Deacetylated Crab-Shell Particles Biocomposites with Excellent Thermomechanical and Antibacterial Properties as Active Food Packaging Material. <i>Food Biophysics</i> , 2022, 17, 484-494.	1.4	5
215	Changes in muscle quality and physicochemical characteristics of chicken breast subjected to ultrasound-assisted immersion freezing during long-term frozen storage. <i>International Journal of Refrigeration</i> , 2022, 142, 10-18.	1.8	5
216	Effects of temperature and pH on the structure of a metalloprotease from <i>Lactobacillus fermentum</i> R6 isolated from Harbin dry sausages and molecular docking between protease and meat protein. <i>Journal of the Science of Food and Agriculture</i> , 2021, 101, 5016-5027.	1.7	4

#	ARTICLE	IF	CITATIONS
217	Influence of Soy Protein Isolate Hydrolysates Obtained under High Hydrostatic Pressure on Pasting and Short-Term Retrogradation Behavior of Maize Starch. <i>Food Biophysics</i> , 2021, 16, 395-405.	1.4	4
218	Effects of ethanol pre-treated whey protein isolates on the physical stability and protein-lipid co-oxidation in oil-in-water emulsions. <i>Food Chemistry</i> , 2022, 385, 132733.	4.2	4
219	Inhibitory effects of hydrocolloids on the formation of heterocyclic aromatic amines in smoked chicken drumsticks and the underlying mechanism. <i>Food Hydrocolloids</i> , 2022, 133, 107940.	5.6	4
220	Stability of Oil-in-Water Emulsions Fortified with Enzymatic Hydrolysates from Porcine Plasma Protein. <i>European Journal of Lipid Science and Technology</i> , 2018, 120, 1700501.	1.0	3
221	The effectiveness of butylated hydroxyanisole and $\alpha$ -tocopherol in inhibiting oxidant-induced chemical and structural changes of whey protein. <i>International Journal of Dairy Technology</i> , 2012, 65, 353-359.	1.3	2
222	Effects of Sodium Chloride on the Physical and Oxidative Stability of Filled Hydrogel Particles Fabricated with Phase Separation Behavior. <i>Foods</i> , 2021, 10, 1027.	1.9	2
223	Physiology and antioxidant activity of <i>Pediococcus pentosaceus</i> R1 and <i>Lactobacillus fermentum</i> R6 in response to lactic acid stress. <i>LWT - Food Science and Technology</i> , 2021, 149, 111878.	2.5	2
224	Heterocyclic aromatic amine contents and quality characteristics of bacon as influenced by NaCl concentration of brine. <i>Journal of Food Science</i> , 2022, , .	1.5	2