

# Ying Xie

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/5467874/ying-xie-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

78  
papers

1,887  
citations

25  
h-index

41  
g-index

84  
ext. papers

2,406  
ext. citations

7.3  
avg, IF

5.39  
L-index

#	Paper	IF	Citations
78	Review on Low-Cost Counter Electrode Materials for Dye-Sensitized Solar Cells: Effective Strategy to Improve Photovoltaic Performance. <i>Advanced Materials Interfaces</i> , <b>2022</b> , 9, 2101229	4.6	3
77	Guiding Transition Metal-Doped Hollow Cerium Tandem Nanozymes with Elaborately Regulated Multi-Enzymatic Activities for Intensive Chemodynamic Therapy. <i>Advanced Materials</i> , <b>2021</b> , e2107054	24	19
76	High-performance Li-ion battery driven by a hybrid Li storage mechanism in a three-dimensional architected ZnTiO-CeO microsphere anode. <i>Dalton Transactions</i> , <b>2021</b> ,	4.3	2
75	Insight into the Synergistic Effect of N, S Co-Doping for Carbon Coating Layer on Niobium Oxide Anodes with Ultra-Long Life. <i>Advanced Functional Materials</i> , <b>2021</b> , 31, 2100311	15.6	39
74	Structural Self-Similarity Framework for Virtual Human Whole Posture Generation. <i>Arabian Journal for Science and Engineering</i> , <b>2021</b> , 46, 8617-8628	2.5	
73	Rare earth mine wastewater treatment via modified constructed rapid infiltration system: Nitrogen removal performance and microbial community. <i>Chemical Engineering Research and Design</i> , <b>2021</b> , 150, 223-232	5.5	2
72	Synergistic Interaction of Double/Simple Perovskite Heterostructure for Efficient Hydrogen Evolution Reaction at High Current Density.. <i>Small Methods</i> , <b>2021</b> , 5, e2000701	12.8	14
71	Multi-view feature transfer for click-through rate prediction. <i>Information Sciences</i> , <b>2021</b> , 546, 961-976	7.7	6
70	Evaluation of genetic diversity and development of core collections of industrial brewing yeast using ISSR markers. <i>Archives of Microbiology</i> , <b>2021</b> , 203, 1001-1008	3	3
69	Key Compounds and Metabolic Pathway Responsible for the Browning in Dangshan Pear ( spp.) Wine. <i>Journal of Agricultural and Food Chemistry</i> , <b>2021</b> , 69, 10311-10320	5.7	0
68	Hierarchical CoP Nanostructures on Nickel Foam as Efficient Bifunctional Catalysts for Water Splitting. <i>ChemSusChem</i> , <b>2021</b> , 14, 1094-1102	8.3	8
67	Regulation of Morphology and Electronic Structure of FeCoNi Layered Double Hydroxides for Highly Active and Stable Water Oxidization Catalysts. <i>Advanced Energy Materials</i> , <b>2021</b> , 11, 2102141	21.8	13
66	MOF-derived hollow SiO nanoparticles wrapped in 3D porous nitrogen-doped graphene aerogel and their superior performance as the anode for lithium-ion batteries. <i>Nanoscale</i> , <b>2020</b> , 12, 13017-13027	7.7	17
65	Effect of cation doping on the electrochemical properties of Li <sub>2</sub> MoO <sub>3</sub> as a promising cathode material for lithium-ion battery. <i>Ionics</i> , <b>2020</b> , 26, 4413-4422	2.7	4
64	A-Site Cation-Ordering Layered Perovskite EuBaSrCo Fe O as Highly Active and Durable Electrocatalysts for Oxygen Evolution Reaction. <i>ACS Omega</i> , <b>2020</b> , 5, 12501-12515	3.9	9
63	Li <sub>2</sub> MoO <sub>3</sub> microspheres with excellent electrochemical performances as cathode material for lithium-ion battery. <i>Ionics</i> , <b>2020</b> , 26, 4401-4411	2.7	3
62	Removal efficiency and pathways of phosphorus from wastewater in a modified constructed rapid infiltration system. <i>Journal of Cleaner Production</i> , <b>2020</b> , 267, 122063	10.3	10

61	Monodispersed Nickel Phosphide Nanocrystals in Situ Grown on Reduced Graphene Oxide with Controllable Size and Composition as a Counter Electrode for Dye-Sensitized Solar Cells. <i>ACS Sustainable Chemistry and Engineering</i> , <b>2020</b> , 8, 5920-5926	8.3	16
60	Nickel cobalt oxide nanowires-modified hollow carbon tubular bundles for high-performance sodium-ion hybrid capacitors. <i>International Journal of Energy Research</i> , <b>2020</b> , 44, 3883-3892	4.5	7
59	Polymorphism-Controlled Electrochemical Energy Storage Performance of LiNbWO <sub>6</sub> . <i>Chemistry of Materials</i> , <b>2020</b> , 32, 3376-3384	9.6	26
58	Sodiophilic Decoration of a Three-Dimensional Conductive Scaffold toward a Stable Na Metal Anode. <i>ACS Sustainable Chemistry and Engineering</i> , <b>2020</b> , 8, 5452-5463	8.3	17
57	Improved Long Short-Term Memory based anomaly detection with concept drift adaptive method for supporting IoT services. <i>Future Generation Computer Systems</i> , <b>2020</b> , 112, 228-242	7.5	14
56	Effect of F Dopant on the Structural Stability, Redox Mechanism, and Electrochemical Performance of Li <sub>2</sub> MoO <sub>3</sub> Cathode Materials. <i>Advanced Sustainable Systems</i> , <b>2020</b> , 4, 2000104	5.9	3
55	Approaching High-Performance Lithium Storage Materials by Constructing Hierarchical CoNiO <sub>2</sub> @CeO <sub>2</sub> Nanosheets. <i>Energy and Environmental Materials</i> , <b>2020</b> ,	13	36
54	Real-time Situation Awareness of Industrial Process based on Deep Learning at the Edge Server <b>2020</b> ,		1
53	Construction of Porous ZnS@Co <sub>3</sub> S <sub>4</sub> @NiO Nanosheets Hybrid Materials for High-Performance Pseudocapacitor Electrode by Morphology Reshaping. <i>Advanced Sustainable Systems</i> , <b>2020</b> , 4, 2000090	5.9	5
52	Dynamic Security Exchange Scheduling Model for Business Workflow Based on Queuing Theory in Cloud Computing. <i>Security and Communication Networks</i> , <b>2020</b> , 2020, 1-12	1.9	1
51	Dielectric behavior of single iron atoms dispersed on nitrogen-doped nanocarbon. <i>Applied Physics Letters</i> , <b>2020</b> , 116, 153101	3.4	17
50	Improving the structural stability and electrochemical performance of NaLiTiO nanoparticles MgF coating.. <i>RSC Advances</i> , <b>2019</b> , 9, 15763-15771	3.7	7
49	Ultrasmall FeNi <sub>3</sub> N particles with an exposed active (110) surface anchored on nitrogen-doped graphene for multifunctional electrocatalysts. <i>Journal of Materials Chemistry A</i> , <b>2019</b> , 7, 1083-1091	13	65
48	Surface modification of Li <sub>1.2</sub> Mn <sub>0.54</sub> Ni <sub>0.13</sub> Co <sub>0.13</sub> O <sub>2</sub> via an ionic conductive LiV <sub>3</sub> O <sub>8</sub> as a cathode material for Li-ion batteries. <i>Ionics</i> , <b>2019</b> , 25, 4567-4576	2.7	10
47	Effects of debranching and repeated heat-moisture treatments on structure, physicochemical properties and in vitro digestibility of wheat starch. <i>Food Chemistry</i> , <b>2019</b> , 294, 440-447	8.5	29
46	High-performance community detection in social networks using a deep transitive autoencoder. <i>Information Sciences</i> , <b>2019</b> , 493, 75-90	7.7	19
45	Carbon nanotubes in situ embedded with NiS nanocrystals outperform Pt in dye-sensitized solar cells: interface improved activity. <i>Journal of Materials Chemistry A</i> , <b>2019</b> , 7, 10405-10411	13	25
44	Effects of cross-linking with sodium trimetaphosphate on structural and adsorptive properties of porous wheat starches. <i>Food Chemistry</i> , <b>2019</b> , 289, 187-194	8.5	36

43	Hierarchical Heterostructured Mo <sub>2</sub> C/Mo <sub>3</sub> Co <sub>3</sub> C Bouquet-like Nanowire Arrays: An Efficient Electrocatalyst for Hydrogen Evolution Reaction. <i>ACS Sustainable Chemistry and Engineering</i> , <b>2019</b> , 7, 7294-7303	8.3	28
42	A novel directional and non-local-convergent particle swarm optimization based workflow scheduling in cloudEdge environment. <i>Future Generation Computer Systems</i> , <b>2019</b> , 97, 361-378	7.5	50
41	Robust transfer integrated locally kernel embedding for click-through rate prediction. <i>Information Sciences</i> , <b>2019</b> , 491, 190-203	7.7	10
40	Unraveling the Origins of the Unreactive Core In Conversion Electrodes to Trigger High Sodium-Ion Electrochemistry. <i>ACS Energy Letters</i> , <b>2019</b> , 4, 2007-2012	20.1	25
39	CoSe <sub>2</sub> /N-Doped Carbon Hybrid Derived from ZIF-67 as High-Efficiency Counter Electrode for Dye-Sensitized Solar Cells. <i>ACS Sustainable Chemistry and Engineering</i> , <b>2019</b> , 7, 2784-2791	8.3	43
38	Review and prospect of Li <sub>2</sub> ZnTi <sub>3</sub> O <sub>8</sub> -based anode materials for Li-ion battery. <i>Ionics</i> , <b>2019</b> , 25, 373-397	2.7	15
37	An indexed set representation based multi-objective evolutionary approach for mining diversified top-k high utility patterns. <i>Engineering Applications of Artificial Intelligence</i> , <b>2019</b> , 77, 9-20	7.2	9
36	Synthesis, characterization, theoretical investigation, and properties of monoclinic-phase InWO <sub>4</sub> hollow nanospheres. <i>Nano Research</i> , <b>2018</b> , 11, 4664-4672	10	3
35	Improved visible-light activities of nanocrystalline CdS by coupling with ultrafine NbN with lattice matching for hydrogen evolution. <i>Sustainable Energy and Fuels</i> , <b>2018</b> , 2, 549-552	5.8	30
34	Multifunctional (Fe <sub>0.5</sub> Ni <sub>0.5</sub> )S <sub>2</sub> nanocrystal catalysts with high catalytic activities for reduction of I <sub>3</sub> <sup>-</sup> and electrochemical water splitting. <i>Research on Chemical Intermediates</i> , <b>2018</b> , 44, 4307-4322	2.8	6
33	A sufficient and necessary temporal violation handling point selection strategy in cloud workflow. <i>Future Generation Computer Systems</i> , <b>2018</b> , 86, 464-479	7.5	15
32	Rapid and durable electrochemical storage behavior enabled by V <sub>4</sub> Nb <sub>18</sub> O <sub>55</sub> beaded nanofibers: a joint theoretical and experimental study. <i>Journal of Materials Chemistry A</i> , <b>2018</b> , 6, 17389-17400	13	19
31	A 3D conductive scaffold with lithiophilic modification for stable lithium metal batteries. <i>Journal of Materials Chemistry A</i> , <b>2018</b> , 6, 17967-17976	13	45
30	Long-term organoid culture reveals enrichment of organoid-forming epithelial cells in the fimbrial portion of mouse fallopian tube. <i>Stem Cell Research</i> , <b>2018</b> , 32, 51-60	1.6	22
29	Morphology Effect of NiSe Hierarchical Microspheres on the Performance of Dye-Sensitized Solar Cells. <i>ACS Applied Nano Materials</i> , <b>2018</b> , 1, 4900-4909	5.6	15
28	Well dispersed Fe <sub>2</sub> N nanoparticles on surface of nitrogen-doped reduced graphite oxide for highly efficient electrochemical hydrogen evolution. <i>Journal of Materials Research</i> , <b>2017</b> , 32, 1770-1776	2.5	17
27	Near-optimal dynamic priority scheduling strategy for instance-intensive business workflows in cloud computing. <i>Concurrency Computation Practice and Experience</i> , <b>2017</b> , 29, e4167	1.4	15
26	An optimized data storage strategy by computational performance and monetary cost with data importance in the cloud <b>2017</b> ,		1

25	Flower-Like Nickel Phosphide Microballs Assembled by Nanoplates with Exposed High-Energy (0 0 1) Facets: Efficient Electrocatalyst for the Hydrogen Evolution Reaction. <i>ChemSusChem</i> , <b>2017</b> , 10, 4899-4908	8.3	42
24	Selenization of CuZnSnS Enhanced the Performance of Dye-Sensitized Solar Cells: Improved Zinc-Site Catalytic Activity for I. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2017</b> , 9, 37662-37670	9.5	26
23	High-Rate Long-Life Pored Nanoribbon VNbO Built by Interconnected Ultrafine Nanoparticles as Anode for Lithium-Ion Batteries. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2017</b> , 9, 30608-30616	9.5	43
22	A Novel Data Set Importance Based Cost-Effective and Computation-Efficient Storage Strategy in the Cloud <b>2017</b> ,		2
21	Robust Strategy for Crafting LiCrTiO@CeO Composites as High-Performance Anode Material for Lithium-Ion Battery. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2017</b> , 9, 23662-23671	9.5	23
20	Structures, stabilities and work functions of alkali-metal-adsorbed boron $\alpha$ -sheets. <i>Chemical Research in Chinese Universities</i> , <b>2017</b> , 33, 631-637	2.2	6
19	The controllable synthesis of porous MoN nanorods/carbon for highly efficient electrochemical hydrogen evolution. <i>Research on Chemical Intermediates</i> , <b>2017</b> , 43, 5557-5568	2.8	2
18	Hollow and hierarchical Na <sub>2</sub> Li <sub>2</sub> Ti <sub>6</sub> O <sub>14</sub> microspheres with high electrochemical performance as anode material for lithium-ion battery. <i>Science China Materials</i> , <b>2017</b> , 60, 427-437	7.1	28
17	Understanding the thermal stability and bonding characteristic of Li <sub>x</sub> Ni <sub>0.5</sub> Mn <sub>1.5</sub> O <sub>4</sub> as cathode materials for lithium-ion battery from first principles. <i>Ionics</i> , <b>2017</b> , 23, 559-565	2.7	2
16	Improved Cycling Stability and Fast Charge-Discharge Performance of Cobalt-Free Lithium-Rich Oxides by Magnesium-Doping. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2016</b> , 8, 32349-32359	9.5	69
15	Thermodynamic stability and transport properties of tavorite LiFeSO <sub>4</sub> F as a cathode material for lithium-ion batteries. <i>Journal of Materials Chemistry A</i> , <b>2015</b> , 3, 19728-19737	13	12
14	Highly crystalline, small sized, monodisperse $\alpha$ -NiS nanocrystal ink as an efficient counter electrode for dye-sensitized solar cells. <i>Journal of Materials Chemistry A</i> , <b>2015</b> , 3, 15905-15912	13	59
13	Enhanced fast charge/discharge performance of Li <sub>4</sub> Ti <sub>5</sub> O <sub>12</sub> as anode materials for lithium-ion batteries by Ce and CeO <sub>2</sub> modification using a facile method. <i>RSC Advances</i> , <b>2015</b> , 5, 37367-37376	3.7	28
12	First-principles study on the electronic and bonding properties of PbTiO <sub>3</sub> (110) polar terminations. <i>Chemical Research in Chinese Universities</i> , <b>2015</b> , 31, 825-829	2.2	1
11	Recent advances of Li <sub>4</sub> Ti <sub>5</sub> O <sub>12</sub> as a promising next generation anode material for high power lithium-ion batteries. <i>Journal of Materials Chemistry A</i> , <b>2015</b> , 3, 5750-5777	13	383
10	Understanding the thermal and mechanical stabilities of olivine-type LiMPO <sub>4</sub> (M = Fe, Mn) as cathode materials for rechargeable lithium batteries from first principles. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2014</b> , 6, 4033-42	9.5	50
9	Logistics scheduling based on cloud business workflows <b>2014</b> ,		1
8	Synthesis of chiral chalcone derivatives catalyzed by the chiral cinchona alkaloid squaramide. <i>Molecules</i> , <b>2014</b> , 19, 19491-500	4.8	5

7	Electronic properties of BaTiO <sub>3</sub> (110) polar terminations. <i>Chemical Research in Chinese Universities</i> , <b>2014</b> , 30, 794-799	2.2	5
6	Advanced electrochemical properties of Mo-doped Li <sub>4</sub> Ti <sub>5</sub> O <sub>12</sub> anode material for power lithium ion battery. <i>RSC Advances</i> , <b>2012</b> , 2, 3541	3.7	112
5	Kinetic study on LiFePO <sub>4</sub> -positive electrode material of lithium-ion battery. <i>Ionics</i> , <b>2011</b> , 17, 437-441	2.7	35
4	Recent developments in the doping of LiNi <sub>0.5</sub> Mn <sub>1.5</sub> O <sub>4</sub> cathode material for 5 V lithium-ion batteries. <i>Ionics</i> , <b>2011</b> , 17, 383-389	2.7	88
3	Multi-touch cobalt phosphide-tungsten phosphide heterojunctions anchored on reduced graphene oxide boosting wide pH hydrogen evolution. <i>Science China Materials</i> ,	7.1	3
2	Unified adaptive deep classification for industrial real-time situation awareness in edge environment. <i>Concurrency Computation Practice and Experience</i> , e6488	1.4	1
1	Phosphatizing Engineering of Perovskite Oxide Nanofibers for Hydrogen Evolution Reaction to Achieve Extraordinary Electrocatalytic Performance. <i>Advanced Functional Materials</i> , 2112164	15.6	0