

Woong-Kyung Suh

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5468304/publications.pdf>

Version: 2024-02-01

32
papers

2,158
citations

346980

22
h-index

445137

33
g-index

34
all docs

34
docs citations

34
times ranked

3334
citing authors

#	ARTICLE	IF	CITATIONS
1	The ICOS-ICOSL pathway tunes thymic selection. <i>Immunology and Cell Biology</i> , 2022, 100, 205-217.	1.0	1
2	ICOS-Deficient Regulatory T Cells Can Prevent Spontaneous Autoimmunity but Are Impaired in Controlling Acute Inflammation. <i>Journal of Immunology</i> , 2022, 209, 301-309.	0.4	2
3	Hippo Signal Transduction Mechanisms in T Cell Immunity. <i>Immune Network</i> , 2020, 20, e36.	1.6	6
4	Inducible T-cell co-stimulator: Signaling mechanisms in T follicular helper cells and beyond. <i>Immunological Reviews</i> , 2019, 291, 91-103.	2.8	37
5	Hippo Pathway Kinase Mst1 Is Required for Long-Lived Humoral Immunity. <i>Journal of Immunology</i> , 2019, 202, 69-78.	0.4	21
6	ICOS Signaling Controls Induction and Maintenance of Collagen-Induced Arthritis. <i>Journal of Immunology</i> , 2018, 200, 3067-3076.	0.4	20
7	Inducible T-Cell Co-Stimulator Impacts Chronic Graft-Versus-Host Disease by Regulating Both Pathogenic and Regulatory T Cells. <i>Frontiers in Immunology</i> , 2018, 9, 1461.	2.2	19
8	Synergistic effects of host B7-H4 deficiency and gemcitabine treatment on tumor regression and anti-tumor T cell immunity in a mouse model. <i>Cancer Immunology, Immunotherapy</i> , 2017, 66, 491-502.	2.0	7
9	The TLR4-TRIF pathway can protect against the development of experimental allergic asthma. <i>Immunology</i> , 2017, 152, 138-149.	2.0	25
10	Inducible costimulator (ICOS) potentiates TCR-induced calcium flux by augmenting PLC β 1 activation and actin remodeling. <i>Molecular Immunology</i> , 2016, 79, 38-46.	1.0	22
11	Life of T Follicular Helper Cells. <i>Molecules and Cells</i> , 2015, 38, 195-201.	1.0	22
12	B7-H4 Expression by Nonhematopoietic Cells in the Tumor Microenvironment Promotes Antitumor Immunity. <i>Cancer Immunology Research</i> , 2015, 3, 184-195.	1.6	36
13	The CD28-B7 Family in Anti-Tumor Immunity: Emerging Concepts in Cancer Immunotherapy. <i>Immune Network</i> , 2014, 14, 265.	1.6	78
14	Miz-1 regulates translation of Trp53 via ribosomal protein L22 in cells undergoing V(D)J recombination. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, E5411-9.	3.3	30
15	Inducible costimulator facilitates T-dependent B cell activation by augmenting IL-4 translation. <i>Molecular Immunology</i> , 2014, 59, 46-54.	1.0	35
16	CD4 T Cells Require ICOS-Mediated PI3K Signaling to Increase T-Bet Expression in the Setting of Anti-CTLA-4 Therapy. <i>Cancer Immunology Research</i> , 2014, 2, 167-176.	1.6	39
17	Phosphatidylinositol 3-Kinase-Independent Signaling Pathways Contribute to ICOS-Mediated T Cell Costimulation in Acute Graft-Versus-Host Disease in Mice. <i>Journal of Immunology</i> , 2013, 191, 200-207.	0.4	19
18	Host B7-H4 Regulates Antitumor T Cell Responses through Inhibition of Myeloid-Derived Suppressor Cells in a 4T1 Tumor Transplantation Model. <i>Journal of Immunology</i> , 2013, 190, 6651-6661.	0.4	22

#	ARTICLE	IF	CITATIONS
19	Anti-Chlamydial Th17 Responses Are Controlled by the Inducible Costimulator Partially through Phosphoinositide 3-Kinase Signaling. <i>PLoS ONE</i> , 2012, 7, e52657.	1.1	28
20	Roles of CD28, CTLA4, and Inducible Costimulator in Acute Graft-versus-Host Disease in Mice. <i>Biology of Blood and Marrow Transplantation</i> , 2011, 17, 962-969.	2.0	41
21	Coordinate activation of inflammatory gene networks, alveolar destruction and neonatal death in AKNA deficient mice. <i>Cell Research</i> , 2011, 21, 1564-1577.	5.7	27
22	Inducible costimulator promotes helper T-cell differentiation through phosphoinositide 3-kinase. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 20371-20376.	3.3	202
23	Generation and Characterization of B7-H4/B7S1/B7x-Deficient Mice. <i>Molecular and Cellular Biology</i> , 2006, 26, 6403-6411.	1.1	72
24	Survivin Loss in Thymocytes Triggers p53-mediated Growth Arrest and p53-independent Cell Death. <i>Journal of Experimental Medicine</i> , 2004, 199, 399-410.	4.2	118
25	The Inducible Costimulator Plays the Major Costimulatory Role in Humoral Immune Responses in the Absence of CD28. <i>Journal of Immunology</i> , 2004, 172, 5917-5923.	0.4	56
26	The B7 family member B7-H3 preferentially down-regulates T helper type 1-mediated immune responses. <i>Nature Immunology</i> , 2003, 4, 899-906.	7.0	479
27	Generation and Characterization of Smac/DIABLO-Deficient Mice. <i>Molecular and Cellular Biology</i> , 2002, 22, 3509-3517.	1.1	163
28	Tumor Necrosis Factor Receptor-associated Factor (Traf)2 Represses the T Helper Cell Type 2 Response through Interaction with Nfat-Interacting Protein (Nip45). <i>Journal of Experimental Medicine</i> , 2001, 194, 89-98.	4.2	33
29	Interaction of murine MHC class I molecules with tapasin and TAP enhances peptide loading and involves the heavy chain alpha3 domain. <i>Journal of Immunology</i> , 1999, 162, 1530-40.	0.4	67
30	Peptide presentation by MHC class I molecules. <i>Trends in Cell Biology</i> , 1996, 6, 267-273.	3.6	27
31	MHC class I molecules form ternary complexes with calnexin and TAP and undergo peptide-regulated interaction with TAP via their extracellular domains.. <i>Journal of Experimental Medicine</i> , 1996, 184, 337-348.	4.2	97
32	Interaction of MHC class I molecules with the transporter associated with antigen processing. <i>Science</i> , 1994, 264, 1322-1326.	6.0	305